

Directorate of Town & Country Planning, Haryana

Plot No. 3, Nagar Yojna Bhawan, A-wing, Madhya Marg, Sector-18 Chandigarh,
Website: tcpharyana.gov.in; Phone: 0172-2548475, 2707175; email:
tcpharyana7@gmail.com

Regd.
To

Smt. Sudesh Devi W/o Sh. Ajmer Singh & others
In collaboration with Oxygreens Infrastructure Pvt. Ltd.
Plot No. 18, Sector 45,
Gurugram.

Memo No. LC-4729-JE (MK)-2023/

33845

Dated:

11-10-2023

Subject: Approval of Service Plan/Estimates for Affordable Plotted Colony (under DDJAY Policy-2016) over an area measuring 8.13125 acres falling under license no. 138 of 2022 dated 09.09.2022 in Sector-20, Jhajjar.

Please refer your application on the matter as subject cited above.

The service plan/ estimates of Affordable Plotted Colony (under DDJAY Policy-2016) over an area measuring 8.13125 acres falling under license no. 138 of 2022 dated 09.09.2022 in in Sector-20, Jhajjar has been checked and corrected wherever necessary and are hereby approved subject to the following terms and conditions:-

1. That you will have to pay External Development Charges as a full and no deduction on account of any services proposed from other Department/from own sources by the colonizer for the time being, as EDC works for a town as a whole will have to be got executed in view of overall planning, proposed area also covered/to be covered in EDC, Jhajjar Town.
2. The category wise area shown on the plans and proposed density of population thereof has been treated to be correct for the purpose of services only.
3. That you are liable to maintain the licensed area for ten years or as per HSVP norms till such time, the colony is taken over by the local authority/State Govt.
4. The wiring system of street lighting will be under ground and the specifications of the street lighting fixture etc. will be as per relevant standard of HVPNL. LED lamps shall be provided to meet the requirement of HVPNL and as well environment.
5. It is made clear that appropriate provision for fire-fighting arrangement as required in the NBC/ISI should also be provided by you and fire safety certificate should also be obtained from the competent authority before undertaking any construction. You shall be sole responsible for fire safety arrangement.
6. All technical notes and comments incorporated in the estimates in two sheets will also apply. A copy of these is also appended as Annexure-A.
7. The correctness of the levels of the colony will be sole responsibility of the owner for integrating the internal sewer/ storm water drainage of the colony by gravity with the master services.
8. That level/extent of external services to be provided by HSVP will be in accordance with EDC deposited. The colonizer will be fully responsible to meet the

demand, to dispose of effluent and rain water till these services are provided by HSVP.

9. That you shall be solely responsible for disposal of sewage of your colony as per requirement of HSPCB/Environment Deptt. till such time the external services are made available as per the proposal of the town. All the link connections with the external services shall be made by you at your own cost after seeking approval from competent authority. There should be no pollution due to disposal of sewerage of the colony. The disposal of the effluent should be accordance to the standard norms fixed by Haryana State Pollution Board/Environment Department.
10. The estimate does not include the provision of electrification of the colony. However, it is clear that the supervision charges and O&M charges shall be paid by you directly to the HVPNL.
11. That you shall be solely responsible to lay the services upto the external services laid/to be laid by HSVP or any developing agency on Sector dividing road at respective locations/points.
12. You have proposed to utilize recycled water for flushing purposes and provision of separate flushing line, storage tank, metering system, pumping system and plumbing has been made. Therefore, it is clarified that no tap or outlet of any kind will be provided from the flushing lines/plumbing lines for recycled water except for connection to the cistern of flushing tanks and any scouring arrangement. Even ablution taps should be avoided.
 - (i) Two separate distribution systems, independent to each other, will be adopted, one for potable water supply and second for recycled water. Every Home/Office/business establishment will have access to two water pipe lines.
 - (ii) Potable water and recycled water supply lines will be laid on opposite berms of road. Recycled water lines will be above sewer lines. Wherever unavoidable and if all pipes are required to be laid on same side of road, these will be located from the ground surface in order of descending quality. Potable water shall be above recycled water which should be above sewer. Minimum clear vertical separation between a potable water line and a recycled water line shall be one ft, if it not possible then readily identifiable sleeve should be used.

To avoid any accidental use of recycled water for potable purposes all:-

 - (a) Recycle water pipes, fitting, appurtenances, valves, taps, meters, hydrants will be of Red Colour or painted red.
 - (b) Sign and symbols signifying and clearly indicating "Recycle Water" "Not fit for Drinking" must invariably be stamped/fixed on outlets, Hydrants Valves both surface and subsurface, Covers and at all conspicuous places of recycle distribution system.
 - (c) Detectable marker tapes of red colour bearing words "Recycle Water" should be fixed at suitable interval on pipes.

- (d) Octagonal covers, red in colour or painted red and words "Recycle Water- Not fit for Drinking" embossed on them should be used for recycled water.
13. That it shall be mandatory to provide dual/two button or lever flushing system in toilets.
 14. You shall be solely responsible for the construction of various structures such as RCC underground tank etc. according to the standard specification good quality and its workmanship. The structural stability responsibility will entirely rest upon you.
 15. In case some additional structures are required to be constructed and decided by HSVP/development agency at a later stage, the same will be binding upon you. Flow of control valves will be installed preferably of automatic type on water supply connection with main water supply line, laid by developing agency or HSVP.
 16. The formation level of internal road should match with sector roads. Similar other services like water supply, sewerage and SWD level etc. should be fixed in integration of levels of EDC services of water supply, sewerage and SWD etc, which shall be ensured by you.
 17. In case it is decided by Govt. that HSVP/Govt. will construct 24 m wide road and will extend master services on 24 m wide internal circulation road, then additional amounts at rates as decided by the authority/Govt. will be recoverable over and above EDC.
 18. Since, the construction of master plan road is yet to take place, you will get the road level/formation level of your service fixed from the concerned Superintending Engineer, before execution.
 19. This estimate does not include the common services like water supply, storage tank on the top of the building block, the plumbing works etc. will part of the building works.
 20. You will have to ensure that the sewer/storm water drainage to be laid by you will be connected with the proposed existing master services by gravity. If it is not possible to connect the services by gravity, it will be your sole responsibility to make the pumping arrangement and maintenance thereof for all the time to come.
 21. That you shall not make any connection with the master services i.e. water supply, sewerage, storm water drainage, without prior approval of the competent authority in writing.
 22. That the detailed technical proposal/scheme shall be got approved from this office before execution of work at site.
 23. The firm will provide solar water heating system as per the guidelines issued by Haryana Govt./Ministry of Environment/Govt. of India.
 24. It is made clear that roof top rain harvesting system shall be provided by you as per Central Ground Water Authority norms/Haryana Govt. Notification and the same shall be kept operational/maintained all the time. The arrangement for segregation of first rain water not to be entered into the system shall also be made by you.

25. That you shall transfer the land under master plan road as well as service road to Govt./HSVP for construction of road/service road free of cost and proportionate cost for construction of service road shall also be paid by you.
26. That you shall ensure the compliance of all conditions of Chief Engineer-II, Haryana Shehri Vikas Pradhikaran, Panchkula imposed in his office letter memo no. CE-I/SE(HQ)/SDE(W-1)/SDE(W-2)/2023/166327 dated 01.08.2023 (enclosed as Annexure-A).

Note :-

- a. That you shall implement the directions given by National Green Tribunal O.A. No. 21 of 2014 and no. 95 of 2014 (in the matter of Vardhman Kaushik V/s Union of India & Others) and instructions have been issued by HSVP time to time may be implementation of these instructions at site.
- b. That you shall execute the development works as per Environmental Clearance and comply with the provisions of Environment Protection Act, 1986, Air (Prevention and Control of Pollution of Act 1981) and Water (Prevention and Control of Pollution of 1974). In case of any violation of the provisions of said statutes, you shall be liable for penal action by Haryana State Pollution Controlled Board or any other Authority Administering the said Acts.

A copy of the approved service plan/estimates is enclosed herewith. You are requested to supply three additional copies of the approved service plan/ estimates to the Chief Administrator, HSVP, Panchkula under intimation to this office.

DA/As above



(Divya Dogra)
District Town Planner (HQ)
For Director General, Town & Country Planning
Haryana, Chandigarh

Endst. No LC-4729-JE (MK)-2023/

Dated:

A copy is forwarded to the Chief Engineer-I, HSVP, Panchkula with reference to his memo No. CE-I/SE(HQ)/SDE(W-1)/SDE(W-2)/2023/166327 dated 01.08.2023 for information and necessary action please.

1

(Divya Dogra)
District Town Planner (HQ)
For Director General, Town & Country Planning
Haryana, Chandigarh

Memo No. ZP-1775/AD(GK)/2024/

12205

Dated:-

16/04/24

To

Smt. Sudesh Devi and Others,
In collaboration with Oxygreens Infrastructure Pvt. Ltd.,
Plot no. 18-P, Sector-45, Gurugram-122002.

Subject: - Approval of Standard Design of SCOs in Commercial Site over an area measuring 0.322 acres (1304.007 Sqm.) forming part of Affordable Residential Plotted Colony measuring 8.13125 acres (License No. 138 of 2022 dated 09.09.2022) falling in sector-20, Jhajjar.

Reference: - Please refer to subject cited matter.

Please find enclosed a set of the approved Standard Design of SCOs of aforesaid Commercial site forming part of Affordable Residential Plotted Colony (DDJAY Policy-2016) as per following details:-

Description	Area	Drawing No.	Dated
Commercial Site	0.322 acres (1304.007 Sqm.)	DTCP-10175(i) to 10175(iv)	10.04.2024

The above said Standard Design of SCOs is approved with the following condition:-

- The connecting corridors/passage provided at ground floor shall be used for movement/circulation of general public. The Owner of the SCOs shall not obstruct this corridor/ passage in any manner what so ever. You shall not sell the corridor/passage in any manner whatsoever.
- The developer/individual allottees shall get detailed building plans of SCOs/Booths etc. approved from DTP office.
- The developer/individual allottees shall obtain necessary approval of fire scheme/design and Fire NOC as per Haryana Fire Services Act, from competent Authority.
- The parking/open area shall not be sold in any manner whatsoever.

DA/As above

(S.K. Sehrawat)
District Town Planner (HQ),
For: Director, Town and Country Planning,
Haryana, Chandigarh.

Endst. No. ZP-1775/AD(GK)/2024/

Dated

A copy along with sets of approved Standard Design of SCOs is forwarded to the following for information and further necessary action please:-

1. Senior Town Planner, Rohtak.
2. District Town Planner, Jhajjar.

DA/As above

(S.K. Sehrawat)
District Town Planner (HQ),
For: Director, Town and Country Planning,
Haryana, Chandigarh.

LC-4729

8.13125 Acre Affordable Residential Plotted Colony in Sec -20, Jhajjar

M/s Oxygreens Infrastructure Pvt. Ltd.

WATER IS PRECIOUS

**8.13125 ACRES AFFORDABLE RESIDENTIAL
PLOTTED COLONY IN SECTOR 20, JHAJJAR,
HARYANA**

OXYGREENS INFRASTRUCTURE (P) LIMITED

PROJECT REPORT / SERVICE ESTIMATE AND CALCULATION OF
INTERNAL DEVELOPMENT WORKS FOR PROPOSED AFFORDABLE RESIDENTIAL
PLOTTED COLONY UNDER DEEN DAYAL JAN AWAS YOJANA-2016 OVER AN AREA
MEASURING 8.13125 ACRES IN SECTOR-20, DISTT. JHAJJAR (HARYANA)

CONSERVE WATER

INDEX

Sr. No. CONTENTS

- 1. REPORT**
- 2. DESIGN CALCULATIONS**
- 3. FINAL ABSTRACT OF COST**
- 4. WATER SUPPLY**
- 5. SEWERAGE**
- 6. STORM WATER DRAINAGE**
- 7. ROADS**
- 8. STREET LIGHTING**
- 9. HORTICULTURE**
- 10. MAINTENANCE CHARGES AND RESURFACING OF ROADS**
- 11. DESIGN DATA OF ROADS**
- 12. DESIGN DATA OF WATER SUPPLY**
- 13. DESIGN DATA OF FLUSHING PIPE LINE**
- 14. DESIGN DATA OF SEWERAGE**
- 15. DESIGN DATA OF STORM WATER DRAINAGE**
- 16. LAYOUT DRAWINGS**

**PROJECT REPORT / SERVICE ESTIMATE AND CALCULATION OF
INTERNAL DEVELOPMENT WORKS FOR PROPOSED AFFORDABLE RESIDENTIAL
PLOTTED COLONY UNDER DEEN DAYAL JAN AWAS YOJANA-2016 OVER AN
AREA MEASURING 8.13125 ACRES IN SECTOR-20, DISTT. JHAJJAR (HARYANA),**

REPORT

The Haryana Government has prepared a master plan for development of Residential/Industrial / Commercial urban estate Jhajjar. M/S OXYGREENS INFRASTRUCTURE PVT. LTD. has decided to develop a part of the area in this master plan and has named this part as 8.13125 Acres Affordable Residential plotted colony. This colony is located in Sector 20, Jhajjar, Haryana. License has already been granted by D.G.T.C.P Chandigarh bearing No. 9199 of 2023 Date 02.05.2023. The brief details of the colony are as under:-

WATER SUPPLY

SOURCES:-

The source of water supply in this area is tube wells at present as the underground water is potable and fit for human consumption. Moreover water is available at reasonable depth. The average yield of tube well with 40-45 ft. strainers will be about 25,000 liter per hour. The recharging of underground water table in this belt is stated to be good. However still we shall resort to rain water harvesting system to keep up the recharging system. The number of tube wells required for the above area has been worked out and the tube wells will be bored in tune with growth of demand to avoid absence of the tube wells. The ultimate requirement of tube wells includes provisions of 10% stand by. Water shall be supplied to the Project by Haryana M/S OXYGREENS INFRASTRUCTURE PVT. LTD.

DESIGN: -

The scheme has been designed for approved population of 1944 persons. The rate of water supply per head per day has been taken as 155.25 liters (135 + 15%) as per Haryana norms. In addition to above necessary provision of water for community area, shopping centres, parks, Horticulture etc. have been taken into account for calculating the maximum quantity of water requirement.


Ar. VIKAS AHLAWAT
CA/2013/59929



DISTRIBUTION SYSTEM: -

The distribution system for this development has been designed to supply @ 155.25 liter per head per day @ 3 times the average rate of flow on Hazen William formula. Necessary provision for laying CI/DI pipes conforming to relevant IS standards along with valves and specials has been made in the project. The minimum terminal head at lower point will be more than 60.00 meters so that it can serve the G+2 floors stories construction envisaged in the plan. Minimum pipe dia for distribution is kept as 50 mm dia. For drinking water supply and 40 mm dia for flushing cum irrigation water supply.

PUMP CHAMBER AND PUMPING MACHINERY: -

It has been proposed to equip each borewell with an electrically driven submersible pumping set capable of delivering about 416 LPM. The Genset and pump chamber for borewell will be combined with the Genset of pump chamber and boosting station. The provision for providing installation of 1 No. Genset of 40 KVA capacity for Boosting station and one borewells to run the machinery in case of failure of power. It has been proposed to construct 1 Nos. pump chamber to be constructed to housing the panel board of pumping machinery and gen set.

BOOSTING STATION:

It has been proposed to construct the boosting station within the area of residential colony. The site of the UGT/ boosting station has been earmarked in the approved layout plan. The clear water will be collected from existing rising main to boosting station and also from borewell and will be pumped from boosting station.

UNDERGROUND TANK:-

It has been proposed to construct underground water tanks as per attached calculation. The total capacity of underground clear water tanks has been worked out as 190 KL.

RISING MAIN: -

The provision for rising main from borewells to UGT has been made in the estimate.

STAFF QUARTER: -

It has been proposed to construct 1 No. Staff quarter for maintenance and security and operational staff.

TERTIARY WATER SUPPLY SCHEME: -

The provision for laying of tertiary water supply lines have been made in this estimate. The boosting station, collecting tank, pump chamber, machinery and Genset for tertiary water have been taken in this estimate.

SEWERAGE SCHEME: -

The internal sewerage of this area will be connected with external sewer of HSVP as and when the STP will be installed by HSVP till then the colonizer shall make its own arrangement for disposal of treated sewerage. The provision of construction of STP has been made in this estimate. The total sewer effluent has been worked out on the basis of 155.25 LPCD water considering 80% sewerage effluent with a peak factor of 3 times Daily Water Flow (DWF) with a minimum velocity of 0.74 mtr. per second. The size and gradient are also considered according to the public health norm. Necessary provision for laying minimum 200mm and up to 500mm i/d S.W./DWC/PVC pipe sewer line, Construction of required manhole chambers etc. have been made in this estimate. Necessary design statement for entire sewerage system has been prepared and attached with estimate.

STORM WATER DRAINAGE

The storm water of the area has been designed taking the rainfall intensity 1/4" per hour & runoff factor as 1. The underground SWD pipeline will be connected to rainwater harvesting system for recharge the aquifer and surplus storm water will be allowed to flow to the existing HSVP drain. The RCC NP3 pipe of minimum 400 dia size has been proposed for disposal of storm water in the residential colony as per norms. The minimum velocity of the pipeline is maintained 0.60 mtr. per second. The provision for construction of manhole chambers, rainwater harvesting system has been made in the estimate.

ROADS: -

Road, Parking and Pavement have been provided to above area and estimate is prepared as revised specifications adopted by HSVP.

STREET LIGHTING: -

The provision has been made on lump sum basis.

HORTICULTURE: -

The usual provision of road side plantation of trees with tree guard has been made for all roads. The parks & open spaces shall also be developed. Estimates and details of plantation, landscaping, signage, etc., has been included.

MAINTENANCE CHARGES: -

The maintenance charges of water supply, sewerage, SWD, Road, Electrification & Horticulture works have been proposed upto 10 years in the estimate.

SPECIFICATION: -

The work shall be carried out strictly in accordance with Haryana PWD Book of specification latest addition & MORT & H specification for road work.

RATES: -

The estimate has been prepared on the basis of Haryana Schedule rates 2021 & market rates where the item does not exists in HSR rates.

COST:

The total cost of the development in this Project works out to ~~Rs. 799.55 Lacs~~ ^{823.70} which include 3 % contingency and P.E charges and 49% departmental charges, administrative charges etc also has been made. The cost per gross acre works out to ~~Rs. 98.45 Lacs~~ ^{101.30} which covers the provision of services like water supply, sewerage, storm water drainage, roads, street lighting and plantations including maintenance thereof as well as future expenses.

FOR OXYGREENS INFRASTRUCTURE PVT. LTD.

Authorized Signatory



Ar. VIKAS AHLAWAT
CA/2013/59929



8.13125 ACRES AFFORDABLE RESIDENTIAL PLOTTED COLONY IN
SECTOR – 20, JHAJJAR
DESIGN CALCULATION

• Total Plots	= 144 Nos.
• Total Populations @ 13.5 person/plot	= 1944 Persons
Water Requirement $1944 \times 155.25 \text{LPD}$	= 301806
• Commercial Area 0.322 Acres Commercial @ 32000 LPD/Acre	= 10304 LPD
• Community Facility Area 0.814 Acres @ 25000 LPD/Acre	= 20350 LPD
• Milk and Veg Booth LS 5000 LPD	= 5000 LPD
• (0.658 acre) @ 25 kl/acre Per Day for Horticultural	= 16450 LPD
• Daily water requirement @ 5000 Litres / Acres For sweeping of roads for 1.35 Acres	= 6750 LPD
Total	= 360660 LPD 360 KLD

Fire Demand

• Populations	= 1944 persons
Fire Fighting $100\sqrt{P}$ $= 100\sqrt{1.944} \times 1/3 = 46.47 \text{ KLD}$	= 46.47 KLD
Say	= 50 KLD
Garden Irrigation Requirement	= 17 KLD
For sweeping of roads Requirement	= 7 KLD
	24 KLD

Total Water Requirement for UGT
(Excluding Fire Demand)

Hence Domestic Water Requirement (67%)	= $(360 - 17 - 7) \times 0.67 = 225.12 \text{ KLD}$
Say	= 226 KLD
Hence Flushing Water Requirement (33%)	= $(360 - 17 - 7) \times 0.33 = 110.88 \text{ KLD}$
Say	= 115 KLD

Ar. VIKAS AHLAWAT
CA/2013/59077



Domestic Storage Requirement a) Daily demand Domestic use
Including institutional demand = 226 KL

Capacity of underground tank

Taking storage (25 + 33 = 58%)

Say 60% of daily demand

= $226.0 \times 0.60 = 135.6 \text{ KL}$

Say = 140 KL

Flushing Storage Requirement Capacity of underground

Tank Storage = (25 + 33 = 58%)

Say 60% of daily demand

= $115.0 \times 0.60 = 69 \text{ KL}$ Say = 70 KL

Fire Fighting $100\sqrt{P}$

= $100\sqrt{1.944} \times 1/3 = 46.47 \text{ KL}$

Say = 50 KL

It is Proposed to construct an UGT i.e. 140 KLD in two compartment for domestic use and 70 KL for Non potable water in Two compartment in STP and 50 KL for Firefighting purposes

Total Capacity of UGT = $140 + 70 + 50 = 260 \text{ KL}$

SAY = 260 KL

**8.13125 ACRES AFFORDABLE RESIDENTIAL PLOTTED COLONY IN
SECTOR – 20, JHAJJAR**

Sr. No.	Description
1.	<u>BOREWELLS/ TUBEWELL</u> Assuming working hours of tube well = 12 Assuming discharge/hour of each tube well = 25,000 lit/hour Total Domestic Water demand = 216 KL No. of tubewells required for water supply = 216 = 0.78 25 X 12 Add 10% stand by = 0.078 = 0.825 Total no of tubewells required = 1 nos. So it is proposed to provide 1 Nos of tube wells at present. Moreover the requirement of flushing water supply is to met from treated water from S.T.P. and ultimately water is to be supplied by HSVP
2.	<u>PUMPING MACHINERY FOR BOREWELL</u> Gross working load = 45.00 m Average fall in is S.L. = 3.00 m Depression head = 9.00 m Friction Loss = 3.00m Total = 60.00 m B.H.P. = $\frac{25000 \times 60}{60 \times 60 \times 75 \times 0.6}$ With 60% efficiency = 9.25 H.P. Say = 10.0 H.P
3.	<u>RISING MAIN FROM BOREWELL TO UGT</u> Rising main network for 1 no. borewells is having dia 100,150 & 200 mm. Provision for same has been considered in estimate. Material statement is also attached.
4.	<u>Boosting Machinery (Drinking water)</u> Daily requirement for domestic use (Drinking) = 226 KLD

Assuming 6 hours running 1 pump (with one stand by) discharge/hour.

$$= \frac{226}{6}$$

$$= 37.66 \text{ cum/hour}$$

$$= 627.7 \text{ ltr/m}$$

$$\text{Say} = 650 \text{ ltr/m}$$

Head of Pump

i) Suction Lift 4m

ii) Friction Loss in main & specials 2.0m

iii) Elevation Head 15m

iv) Clear & Residual Head $\frac{29\text{m}}{35\text{M}}$

Say 40m

B.H.P. of Motor $\frac{650 \times 40}{60 \times 75 \times 0.6} = 9.62$

$$60 \times 75 \times 0.6$$

Say 10 H.P.

5. BOOSTING MACHINERY(Flushing water supply)

Daily requirement for domestic use (flushing) = 115 KL

Add for horticulture and roads = 17.00 KL

TOTAL = 132 KL

Assuming 6 hours running 1 pumps (with one stand by)

Discharge/hour = 22 KL/hour

Discharge/minute say = 366.6 liter/m
= 380 liter/m

HEAD OF PUMP

i) Suction lift = 4 M

ii) Friction Loss in main & specials = 2 M

iii) Clear & Residual head = 27 M

TOTAL = 33 M

SAY = 40 M

B.H.P. of Motor = $\frac{380 \times 40}{60 \times 75 \times 0.6} = 5.62$

$$60 \times 75 \times 0.6$$

say = 7.5 HP

6.	<u>GENSET FOR BOOSTING STATION</u> Pumping sets 1 Nos. 10.0 H.P. (Domestic) = 10 H.P. Pumping sets 1 Nos. 7.5 H.P. (Flushing) = 7.5 H.P. Lightening etc = 5 H.P. Tubewell = 10. H.P. = 32.5 H.P. <u>Capacity of gen set required</u> 32.5 x 0.746 x 1.50 = 36KVA Add 10 % extra = 3.6 = 39.6 SAY Say-40KVA
7.	<u>PUMP ROOM</u> It is proposed to construct combined pump room for housing the panel of machinery of boosting station and borewells.
8.	<u>STAFF QUARTER</u> Construction of staff quarter for operation of Boosting station including public health services.
9.	<u>SEWAGE TREATMENT PLANT</u> STP required Capacity @ 80 % of total demand excluding the horticultural and for sweeping of road = 342x 0.8 = 273.6 KL Add 5% marginal Factor = 13.68 = 287.28 SAY = 300KLD PROPOSED STP CAPACITY = 300 KLD

8.13125 ACRES AFFORDABLE RESIDENTIAL PLOTTED COLONY IN SECTOR - 20, JHAJJAR

FINAL ABSTRACT OF COST

		Amount (Rs. In Laacs)	
Sub Work No. I	Water Supply	Rs.	175.34 168.00 114.18
Sub Work No. II	Sewerage	Rs.	112.70
Sub Work No. III	Storm Water Drainage	Rs.	79.00 ✓
Sub Work No. IV	Road and Footpath	Rs.	179.50 193.25
Sub Work No. V	Street Lighting	Rs.	31.50
Sub Work No. VI	Horticulture Work	Rs.	4.35 6.21
Sub Work No. VII	Maintenance Charges for 10 years i/c resurfacing of roads after 1 st 5 years and 2 nd 5 years	Rs.	224.50
Total		Rs.	799.55 823.68 la
Cost Per Acres = Rs. 799.55/ 8.13125 = 98.45-Lack per Acre			823.70 la

Checked subject to Comments
In forwarding letter No. 166327
Dt. 01/08/2023 and notes
attached with the estimate

Overseeing Engineer (HQ)
for Civil Engineer-I
Haryana
SD E-2) R. men

R. D. D. D. D.
Superintending Engineer,
HSVP Circle, Gurugram

Executive Engineer
HSVP Divn. Bhandarkh



Ar. VIKAS AHLAWAT
CA/2013/59929
MEP Buildtech
New Delhi
Consultant

FINAL ABSTRACT OF COST (WATER SUPPLY)Amount (Rs in
Lacs)

Sub Head No. 1 Head Works

80.26
~~75.00~~

Sub Head No. 2 Pumping Machinery

34.53
~~32.50~~

Sub Head No. 3 Distribution System(Drinking)

34.25

Sub Head No. 4 Distribution System(Flushing)

26.30

Total

Rs 175.34 lacs
~~168.00~~

8.13125 ACRES AFFORDABLE RESIDENTIAL PLOTTED COLONY IN SECTOR – 20, JHAJJAR

Sub Work-I Sub Head No. 1	Water Supply Head Works Amount (Rs.) (in Lacs)
1 Boring and installing 510 i/d tubewells with reserve/ direct rotary rig complete with pipe strainer to a depth of about 150m complete. 1 Nos. @ 15.00 Lacs each	15.00
2 Constructing pump chambers as per standard design of PWD PH/HSVP of size 4.90x4.25 m 1 Nos. @ 4.00 Lacs each	4.00
3 Construction of boundary wall around the Tube well site Water Works 1 No. @ Rs 3.00 lac Tube wells 1 Nos. @ Rs 1.50	3.00 1.50
4 Provision of footpath hedges and lawns at tube well 1 Nos.	1.00
5 Construction of boosting chambers of suitable size along with underground tank of capacity 260KL pumping machinery and generating set etc. complete in all respects. Details of boosting station i) Construction of boosting chamber ii) U.G. tank 260KL capacity RS 500/KL 4500x260	5.00 14.30 14.70
6 Provision for staff quarters for Maintenance i) 1 No 350 sft @ Rs 6.00 Lac	7.50 6.00
7 Prov. for carriage of material (L.S.) <i>Ex other ungr. seen items (L.S.)</i>	1.00
P.E. & contingency charges @ 3%	48.2-52.30 1.446 1.57
Department escalation unforeseen and administrator charges @ 49%	-49.946-53.87 lacs -24.3265 26.39 lacs
Total Say	74.27 80.26 lacs 75
C/O to final abstract of cost <i>Sub Head, W/S</i>	

Sub Work I

Sub Head No. 2

Water Supply
Pumping
Machinery
Amount (Rs.)
(in Lacs)

- 1 Providing and installing electricity driven electro or submersible pumping sets capable of delivering about 25.00KL water per hour against a total head of 60 M complete with motor and other accessories (10 B.H.P.)

1 Nos. @ Rs 2.00 lac each

2.00

- 2 Provision for diesel engine genset stand by arrangement for tubewells (L.S.)

2.00

- 3 Provision for cheap pressure type chlorination plant complete

1 Nos. @ Rs 1,00,000/-

1.00

- 4 Provision for making foundations and erection of pumping machinery (L.S.)

2.00

- 5 Provision for pipes, valves, and specials inside the pump chamber

2.00

- 6 Provision for electric services connection including electric transformer and fittings for tubewells chambers complete including transformers L.S.

2.50

- 7 Providing and installing centrifugal boosting pumping sets, capable of delivering water at 40 M head complete in all respects domestic ~~650 Lpm, 10HP~~

2 Sets @ Rs 2.00 lac each

4.00

- 7(a) Centrifugal Boosting Pumping Set cap. of

4.00

- 8 Providing Gen set for Boosting Pumps for drinking water supply 40.00KVA for flushing L.S.

6.00

- 9 Provision for carriage for materials and other unforeseen items L.S.

1.00

Total

21.00 22.50

P.E. & contingency charges @ 3%

0.63 0.68

21.63 23.18

Department escalation unforeseen and administrative charges @ 49%

10.5987 11.35

Total

32.23 34.53 lac

say

32.50

C/O to final abstract of cost sub head No. 1 wts

Sub Work I

Sub Head No. 3

Water Supply
Distribution
System(Drinking)
Amount (Rs.)
(in Lacs)

- 1 Providing, laying, jointing and testing C.I/D.I. K9 Pipes including cost of excavation complete as per specifications.

100 mm dia i/d ~~972~~ mtrs @ Rs.1460 /mtr

150 mm dia 957 m @ Rs 2040/-

13.97
~~14.19~~
0.31 lacs

- 2 Providing and fixing sluice valve including cost brick masonry chambers complete in all respect.

100 mm dia i/d 6Nos. @ Rs. 12000/- each

150 mm dia 1200 @ Rs 15000/-

0.72
0.15

- 3 Providing and fixing air valves and scour valves or scour taps including cost of brick masonry chamber

2Nos. @ Rs. 15,000/- each

0.30

- 4 Providing and fixing fire hydrants complete with masonry chambers

4 Nos. @ Rs. 15,000/- each

0.6

- 5 Providing and fixing indicator plates for sluice valve, air valve etc.

12Nos. @ Rs. 2000/- each

0.24

- 6 Provision for rising main D.N. 100mm from main HSVP water line to U.G.S.T. 254 mtrs @ Rs1460/- mtr

3.70

- 7 Provision for D.N. 100mm D.I. rising main from tube well to U.G.S.T. 20 mtrs @ Rs. 1460/- mtr

0.29

~~0.29~~

- 8 Providing for carriage of material *to other engineering items*

2.00

~~22.28~~ *22.31 lacs*

Add P.E. & Contingency charges @ 3%

~~0.6684~~ *0.67 lacs*

~~22.9484~~ *22.98*

Department escalation unforeseen and administrator charges @ 49%

~~11.2447~~ *11.25*

34.23

Total

34.19

Say:

34.20

C/O to final abstract of cost

of sub head-5 say 34.25 lacs

Sub Work I**Sub Head No. 4**
**Water Supply
Distribution
System(Flushing)
Amount (Rs.)
(in Lacs)**

1	Providing, laying, jointing and testing C.I/D.I. K9 Pipes including cost of excavation complete as per specifications. 100 mm dia i/d 989 mtrs @ Rs 1460 /mtr	14.43
2	Providing and fixing sluice valve including cost brick masonry chambers complete in all respect. 100 mm dia i/d 6Nos. @ Rs. 12000/- each	0.72
3	Providing and fixing air valves and scour valves or scour taps including cost of brick masonry chamber 2Nos. @ Rs. 10,000/- each	0.2
4	Providing and fixing 25mm and irrigation hydrants 11 Nos. @ Rs. 5000/- each	0.55
5	Providing and fixing indicator plates for sluice valve, air valve etc. 11Nos. @ Rs. 2000/- each	0.22
6	Provision for carriage of material and other unforeseen items	1.00
		17.12
	Add P.E. & Contingency charges @ 3%	0.5136
		17.63
	Department escalation unforeseen and administrative charges @ 49%	8.640
	Total	26.27
	Say:	26.30

C/O to final abstract of cost

8.13125 ACRES AFFORDABLE RESIDENTIAL PLOTTED COLONY IN SECTOR – 20, JHAJJAR

SUB WORK II

SEWERAGE SCHEME

Amount (Rs.)
(in Lacs)

- 1 Providing, lowering, cutting, salt glazed stoneware/PVC/DWC pipes and specials into trenches including cost of excavation, bed concrete, cost of manholes complete in all respect.

i) 200 mm i/d

Av. Depth upto 3M – 965M @ Rs. 1700- per M

16.405

- 2 Provision for providing oblique junctions (L.S.)

2.00

- 3 Provision for providing and fixing vent shafts at suitable places as per PH requirement (L.S.)

2.00

- 4 Provision of Electro Mechanical Cost of STP (300 KL)
@ Rs. 16000/- KLD

48.00

- 5 Provision of temporary timbering etc.

1.00

- 6 Provision for cutting of roads and carriage of materials etc. and other unforeseen charges (L.S.)

3.00

- 7 Provision for connection with HSVP main (L.S.)

2.00

Total

73.405 74.40

P.E. & Contingency charges @ 3%

2.2021 2.23

75.607 76.63

Department escalation unforeseen and administrative charges @ 49%

37.047 37.55

Total

112.65 114.18 la

Say:

112.70

C/O to final abstract of cost

8.13125 ACRES AFFORDABLE RESIDENTIAL PLOTTED COLONY IN SECTOR – 20, JHAJJAR

SUB WORK III

STORM WATER DRAINAGE Amount (Rs.) (in Lacs)

1	Providing, laying RCC pipes drain class NP – 3 with cement joint, manholes, excavation etc. complete in all respect 400 mm i/d Av. Depth upto 2.0 m – 976 M @ Rs. 2500/- per M	24.40
2	Provision for road gullies with 300 mm dia pipe connection L.S. (L.S.)	3.00 2.50
3	Provision for Construction pit at selected place. (2 nos with SINGLE bore) (if applicable)	7.5
4	Provision for temporary disposal arrangement till HSVP services are provide L.S.	5.00
5	Provision for lighting, watching and temporary diversion of traffic L.S.	3.00
6	Provision for cutting of roads and carriage of materials etc. and other unforeseen items L.S.	5.00
7	Provision for connection with HSVP on master line L.S.	2.00
8	Provision for timbering and shoring. L.S.	2.00
	Total	51.40
	P.E. & contingency charges @ 3%	1.542
	Total	52.94
	Department escalation unforeseen and administrative charges @ 49%	25.94
	Total	78.88
	say	₹ 79.00 100

C/O to final abstract of cost

8.13125 ACRES AFFORDABLE RESIDENTIAL PLOTTED COLONY IN SECTOR – 20, JHAJJAR

SUB WORK – IV					
Item No.	Description of Item	Unit	Qty.	Rate (Rs)	Road Work Amount (Rs in lacs)
1	Site Clearance				
1	Earth Works				
1.1	Provision for leveling + earth filling as per site condition approximate	Acre	8.13125	1,75,000	14.22
2	Providing and laying	Sqm	5466	1500	81.99
	ii) Providing and laying Bituminous road (200mm GSB, 250mm WMM, 50mm DBM, 40mm BC)				
3	Miscellaneous Items				
3.1	Construction of cement concrete Kerb and Channels as per specifications	Meter	1988 994	600	11.93 5.96
3.2	Construction of footpaths as per specification on 9 m wide road 1x1.50x65=97.5 say=100sqm.	Sqm	100	600	0.60
3.3	Providing and fixing guide maps at selected locations (L.S.)				2.00
3.4	Provision for plot indicators (L.S.)				1.00
3.5	Provision for demarcating burgies (L.S.)				1.00
3.6	Provision for traffic arrangement				2.00
3.7	Provision for carriage of material (L.S.)		652		2.00
3.8	Construction of pavement in shopping area 0.322 acres 50% of that= 646 SQM.	sqm	616	1000	6.16 9.78
	1304.007 652				116.93 185.92
	Add 3% contingency & P.E. charges				3.5079 3.78
	Department escalation unforeseen and administrator charges @ 49%				120.43 129.70
	Total				59.01 63.55
	Total Say				179.44 179.50
					193.25

C/O to final abstract of cost

8.13125 ACRES AFFORDABLE RESIDENTIAL PLOTTED COLONY IN SECTOR – 20, JHAJJAR

SUB WORK – V

Street Lighting

	Amount (Rs. in lacs)
Providing street lighting on internal Roads as per standard specification in 8.13125 acre area @ Rs. 2,50,000/- per acre 8.13125x 2,50,000/-	= 20.32
Add 3% contingencies & P.E. charges	= 0.61
	= 20.93
Add Department escalation unforeseen and administrator charges @ 49%	= 10.25

Total	= 31.18
Say	= 31.50 lacs

C/O to final abstract of cost

8.13125 ACRES AFFORDABLE RESIDENTIAL PLOTTED COLONY IN SECTOR – 20, JHAJJAR

SUB WORK – VI**HORTICULTURE**

AMOUNT
(RS. IN
LACS)

1 Development of Lawn area

- a) Trenching the ordinary soil up to depth of 60 cm. Including removal and packing of serviceable material and disposing at a lead of 50 m/ and making up the trenched area to proper level by filling with earth mixed with manure including cost of imported earth and manure.
- b) Rough dressing of trenched area.
- c) Grassing with "doob grass" including watering and maintenance of lawns free from weeds and fit for moving rows 7.50 cm in either direction including for hedges and grill and barbed wire fencing around park and green belts (as per HSVP Norms) Area 0.658 Acres @ Rs. 1,50,000/- per acre

0.987

2 Planting of trees with tree guards on Roads at 40' intervals

Total length of roads= 947 mtr

No. of trees @ 12 m c/c = $\frac{947}{12} \times 2 = 157.8$ Nos.
Say = 158 NOS

Cost of the tree

Excavation Rs. 60/-

Manure Rs. 90/-

Tree plants Rs. 150/-

Tree guards Rs. 1500/-

Total = 1800x 158

TOTAL 170

Add 3 % contingencies and P.E charges

Add 49% departmental charges, price escalation , unforeseen and Adm charges

TOTAL**SAY**

3.06
2.84
2.84
0.08
2.92
1.43
4.35
4.35
6.21

C/O to final abstract of cost

8.13125 ACRES AFFORDABLE RESIDENTIAL PLOTTED COLONY IN SECTOR – 20, JHAJJAR

SUB WORK – VII

MAINTENANCE CHARGES AND RESURFACING OF ROADS

Amount (Rs. in lacs)

2nd phase after 5 yrs of 1st phase

1. Provision for maintenance charges for water supply, sewerage, storm water drainage, roads, streetlights, horticulture etc. complete including operation and establishment charges as per HSVP norma after completion and resurfacing of roads after 10 years.

8.13125 acres @ Rs. 8.00 lacs per acre = 65.05

2. Provision for resurfacing of roads after 1st 5 years of maintenance i.e. 100mm thick B.M. and 25mm premix carpet with mechanical paver

= 36.07

5466 sqm @ Rs 660/- Per Sqm

3. Resurfacing of road after 10 years of maintenance by providing 25 mm thick premix carpet with seal coat with mechanical paver

5466sqm @ Rs 825/- Per Sqm = 45.09

TOTAL

= 146.21

Add 3% PE and contingency charges

= 4.38

= 150.59

Add 49% Departmental charges, price escalation unforeseen and administrator charges.

= 73.79

Total

= 224.38

Say

Rs = 224.50 lacs

C/O to final abstract of cost

DESIGN CHART FOR DOMESTIC WATER SUPPLY SYSTEM																							
Sl. No	Node		No of Plot served	Population @ 13.5 persons/plot	Total Water Requirement @ 55.25 LPD/person	OTHER BUILDINGS				Self Domestic Water Requirement in Liter @ 57 % of total demand for plot @ 1/3rd of total demand for commercial		PUMP WORKING 8 HOURS IN LPH	SELF WATER REQ IN LPH	LENGTH OF PIPE	10 % of fittings	Eqv. Length	HEAD LOSS MTR/MTR	TOTAL HEAD LOSS IN MTRS	Communtative head loss	Velocity in m/sec	SIZE OF RISER PIPE IN MM Dia		
	FROM	TO				Area in Acre	Type of building	Basics of Water Requirement LPD	Total water requirement for other buildings (LPD)	Total Water requirement	LPD	LPD	LPD										
1	W1	W3	3	40.5	6238	0.614	Community	2534acre	20350	20653	17847	0	17847	2875	50	20	2	22	0.0003	0.007	0.007	0.11	100
2	W2	W3	12	162	25151					25151	18551	0	18551	2808	47	44	4	43	0.0003	0.013	0.013	0.10	100
3	W3	W5	7	94.5	14671					14671	9830	34698	7421	124	41	4	45	0.0017	0.075	0.088	0.26	100	
4	W4	W5	12	162	25151					25151	18551	0	18551	2808	47	48	5	53	0.0003	0.015	0.015	0.10	100
5	W5	W7	5	67.5	10478					10478	7021	81379	11400	190	42	4	46	0.0037	0.170	0.258	0.40	100	
6	W6	W7	6	81	12575					12575	8425	0	8425	1404	23	48	5	53	0.0001	0.004	0.004	0.05	100
7	W7	W9	0	0	0					0	0	76825	12904	213	43	4	47	0.0048	0.216	0.474	0.45	100	
8	W8	W9	14	189	28342					28342	19659	0	19659	3277	55	53	5	58	0.0004	0.021	0.021	0.12	100
9	W9	W11	0	0	0					0	0	88484	16081	268	46	5	51	0.0070	0.352	0.827	0.57	100	
10	W10	W11	13	175.5	27246					27246	18255	0	18255	3043	51	54	5	59	0.0003	0.019	0.019	0.11	100
11	W11	W24	0	0	0					0	0	114740	19123	319	34	3	37	0.0068	0.356	1.185	0.68	100	
12	W12	W14	7	94.5	14571		Mkt Bldg	LS	5000	13671	13180	0	13180	2197	37	23	3	32	0.0002	0.006	0.006	0.05	100
13	W13	W14	0	0	0	0.322	Commercial	324acre	10304	10304	5804	0	5804	1151	19	13	1	14	0.0001	0.001	0.001	0.04	100
14	W14	W15	0	0	0					0	0	20083	3347	56	33	3	38	0.0004	0.014	0.014	0.12	100	
15	W15	W17	4	54	8384					8384	5917	0	5917	595	16	28	3	32	0.0000	0.001	0.001	0.03	100
16	W16	W17	8	121.5	18853					18853	12638	0	12638	2106	35	47	5	52	0.0002	0.008	0.008	0.07	100
17	W17	W18	6	81	12575					12575	8425	38398	48764	7794	130	44	4	48	0.0018	0.088	0.107	0.28	100
18	W18	W19	8	108	16767					16767	11234	0	11234	1872	31	42	4	49	0.0001	0.006	0.006	0.07	100
19	W19	W21	2	27	4192					4192	2808	57998	60806	10134	169	20	2	22	0.0000	0.005	0.173	0.36	100
20	W20	W21	6	81	12575					12575	8425	0	8425	1404	23	43	4	47	0.0001	0.004	0.004	0.05	100
21	W21	W23	2	27	4192					4162	2808	69232	72040	12007	209	46	5	51	0.0041	0.205	0.378	0.42	100
22	W22	W23	28	378	56885					56855	39319	0	39319	6553	109	115	12	127	0.0013	0.197	0.197	0.23	100
23	W23	W24	0	0	0					0	0	111358	18660	309	23	2	25	0.0001	0.020	0.607	0.66	100	
24	W24	PUMP ROOM	0	0	0					0	0	228088	37583	628	15	2	17	0.0337	0.558	1.741	1.33	100	
			144	1944	301805	1.136		0	86954	337450		228088			672			SAY		2M			

MATERIAL STATEMENT FOR DOMESTIC WATER SUPPLY				
SL NO	NODE		SIZE OF RISER PIPE IN MM Dia	LENGTH OF PIPE IN mtr.
	FROM	TO		
1	W1	W3	100	20
2	W2	W3	100	44
3	W3	W5	100	41
4	W4	W5	100	48
5	W5	W7	100	42
6	W6	W7	100	48
7	W7	W9	100	43
8	W8	W9	100	53
9	W9	W11	100	46
10	W10	W11	100	54
11	W11	W24	100	34
12	W12	W14	100	29
13	W13	W14	100	13
14	W14	W15	100	33
15	W15	W17	100	29
16	W16	W17	100	47
17	W17	W19	100	44
18	W18	W19	100	42
19	W19	W21	100	20
20	W20	W21	100	43
21	W21	W23	100	46
22	W22	W23	100	115
23	W23	W24	100	23
24	W24	PUMP ROOM	100	15
			Total	972

15 ← 150 mm φ
 957 ← 100 mm φ

MATERIAL STATEMENT FOR FLUSHING WATER SUPPLY

SL NO	NODE		SIZE OF RISER PIPE IN MM Dia	LENGTH OF PIPE IN mtr.
	FROM	TO		
1	F1	F3	100	24
2	F2	F3	100	50
3	F3	F5	100	41
4	F4	F5	100	42
5	F5	F7	100	31
6	F6	F7	100	43
7	F7	F9	100	55
8	F8	F9	100	46
9	F9	F21	100	47
10	F10	F11	100	28
11	F11	F12	100	46
12	F12	F14	100	25
13	F13	F14	100	40
14	F14	F16	100	43
15	F15	F16	100	33
16	F16	F18	100	34
17	F17	F18	100	41
18	F18	F20	100	41
19	F19	F20	100	108
20	F20	F21	100	64
21	F21	STP	100	107
			TOTAL	989

SEWER DESIGN																															
SI	LINE		No. of the served	Population @ 125 persons /ha	Waste Requirement @ 125 L/pcd/person	Area in Acres	TYPE OF BUILDING	Basis of Values Requirement L/pcd	Total water requirement for other buildings (L/pcd)	Total Water Req. (L/pcd)	Avg. Sewer load (kg of dry matter/ha)	Peak Load @ 225% of Avg. Load	Subsidiar Infiltration @ 225% of Avg. Load	Self Discharge	Branch Discharge	Total Discharge	Length of Dis. Pipe	Dia. of Pipe	Slope 1 in 100	Fall in Line	Velocity m/sec	Capacity of Pipe	CHECK FOR CARRYING CAPACITY	STARTING (E.L.)	STARTING (L.I.)	END (E.L.)	END (L.I.)	STARTING MANHOLE DEPTH	END MANHOLE DEPTH	AVERAGE MANHOLE DEPTH	
	NO.	FROM TO																													
1	51	53	4	54	8384	0.8140	Community	250surface	20350	20734	22367	60950.4	5747	74707	0	74707	0.85	25	200	225	0.12	0.82	8.48	OK	0.00	-0.90	0.00	-1.02	0.90	1.02	1.92
2	52	53	12	162	25151				25151	20120	22367	60950.4	5747	74707	0	74707	0.85	47	200	225	0.21	0.82	12.93	OK	0.00	-0.90	0.00	-1.11	0.90	1.11	2.01
3	53	55	7	95	14871				14871	11137	22367	60950.4	5747	74707	0	74707	0.85	46	200	225	0.20	0.82	12.93	OK	0.00	-1.11	0.00	-1.31	1.11	1.31	2.42
4	54	55	12	162	25151				25151	20120	22367	60950.4	5747	74707	0	74707	0.85	37	200	225	0.19	0.82	12.93	OK	0.00	-0.90	0.00	-1.06	0.90	1.08	0.88
5	55	57	4	54	8384				8384	8767	22367	60950.4	5747	74707	0	74707	0.85	28	200	225	0.13	0.82	12.93	OK	0.00	-1.31	0.00	-1.44	1.31	1.44	1.38
6	56	57	8	81	12575				12575	10050	22367	60950.4	5747	74707	0	74707	0.85	37	200	225	0.16	0.82	12.93	OK	0.00	-0.90	0.00	-1.08	0.90	1.06	0.98
7	57	58	0	0	0				0	0	0	0	0	0	0	0	0	54	200	225	0.24	0.82	12.93	OK	0.00	-1.44	0.00	-1.68	1.44	1.68	1.59
8	58	59	14	189	25342				25342	23474	22367	60950.4	5747	74707	0	74707	0.85	42	200	225	0.19	0.82	12.93	OK	0.00	-0.90	0.00	-1.09	0.90	1.08	0.89
9	59	62	0	0	0				0	0	0	0	0	0	0	0	47	200	225	0.24	0.82	12.93	OK	0.00	-1.88	0.00	-1.95	1.88	1.99	1.79	
10	610	611	7	95	14871	0.3320	Commercial	30surface	10024	245975	13890	58400.3	4585	64835	0	64835	0.75	24	200	225	0.11	0.82	12.93	OK	0.00	-0.90	0.00	-1.01	0.90	1.01	0.95
11	611	612	0	0	0				0	0	0	0	0	0	0	0	45	200	225	0.20	0.82	12.93	OK	0.00	-0.91	0.00	-1.21	1.01	1.21	1.11	
12	612	614	3	41	6288		Milk booth	LS	5000	5000	4000	12000	1000	13000	64935	77935	0.90	45	200	225	0.11	0.82	12.85	OK	0.00	-1.21	0.00	-1.32	1.21	1.32	1.28
13	613	614	0	122	18653				0	0	0	0	0	0	0	0	35	200	225	0.16	0.82	12.93	OK	0.00	-0.90	0.00	-1.06	0.90	1.06	0.98	
14	614	616	6	81	12575				12575	10050	22367	60950.4	5747	74707	0	74707	0.85	44	200	225	0.20	0.82	12.93	OK	0.00	-1.32	0.00	-1.51	1.32	1.51	1.42
15	615	616	6	108	16737				16737	13414	22367	60950.4	5747	74707	0	74707	0.85	29	200	225	0.13	0.82	12.93	OK	0.00	-0.90	0.00	-1.09	0.90	1.09	0.96
16	616	619	3	41	6288				6288	5930	13000	53000.3	1258	16348	2198715	2369854	2.73	34	200	225	0.15	0.82	12.88	OK	0.00	-1.51	0.00	-1.69	1.51	1.68	1.59
17	617	619	6	81	12575				12575	10050	22367	60950.4	5747	74707	0	74707	0.85	39	200	225	0.17	0.82	12.93	OK	0.00	-0.90	0.00	-1.07	0.90	1.07	0.99
18	618	619	2	27	4192				4192	3263	10000.2	5318	10669	0	10669	0.13	10							0.00	-0.90	0.00	-0.90	0.90	0.90		
19	619	621	0	0	0				0	0	0	0	0	0	0	0	42	200	225	0.19	0.82	12.93	OK	0.00	-0.90	0.00	-1.68	1.68	1.85	1.76	
20	620	621	28	376	56885				56885	48948	140043	17137	15290	0	15290	1.77	62	200	225	0.45	0.82	12.93	OK	0.00	-0.90	0.00	-1.35	0.90	1.35	1.43	
21	621	622	0	0	0				0	0	0	0	0	0	0	0	66	200	225	0.29	0.82	12.93	OK	0.00	-1.65	0.00	-2.14	1.65	2.14	2.00	
22	622	627	13	178	27246				27246	21797	65394.3	5469	70941	909555	977595	10.16	105	210	225	0.47	0.82	12.83	OK	0.00	-2.14	0.00	-2.61	2.14	2.61	2.38	

MATERIAL STATEMENT (SEWER)

SI NO.	LINE		Length of line Mtr	Dia of Pipe MM	DIA	
	FROM	TO			200 <i>in mtr</i>	250
1	S1	S3	26	200	26	0
2	S2	S3	47	200	47	0
3	S3	S5	46	200	46	0
4	S4	S5	37	200	37	0
5	S5	S7	29	200	29	0
6	S6	S7	37	200	37	0
7	S7	S9	54	200	54	0
8	S8	S9	42	200	42	0
9	S9	S22	47	200	47	0
10	S10	S11	38	200	24	0
11	S11	S12	15	200	46	0
12	S12	S14	53	200	24	0
13	S13	S14	23	200	35	0
14	S14	S16	35	200	44	0
15	S15	S16	44	200	29	0
16	S16	S19	29	200	34	0
17	S17	S19	37	200	39	0
18	S18	S19	39	200	10	0
19	S19	S21	42	200	42	0
20	S20	S21	102	200	102	0
21	S21	S22	66	200	66	0
22	S22	STP	109	250	105	
				Total	965	

DESIGN STATEMENT - STORM WATER DRAINAGE																		
SL	SW LINE	AREA SERVED			RUNOFF ASSUMING	DIA OF	GRADIENT,	VELOCITY	DESIGN	CHECK FOR	LENGTH	FALL IN	Starting and end (GL)	Starting (L)	End GL	End (LL)		
NO.	MARKED AS	set (sqm)	BRANCH (sqm)	TOTAL (sqm)	RF @ (6.25 MM/HR)	PIPE	1/	m/sec	DISCHARGE	CARRYING CAPACITY	OF LINE	METER						
	FROM	TO			IN LPS.	IN MM			IN LPS		Mtr		Mtr.	Mtr.		Mtr.		
1	D1	D3	3600.00	0.00	3600.00	6.25	400.00	560.00	0.61	68.67	OK	20.00	0.04	0.00	-1.00	-1.04		
2	D2	D3	2100.00	0.00	2100.00	3.65	400.00	560.00	0.61	68.67	OK	40.00	0.07	0.00	-1.00	-1.07		
3	D3	D5	1100.00	5700.00	6800.00	11.31	400.00	560.00	0.61	68.67	OK	47.00	0.08	0.00	-1.07	-1.16		
4	D4	D5	1300.00	0.00	1300.00	2.26	400.00	560.00	0.61	68.67	OK	45.00	0.08	0.00	-1.00	-1.08		
5	D5	D7	800.00	8100.00	8900.00	15.45	400.00	560.00	0.61	68.67	OK	36.00	0.06	0.00	-1.16	-1.22		
6	D6	D7	980.00	0.00	980.00	1.70	400.00	560.00	0.61	68.67	OK	43.00	0.08	0.00	-1.00	-1.08		
7	D7	D9	350.00	9880.00	10230.00	17.76	400.00	560.00	0.61	68.67	OK	41.00	0.07	0.00	-1.22	-1.29		
8	D8	D9	2160.00	0.00	2160.00	3.75	400.00	560.00	0.61	68.67	OK	48.00	0.09	0.00	-1.00	-1.09		
9	D9	D11	420.00	12390.00	12810.00	22.24	400.00	560.00	0.61	68.67	OK	47.00	0.08	0.00	-1.29	-1.38		
10	D10	D11	2160.00	0.00	2160.00	3.75	400.00	560.00	0.61	68.67	OK	49.00	0.09	0.00	-1.00	-1.09		
11	D11	D13	610.00	14970.00	15580.00	27.05	400.00	560.00	0.61	68.67	OK	66.00	0.12	0.00	-1.38	-1.49		
12	D12	D13	6700.00	0.00	6700.00	11.83	400.00	560.00	0.61	68.67	OK	109.00	0.19	0.00	-1.00	-1.19		
13	D13	D18	720.00	22280.00	23000.00	39.93	400.00	560.00	0.61	68.67	OK	45.00	0.08	0.00	-1.49	-1.58		
14	D14	D18	960.00	0.00	960.00	1.67	400.00	560.00	0.61	68.67	OK	43.00	0.08	0.00	-1.00	-1.08		
15	D15	D18	345.00	0.00	345.00	0.60	400.00	560.00	0.61	68.67	OK	15.00	0.03	0.00	-1.00	-1.03		
16	D16	D18	690.00	24305.00	24995.00	43.34	400.00	560.00	0.61	68.67	OK	27.00	0.05	0.00	-1.58	-1.82		
17	D17	D18	1440.00	0.00	1440.00	2.50	400.00	560.00	0.61	68.67	OK	43.00	0.08	0.00	-1.00	-1.08		
18	D18	D20	936.00	26405.00	27341.00	47.47	400.00	560.00	0.61	68.67	OK	38.00	0.07	0.00	-1.62	-1.89		
19	D19	D20	1550.00	0.00	1550.00	2.69	400.00	560.00	0.61	68.67	OK	38.00	0.07	0.00	-1.00	-1.07		
20	D20	D21	1100.00	28891.00	29991.00	52.07	400.00	560.00	0.61	68.67	OK	35.00	0.06	0.00	-1.69	-1.75		
21	D21	D23	500.00	28991.00	30491.00	52.94	400.00	560.00	0.61	68.67	OK	45.00	0.08	0.00	-1.75	-1.83		
22	D22	D23	2900.00	0.00	2900.00	6.03	400.00	560.00	0.61	68.67	OK	35.00	0.06	0.00	-1.00	-1.06		
23	D23	OUT FALL	850.00	33391.00	34041.00	59.10	400.00	560.00	0.61	68.67	OK	30.00	0.05	0.00	-1.83	-1.98		

MATERIAL STATEMENT (STROM WATER)					
SL	SW LINE		DIA OF	LENGTH	DIA
NO.	MARKED AS		PIPE	OF LINE	400
	FROM	TO	IN MM	<i>in mtr</i>	<i>mm</i>
1	D1	D3	400.00	20.00	20.00
2	D2	D3	400.00	40.00	40.00
3	D3	D5	400.00	47.00	47.00
4	D4	D5	400.00	45.00	45.00
5	D5	D7	400.00	36.00	36.00
6	D6	D7	400.00	43.00	43.00
7	D7	D9	400.00	41.00	41.00
8	D8	D9	400.00	48.00	48.00
9	D9	D11	400.00	47.00	47.00
10	D10	D11	400.00	49.00	49.00
11	D11	D13	400.00	66.00	66.00
12	D12	D13	400.00	109.00	109.00
13	D13	D16	400.00	45.00	45.00
14	D14	D16	400.00	43.00	43.00
15	D15	D16	400.00	15.00	15.00
16	D16	D18	400.00	27.00	27.00
17	D17	D18	400.00	34.00	34.00
18	D18	D20	400.00	38.00	38.00
19	D19	D20	400.00	38.00	38.00
20	D20	D21	400.00	35.00	35.00
21	D21	D23	400.00	45.00	45.00
22	D22	D23	400.00	35.00	35.00
	D23	OUT FALL	400.00	30.00	30.00
				Total	976

mtr

MATERIAL STATEMENT OF ROAD				
S.NO	ROAD	WIDE	LENGTH	
		METER	9 METER	12 METER
1	R1	9	45	
2	R2	9	42	
3	R3	9	95.5	
4	R4	9	47	
5	R5	9	48	
6	R6	9	297	
7	R7	9	108	
8	R8	9	13	
9	R9	9	34	
10	R10	9	98.5	
11	R11	9	40.5	
12	R12	9	36	
13	R13	9	42	
		Total	946.5	0
		METALLED WIDTH	5.5	7
		AREA in SQM.	5205.75	0
		Add 5 % CURVE	260.2875	0
		TOTAL AREA	5466	0
		TOTAL LENGTH	946.5	0
		Add 5 % CURVE	47.325	0
		TOTAL LENGTH	993.8	0
	Kerbs and	CHANNEL LENGTH	1987.65	

J H A J J A R

FINAL DEVELOPMENT PLAN-2014 D. JHAIAR
UNDER SECTION 57 OF THE PUNJAB
SCHEDULED ROADS & CONTROLLED AREAS
RESTRICTION OF UNREGULATED
DEVELOPMENT ACT, 1968 (PUNJAB ACT-41 OF
1963) AND SUB SECTION (7) OF SECTION 203C OF
THE HARYANA MUNICIPAL ACT, 1973

LEGEND	DESCRIPTION
1	EXISTING MAJOR ROADS
2	EXISTING MINOR ROADS
3	PROPOSED MAJOR ROADS
4	PROPOSED MINOR ROADS
5	EXISTING CANALS
6	PROPOSED CANALS
7	EXISTING DRAINAGE
8	PROPOSED DRAINAGE
9	EXISTING UTILITIES
10	PROPOSED UTILITIES
11	EXISTING BUILDINGS
12	PROPOSED BUILDINGS
13	EXISTING OPEN SPACES
14	PROPOSED OPEN SPACES
15	EXISTING WOODLANDS
16	PROPOSED WOODLANDS
17	EXISTING AGRICULTURAL LAND
18	PROPOSED AGRICULTURAL LAND
19	EXISTING INDUSTRIAL LAND
20	PROPOSED INDUSTRIAL LAND
21	EXISTING COMMERCIAL LAND
22	PROPOSED COMMERCIAL LAND
23	EXISTING RESIDENTIAL LAND
24	PROPOSED RESIDENTIAL LAND
25	EXISTING PUBLIC UTILITIES
26	PROPOSED PUBLIC UTILITIES
27	EXISTING RECREATION
28	PROPOSED RECREATION
29	EXISTING CULTURAL
30	PROPOSED CULTURAL
31	EXISTING DEFENSE
32	PROPOSED DEFENSE
33	EXISTING OTHER
34	PROPOSED OTHER




DRG NO. B.T.P.(SH) 92/19 DATED 23.03.09

DESIGNED BY	PREPARED BY	CHECKED BY	DATE
PLANNED BY	REVIEWED BY	APPROVED BY	
APPROVED BY	APPROVED BY	APPROVED BY	
APPROVED BY	APPROVED BY	APPROVED BY	

DEPT. OF TOWN & COUNTRY PLANNING, HARYANA

LAND RESERVATION FOR MAJOR ROADS

NO.	ROAD NAME	WIDTH (M)	AREA (HA)
1	MAJOR ROAD	30	1.50
2	MAJOR ROAD	30	1.50
3	MAJOR ROAD	30	1.50
4	MAJOR ROAD	30	1.50
5	MAJOR ROAD	30	1.50
6	MAJOR ROAD	30	1.50
7	MAJOR ROAD	30	1.50
8	MAJOR ROAD	30	1.50
9	MAJOR ROAD	30	1.50
10	MAJOR ROAD	30	1.50
11	MAJOR ROAD	30	1.50
12	MAJOR ROAD	30	1.50
13	MAJOR ROAD	30	1.50
14	MAJOR ROAD	30	1.50
15	MAJOR ROAD	30	1.50
16	MAJOR ROAD	30	1.50
17	MAJOR ROAD	30	1.50
18	MAJOR ROAD	30	1.50
19	MAJOR ROAD	30	1.50
20	MAJOR ROAD	30	1.50



90x90meters Infrastructure (P.174)

OPEN/GREEN AREA					
S.N.O.	NO.	PREFIX	LENGTH	BREATH	AREA
G1	1	1	17.453	108.318	1,890.474
G2	1	1	17.822	7.408	132.025
G3	1	1	44.766	3.053	136.671
G4	1	1	13.290	3.005	39.936
G5	1	1	7.280	7.600	55.328
G6	1	1	18.500	3.000	55.500
G7	1	0.5	31.444	4.812	75.654
G8	1	1	(9.976+3.768)/2	40.555	278.694
TOTAL ADDITIONS					2,664.283
DEDUCTION					
1	0	0	0.000	0.000	
TOTAL DEDUCTION					0.000
TOTAL GREEN AREA					2,664.283

COMMUNITY FACILITIES AREA					
S.N.O.	NO.	PREFIX	LENGTH	BREATH	AREA
C1	1	1	67.056	49.150	3,295.802
TOTAL OPEN/GREEN AREA (in SQ.MT.)					3,295.802
					(in Acres) 0.814

COMMERCIAL AREA					
S.N.O.	NO.	PREFIX	LENGTH	BREATH	AREA
C1	1	1	(27.762+18.593)/2	39.056	905.220
C2	1	1	20.556	19.400	398.786
TOTAL OPEN/GREEN AREA (in SQ.MT.)					1,304.007
					(in Acres) 0.322

15% MORTGAGED PLOT AREA DETAILS						
TYPE	WIDTH	LENGTH	AREA	PLOT NO.	NO. OF PLOTS	TOTAL AREA UNDER PLOTS
H	7.750	19.000	147.250	52-57	6	883.500
L	7.500	18.270	137.025	133-137	5	685.125
L1	7.500	18.000	135.000	140-144	5	675.000
M	5.580	13.290	74.158	125-131	7	519.107
TOTAL PLOT AREA					23	2762.732
					IN ACRES	0.683

APPLIED LAND AREA		8.13125 ACRES (32905.932 SQ.MT.)
AREA UNDER 12 METER WIDE SERVICE ROAD (A)		0.04 ACRES (157.992 SQ.MT.)
AREA UNDER 18 METER GREEN BELT AREA (B)		0.06 ACRES (236.988 SQ.MT.)
AREA UNDER 75 METER ROAD WIDENING AREA (C)		0.05 ACRES (211.910 SQ.MT.)
BALANCE AREA		7.98125 ACRES (32299.042 SQ.MT.)
50% AREA (A+B+C)		0.075 ACRES (303.445 SQ.MT.)
NET PLANNED AREA		7.98125+0.075 = 8.05625 ACRES
NET PLANNED LAND AREA		8.05625 ACRE (32602.487 SQ.MT.)

PLOT AREA DETAIL						
TYPE	WIDTH	LENGTH	AREA	PLOT NO.	NO. OF PLOTS	TOTAL AREA UNDER PLOTS
A	8.000	18.500	148.000	01-03	3	444.000
B	7.460	18.250	136.145	04-11	8	1089.160
C	8.111	18.490	149.972	20-24	5	749.862
D	7.500	17.500	131.250	13-19	7	918.750
D'	7.850	17.500	137.375	12	1	137.375
E	8.460	17.120	144.835	26-31, 34-36	9	1303.517
F	8.470	17.120	144.808	25, 32, 33	3	435.019
G	6.750	12.763	86.150	37-42	6	516.902
G1	6.382	17.556	112.042	43-44	2	224.085
H	7.750	19.000	147.250	45-57	13	1914.250
H'	7.568	19.000	143.792	58	1	143.792
I	7.750	18.250	141.438	60-72	13	1838.888
I'	7.568	18.250	138.116	59	1	138.116
J	6.760	17.822	120.477	73-78	6	722.860
K	6.760	19.000	128.440	79-106	28	3596.320
L	7.500	18.270	137.025	133-137	5	685.125
L'	7.266	18.270	132.750	138	1	132.750
L1	7.500	18.000	135.000	140-144	5	675.000
L1'	7.266	18.000	130.788	139	1	130.788
M	5.580	13.290	74.158	125-131	7	519.107
M'	5.610	13.290	74.557	132	1	74.557
N	7.000	12.000	84.000	114-118, 120-124	10	840.000
N'	6.789	12.000	81.468	113, 119	2	162.936
P	7.000	14.968	104.776	107-111	5	523.880
P'	6.789	14.968	101.618	112	1	101.618
TOTAL PLOT AREA					144	18018.466
					IN ACRES	4.452

SITE AREA					
S.N.O.	NO.	PREFIX	LENGTH	BREATH	AREA
A	1	1	67.056	96.825	6,492.697
B	1	1	135.789	51.969	7,056.819
C	1	1	51.969	21.793	1,132.560
D	1	1	63.703	112.319	7,155.057
E	1	1	67.056	16.764	1,124.127
F	1	1	60.350	60.350	3,642.123
G	1	1	(45.3017+31.268)/2	85.915	3,289.243
H	1	1	13.000	47.591	618.683
J	1	1	(54.762+47.591)/2	35.197	1,801.259
K	1	1	(47.590+43.554)/2	13.000	592.436
L	1	0.5	0.966	0.192	0.093
M	1	0.5	0.966	1.728	0.835
TOTAL SITE AREA (in sq.mt.)					32,905.932
TOTAL SITE AREA (in Acres)					8.13125

ROAD WIDENING OF 75.0M ROAD AREA					
S.N.O.	NO.	PREFIX	LENGTH	BREATH	AREA
C	1	1	16.229	13.000	210.982
D	1	0.5	0.966	0.192	0.093
E	1	0.5	0.966	1.728	0.835
TOTAL ROAD WIDENING (in sq.mt.)					211.910
TOTAL ROAD WIDENING AREA (in Acres)					0.05

12.0M WIDE SERVICE ROAD AREA					
S.N.O.	NO.	PREFIX	LENGTH	BREATH	AREA
A	1	1	13.166	12.000	157.992
TOTAL 12.0M WIDE SERVICE ROAD AREA (in sq.mt.)					157.992
TOTAL 12.0M WIDE SERVICE ROAD AREA (in Acres)					0.04

18.0M WIDE GREEN BELT AREA					
S.N.O.	NO.	PREFIX	LENGTH	BREATH	AREA
B	1	1	13.166	18.000	236.988
TOTAL 18.0M WIDE GREEN BELT AREA (in sq.mt.)					236.988
TOTAL 18.0M WIDE GREEN BELT AREA (in Acres)					0.06

TOTAL SITE AREA = 8.13125 ACRES (32905.932 SQ.MT.)						
NET PLANNED AREA - 8.05625 ACRES (32602.487 SQ.MT.)						
PERMISSIBLE			PROPOSED			
AREA	AREA	PERCENTAGE	AREA	AREA	PERCENTAGE	
ACRES	SQ.MTS	%	ACRES	SQ.MTS	%	
Required Open space Area (17.5%)	0.610	2467.945	7.6	0.6584	2664.283	8.097
10% area to be transferred free of cost to the govt.	0.813	3290.593	10.1	0.814	3295.802	10.01
Permissible commercial area	0.322	1304.099	4.0	0.322	1304.007	4.000
Area Under Plots	4.914	19887.517	61.0	4.452	18018.456	55.26
Total permissible area	5.237	21191.617	65.0	4.774	19322.463	59.26
Permissible Density	240-400 ppa		314.34	PPA		
Achieved Density	241	PPA	134.4 PERSONS	(213.5/PLT)		

LEGEND:-

- COMMERCIAL
- LAND TO BE TRANSFER TO GOVT.
- SERVICES
- OPEN/GREEN
- 15% MORTGAGED PLOTS SHOWN AS

TITLE:-

LAYOUT-CUM-DEMARICATION PLAN FOR AFFORDABLE RESIDENTIAL PLOTTED COLONY UNDER DDJAY - 2016 OVER AN AREA MEASURING 8.13125 ACRES IN SECTOR -20, DISTRICT - JHAJJAR BEING DEVELOPED BY OXYGREENS INFRASTRUCTURE PVT. LTD..

OWNERS SIGNATURE:-

ARCHITECT SIGNATURE:-

DRAWING TITLE:-

LAYOUT-CUM-DEMARICATION PLAN FOR ROAD LAYOUT

DATE:- NOV.-2022
SCALE:- 1:750(A1)

NORTH
SHEET NO. 01

OPEN/GREEN AREA					
S.N.O.	NO.	PREFIX	LENGTH	BREATH	AREA
G1	1	1	17.453	108.318	1,890.474
G2	1	1	17.822	7.408	132.025
G3	1	1	44.766	3.053	136.671
G4	1	1	13.290	3.005	39.936
G5	1	1	7.280	7.600	55.328
G6	1	1	18.500	3.000	55.500
G7	1	0.5	31.444	4.8120	75.654
G8	1	(9.976+3.768)/2	40.555	2.78	278.694
TOTAL ADDITIONS					2,664.283
DEDUCTION					0.000
TOTAL DEDUCTION					0.000
TOTAL GREEN AREA					2,664.283

COMMUNITY FACILITIES AREA					
S.N.O.	NO.	PREFIX	LENGTH	BREATH	AREA
C1	1	1	67.056	49.150	3,295.802
TOTAL OPEN/GREEN AREA (in SQ.MT.)					3,295.802
(in Acres)					0.814

COMMERCIAL AREA					
S.N.O.	NO.	PREFIX	LENGTH	BREATH	AREA
C1	1	(27.762+18.593)/2	39.056	905.220	
C2	1	1	20.556	19.400	398.786
TOTAL OPEN/GREEN AREA (in SQ.MT.)					1,304.007
(in Acres)					0.322

15% MORTGAGED PLOT AREA DETAILS						
TYPE	WIDTH	LENGTH	AREA	PLOT NO.	NO. OF PLOTS	TOTAL AREA UNDER PLOTS
H	7.750	19.000	147.250	52-57	6	883.500
L	7.500	18.270	137.025	133-137	5	685.125
L1	7.500	18.000	135.000	140-144	5	675.000
M	5.580	13.290	74.158	125-131	7	519.107
TOTAL PLOT AREA					23	2762.732
(in Acres)						0.683

AREA STATEMENT FOR DEEN DAYAL AWAS YOJANA	
APPLIED LAND AREA	8.13125 ACRES (32905.932 SQ.MT.)
AREA UNDER 12 METER WIDE SERVICE ROAD (A)	0.04 ACRES (157.992 SQ.MT.)
AREA UNDER 18 METER GREEN BELT AREA (B)	0.06 ACRES (236.988 SQ.MT.)
AREA UNDER 75 METER ROAD WIDENING AREA (C)	0.05 ACRES (211.910 SQ.MT.)
BALANCE AREA	7.98125 ACRES (32299.042 SQ.MT.)
50% AREA (A+B+C)	0.075 ACRES (303.445 SQ.MT.)
NET PLANNED AREA	7.98125+0.075 = 8.05625 ACRES
NET PLANNED LAND AREA	8.05625 ACRE (32602.487 SQ.MT.)



Ar. VIKAS A. CA/2013/35449

Executive Engineer
HSPV Div. Bahadurgarh

TOTAL SITE AREA = 8.13125 ACRES (32905.932 SQ.MT.)					
NET PLANNED AREA - 8.05625 ACRES (32602.487 SQ.MT.)					
	AREA ACRES	AREA SQ.MTS.	PERCENTAGE %	AREA ACRES	AREA SQ.MTS.
Required Open space Area (7.5%)	0.610	2467.945	7.6	0.6584	2664.283
10% area to be transferred free of cost to the govt.	0.813	3290.593	10.1	0.814	3295.802
Permissible commercial area	0.322	1304.099	4.0	0.322	1304.007
Area Under Plots	4.914	19887.517	61.0	4.452	18018.456
Total permissible area	5.237	21191.617	65.0	4.774	19322.463
Permissible Density		240-400 ppa			314.34 PPA
Achieved Density	2.41	FPA	1944 PERSONS (13.5/PLT)		

PLOT AREA DETAIL						
TYPE	WIDTH	LENGTH	AREA	PLOT NO.	NO. OF PLOTS	TOTAL AREA UNDER PLOTS
A	8.000	18.500	148.000	01-03	3	444.000
B	7.460	18.250	136.145	04-11	8	1089.160
C	8.111	18.490	149.972	20-24	5	749.862
D	7.500	17.500	131.250	13-19	7	918.750
D'	7.850	17.500	137.375	12	1	137.375
E	8.460	17.120	144.835	26-31, 34-36	9	1303.517
F	8.470	17.120	145.006	25, 32, 33	3	435.019
G	6.750	12.763	86.150	37-42	6	516.902
G1	6.382	17.596	112.042	43-44	2	224.085
H	7.750	19.000	147.250	45-57	13	1914.250
H'	7.568	19.000	143.792	58	1	143.792
I	7.750	18.250	141.438	60-72	13	1838.688
I'	7.568	18.250	138.116	59	1	138.116
J	6.760	17.822	120.477	73-78	6	722.850
K	6.760	19.000	128.440	79-106	28	3596.320
L	7.500	18.270	137.025	133-137	5	685.125
L'	7.266	18.270	132.750	138	1	132.750
L1	7.500	18.000	135.000	140-144	5	675.000
M	5.580	13.290	74.158	125-131	7	519.107
M'	5.610	13.290	74.557	132	1	74.557
N	7.000	12.000	84.000	114-118, 120-124	10	840.000
N'	6.789	12.000	81.468	113, 119	2	162.936
P	7.000	14.968	104.776	107-111	5	523.880
P'	6.789	14.968	101.618	112	1	101.618
TOTAL PLOT AREA					144	18018.456
(in Acres)						4.452

LEGEND:-

- COMMERCIAL
- LAND TO BE TRANSFER TO GOVT.
- SERVICES
- OPEN/GREEN
- 15% MORTGAGED PLOTS SHOWN AS

TITLE:-

LAYOUT-CUM-DEMARCATION PLAN FOR AFFORDABLE RESIDENTIAL PLOTTED COLONY UNDER DDJAY - 2016 OVER AN AREA MEASURING 8.13125 ACRES IN SECTOR -20, DISTRICT - JHAJJAR BEING DEVELOPED BY OXY GREENS INFRASTRUCTURE PVT. LTD..

OWNERS SIGNATURE:- ARCHITECT SIGNATURE:-


DRAWING TITLE:-

LAYOUT-CUM-DEMARCATION PLAN FOR SEWER LAYOUT

DATE:- NOV.-2022 NORTH SHEET NO. SCALE:- 1:750(A1) PO-01

(VYAS DURGAI) DTP(HQ)
(SANJAY KUMAR) STP(HQ)
(JITENDRA SHARMA) CTP(HQ)
(T.L. SATYAPRAKASH, IAS) USTC(PH)
(YADAV CHAUDHRY) STP(HQ)
(DINESH KUMAR) PA(HQ)
(VARINDER KUMAR) AD(HQ)

Director General
Town & Country Planning
Haryana, Chandigarh



OPEN/GREEN AREA					
S.N.O.	NO.	PREFIX	LENGTH	BREATH	AREA
G1	1	1	17.453	108.318	1,890.474
G2	1	1	17.822	7.408	132.025
G3	1	1	44.766	3.053	136.671
G4	1	1	13.290	3.005	39.936
G5	1	1	7.280	7.600	55.328
G6	1	1	18.500	3.000	55.500
G7	1	0.5	31.444	4.812	75.654
G8	1	(9.976+3.768)/2	40.555	278.694	
TOTAL ADDITIONS					2,664.283
DEDUCTION					
1	0	0	0.000	0.000	
TOTAL DEDUCTION					0.000
TOTAL GREEN AREA					2,664.283

COMMUNITY FACILITIES AREA					
S.N.O.	NO.	PREFIX	LENGTH	BREATH	AREA
C1	1	1	67.056	49.150	3,295.802
TOTAL OPEN/GREEN AREA (in SQ.MT.)					3,295.802
					(in Acres) 0.814



COMMERCIAL AREA					
S.N.O.	NO.	PREFIX	LENGTH	BREATH	AREA
C1	1	(27.762+18.593)/2	39.056	905.220	
C2	1	1	20.556	19.400	398.786
TOTAL OPEN/GREEN AREA (in SQ.MT.)					1,304.007
					(in Acres) 0.322

15% MORTGAGED PLOT AREA DETAILS						
TYPE	WIDTH	LENGTH	AREA	PLOT NO.	NO. OF PLOTS	TOTAL AREA UNDER PLOTS
H	7.750	19.000	147.250	52-57	6	883.500
L	7.500	18.270	137.025	133-137	5	685.125
L1	7.500	18.000	135.000	140-144	5	675.000
M	5.580	13.290	74.158	125-131	7	519.107
TOTAL PLOT AREA					23	2762.732
					IN ACRES	0.683

AREA STATEMENT FOR DEEN DAYAL AWAS YOJANA	
APPLIED LAND AREA	8.13125 ACRES (32905.932 SQ.MT.)
AREA UNDER 12 METER WIDE SERVICE ROAD (A)	0.04 ACRES (157.992 SQ.MT.)
AREA UNDER 18 METER GREEN BELT AREA (B)	0.06 ACRES (236.988 SQ.MT.)
AREA UNDER 75 METER ROAD WIDENING AREA (C)	0.05 ACRES (211.910 SQ.MT.)
BALANCE AREA	7.98125 ACRES (32299.042 SQ.MT.)
50% AREA (A+B+C)	0.075 ACRES (303.445 SQ.MT.)
NET PLANNED AREA	7.98125+0.075 = 8.05625 ACRES
NET PLANNED LAND AREA	8.05625 ACRE (32602.487 SQ.MT.)

Checked subject to Commission In forwarding letter No. 86327 Dt. 10/10/2023 and notes attached with the estimate

Supervising Engineer (H.O.) for Civil Engineer H.S.V.P. Circle, Gurugram

Supervising Engineer, H.S.V.P. Circle, Gurugram

SITE AREA					
S.N.O.	NO.	PREFIX	LENGTH	BREATH	AREA
A	1	1	67.056	96.825	6,492.697
B	1	1	135.789	51.969	7,056.819
C	1	1	51.969	21.793	1,132.560
D	1	1	63.703	112.319	7,155.057
E	1	1	67.056	16.764	1,124.127
F	1	1	60.350	60.350	3,642.123
G	1	(45.3017+31.268)/2	85.915	3,289.243	
H	1	1	13.000	47.591	618.683
J	1	(54.762+47.591)/2	35.197	1,801.259	
K	1	(47.590+43.554)/2	13.000	592.436	
L	1	0.5	0.966	0.192	0.093
M	1	0.5	0.966	1.728	0.835
TOTAL SITE AREA (in sq.mt.)					32,905.932
TOTAL SITE AREA (in Acres)					8.13125

ROAD WIDENING OF 75.0M ROAD AREA					
S.N.O.	NO.	PREFIX	LENGTH	BREATH	AREA
C	1	1	16.229	13.000	210.982
D	1	0.5	0.966	0.192	0.093
E	1	0.5	0.966	1.728	0.835
TOTAL ROAD WIDENING (in sq.mt.)					211.910
TOTAL ROAD WIDENING AREA (in Acres)					0.05

12.0M WIDE SERVICE ROAD AREA					
S.N.O.	NO.	PREFIX	LENGTH	BREATH	AREA
A	1	1	13.166	12.000	157.992
TOTAL 12.0M WIDE SERVICE ROAD AREA (in sq.mt.)					157.992
TOTAL 12.0M WIDE SERVICE ROAD AREA (in Acres)					0.04

18.0M WIDE GREEN BELT AREA					
S.N.O.	NO.	PREFIX	LENGTH	BREATH	AREA
B	1	1	13.166	18.000	236.988
TOTAL 18.0M WIDE GREEN BELT AREA (in sq.mt.)					236.988
TOTAL 18.0M WIDE GREEN BELT AREA (in Acres)					0.06

TOTAL SITE AREA = 8.13125 ACRES (32905.932 SQ.MT.)					
NET PLANNED AREA - 8.05625 ACRES (32602.487 SQ.MT.)					
PERMISSIBLE			PROPOSED		
AREA	AREA	PERCENTAGE	AREA	AREA	PERCENTAGE
ACRES	SQ.MTS.	%	ACRES	SQ.MTS.	%
Required Open space Area (7.5%)					
0.610	2467.945	7.6	0.6584	2664.283	8.097
10% area to be transferred free of cost to the govt.					
0.813	3290.593	10.1	0.814	3295.802	10.01
Permissible commercial area					
0.322	1304.099	4.0	0.322	1304.007	4.000
Area Under Plots					
4.914	19887.517	61.0	4.452	18018.456	55.26
Total permissible area					
5.237	21191.617	65.0	4.774	19322.463	59.26
Permissible Density					
240-400 ppa			314.34 PPA		
Achieved Density					
241	PPA		1244 PERSONS (13.5/PLT)		

LEGEND:-

- COMMERCIAL
- LAND TO BE TRANSFER TO GOVT.
- SERVICES
- OPEN/GREEN
- 15% MORTGAGED PLOTS SHOWN AS

TITLE:-

LAYOUT-CUM-DEMARCATON PLAN FOR AFFORDABLE RESIDENTIAL PLOTTED COLONY UNDER DDJAY - 2016 OVER AN AREA MEASURING 8.13125 ACRES IN SECTOR -20, DISTRICT - JHAJJAR BEING DEVELOPED BY OXY GREENS INFRASTRUCTURE PVT. LTD..

OWNERS SIGNATURE:-

ARCHITECT SIGNATURE:-

DRAWING TITLE:-

LAYOUT-CUM-DEMARCATON PLAN FOR DOMESTIC & FLUSHING WATER LAYOUT

DATE:- NOV.-2022 NORTH SHEET NO. 01
SCALE:- 1:750(A1)

Executive Engineer, H.S.V.P. Circle, Gurugram

Ar. VIKAS

Director General Team & Country Planning Haryana, Chandigarh

SCHEDULE OF JOINERY

SL NO	TYPE	SIZE	CILL	TOP
01	D1	1000 X 2100	00	2100
02	D2	750X 2100	00	2100
03	V/PV	600 X 600	1500	2100

PROJECT:-

STD.BUILDING PLAN FOR COMMERCIAL SITE
MAESURING 0.322 ACRES IN AFFORDABLE
PLOTTED COLONY UNDER DEEN DAYAL
JANAWAS YOJNA -2016 OVER AN AREA
MAESURING OF 8.13125 ACRES (LICENCE NO.-138
OF 2022 DATED-09-09-2022) IN SECTOR- 20,
TEHSIL & DISTT. JHAJJAR. BEING DEVELOPED
BY -OXYGREENS INFRATECH PVT.LTD.

DRG. NO. - DTP 1075 (iv) Dt 10-09-22

VIKAS AHLAWAT ARCHITECTS

ARCHITECTURE, INTERIORS, PLANNING

Unit No.303, Nitesh Time Center, Sun City, Sector-54, Golf Course Road, Gurgaon
O - 0124-4294293 M- 0-9899158486 Mail - > ar.vikas.ahlawat@gmail.com

OWNERS SIGNATURE:-

ARCHITECT SIGNATURE:-

DRAWING TITLE: TOILET BLOCK

GROUND FLOOR PLAN, ROOF PLAN, ELEVATION &
SECTION

DATE:- NOV- 2023

NORTH

SHEET NO.

SCALE:- 1:80(A1)


04

TOILET (AREA DETAIL)				
S.N.O.	FLOORS	WIDTH	LENGTH	AREA (SQM)
1	GROUND FLOOR AREA	3.539	8.260	29.232
TOILET (TOTAL AREA)				29.232


(GURPREET KHEPAR) AD (HQ) (NEHA YADAV) ATP (HQ) (S.K. SEHRAWAT) DTP (HQ) (SANJAY KUMAR) STP (E & V) (P. P. SINGH) CTP (HR.) (AMIT KHATRI, IAS) DTCP (HR.)

TOILET TERRACE LVL.
+3150 MM


TERRACE PLAN



GROUND COVERAGE




TOILET BLOCK
GROUND FLOOR PLAN




FRONT ELEVATION

PARAPET LVL.
+3450
TERRACE LVL.
LVL.+3150
LINTEL LVL.
+2250
GROUND FLOOR LVL.
LVL.+300
ROAD LVL.
±00



SECTION XX'



SECTION YY'

PARAPET LVL.
+3450
TERRACE LVL.
LVL.+3150
LINTEL LVL.
+2250
GROUND FLOOR LVL.
LVL.+300
ROAD LVL.
±00



VIKAS AHLAWAT
20/10/2023

(GURPREET KHEPAR) AD (HQ) (NEHA YADAV) ATP (HQ) (S.K. SEHRAWAT) DTP (HQ) (SANJAY KUMAR) STP (E & V) (P. B. SINGH) ATP (HR.) (AMIT KHATRI, IAS) DTCP (HR.)


COMMERCIAL AREA DETAILS					
S.N.O.	NO.	PREFIX	LENGTH	BREATH	AREA
A	1	(27.762+18.593)/2		39.056	905.220
B	1	1	20.556	19.400	398.786
COMMERCIAL AREA (in SQ.MT.)					1,304.007
					(in Acres) 0.322

DRG.NO:-DTP 1075(C) dt 10/04/24

SCO NO.	GROUND COVERAGE	FLOOR F.A.R.				TOTAL F.A.R.	NON F.A.R.			TOTAL BUILTUP AREA
		GROUND	1ST	2nd	3rd		STAIR CASE	MUMTY	BASEMENT	
1	122.500	122.500	103.095	103.095	103.095	431.785	49.980	20.690	122.500	624.955
2	122.500	122.500	103.095	103.095	103.095	431.785	49.980	20.690	122.500	624.955
3	105.450	105.450	86.435	86.435	86.435	364.755	49.980	20.073	105.450	540.258
4	105.450	105.450	86.435	86.435	86.435	364.755	49.980	20.073	105.450	540.258
GRAND TOTAL	455.900					1593.080				2330.426

SHOP NO.	TOTAL GROUND COVERAGE	
1	7.0X17.50	122.500
2	7.0X17.50	122.500
3	9.5X11.10	105.450
4	9.5X11.10	105.450
TOTAL PROPOSED GROUND COVERAGE		455.900

AREA DETAIL			
DESCRIPTION	FACTOR	ACRES	SQ.MT.
SITE AREA		0.322	1,304.007
PERMISSIBLE G.C.	35.00%	0.1128	456.402
PERMISSIBLE F.A.R.	1.50		1956.010
PROPOSED G.C.	34.986%		455.900
PROPOSED F.A.R.	1.222		1593.080
TOTAL NO. OF SHOPS			4
UTILITY AREA (8.260X3.539)			29.232



COMMERCIAL AREA DIAGRAM

NOTES:-

* BOUNDARY WALL & GATE AS/STANDERD DESIGN

PROJECT:-

STD.BUILDING PLAN FOR COMMERCIAL SITE MAESURING 0.322 ACRES IN AFFORDABLE PLOTTED COLONY UNDER DEEN DAYAL JANAWAS YOJNA -2016 OVER AN AREA MAESURING OF 8.13125 ACRES (LICENCE NO. -138 OF 2022 DATED-09-09-2022) IN SECTOR -20, DISTRICT - JHAJJAR BEING DEVELOPED BY OXYGREENS INFRASTRUCTURE PVT. LTD. .

VIKAS AHLAWAT ARCHITECTS

ARCHITECTURE , INTERIORS , PLANNING

Unit No.303,Ninex Time Center,
Suncity,Sector -54, Golf Course Road,Gurgaon
O :- 0124-4284293 M:- 0-9899150486
Mail :- ar.vikas.ahlawat@gmail.com

OWNERS SIGNATURE:-

ARCHITECT SIGNATURE:-



DRAWING TITLE:

SITE PLAN & AREA CALCULATION







DATE:- FEB-2024

SCALE:- 1:90(A1)

NORTH

SHEET NO.

01



GROUND COVERAGE					
ADDITION					
S.N.O.	NO.	PREFIX	WIDTH	LENGTH	AREA(SQ.MT.)
A	1	1	9.500	11.100	105.450
TOTAL AREA					105.450

BASEMENT AREA					
ADDITION					
S.N.O.	NO.	PREFIX	WIDTH	LENGTH	AREA(SQ.MT.)
A	1	1	9.500	11.100	105.450
TOTAL AREA					105.450

GROUND FLOOR F.A.R.					
ADDITION					
S.N.O.	NO.	PREFIX	WIDTH	LENGTH	AREA(SQ.MT.)
A	1	1	9.500	11.100	105.450
TOTAL AREA					105.450



TYPICAL(1ST. 2ND. & 3RD.)FLOOR F.A.R.					
ADDITION					
S.N.O.	NO.	PREFIX	WIDTH	LENGTH	AREA(SQ.MT.)
GROUND COVERAGE					105.450
SUBTRACTION					
S.N.O.	NO.	PREFIX	WIDTH	LENGTH	AREA(SQ.MT.)
1	1	1	3.400	4.900	16.660
2	1	1	1.570	1,500	2.355
TOTAL SUBTRACTION					19.015
TOTAL TYP. FLOOR F.A.R.					86.435

MUMTY AREA (NON F.A.R.)					
ADDITION					
S.N.O.	NO.	PREFIX	WIDTH	LENGTH	AREA(SQ.MT.)
B	1	1	3.745	5.360	20.073
TOTAL MUMTY AREA					20.073

TOTAL F.A.R.	
GROUND FLOOR F.A.R.	105.450
1ST. FLOOR F.A.R.	86.435
2ND. FLOOR F.A.R.	86.435
3RD. FLOOR F.A.R.	86.435
TOTAL F.A.R. (SQ.MT.)	364.755

TOTAL BUILT UP	
TOTAL F.A.R.	364.755
BASEMENT AREA	105.450
MUMTY AREA (NON F.A.R.)	20.073
STAIR CASE AREA (4.900X3.400)	49.980
TOTAL BUILT UP (SQ.MT.)	540.258

	LENGTH	HEIGHT	CILL	LINTEL
D	2150	2400	--	2400
D1	1050	2200	--	2200
D2	900	2200	--	2200
V	900	1200	900	2200
W1	900	2200	900	2200



NOTES:-
ALL DIMENSION IN MM.

PROJECT:-
STD.BUILDING PLAN FOR
COMMERCIAL SITE MAESURING
0.322 ACRES IN AFFORDABLE
PLOTTED COLONY UNDER DEEN
DAYAL JANAWAS YOJNA -2016
OVER AN AREA MAESURING OF
8.13125 ACRES (LICENCE NO. -138
OF 2022 DATED-09-09-2022) IN
SECTOR -20, DISTRICT - JHAJJAR
BEING DEVELOPED BY
OXYGREENS INFRASTRUCTURE
P V T . L T D .

VIKAS AHLAWAT ARCHITECTS

ARCHITECTURE , INTERIORS , PLANNING
Unit No.303,Ninex Time Center,
Suncity,Sector -54,Golf Course Road,Gurgaon
O :- 0124-4284293 M:- 0-9899158486
Mail :- ar.vikas.ahlawat@gmail.com

OWNERS SIGNATURE:-

ARCHITECT SIGNATURE:-



Dr. V. JAYAWANT
CLINICAL PSYCHOLOGIST

DRAWING TITLE :
SCO NO.- 04 & 03 (MIRROR OF SCO-04)
PLAN,ELEVATION,SECTION & AREA
CALCULATION

DATE:-	FEB-2024
SCALE:-	1:90(A1)

NORTH 	SHEET NO. 03
--	-----------------

(GURPREET K
AD (HQ


(NEHA YADAV)
ATP (HQ)

(S.K. SEHRAWAT
DTP (HQ))


(SANJAY KUMAR
STP (E & V)

(P. P. SINGH
CTP (HR.))

(AMIT KHATRI, IAS)
DTCP (HR.)




BASEMENT FLOOR PLAN
SCO- 1& 2 (MIRROR OF SCO-01)




GROUND FLOOR PLAN
SCO- 1& 2 (MIRROR OF SCO-01)




TYPICAL (1ST., 2ND. & 3RD.) FLOOR PLAN




TERRACE FLOOR PLAN
SCO- 1& 2 (MIRROR OF SCO-01)



BASEMENT AREA DIAGRAM



GROUND COV. AREA DIAGRAM



TYPICAL (1ST. 2ND. & 3RD.) FLOOR AREA DIAGRAM



MUMTY AREA DIAGRAM



MUMTY TERRACE

GROUND COVERAGE					
ADDITION	S.N.O.	NO.	PREFIX	WIDTH	LENGTH
	A	1	1	7.000	17.500
TOTAL AREA					122.500
BASEMENT AREA					
ADDITION	S.N.O.	NO.	PREFIX	WIDTH	LENGTH
	A	1	1	7.000	17.500
TOTAL AREA					122.500
GROUND FLOOR F.A.R.					
ADDITION	S.N.O.	NO.	PREFIX	WIDTH	LENGTH
	A	1	1	7.000	17.500
TOTAL AREA					122.500
TYPICAL (1ST. 2ND. & 3RD.) FLOOR F.A.R.					
ADDITION	S.N.O.	NO.	PREFIX	WIDTH	LENGTH
	A	1	1	4.900	3.400
	2	1	1	1.525	1.800
TOTAL SUBTRACTION					19.405
TOTAL TYP. FLOOR F.A.R.					103.095
MUMTY AREA (NON F.A.R.)					
ADDITION	S.N.O.	NO.	PREFIX	WIDTH	LENGTH
	B	1	1	5.360	3.860
TOTAL MUMTY AREA					20.690
TOTAL F.A.R.					
					122.500
					103.095
					103.095
					103.095
TOTAL F.A.R. (SQ.MT.)					431.785
TOTAL BUILT UP					
					431.785
					122.500
					20.690
					49.980
TOTAL BUILT UP (SQ.MT.)					624.955

	LENGTH	HEIGHT	CILL	LINTEL
D	2150	2400	--	2400
D1	1250	2200	--	2200
D2	900	2200	--	2200
V	600	1300	900	2200
W1	900	2200	900	2200

NOTES:-

ALL DIMENSION IN MM.

PROJECT:-

STD. BUILDING PLAN FOR COMMERCIAL SITE MAESURING 0.322 ACRES IN AFFORDABLE PLOTTED COLONY UNDER DEEN DAYAL JANAWAS YOJNA -2016 OVER AN AREA MAESURING OF 8.13125 ACRES (LICENCE NO. -138 OF 2022 DATED-09-09-2022) IN SECTOR -20, DISTRICT - JHAJJAR BEING DEVELOPED BY OXYGREENS INFRASTRUCTURE PVT. LTD. .

VIKAS AHLAWAT ARCHITECTS

ARCHITECTURE, INTERIORS, PLANNING
Unit No 303 Nimes Time Center,
Suncity Sector -54, Golf Course Road Gurgaon
O :- 0124-4284293 M :- 0-9899156486
Mail :- ar.vikas.ahlawat@gmail.com

OWNERS SIGNATURE:-

ARCHITECT SIGNATURE:-



DRAWING TITLE:

SCO- 1& 2 (MIRROR OF SCO-01)
PLAN, ELEVATION, SECTION & AREA
CALCULATION

DATE:- FEB-2024 NORTH
SCALE:- 1:90(A1)


SHEET NO.

02




FRONT ELEVATION

REAR ELEVATION



SECTION-XX'



SECTION-YY'

(GURPREET KHEPAR) AD (HQ)
(NEHA YADAV) ATP (HQ)
(S.K. SEHRAWAT) DTP (HQ)
(SANJAY KUMAR) STP (E & V)
(P.P. SINGH) CTP (HR.)
(AMIT KHATRI, IAS) DTP (HR.)