

FROM BRS – II


SPECIFICATION

The material to be used in the construction to be clearly specified under the following heads : -

Items Specifications :-

- | | |
|---|---|
| (a) Foundation | R.C.C. Footing Foundations |
| (b) Walls | Ist Class Bricks in cement mortar |
| (c) Damp – Proof Course | Bitumen Coats/Chemical Treatment |
| (d) Roofs | Reinforced Cement concrete slab (1:2:4) |
| (e) Floors | Marble Flooring |
| (f) Window and door and
Other wood works | Marandi / Teak Wood |
| (g) Steel works | As per IS 1786, IS 226 |
| (h) Internal finish | Distemper over Cement Plaster |
| (i) External finishes | Texture Paint over Cement Plaster |


For EKAASHARA BUILDERS LLP


Authorised Signatory

Signature of Architect / Engineer

Signature of Applicant


Gurdar Singh Malik
Structural Consultants
B.E. Civil
Regd. No. 957
Shop No. 5, 1st floor, Gupta Complex,
HUDA Office Sec-14 Gurugram


AR. VINEMRA GOYAL
CA/2019-114662
Off. No. 313, AKD Tower, Sec.-14,
Gurugram, Haryana

FROM BRS – II


SPECIFICATION

The material to be used in the construction to be clearly specified under the following heads : -

Items Specifications :-

- | | |
|---|---|
| (a) Foundation | R.C.C. Footing Foundations |
| (b) Walls | Ist Class Bricks in cement mortar |
| (c) Damp – Proof Course | Bitumen Coats/Chemical Treatment |
| (d) Roofs | Reinforced Cement concrete slab (1:2:4) |
| (e) Floors | Marble Flooring |
| (f) Window and door and
Other wood works | Marandi / Teak Wood |
| (g) Steel works | As per IS 1786, IS 226 |
| (h) Internal finish | Distemper over Cement Plaster |
| (i) External finishes | Texture Paint over Cement Plaster |


For EKAASHARA BUILDERS LLP


Authorised Signatory

Signature of Architect / Engineer

Signature of Applicant


Gurdar Singh Malik
Structural Consultants
B.E. Civil
Regd. No. 957
Shop No. 5, 1st floor, Gupta Complex,
HUDA Office Sec-14 Gurugram


AR. VINEMRA GOYAL
CA/2019-114662
Off. No. 313, AKD Tower, Sec.-14,
Gurugram, Haryana

FROM BRS – II


SPECIFICATION

The material to be used in the construction to be clearly specified under the following heads : -

Items Specifications :-

- | | |
|---|---|
| (a) Foundation | R.C.C. Footing Foundations |
| (b) Walls | Ist Class Bricks in cement mortar |
| (c) Damp – Proof Course | Bitumen Coats/Chemical Treatment |
| (d) Roofs | Reinforced Cement concrete slab (1:2:4) |
| (e) Floors | Marble Flooring |
| (f) Window and door and
Other wood works | Marandi / Teak Wood |
| (g) Steel works | As per IS 1786, IS 226 |
| (h) Internal finish | Distemper over Cement Plaster |
| (i) External finishes | Texture Paint over Cement Plaster |


For EKAASHARA BUILDERS LLP


Authorised Signatory

Signature of Architect / Engineer

Signature of Applicant


Gurdar Singh Malik
Structural Consultants
B.E. Civil
Regd. No. 957
Shop No. 5, 1st floor, Gupta Complex,
HUDA Office Sec-14 Gurugram


AR. VINEMRA GOYAL
CA/2019-114662
Off. No. 313, AKD Tower, Sec.-14,
Gurugram, Haryana

FROM BRS – II


SPECIFICATION

The material to be used in the construction to be clearly specified under the following heads : -

Items Specifications :-

- | | |
|---|---|
| (a) Foundation | R.C.C. Footing Foundations |
| (b) Walls | Ist Class Bricks in cement mortar |
| (c) Damp – Proof Course | Bitumen Coats/Chemical Treatment |
| (d) Roofs | Reinforced Cement concrete slab (1:2:4) |
| (e) Floors | Marble Flooring |
| (f) Window and door and
Other wood works | Marandi / Teak Wood |
| (g) Steel works | As per IS 1786, IS 226 |
| (h) Internal finish | Distemper over Cement Plaster |
| (i) External finishes | Texture Paint over Cement Plaster |


For EKAASHARA BUILDERS LLP


Authorised Signatory

Signature of Architect / Engineer

Signature of Applicant


Gurdar Singh Malik
Structural Consultants
B.E. Civil
Regd. No. 957
Shop No. 5, 1st floor, Gupta Complex,
HUDA Office Sec-14 Gurugram


AR. VINEMRA GOYAL
CA/2019-114662
Off. No. 313, AKD Tower, Sec.-14,
Gurugram, Haryana

FROM BRS – II


SPECIFICATION

The material to be used in the construction to be clearly specified under the following heads : -

Items Specifications :-

- | | |
|---|---|
| (a) Foundation | R.C.C. Footing Foundations |
| (b) Walls | Ist Class Bricks in cement mortar |
| (c) Damp – Proof Course | Bitumen Coats/Chemical Treatment |
| (d) Roofs | Reinforced Cement concrete slab (1:2:4) |
| (e) Floors | Marble Flooring |
| (f) Window and door and
Other wood works | Marandi / Teak Wood |
| (g) Steel works | As per IS 1786, IS 226 |
| (h) Internal finish | Distemper over Cement Plaster |
| (i) External finishes | Texture Paint over Cement Plaster |


For EKAASHARA BUILDERS LLP


Authorised Signatory

Signature of Architect / Engineer

Signature of Applicant


Gurdar Singh Malik
Structural Consultants
B.E. Civil
Regd. No. 957
Shop No. 5, 1st floor, Gupta Complex,
HUDA Office Sec-14 Gurugram


AR. VINEMRA GOYAL
CA/2019-114662
Off. No. 313, AKD Tower, Sec.-14,
Gurugram, Haryana

FROM BRS – II


SPECIFICATION

The material to be used in the construction to be clearly specified under the following heads : -

Items Specifications :-

- | | |
|---|---|
| (a) Foundation | R.C.C. Footing Foundations |
| (b) Walls | Ist Class Bricks in cement mortar |
| (c) Damp – Proof Course | Bitumen Coats/Chemical Treatment |
| (d) Roofs | Reinforced Cement concrete slab (1:2:4) |
| (e) Floors | Marble Flooring |
| (f) Window and door and
Other wood works | Marandi / Teak Wood |
| (g) Steel works | As per IS 1786, IS 226 |
| (h) Internal finish | Distemper over Cement Plaster |
| (i) External finishes | Texture Paint over Cement Plaster |


For EKAASHARA BUILDERS LLP


Authorised Signatory

Signature of Architect / Engineer

Signature of Applicant


Gurdar Singh Malik
Structural Consultants
B.E. Civil
Regd. No. 957
Shop No. 5, 1st floor, Gupta Complex,
HUDA Office Sec-14 Gurugram


AR. VINEMRA GOYAL
CA/2019-114662
Off. No. 313, AKD Tower, Sec.-14,
Gurugram, Haryana

FROM BRS – II


SPECIFICATION

The material to be used in the construction to be clearly specified under the following heads : -

Items Specifications :-

- | | |
|---|---|
| (a) Foundation | R.C.C. Footing Foundations |
| (b) Walls | Ist Class Bricks in cement mortar |
| (c) Damp – Proof Course | Bitumen Coats/Chemical Treatment |
| (d) Roofs | Reinforced Cement concrete slab (1:2:4) |
| (e) Floors | Marble Flooring |
| (f) Window and door and
Other wood works | Marandi / Teak Wood |
| (g) Steel works | As per IS 1786, IS 226 |
| (h) Internal finish | Distemper over Cement Plaster |
| (i) External finishes | Texture Paint over Cement Plaster |


For EKAASHARA BUILDERS LLP


Authorised Signatory

Signature of Architect / Engineer

Signature of Applicant


Gurdar Singh Malik
Structural Consultants
B.E. Civil
Regd. No. 957
Shop No. 5, 1st floor, Gupta Complex,
HUDA Office Sec-14 Gurugram


AR. VINEMRA GOYAL
CA/2019-114662
Off. No. 313, AKD Tower, Sec.-14,
Gurugram, Haryana

FROM BRS – II


SPECIFICATION

The material to be used in the construction to be clearly specified under the following heads : -

Items Specifications :-

- | | |
|---|---|
| (a) Foundation | R.C.C. Footing Foundations |
| (b) Walls | Ist Class Bricks in cement mortar |
| (c) Damp – Proof Course | Bitumen Coats/Chemical Treatment |
| (d) Roofs | Reinforced Cement concrete slab (1:2:4) |
| (e) Floors | Marble Flooring |
| (f) Window and door and
Other wood works | Marandi / Teak Wood |
| (g) Steel works | As per IS 1786, IS 226 |
| (h) Internal finish | Distemper over Cement Plaster |
| (i) External finishes | Texture Paint over Cement Plaster |


For EKAASHARA BUILDERS LLP


Authorised Signatory

Signature of Architect / Engineer

Signature of Applicant


Gurdar Singh Malik
Structural Consultants
B.E. Civil
Regd. No. 957
Shop No. 5, 1st floor, Gupta Complex,
HUDA Office Sec-14 Gurugram


AR. VINEMRA GOYAL
CA/2019-114662
Off. No. 313, AKD Tower, Sec.-14,
Gurugram, Haryana

FROM BRS – II


SPECIFICATION

The material to be used in the construction to be clearly specified under the following heads : -

Items Specifications :-

- | | |
|---|---|
| (a) Foundation | R.C.C. Footing Foundations |
| (b) Walls | Ist Class Bricks in cement mortar |
| (c) Damp – Proof Course | Bitumen Coats/Chemical Treatment |
| (d) Roofs | Reinforced Cement concrete slab (1:2:4) |
| (e) Floors | Marble Flooring |
| (f) Window and door and
Other wood works | Marandi / Teak Wood |
| (g) Steel works | As per IS 1786, IS 226 |
| (h) Internal finish | Distemper over Cement Plaster |
| (i) External finishes | Texture Paint over Cement Plaster |


For EKAASHARA BUILDERS LLP


Authorised Signatory

Signature of Architect / Engineer

Signature of Applicant


Gurdar Singh Malik
Structural Consultants
B.E. Civil
Regd. No. 957
Shop No. 5, 1st floor, Gupta Complex,
HUDA Office Sec-14 Gurugram


AR. VINEMRA GOYAL
CA/2019-114662
Off. No. 313, AKD Tower, Sec.-14,
Gurugram, Haryana

FROM BRS – II


SPECIFICATION

The material to be used in the construction to be clearly specified under the following heads : -

Items Specifications :-

- | | |
|---|---|
| (a) Foundation | R.C.C. Footing Foundations |
| (b) Walls | Ist Class Bricks in cement mortar |
| (c) Damp – Proof Course | Bitumen Coats/Chemical Treatment |
| (d) Roofs | Reinforced Cement concrete slab (1:2:4) |
| (e) Floors | Marble Flooring |
| (f) Window and door and
Other wood works | Marandi / Teak Wood |
| (g) Steel works | As per IS 1786, IS 226 |
| (h) Internal finish | Distemper over Cement Plaster |
| (i) External finishes | Texture Paint over Cement Plaster |


For EKAASHARA BUILDERS LLP


Authorised Signatory

Signature of Architect / Engineer

Signature of Applicant


Gurdar Singh Malik
Structural Consultants
B.E. Civil
Regd. No. 957
Shop No. 5, 1st floor, Gupta Complex,
HUDA Office Sec-14 Gurugram


AR. VINEMRA GOYAL
CA/2019-114662
Off. No. 313, AKD Tower, Sec.-14,
Gurugram, Haryana

FROM BRS – II


SPECIFICATION

The material to be used in the construction to be clearly specified under the following heads : -

Items Specifications :-

- | | |
|---|---|
| (a) Foundation | R.C.C. Footing Foundations |
| (b) Walls | Ist Class Bricks in cement mortar |
| (c) Damp – Proof Course | Bitumen Coats/Chemical Treatment |
| (d) Roofs | Reinforced Cement concrete slab (1:2:4) |
| (e) Floors | Marble Flooring |
| (f) Window and door and
Other wood works | Marandi / Teak Wood |
| (g) Steel works | As per IS 1786, IS 226 |
| (h) Internal finish | Distemper over Cement Plaster |
| (i) External finishes | Texture Paint over Cement Plaster |


For EKAASHARA BUILDERS LLP


Authorised Signatory

Signature of Architect / Engineer

Signature of Applicant


Gurdar Singh Malik
Structural Consultants
B.E. Civil
Regd. No. 957
Shop No. 5, 1st floor, Gupta Complex,
HUDA Office Sec-14 Gurugram


AR. VINEMRA GOYAL
CA/2019-114662
Off. No. 313, AKD Tower, Sec.-14,
Gurugram, Haryana

FROM BRS – II


SPECIFICATION

The material to be used in the construction to be clearly specified under the following heads : -

Items Specifications :-

- | | |
|---|---|
| (a) Foundation | R.C.C. Footing Foundations |
| (b) Walls | Ist Class Bricks in cement mortar |
| (c) Damp – Proof Course | Bitumen Coats/Chemical Treatment |
| (d) Roofs | Reinforced Cement concrete slab (1:2:4) |
| (e) Floors | Marble Flooring |
| (f) Window and door and
Other wood works | Marandi / Teak Wood |
| (g) Steel works | As per IS 1786, IS 226 |
| (h) Internal finish | Distemper over Cement Plaster |
| (i) External finishes | Texture Paint over Cement Plaster |


For EKAASHARA BUILDERS LLP


Authorised Signatory

Signature of Architect / Engineer

Signature of Applicant


Gurdar Singh Malik
Structural Consultants
B.E. Civil
Regd. No. 957
Shop No. 5, 1st floor, Gupta Complex,
HUDA Office Sec-14 Gurugram


AR. VINEMRA GOYAL
CA/2019-114662
Off. No. 313, AKD Tower, Sec.-14,
Gurugram, Haryana

FROM BRS – II


SPECIFICATION

The material to be used in the construction to be clearly specified under the following heads : -

Items Specifications :-

- | | |
|---|---|
| (a) Foundation | R.C.C. Footing Foundations |
| (b) Walls | Ist Class Bricks in cement mortar |
| (c) Damp – Proof Course | Bitumen Coats/Chemical Treatment |
| (d) Roofs | Reinforced Cement concrete slab (1:2:4) |
| (e) Floors | Marble Flooring |
| (f) Window and door and
Other wood works | Marandi / Teak Wood |
| (g) Steel works | As per IS 1786, IS 226 |
| (h) Internal finish | Distemper over Cement Plaster |
| (i) External finishes | Texture Paint over Cement Plaster |


For EKAASHARA BUILDERS LLP


Authorised Signatory

Signature of Architect / Engineer

Signature of Applicant


Gurdar Singh Malik
Structural Consultants
B.E. Civil
Regd. No. 957
Shop No. 5, 1st floor, Gupta Complex,
HUDA Office Sec-14 Gurugram


AR. VINEMRA GOYAL
CA/2019-114662
Off. No. 313, AKD Tower, Sec.-14,
Gurugram, Haryana

FROM BRS – II


SPECIFICATION

The material to be used in the construction to be clearly specified under the following heads : -

Items Specifications :-

- | | |
|---|---|
| (a) Foundation | R.C.C. Footing Foundations |
| (b) Walls | Ist Class Bricks in cement mortar |
| (c) Damp – Proof Course | Bitumen Coats/Chemical Treatment |
| (d) Roofs | Reinforced Cement concrete slab (1:2:4) |
| (e) Floors | Marble Flooring |
| (f) Window and door and
Other wood works | Marandi / Teak Wood |
| (g) Steel works | As per IS 1786, IS 226 |
| (h) Internal finish | Distemper over Cement Plaster |
| (i) External finishes | Texture Paint over Cement Plaster |


For EKAASHARA BUILDERS LLP


Authorised Signatory

Signature of Architect / Engineer

Signature of Applicant


Gurdar Singh Malik
Structural Consultants
B.E. Civil
Regd. No. 957
Shop No. 5, 1st floor, Gupta Complex,
HUDA Office Sec-14 Gurugram


AR. VINEMRA GOYAL
CA/2019-114662
Off. No. 313, AKD Tower, Sec.-14,
Gurugram, Haryana

FROM BRS – II


SPECIFICATION

The material to be used in the construction to be clearly specified under the following heads : -

Items Specifications :-

- | | |
|---|---|
| (a) Foundation | R.C.C. Footing Foundations |
| (b) Walls | Ist Class Bricks in cement mortar |
| (c) Damp – Proof Course | Bitumen Coats/Chemical Treatment |
| (d) Roofs | Reinforced Cement concrete slab (1:2:4) |
| (e) Floors | Marble Flooring |
| (f) Window and door and
Other wood works | Marandi / Teak Wood |
| (g) Steel works | As per IS 1786, IS 226 |
| (h) Internal finish | Distemper over Cement Plaster |
| (i) External finishes | Texture Paint over Cement Plaster |


For EKAASHARA BUILDERS LLP


Authorised Signatory

Signature of Architect / Engineer

Signature of Applicant


Gurdar Singh Malik
Structural Consultants
B.E. Civil
Regd. No. 957
Shop No. 5, 1st floor, Gupta Complex,
HUDA Office Sec-14 Gurugram


AR. VINEMRA GOYAL
CA/2019-114662
Off. No. 313, AKD Tower, Sec.-14,
Gurugram, Haryana

FROM BRS – II


SPECIFICATION

The material to be used in the construction to be clearly specified under the following heads : -

Items Specifications :-

- | | |
|---|---|
| (a) Foundation | R.C.C. Footing Foundations |
| (b) Walls | Ist Class Bricks in cement mortar |
| (c) Damp – Proof Course | Bitumen Coats/Chemical Treatment |
| (d) Roofs | Reinforced Cement concrete slab (1:2:4) |
| (e) Floors | Marble Flooring |
| (f) Window and door and
Other wood works | Marandi / Teak Wood |
| (g) Steel works | As per IS 1786, IS 226 |
| (h) Internal finish | Distemper over Cement Plaster |
| (i) External finishes | Texture Paint over Cement Plaster |


For EKAASHARA BUILDERS LLP


Authorised Signatory

Signature of Architect / Engineer

Signature of Applicant


Gurdar Singh Malik
Structural Consultants
B.E. Civil
Regd. No. 957
Shop No. 5, 1st floor, Gupta Complex,
HUDA Office Sec-14 Gurugram


AR. VINEMRA GOYAL
CA/2019-114662
Off. No. 313, AKD Tower, Sec.-14,
Gurugram, Haryana

FROM BRS – II


SPECIFICATION

The material to be used in the construction to be clearly specified under the following heads : -

Items Specifications :-

- | | |
|---|---|
| (a) Foundation | R.C.C. Footing Foundations |
| (b) Walls | Ist Class Bricks in cement mortar |
| (c) Damp – Proof Course | Bitumen Coats/Chemical Treatment |
| (d) Roofs | Reinforced Cement concrete slab (1:2:4) |
| (e) Floors | Marble Flooring |
| (f) Window and door and
Other wood works | Marandi / Teak Wood |
| (g) Steel works | As per IS 1786, IS 226 |
| (h) Internal finish | Distemper over Cement Plaster |
| (i) External finishes | Texture Paint over Cement Plaster |


For EKAASHARA BUILDERS LLP


Authorised Signatory

Signature of Architect / Engineer

Signature of Applicant


Gurdar Singh Malik
Structural Consultants
B.E. Civil
Regd. No. 957
Shop No. 5, 1st floor, Gupta Complex,
HUDA Office Sec-14 Gurugram


AR. VINEMRA GOYAL
CA/2019-114662
Off. No. 313, AKD Tower, Sec.-14,
Gurugram, Haryana

FROM BRS – II


SPECIFICATION

The material to be used in the construction to be clearly specified under the following heads : -

Items Specifications :-

- | | |
|---|---|
| (a) Foundation | R.C.C. Footing Foundations |
| (b) Walls | Ist Class Bricks in cement mortar |
| (c) Damp – Proof Course | Bitumen Coats/Chemical Treatment |
| (d) Roofs | Reinforced Cement concrete slab (1:2:4) |
| (e) Floors | Marble Flooring |
| (f) Window and door and
Other wood works | Marandi / Teak Wood |
| (g) Steel works | As per IS 1786, IS 226 |
| (h) Internal finish | Distemper over Cement Plaster |
| (i) External finishes | Texture Paint over Cement Plaster |


For EKAASHARA BUILDERS LLP


Authorised Signatory

Signature of Architect / Engineer

Signature of Applicant


Gurdar Singh Malik
Structural Consultants
B.E. Civil
Regd. No. 957
Shop No. 5, 1st floor, Gupta Complex,
HUDA Office Sec-14 Gurugram


AR. VINEMRA GOYAL
CA/2019-114662
Off. No. 313, AKD Tower, Sec.-14,
Gurugram, Haryana

FROM BRS – II


SPECIFICATION

The material to be used in the construction to be clearly specified under the following heads : -

Items Specifications :-

- | | |
|---|---|
| (a) Foundation | R.C.C. Footing Foundations |
| (b) Walls | Ist Class Bricks in cement mortar |
| (c) Damp – Proof Course | Bitumen Coats/Chemical Treatment |
| (d) Roofs | Reinforced Cement concrete slab (1:2:4) |
| (e) Floors | Marble Flooring |
| (f) Window and door and
Other wood works | Marandi / Teak Wood |
| (g) Steel works | As per IS 1786, IS 226 |
| (h) Internal finish | Distemper over Cement Plaster |
| (i) External finishes | Texture Paint over Cement Plaster |


For EKAASHARA BUILDERS LLP


Authorised Signatory

Signature of Architect / Engineer

Signature of Applicant


Gurdar Singh Malik
Structural Consultants
B.E. Civil
Regd. No. 957
Shop No. 5, 1st floor, Gupta Complex,
HUDA Office Sec-14 Gurugram


AR. VINEMRA GOYAL
CA/2019-114662
Off. No. 313, AKD Tower, Sec.-14,
Gurugram, Haryana

FROM BRS – II


SPECIFICATION

The material to be used in the construction to be clearly specified under the following heads : -

Items Specifications :-

- | | |
|---|---|
| (a) Foundation | R.C.C. Footing Foundations |
| (b) Walls | Ist Class Bricks in cement mortar |
| (c) Damp – Proof Course | Bitumen Coats/Chemical Treatment |
| (d) Roofs | Reinforced Cement concrete slab (1:2:4) |
| (e) Floors | Marble Flooring |
| (f) Window and door and
Other wood works | Marandi / Teak Wood |
| (g) Steel works | As per IS 1786, IS 226 |
| (h) Internal finish | Distemper over Cement Plaster |
| (i) External finishes | Texture Paint over Cement Plaster |


For EKAASHARA BUILDERS LLP


Authorised Signatory

Signature of Architect / Engineer

Signature of Applicant


Gurdar Singh Malik
Structural Consultants
B.E. Civil
Regd. No. 957
Shop No. 5, 1st floor, Gupta Complex,
HUDA Office Sec-14 Gurugram


AR. VINEMRA GOYAL
CA/2019-114662
Off. No. 313, AKD Tower, Sec.-14,
Gurugram, Haryana

FROM BRS – II


SPECIFICATION

The material to be used in the construction to be clearly specified under the following heads : -

Items Specifications :-

- | | |
|---|---|
| (a) Foundation | R.C.C. Footing Foundations |
| (b) Walls | Ist Class Bricks in cement mortar |
| (c) Damp – Proof Course | Bitumen Coats/Chemical Treatment |
| (d) Roofs | Reinforced Cement concrete slab (1:2:4) |
| (e) Floors | Marble Flooring |
| (f) Window and door and
Other wood works | Marandi / Teak Wood |
| (g) Steel works | As per IS 1786, IS 226 |
| (h) Internal finish | Distemper over Cement Plaster |
| (i) External finishes | Texture Paint over Cement Plaster |


For EKAASHARA BUILDERS LLP


Authorised Signatory

Signature of Architect / Engineer

Signature of Applicant


Gurdar Singh Malik
Structural Consultants
B.E. Civil
Regd. No. 957
Shop No. 5, 1st floor, Gupta Complex,
HUDA Office Sec-14 Gurugram


AR. VINEMRA GOYAL
CA/2019-114662
Off. No. 313, AKD Tower, Sec.-14,
Gurugram, Haryana

FROM BRS – II


SPECIFICATION

The material to be used in the construction to be clearly specified under the following heads : -

Items Specifications :-

- | | |
|---|---|
| (a) Foundation | R.C.C. Footing Foundations |
| (b) Walls | Ist Class Bricks in cement mortar |
| (c) Damp – Proof Course | Bitumen Coats/Chemical Treatment |
| (d) Roofs | Reinforced Cement concrete slab (1:2:4) |
| (e) Floors | Marble Flooring |
| (f) Window and door and
Other wood works | Marandi / Teak Wood |
| (g) Steel works | As per IS 1786, IS 226 |
| (h) Internal finish | Distemper over Cement Plaster |
| (i) External finishes | Texture Paint over Cement Plaster |


For EKAASHARA BUILDERS LLP


Authorised Signatory

Signature of Architect / Engineer

Signature of Applicant


Gurdar Singh Malik
Structural Consultants
B.E. Civil
Regd. No. 957
Shop No. 5, 1st floor, Gupta Complex,
HUDA Office Sec-14 Gurugram


AR. VINEMRA GOYAL
CA/2019-114662
Off. No. 313, AKD Tower, Sec.-14,
Gurugram, Haryana

FROM BRS – II


SPECIFICATION

The material to be used in the construction to be clearly specified under the following heads : -

Items Specifications :-

- | | |
|---|---|
| (a) Foundation | R.C.C. Footing Foundations |
| (b) Walls | Ist Class Bricks in cement mortar |
| (c) Damp – Proof Course | Bitumen Coats/Chemical Treatment |
| (d) Roofs | Reinforced Cement concrete slab (1:2:4) |
| (e) Floors | Marble Flooring |
| (f) Window and door and
Other wood works | Marandi / Teak Wood |
| (g) Steel works | As per IS 1786, IS 226 |
| (h) Internal finish | Distemper over Cement Plaster |
| (i) External finishes | Texture Paint over Cement Plaster |


For EKAASHARA BUILDERS LLP


Authorised Signatory

Signature of Architect / Engineer

Signature of Applicant


Gurdar Singh Malik
Structural Consultants
B.E. Civil
Regd. No. 957
Shop No. 5, 1st floor, Gupta Complex,
HUDA Office Sec-14 Gurugram


AR. VINEMRA GOYAL
CA/2019-114662
Off. No. 313, AKD Tower, Sec.-14,
Gurugram, Haryana

FROM BRS – II


SPECIFICATION

The material to be used in the construction to be clearly specified under the following heads : -

Items Specifications :-

- | | |
|---|---|
| (a) Foundation | R.C.C. Footing Foundations |
| (b) Walls | Ist Class Bricks in cement mortar |
| (c) Damp – Proof Course | Bitumen Coats/Chemical Treatment |
| (d) Roofs | Reinforced Cement concrete slab (1:2:4) |
| (e) Floors | Marble Flooring |
| (f) Window and door and
Other wood works | Marandi / Teak Wood |
| (g) Steel works | As per IS 1786, IS 226 |
| (h) Internal finish | Distemper over Cement Plaster |
| (i) External finishes | Texture Paint over Cement Plaster |


For EKAASHARA BUILDERS LLP


Authorised Signatory

Signature of Architect / Engineer

Signature of Applicant


Gurdar Singh Malik
Structural Consultants
B.E. Civil
Regd. No. 957
Shop No. 5, 1st floor, Gupta Complex,
HUDA Office Sec-14 Gurugram


AR. VINEMRA GOYAL
CA/2019-114662
Off. No. 313, AKD Tower, Sec.-14,
Gurugram, Haryana

FROM BRS – II


SPECIFICATION

The material to be used in the construction to be clearly specified under the following heads : -

Items Specifications :-

- | | |
|---|---|
| (a) Foundation | R.C.C. Footing Foundations |
| (b) Walls | Ist Class Bricks in cement mortar |
| (c) Damp – Proof Course | Bitumen Coats/Chemical Treatment |
| (d) Roofs | Reinforced Cement concrete slab (1:2:4) |
| (e) Floors | Marble Flooring |
| (f) Window and door and
Other wood works | Marandi / Teak Wood |
| (g) Steel works | As per IS 1786, IS 226 |
| (h) Internal finish | Distemper over Cement Plaster |
| (i) External finishes | Texture Paint over Cement Plaster |


For EKAASHARA BUILDERS LLP


Authorised Signatory

Signature of Architect / Engineer

Signature of Applicant


Gurdar Singh Malik
Structural Consultants
B.E. Civil
Regd. No. 957
Shop No. 5, 1st floor, Gupta Complex,
HUDA Office Sec-14 Gurugram


AR. VINEMRA GOYAL
CA/2019-114662
Off. No. 313, AKD Tower, Sec.-14,
Gurugram, Haryana

FROM BRS – II


SPECIFICATION

The material to be used in the construction to be clearly specified under the following heads : -

Items Specifications :-

- | | |
|---|---|
| (a) Foundation | R.C.C. Footing Foundations |
| (b) Walls | Ist Class Bricks in cement mortar |
| (c) Damp – Proof Course | Bitumen Coats/Chemical Treatment |
| (d) Roofs | Reinforced Cement concrete slab (1:2:4) |
| (e) Floors | Marble Flooring |
| (f) Window and door and
Other wood works | Marandi / Teak Wood |
| (g) Steel works | As per IS 1786, IS 226 |
| (h) Internal finish | Distemper over Cement Plaster |
| (i) External finishes | Texture Paint over Cement Plaster |


For EKAASHARA BUILDERS LLP


Authorised Signatory

Signature of Architect / Engineer

Signature of Applicant


Gurdar Singh Malik
Structural Consultants
B.E. Civil
Regd. No. 957
Shop No. 5, 1st floor, Gupta Complex,
HUDA Office Sec-14 Gurugram


AR. VINEMRA GOYAL
CA/2019-114662
Off. No. 313, AKD Tower, Sec.-14,
Gurugram, Haryana

FROM BRS – II


SPECIFICATION

The material to be used in the construction to be clearly specified under the following heads : -

Items Specifications :-

- | | |
|---|---|
| (a) Foundation | R.C.C. Footing Foundations |
| (b) Walls | Ist Class Bricks in cement mortar |
| (c) Damp – Proof Course | Bitumen Coats/Chemical Treatment |
| (d) Roofs | Reinforced Cement concrete slab (1:2:4) |
| (e) Floors | Marble Flooring |
| (f) Window and door and
Other wood works | Marandi / Teak Wood |
| (g) Steel works | As per IS 1786, IS 226 |
| (h) Internal finish | Distemper over Cement Plaster |
| (i) External finishes | Texture Paint over Cement Plaster |


For EKAASHARA BUILDERS LLP


Authorised Signatory

Signature of Architect / Engineer

Signature of Applicant


Gurdar Singh Malik
Structural Consultants
B.E. Civil
Regd. No. 957
Shop No. 5, 1st floor, Gupta Complex,
HUDA Office Sec-14 Gurugram


AR. VINEMRA GOYAL
CA/2019-114662
Off. No. 313, AKD Tower, Sec.-14,
Gurugram, Haryana

FROM BRS – II


SPECIFICATION

The material to be used in the construction to be clearly specified under the following heads : -

Items Specifications :-

- | | |
|---|---|
| (a) Foundation | R.C.C. Footing Foundations |
| (b) Walls | Ist Class Bricks in cement mortar |
| (c) Damp – Proof Course | Bitumen Coats/Chemical Treatment |
| (d) Roofs | Reinforced Cement concrete slab (1:2:4) |
| (e) Floors | Marble Flooring |
| (f) Window and door and
Other wood works | Marandi / Teak Wood |
| (g) Steel works | As per IS 1786, IS 226 |
| (h) Internal finish | Distemper over Cement Plaster |
| (i) External finishes | Texture Paint over Cement Plaster |


For EKAASHARA BUILDERS LLP


Authorised Signatory

Signature of Architect / Engineer

Signature of Applicant


Gurdar Singh Malik
Structural Consultants
B.E. Civil
Regd. No. 957
Shop No. 5, 1st floor, Gupta Complex,
HUDA Office Sec-14 Gurugram


AR. VINEMRA GOYAL
CA/2019-114662
Off. No. 313, AKD Tower, Sec.-14,
Gurugram, Haryana

FROM BRS – II


SPECIFICATION

The material to be used in the construction to be clearly specified under the following heads : -

Items Specifications :-

- | | |
|---|---|
| (a) Foundation | R.C.C. Footing Foundations |
| (b) Walls | Ist Class Bricks in cement mortar |
| (c) Damp – Proof Course | Bitumen Coats/Chemical Treatment |
| (d) Roofs | Reinforced Cement concrete slab (1:2:4) |
| (e) Floors | Marble Flooring |
| (f) Window and door and
Other wood works | Marandi / Teak Wood |
| (g) Steel works | As per IS 1786, IS 226 |
| (h) Internal finish | Distemper over Cement Plaster |
| (i) External finishes | Texture Paint over Cement Plaster |


For EKAASHARA BUILDERS LLP


Authorised Signatory

Signature of Architect / Engineer

Signature of Applicant


Gurdar Singh Malik
Structural Consultants
B.E. Civil
Regd. No. 957
Shop No. 5, 1st floor, Gupta Complex,
HUDA Office Sec-14 Gurugram


AR. VINEMRA GOYAL
CA/2019-114662
Off. No. 313, AKD Tower, Sec.-14,
Gurugram, Haryana

FROM BRS – II


SPECIFICATION

The material to be used in the construction to be clearly specified under the following heads : -

Items Specifications :-

- | | |
|---|---|
| (a) Foundation | R.C.C. Footing Foundations |
| (b) Walls | Ist Class Bricks in cement mortar |
| (c) Damp – Proof Course | Bitumen Coats/Chemical Treatment |
| (d) Roofs | Reinforced Cement concrete slab (1:2:4) |
| (e) Floors | Marble Flooring |
| (f) Window and door and
Other wood works | Marandi / Teak Wood |
| (g) Steel works | As per IS 1786, IS 226 |
| (h) Internal finish | Distemper over Cement Plaster |
| (i) External finishes | Texture Paint over Cement Plaster |


For EKAASHARA BUILDERS LLP


Authorised Signatory

Signature of Architect / Engineer

Signature of Applicant


Gurdar Singh Malik
Structural Consultants
B.E. Civil
Regd. No. 957
Shop No. 5, 1st floor, Gupta Complex,
HUDA Office Sec-14 Gurugram


AR. VINEMRA GOYAL
CA/2019-114662
Off. No. 313, AKD Tower, Sec.-14,
Gurugram, Haryana

FROM BRS – II


SPECIFICATION

The material to be used in the construction to be clearly specified under the following heads : -

Items Specifications :-

- | | |
|---|---|
| (a) Foundation | R.C.C. Footing Foundations |
| (b) Walls | Ist Class Bricks in cement mortar |
| (c) Damp – Proof Course | Bitumen Coats/Chemical Treatment |
| (d) Roofs | Reinforced Cement concrete slab (1:2:4) |
| (e) Floors | Marble Flooring |
| (f) Window and door and
Other wood works | Marandi / Teak Wood |
| (g) Steel works | As per IS 1786, IS 226 |
| (h) Internal finish | Distemper over Cement Plaster |
| (i) External finishes | Texture Paint over Cement Plaster |


For EKAASHARA BUILDERS LLP


Authorised Signatory

Signature of Architect / Engineer

Signature of Applicant


Gurdar Singh Malik
Structural Consultants
B.E. Civil
Regd. No. 957
Shop No. 5, 1st floor, Gupta Complex,
HUDA Office Sec-14 Gurugram


AR. VINEMRA GOYAL
CA/2019-114662
Off. No. 313, AKD Tower, Sec.-14,
Gurugram, Haryana

FROM BRS – II


SPECIFICATION

The material to be used in the construction to be clearly specified under the following heads : -

Items Specifications :-

- | | |
|---|---|
| (a) Foundation | R.C.C. Footing Foundations |
| (b) Walls | Ist Class Bricks in cement mortar |
| (c) Damp – Proof Course | Bitumen Coats/Chemical Treatment |
| (d) Roofs | Reinforced Cement concrete slab (1:2:4) |
| (e) Floors | Marble Flooring |
| (f) Window and door and
Other wood works | Marandi / Teak Wood |
| (g) Steel works | As per IS 1786, IS 226 |
| (h) Internal finish | Distemper over Cement Plaster |
| (i) External finishes | Texture Paint over Cement Plaster |


For EKAASHARA BUILDERS LLP


Authorised Signatory

Signature of Architect / Engineer

Signature of Applicant


Gurdar Singh Malik
Structural Consultants
B.E. Civil
Regd. No. 957
Shop No. 5, 1st floor, Gupta Complex,
HUDA Office Sec-14 Gurugram


AR. VINEMRA GOYAL
CA/2019-114662
Off. No. 313, AKD Tower, Sec.-14,
Gurugram, Haryana

FROM BRS – II


SPECIFICATION

The material to be used in the construction to be clearly specified under the following heads : -

Items Specifications :-

- | | |
|---|---|
| (a) Foundation | R.C.C. Footing Foundations |
| (b) Walls | Ist Class Bricks in cement mortar |
| (c) Damp – Proof Course | Bitumen Coats/Chemical Treatment |
| (d) Roofs | Reinforced Cement concrete slab (1:2:4) |
| (e) Floors | Marble Flooring |
| (f) Window and door and
Other wood works | Marandi / Teak Wood |
| (g) Steel works | As per IS 1786, IS 226 |
| (h) Internal finish | Distemper over Cement Plaster |
| (i) External finishes | Texture Paint over Cement Plaster |


For EKAASHARA BUILDERS LLP


Authorised Signatory

Signature of Architect / Engineer

Signature of Applicant


Gurdar Singh Malik
Structural Consultants
B.E. Civil
Regd. No. 957
Shop No. 5, 1st floor, Gupta Complex,
HUDA Office Sec-14 Gurugram


AR. VINEMRA GOYAL
CA/2019-114662
Off. No. 313, AKD Tower, Sec.-14,
Gurugram, Haryana