


This is a "PROVISIONAL BUILDING PLAN" approved only for the purpose of inviting objections from the general public.

S.T.P. (HQ) Member Secretary B.P.A.C.  
S.T.P. (G) Member B.P.A.C.  
C.A. (H) Chairman B.P.A.C.



## NOTES

## DOOR / WINDOW SCHEDULE (TOWERS)

| S. NO. | DOOR TAGS | WIDTH | LINTEL | CILL | LOCATION      | FIRE RATINGS |
|--------|-----------|-------|--------|------|---------------|--------------|
| 1      | D2        | 1050  | 2400   | 0    | Bedroom       |              |
| 2      | D3        | 900   | 2400   | 0    | Kitchen       |              |
| 3      | D4        | 800   | 2400   | 0    | Toilet        |              |
| 4      | D6        | 2200  | 2400   | 0    | GF - H. Lobby |              |
| 5      | D7        | 2200  | 2400   | 0    | Staircase     |              |

## EXTERNAL DOORS

|    |     |      |      |   |               |  |
|----|-----|------|------|---|---------------|--|
| 6  | S01 | 2400 | 2400 | 0 | M. Bedroom    |  |
| 7  | S02 | 2025 | 2400 | 0 | Bedroom       |  |
| 8  | S03 | 1800 | 2400 | 0 | Bedroom       |  |
| 9  | S04 | 2730 | 2400 | 0 | Bedroom       |  |
| 10 | S05 | 3770 | 2400 | 0 | Living/Dining |  |
| 11 | S06 | 3370 | 2400 | 0 | Living/Dining |  |
| 12 | S07 | 4700 | 2400 | 0 | M. Bedroom    |  |
| 13 | S08 | 3475 | 2400 | 0 | M. Bedroom    |  |
| 14 | S09 | 3300 | 2400 | 0 | M. Bedroom    |  |
| 15 | D5  | 1000 | 2400 | 0 | WC            |  |
| 16 | D7  | 800  | 2400 | 0 | WC            |  |
| 17 | D8  | 900  | 2400 | 0 | Utility       |  |
| 18 | DW1 | 2400 | 2400 | 0 | Kitchen       |  |

## WINDOWS

|    |     |                  |      |      |                 |  |
|----|-----|------------------|------|------|-----------------|--|
| 19 | W1  | 600              | 2400 | 1200 | Toilet          |  |
| 20 | W1  | 3375             | 2400 | 1200 | M. Toilet       |  |
| 21 | W2  | 900              | 2400 | 1200 | Utility/Bedroom |  |
| 22 | W3  | 1250             | 2400 | 1200 | Staircase       |  |
| 23 | W4  | 1760             | 2400 | 1200 | Staircase       |  |
| 24 | W5  | 2425             | 2400 | 1200 | M. Toilet       |  |
| 25 | W7  | 700              | 2400 | 1200 | Bedroom         |  |
| 26 | W8  | 1550             | 2400 | 1200 | Staircase       |  |
| 27 | AD1 | 750              | 2400 | 1200 | Toilet          |  |
| 28 | G01 | 1800             | 2400 | 0    | GF Lift Lobby   |  |
| 29 | G1  | 3380/1675/3380   | 5200 | 0    | GF Lobby        |  |
| 30 | G2  | 2725             | 5200 | 0    | GF Lobby        |  |
| 31 | G3  | 4070             | 5200 | 0    | GF Lobby        |  |
| 32 | G4  | 580              | 5200 | 0    | GF Lobby        |  |
| 33 | G5  | 2145             | 5200 | 0    | GF Lobby        |  |
| 34 | G6  | 1940             | 5200 | 0    | GF Lobby        |  |
| 35 | G7  | 2275/1400        | 5200 | 0    | GF Lobby        |  |
| 36 | G8  | 3380/7875/4250   | 5200 | 0    | GF Lobby        |  |
| 37 | G9  | 2200             | 5200 | 0    | GF Lobby        |  |
| 38 | G10 | 1550             | 2400 | 0    | M. Bedroom      |  |
| 39 | G11 | 4575/12200/10840 | 5200 | 0    | GF Lobby        |  |
| 40 | G12 | 400              | 5200 | 0    | GF Lobby        |  |
| 41 | G13 | 4000/1550        | 5200 | 0    | GF Lobby        |  |
| 42 | G14 | 4495             | 5200 | 0    | GF Lobby        |  |
| 43 | G15 | 4475/2470        | 5200 | 0    | GF Lobby        |  |

## FIRE DOORS AND WINDOW

|    |      |      |      |      |                   |      |
|----|------|------|------|------|-------------------|------|
| 44 | FD1  | 1500 | 2400 | 0    | Staircase         | 1hr  |
| 45 | FD2  | 1250 | 2400 | 0    | Staircase/Service | 2hrs |
| 46 | FD3  | 1000 | 2400 | 75   | M/V Shaft         | 2hrs |
| 47 | FD4  | 900  | 2400 | 75   | V. Shaft          | 1hr  |
| 48 | FD5  | 900  | 2400 | 0    | Utility/Service   | 1hr  |
| 49 | FD6  | 1000 | 2400 | 0    | Utility           | 1hr  |
| 50 | FD7  | 400  | 2400 | 75   | AC. Vent. Shaft   | 2hrs |
| 51 | FD8  | 900  | 2400 | 1200 | Staircase         | 2hrs |
| 52 | FD9  | 1250 | 2400 | 1200 | Staircase         | 2hrs |
| 53 | FD10 | 1760 | 2400 | 1200 | Staircase         | 2hrs |
| 54 | FD11 | 900  | 2400 | 75   | RAC Shaft         | 2hrs |
| 55 | FD12 | 1200 | 2400 | 75   | RAC Shaft         | 2hrs |

## CLIENT

Birla Estates Pvt. Ltd. in collaboration with Barmalt India Pvt. Ltd.

## PROOF CHECK CONSULTANT

Skeleton Consultants Pvt. Ltd.

2nd Floor, A-75, Sector 5, Noida, Uttar Pradesh-201301

## GEO TECHNICAL CONSULTANT

Cengr Geotechnical Pvt. Ltd.

A-100, Sector 63, Noida, Uttar Pradesh-201309

## STRUCTURES

WHITBY WOOD PRITAMDASANI, MUMBAI

Unit 1101 | Lachha Supremus | Powai, Andheri (East) | Mumbai-400072 | Maharashtra | India

T: +91-9820-186879

m.pritamdasani@whitbywood.com

## MEP

SNC, SUNIL NAYYAR CONSULTING ENGINEERS LLP

206-206A & 305A-305B, 2nd & 3rd Floor

Sector 54 | Gurgaon-122002 | Haryana | India

T: +91-124-4803800

Email: sncgurgaon@snc.co.in

## LANDSCAPE

SWA, LAGUNA BEACH

5701 Glenheire Street | Laguna Beach | California-92651 | USA

Inter: +1 949 497 5871 | De: +1 949 807 9174 |

www.swagroup.com

## ARCHITECTS

Architects Pvt. Ltd.

Plot-268, Sec-32, Gurgaon-122001

Supremus Engineering (HQ)

Supremus Engineering (HQ)

Supremus Engineering (HQ)

Supremus Engineering (HQ)

Supremus Engineering (HQ)

Supremus Engineering (HQ)

Supremus Engineering (HQ)

Supremus Engineering (HQ)

Supremus Engineering (HQ)

Supremus Engineering (HQ)

Supremus Engineering (HQ)

Supremus Engineering (HQ)

Supremus Engineering (HQ)

Supremus Engineering (HQ)

## NOTES :-

- VRV System is being provided.
- Full DG power back up is being provided.
- Toilets are mechanical ventilated.
- All lifts shall have 100% power back-up.
- All electrical installations shall be as per provision of nbc.
- Fire-fighting/safety provisions will be as per relevant nbc provisions.
- Basement area shall have mechanically ventilated as per relevant code.
- All toilets are ventilated as per haryana building code 2017.
- Building has automatic sprinkler system wherever required by nbc.
- Building will be designed (structures) as per relevant i.s. codes for earthquake resistance.
- Solar panels of required capacity shall be provided on roof top as per haredo/zoning norms.
- All handicap ramps with railing.
- All fire fighting installations shall be as per provision of nbc.
- The rainwater harvesting system shall be provided as per central ground water Authority norms.



## NOTES:-

- REFER DRAWING NO. AR-T516-201, 202 & 203 FOR ELEVATIONS
- REFER DRAWING NO. AR-T516-301 FOR SECTIONS
- T5 IS SIMILAR TO T6