DAKSHIN HARYANA BIJLI VITRAN NIGAM

(A Govt. of Haryana Undertaking)

Office of

Superintending Engineer (OP) Circle-II, DHBVN, Gurugram

2nd Floor, Housing Board Office Complex, Saraswati Vihar, M.G. Road,

Gurugram, Haryana-122002

0124-2582106, 0124-4378109

E-mail – seop2gurugram@dhbvn.org.in Website - www.dhbvn.org.in

To,

M/s DLF Ltd.,
DLF Gateway Tower, R-Block,
DLF City, Phase-III, Gurugram.

Memo No. Ch- 6 /DGR- 26B Dated: 29 /01/2024

Sub: Assurance certificate of DHBVN for power supply of M/s DLF Ltd., for proposed Group Housing Buildings over an area measuring total 16.975 acres (License No. 52 of 1996, License No. 38 of 1996, License No. 40 of 1996, License No. 129 of 1995, License No. 131 of 1995, License No. 119 of 1995, License No. 121 of 1995, License No. 57 of 1996, License No. 2 of 2002, License No. 6 of 2002, License No. 4 of 2004, License No. 53 of 1996) in Zone-10, Sector-54 in DLF5, Gurugram.

Refer to your letter no. DLF-GRTP-HSG-ZN10-02382012-2023 dated 03.01.2024.

It is hereby assured that the power requirement of tentative load of **11082 KW** shall be considered from the nearest sub-station at 33 KV level at the time of actual requirement as per DHBVN norms, subject to the following conditions:-

1. Subject to availability of power and infrastructure at the time of actual release of connection.
2. Necessary charges will be got deposited by you as per latest Nigam instructions and compliance of all other instructions of Nigam will be ensured as per standing instructions of Nigam/HERC Regulations.
3. The necessary infrastructure will be laid by you at your own cost. The piece of land will be provided by you for the switching station / sub-station as per instructions of the Nigam.
4. The validity of this letter will be till the validity of licenses issued by Town & Country Planning, Haryana in view of Sales Circular no. D-6/2022 issued by CE/Commercial, DHBVN, Hisar vide memo no. Ch-06/SE/C/R-16/380/Vol-I dated 10.03.2022.

S.E (OP) Circle –II
DHBVN, Gurugram

Copy to:-

The Xen 'OP' Sub Urban Divn. DHBVN, Gurugram for information please.

सत्यमेव जयते

File No: SEAC/HR/2024/067

Government of India

Ministry of Environment, Forest and Climate Change

(Issued by the State Environment Impact Assessment Authority(SEIAA), HARYANA)

****

Date **14/09/2024**

To,

M/S DLF LIMITED
DLF Shopping Mall, 3rd Floor, Arjun Marg, DLF City, Phase-1, GURUGRAM, HARYANA-122002.
singh-lokpal@dlf.in

Subject: **Environment Clearance for Expansion cum Modification of Group Housing Buildings in Zone 10, DLF 5, at Sector-54 Gurugram, Haryana by M/s DLF Limited.**

Sir/Madam,

This has reference to your Proposal No. **SIA/HR/INFRA2/468689/2024 dated 10.04.2024** subsequent letter dated **31.05.2024 and 27.08.2024** for obtaining Environmental Clearance under Category **8(b)** of EIA Notification dated 14.09.2006 along with submission of **due Scrutiny fee (as applicable) of 2,00,000/- vide DD No. 523013 dated 30.01.2024 (in compliance of Haryana Government, Environment & Climate Change, Department Notification No. DE&CCH/3060 dated 14.10.2021).** The proposal has been appraised as per prescribed procedure in the light of provisions under the EIA Notification, 2006 on the basis of the mandatory documents enclosed with the application viz., Form-1, Form1-A, Conceptual Plan, EIA/EMP Report and additional clarifications furnished in response to the observations of the State Expert Appraisal Committee (SEAC) constituted by MoEF&CC, GoI vide their Notification dated 21.02.2022, in its **293rd meeting held on 31.05.2024.**

2. The particulars of the proposal are as below :

(i) EC Identification No.	EC24B3812HR5307923N
(ii) File No.	SEAC/HR/2024/067
(iii) Clearance Type	Fresh EC
(iv) Category	B1
(v) Project/Activity Included Schedule No.	8(b) Townships/ Area Development Projects / Rehabilitation Centres
(vii) Name of Project	Proposed Expansion cum Modification of Group Housing Buildings in Zone 10, DLF 5, at Sector-54 Gurugram, Haryana
(viii) Name of Company/Organization	DLF LIMITED
(ix) Location of Project (District, State)	GURUGRAM, HARYANA
(x) Issuing Authority	SEIAA

(xi) Applicability of General Conditions as per EIA Notification, 2006	No

3. It is inter-alia, noted that the project involves in the EC for Expansion cum Modification of Group Housing Buildings in Zone 10, DLF 5, at Sector-54 Gurugram, Haryana.

4. The basic details of project are as under:

EC for Expansion cum Modification of Group Housing Buildings in Zone 10, DLF 5, at Sector-54 Gurugram, Haryana by M/s DLF Limited.				
Sr. No.	**Particulars**	**As Per Earlier EC**	**Expansion cum modification**	**Total**
1.	Online Proposal no.	SIA/HR/INFRA2/468689/2024		
2.	Category	8(b) Townships/ Area Development Projects		
3.	Latitude	28°26'44.55"N		
4.	Longitude	77°06'48.93"E		
5.	Plot Area	30,653.317 sqm	38,040.533 Sqm	68,693.850 Sqm
6.	Total FAR Proposed	1,43,937.510 sqm	2,93,254.289Sqm	4,37,191.799 Sqm
7.	Proposed Ground coverage	6,369.381 sqm	39,958.360 sqm	46,327.741sqm
8.	Total Non -FAR	89,440.488 sqm	1,29,786.069 Sqm	2,19,226.557 Sqm
9.	Total Built Up area	2,33,377.998 sqm	4,23,040.358 sqm	6,56,418.356 sqm
10.	Total Green Area with Percentage	9,195.995 sqm	7,290.529 sqm	16,486.524 sqm (24% of Plot area)
11.	No. of RWH of Pits	8	9	17
12.	Total Population	4,508	-225	4,283
13.	Total Parking	1,615 ECS	995 ECS	2610 ECS
14.	Power Requirement	5,874 KW	5,216 KW	11,090 KW
15.	Power Backup	9 DG sets of total capacity 8,250 KVA (7×1,000 KVA + 2×625 KVA)	7,750	8 DG sets of total capacity 16,000 KVA (8×2,000 KVA)
16.	Total Water Requirement	391 KLD	225 KLD	616 KLD
17.	Fresh Water Requirement	255 KLD	89 KLD	344 KLD
18.	Treated Water Requirement	136 KLD	136 KLD	272 KLD
19.	Wastewater Generation	294 KLD	2 KLD	296 KLD
20.	Proposed STP Capacity	DLF-5 Common STP of 15 MLD	-	DLF-5 Common STP of 15 MLD
21.	Solid Waste Generation	2,069 Kg/day	-189 kg/day	1,880 kg/day
22.	Bio Degradable waste	1241 Kg/day	-489 kg/day	752 kg/day
23.	OWC Capacity	1,500	-650	850
24.	Max. height of building	109.350 m	15.45 m	124.8 m
25.	No of towers	4	3	7
26.	Max. No of floors for residential	B4 + B3 + B2 + B1+ S + 33F	-2F	B4 + B3 + B2 + B1 + UGF +31F
27.	Community building	1	-	1
28.	Max. No. of Floors for club house/community building	-	-	LGF+MF+UGF
29.	Total No. of basements	4	-	4
30.	Main Dwelling Unit	520	-88	432
31.	Service Personnel Room	50	382	432

32.	Total Cost of the project:		1,076 Cr.	6,507 Cr	Rs. 7,583 Cr
33.	R+U Value of Material used (Glass)		U-Value: <2.8 W/m^{2}K SHGC: <0.60	--	U-Value: <2.8 W/m^{2}K SHGC: <0.60
34.	EMP Cost/Budget		Expenditure till: Rs. 275.34 Lakhs	4,570 Lakhs	4,845.34 Lakhs
35.	Incremental Load in respect of:	i. PM 2.5 (µg/m^3)	0.00794	-0.00226	0.00568
		ii. PM 10 (µg/m^3)	0.00983	-0.00074	0.00909
		iii. SO_2 (µg/m^3)	0.0994	-0.07667	0.02273
		iv. NO_2 (µg/m^3)	0.0631	-0.03468	0.02842
		v. CO(mg/m^3)	0.0000049	-0.0000014	0.0000035
36.	Construction Phase	i. Power Back-up	Temporary Connection	--	Temporary Connection
		ii. Water Requirement & Source	DLF Water Tanks+ STP WATER (common STP Plant DLF Phase V)	--	DLF Water Tanks+ STP WATER (common STP Plant DLF Phase V)
		iii. STP (Modular)	5 KLD	--	5 KLD
		iv. Anti-Smoke Gun	1	--	1

Table-1: Proposed EMP Details

During Construction Phase			During Operational Phase		
Description	**Capital Cost (In Lakhs)**	**Recurring Cost (In Lakhs for 5 Year)**	**Description**	**Capital Cost (in Lakhs)**	**Recurring Cost (In Lakhs for 10 Year)**
Sanitation and Wastewater Management (Modular STP)	5	27	Waste Water Management (Sewage Treatment Plant)	5	400
Garbage & Debris disposal	2	27	Solid Waste Management (Dust bins & OWC)	20	150
Green Belt Development	-	15	Green Belt Development	180	720
Air, Noise, Soil, Water Monitoring	3	37	Monitoring for Air, Water, Noise & Soil	0	14
Rainwater harvesting system	-	-	Rainwater harvesting system	240	40
Dust Mitigation Measures Including site barricading, water sprinkling and anti-smog gun)	565	110	DG Sets including stack height and acoustics	1389	280
			Energy Saving (Solar Panel system)	168	64
			Maintenance of nearby pond of village	0	25
			CER Activities	84	0
Total	**575**	**216**	**Total**	**2086**	**1693**
G. Total	**4,570**				

Table 2 Expenditure on EMP budget

Description	**Expense done (Rs.) (Till 29 May 2024)**
Monitoring for Air, Water, Stack, emission & Noise	**1,62,011/-**

Dust mitigation measures including Barricading, water sprinkling, anti-smog gun	**2,72,56,914/-**
PPE for workers & Health Care	**1,15,691/-**
Total	**2,75,34,616/-**

a) Total Project cost: Rs. 7,583 Cr
b) Expenditure on EMP: 275.34 Lakhs
c) Proposed EMP Budget: 4,570 Lakhs
d) Total EMP Budget: 4,845.34 Lakhs (0.638% of total project cost)

5. In view of the recommendations made by State Expert Appraisal Committee (SEAC) in the said case and further consideration of the documents/details submitted by the Project Proponent; the Authority after discussions decided during **181st Meeting held on 23.08.2024** to **"GRANT ENVIRONMENT CLEARANCE" to M/s DLF Limited, 3rd Floor, Shopping Mall, Arjun Marg, Phase-I, DLF City, Gurugram, Haryana – 122002 (As per NCLT order dated 02.02.2022, ROC dated 27.05.2006 and annual report of DLF Limited for Financial Year 2022-2023) under Category 8(b) of EIA Notification dated 14.09.2006 issued by the Ministry of Environment and Forest, Government of India.**

Copy To

1. Director (IA Division), MoEF& CC, GoI, Indira Paryavaran Bhavan, Zorbagh Road-New Delhi-110003.
2. Chairman, State Environment Impact Assessment Authority, Bay's No. 55-58, Prayatan Bhawan, Sector-2, Panchkula, Haryana
3. Chairman, Haryana State Pollution Control Board, C-11, Sector-6, Panchkula.
4. Director, Environment & Climate Change Department, Haryana, Bay's No. 55-58, Prayatan Bhawan, Sector-2, Panchkula, Haryana
5. Director General, Town & Country Planning Haryana, Plot No. 3, Sector - 18A, Madhya Marg, Chandigarh- 160018.
6. Regional Office, Ministry of Environment, Forests & Climate Change, Govt. of India, Bay's No. 24-25, Sector 31-A, Dakshin Marg, Chandigarh-160018.
7. Concerned File/ Office Copy.

Annexure 1

Specific EC Conditions for (Townships/ Area Development Projects / Rehabilitation Centres)

1. Specific Condition

S. No	EC Conditions
1.1	**The project is recommended on concept basis as such in case of any change in planning, the PP will obtain fresh EC.**
1.2	Sewage shall be treated in the STP based on latest Technology with tertiary treatment i.e. Ultra Filtration to achieve standards ordered by NGT. The Treated effluent from STP shall be recycled /reused for flushing. DG cooling and Gardening. The dimension of each component of STP should be properly designed as per Norms
1.3	The Project Proponent would devise a monitoring plan to the satisfaction of the State Pollution Control Board so as to continuously monitor the treated waste water being used for flushing in terms of faecal coli forms and other pathogenic bacteria
1.4	The PP shall ensure that total EMP Budget shall be spent on project during construction as well as

S. No	EC Conditions
	during operational phase as per table given above. The EMP cost on Socio Economic activities shall be used before the commencement of the project & EMP recurring inside the project shall be implemented throughout the operation of the project. The PP shall establish Environment monitoring cell as per documents submitted
1.5	The project proponent shall upload the status of compliance of the basic details (given in above tables), stipulated environment clearance conditions, including results of monitored data on their website and update the same on half-yearly basis
1.6	The Project Proponents would commission a third party study on the implementation of conditions related to quality and quantity of recycle and reuse of treated water, efficiency of treatment systems, quality of treated water being supplied for flushing (specially the bacterial counts), comparative bacteriological studies from toilet seats using recycled treated waters and fresh waters for flushing, and quality of water being supplied through spray faucets attached to toilet seats
1.7	Separate wet and dry bins must be provided in each unit and at ground level for facilitating segregation of waste. Solid Waste shall be segregated into wet garbage and inert materials. Wet Garbage shall be composted in Organic waste convertor. Adequate area shall be provided for solid waste management within the premises which will include area for segregation, composting. The Inert waste from the project will be sent to dumping site
1.8	Traffic management plan as submitted shall be implemented in letter and spirit. Apart, a detailed traffic management and traffic decongestion plan shall be drawn up to ensure that the current level of service of the roads within a 05 kms radius of the project is marinated and improved upon after the implementation of the project. This plan should be based on cumulative impact of all development and increased habitation being carried out or purpose to be carried out by the project or other agencies in this 05kms radius of the site in different scenarios of space and time
1.9	The Project Proponent shall obtain all necessary clearance/permission from all relevant agencies including town planning authority before commencement of work. All the construction shall be done in accordance with the local building byelaws
1.10	Consent to establish/operate for the expansion project shall be obtained from the State Pollution Control Board as required under the Air (Prevention and Control of pollution) Act, 1981 and the Water (Prevention and control of pollution) Act, 1974
1.11	The Approval of the Competent Authority shall be obtained for structural safety of building code due to earthquakes, adequacy of firefightingequipments etc. as per National Building Code including protection measures from lightening etc
1.12	The PP shall not carry any construction above or below the Revenue Rasta, if any.
1.13	The PP shall keep the ROW below the HT Line passing through the project, if any
1.14	The PP shall obtain the Fire NOC from the Competent Authority before taking occupation of the building.
1.15	The PP shall install the Eco Friendly Green Transformer based on ester oil to reduce the carbon footprint. The PP shall shift to gas based generator set when the gas is available. The PP shall install APCM for the DG set. The PP shall reduce the SO_2 load by 30% if HSD is used. The DG sets will

S. No	EC Conditions
	be operated for maximum 04 hours during power failure through Executing Agency
1.16	The PP shall not give occupation or possession before the water supply, electricity and sewage connection permitted by the competent authority
1.17	The PP shall carry out the quarterly awareness programs for the stakeholders of the commercial colony/project.
1.18	The PP shall install Digital water level recorder for monitoring the water recharge and carry out quarterly maintenance and cleaning of **Rain Water Pits**
1.19	The PP shall take all preventive measures including water sprinkles to control dust during construction and operational phase.
1.20	The PP may provide electric charging stations to facilitate electric vehicle commuters.
1.21	Any change in stipulations of EC will lead to Environment Clearance void-ab-initio and PP will have to seek fresh Environment Clearance.
1.22	The Project Proponent shall ensure that trees planted under the project shall be well grown healthy and established trees of more than 10cm DBH (diameter above 137cm above ground level) or more than 31.4cm in girth.
1.23	The Project Proponent shall ensure raising the number of established trees as per norms proposed for the project and finally approved during the EC granting process.
1.24	**The PP shall get project electrification plan approved from the competent authority before operation of the project.**
1.25	As proposed **16,486.524 sqm (24% of Plot area)** shall be provided for green area development.
1.26	**17 Rain Water Pits** shall be provided for ground water recharging as per the CGWB norms.
1.27	The PP shall install required number of **Anti Smog Guns** at the project site as per the requirement of HSPCB.
1.28	The PP shall increase the capacity of solar panel **from 110 KWp to 140 KWp** in the project site.
1.29	The PP shall register themselves on the http://dustapphspcb.com portal as per the Direction No.14 dated 11.06.2021 issued regarding dust mitigation by Commission for Air Quality Management in National Capital Region and Adjoining Areas.
1.30	**Project Proponent shall install DG sets for the project as per latest Guidelines of GRAP, NCAP & CPCB.**
1.31	**The Project Proponent will also undertake mitigation measures during the construction period.**
1.32	**The Block plantation area is 11678 sqm (Approx.17% of plot area) as develop block**

S. No	EC Conditions
	plantation in linear park of the licensed project of DLF 5 with Latitude 28°27'7.15"N & 28°27'1.77"N and Longitude 77°6'6.69"E & 77°6'12.45"E.

Standard EC Conditions for (Townships/ Area Development Projects / Rehabilitation Centres)

1. Statutory Compliance

S. No	EC Conditions
1.1	The project proponent shall obtain all necessary clearance/ permission from all relevant agencies including town planning authority before commencement of work. All the construction shall be done in accordance with the local building byelaws.
1.2	The approval of the Competent Authority shall be obtained for structural safety of buildings due to earthquakes, adequacy of firefighting equipment etc. as per National Building Code including protection measures from lightening etc.
1.3	The project proponent shall obtain forest clearance under the provisions of Forest (Conservation) Act, 1980, in case of the diversion of forest land for non-forest purpose involved in the project.
1.4	The project proponent shall obtain clearance from the National Board for Wildlife, if applicable.
1.5	The project proponent shall obtain Consent to Establish / Operate under the provisions of Air (Prevention & Control of Pollution) Act, 1981 and the Water (Prevention & Control of Pollution) Act, 1974 from the concerned State Pollution Control Board/ Committee.
1.6	The project proponent shall obtain the necessary permission for drawl of ground water / surface water required for the project from the competent authority.
1.7	A certificate of adequacy of available power from the agency supplying power to the project along with the load allowed for the project should be obtained.
1.8	All other statutory clearances such as the approvals for storage of diesel from Chief Controller of Explosives, Fire Department, Civil Aviation Department shall be obtained, as applicable, by project proponents from the respective competent authorities.
1.9	The provisions of the Solid Waste Management Rules, 2016, e-Waste (Management) Rules, 2016, and the Plastics Waste Management Rules, 2016, shall be followed.
1.10	The project proponent shall follow the ECBC/ECBC-R prescribed by Bureau of Energy Efficiency, Ministry of Power strictly.

2. Air Quality Monitoring And Preservation

S. No	EC Conditions
2.1	Notification GSR 94(E) dated 25.01.2018 of MoEF&CC regarding Mandatory Implementation of Dust Mitigation Measures for Construction and Demolition Activities for projects requiring

S. No	EC Conditions
	Environmental Clearance shall be complied with.
2.2	A management plan shall be drawn up and implemented to contain the current exceedance in ambient air quality at the site.
2.3	The project proponent shall install system to carryout Ambient Air Quality monitoring for common/criterion parameters relevant to the main pollutants released (e.g. PM10 and PM2.5) covering upwind and downwind directions during the construction period.
2.4	Diesel power generating sets proposed as source of backup power should be of enclosed type and conform to rules made under the Environment (Protection) Act, 1986. The height of stack of DG sets should be equal to the height needed for the combined capacity of all proposed DG sets. Use of low sulphur diesel. The location of the DG sets may be decided with in consultation with State Pollution Control Board.
2.5	Construction site shall be adequately barricaded before the construction begins. Dust, smoke & other air pollution prevention measures shall be provided for the building as well as the site. These measures shall include screens for the building under construction, continuous dust/ wind breaking walls all around the site (at least 3-meter height). Plastic/tarpaulin sheet covers shall be provided for vehicles bringing in sand, cement, murram and other construction materials prone to causing dust pollution at the site as well as taking out debris from the site.
2.6	Sand, murram, loose soil, cement, stored on site shall be covered adequately so as to prevent dust pollution.
2.7	Wet jet shall be provided for grinding and stone cutting.
2.8	Unpaved surfaces and loose soil shall be adequately sprinkled with water to suppress dust.
2.9	All construction and demolition debris shall be stored at the site (and not dumped on the roads or open spaces outside) before they are properly disposed. All demolition and construction waste shall be managed as per the provisions of the Construction and Demolition Waste Management Rules 2016.
2.10	The diesel generator sets to be used during construction phase shall be low sulphur diesel type and shall conform to Environmental (Protection) prescribed for air and noise emission standards.
2.11	The gaseous emissions from DG set shall be dispersed through adequate stack height as per CPCB standards. Acoustic enclosure shall be provided to the DG sets to mitigate the noise pollution. Low sulphur diesel shall be used. The location of the DG set and exhaust pipe height shall be as per the provisions of the Central Pollution Control Board (CPCB) norms.
2.12	For indoor air quality the ventilation provisions as per National Building Code of India.

3. Water Quality Monitoring And Preservation

S. No	EC Conditions
3.1	The natural drain system should be maintained for ensuring unrestricted flow of water. No

S. No	EC Conditions
	construction shall be allowed to obstruct the natural drainage through the site, on wetland and water bodies. Check dams, bio-swales, landscape, and other sustainable urban drainage systems (SUDS) are allowed for maintaining the drainage pattern and to harvest rain water.
3.2	Buildings shall be designed to follow the natural topography as much as possible. Minimum cutting and filling should be done.
3.3	Total fresh water use shall not exceed the proposed requirement as provided in the project details. The per capita supply should adhere to NBC 2016 and CGWA Notification dated 12.12.2018.
3.4	The quantity of fresh water usage, water recycling and rainwater harvesting shall be measured and recorded to monitor the water balance as projected by the project proponent. The record shall be submitted to the Regional Office, MoEF& CC along with six monthly Monitoring reports.
3.5	A certificate shall be obtained from the local body supplying water, specifying the total annual water availability with the local authority, the quantity of water already committed, the quantity of water allotted to the project under consideration and the balance water available. This should be specified separately for ground water and surface water sources, ensuring that there is no impact on other users.
3.6	At least 20% of the open spaces as required by the local building bye-laws shall be pervious. Use of Grass pavers, paver blocks with at least 50% opening, landscape etc. would be considered as pervious surface
3.7	Installation of dual pipe plumbing for supplying fresh water for drinking, cooking and bathing etc other for supply of recycled water for flushing, landscape irrigation, car washing, thermal cooling, conditioning etc. shall be done.
3.8	Use of water saving devices/ fixtures (viz. low flow flushing systems; use of low flow faucets tap aerators etc) for water conservation shall be incorporated in the building plan.
3.9	Separation of grey and black water should be done by the use of dual plumbing system. In case of single stack system separate recirculation lines for flushing by giving dual plumbing system be done.
3.10	Water demand during construction should be reduced by use of pre-mixed concrete, curing agents and other best practices referred.
3.11	The local bye-law provisions on rain water harvesting should be followed. If local bye law provision is not available, adequate provision for storage and recharge should be followed as per the Ministry of Urban Development Model Building Byelaws, 2016. Rain Water Harvesting pits shall be provided for ground water recharging as per the CGWB norms.
3.12	A rain water harvesting plan needs to be designed where the recharge bores of minimum one recharge bore per 5,000 square meters of built up area and storage capacity of minimum one day of total fresh water requirement shall be provided. In areas where ground water recharge is not feasible, the rain water should be harvested and stored for use. The ground water shall not be withdrawn without approval from the Competent Authority.
3.13	All recharge should be limited to shallow aquifer.

S. No	EC Conditions
3.14	No ground water shall be used during construction phase of the project.
3.15	Any ground water dewatering should be properly managed and shall conform to the approvals and the guidelines of the CGWA in the matter. Formal approval shall be taken from the CGWA for any ground water abstraction or dewatering.
3.16	The quantity of fresh water usage, water recycling and rainwater harvesting shall be measured and recorded to monitor the water balance as projected by the project proponent. The record shall be submitted to the Regional Office, MoEF&CC along with six monthly Monitoring reports.
3.17	Sewage shall be treated in the STP with tertiary treatment. The treated effluent from STP shall be recycled/re-used for flushing, AC make up water and gardening. As proposed, no treated water shall be disposed in to municipal drain.
3.18	No sewage or untreated effluent water would be discharged through storm water drains.
3.19	Onsite sewage treatment of capacity of treating 100% waste water to be installed. The installation of the Sewage Treatment Plant (STP) shall be certified by an independent expert and a report in this regard shall be submitted to the Ministry before the project is commissioned for operation. Treated waste water shall be reused on site for landscape, flushing, cooling tower, and other end-uses. Excess treated water shall be discharged as per statutory norms notified by Ministry of Environment, Forest and Climate Change. Natural treatment systems shall be promoted.
3.20	Periodical monitoring of water quality of treated sewage shall be conducted. Necessary measures should be made to mitigate the odour problem from STP.
3.21	Sludge from the onsite sewage treatment, including septic tanks, shall be collected, conveyed and disposed as per the Ministry of Urban Development, Central Public Health and Environmental Engineering Organization (CPHEEO) Manual on Sewerage and Sewage Treatment Systems, 2013.

4. Noise Monitoring And Prevention

S. No	EC Conditions
4.1	Ambient noise levels shall conform to residential area/commercial area/industrial area/silence zone both during day and night as per Noise Pollution (Control and Regulation) Rules, 2000. Incremental pollution loads on the ambient air and noise quality shall be closely monitored during construction phase. Adequate measures shall be made to reduce ambient air and noise level during construction phase, so as to conform to the stipulated standards by CPCB / SPCB.
4.2	Noise level survey shall be carried as per the prescribed guidelines and report in this regard shall be submitted to Regional Officer of the Ministry as a part of six-monthly compliance report.
4.3	Acoustic enclosures for DG sets, noise barriers for ground-run bays, ear plugs for operating personnel shall be implemented as mitigation measures for noise impact due to ground sources.

5. Energy Conservation Measures

S. No	EC Conditions
5.1	Compliance with the Energy Conservation Building Code (ECBC) of Bureau of Energy Efficiency as per ECBC Act, 2017 read with ECBC Rules, 2018 shall be ensured. Buildings in the States which have notified their own ECBC, shall comply with the State ECBC also which is in no case should be less than 25% as prescribed.
5.2	Outdoor and common area lighting shall be LED.
5.3	Concept of passive solar design that minimize energy consumption in buildings by using design elements, such as building orientation, landscaping, efficient building envelope, appropriate fenestration, increased day lighting design and thermal mass etc. shall be incorporated in the building design. Wall, window, and roof R & U-values shall be as per ECBC specifications.
5.4	Energy conservation measures like installation of CFLs/ LED for the lighting outside the building should be integral part of the project design and should be in place before project commissioning.
5.5	Solar, wind or other Renewable Energy shall be installed to meet electricity generation equivalent to 1% of the demand load or as per the state level/ local building bye-laws requirement, whichever is higher.
5.6	Solar power shall be used for lighting in the apartment to reduce the power load on grid. Separate electric meter shall be installed for solar power. Solar water heating shall be provided to meet 20% of the hot water demand of the commercial and institutional building or as per the requirement of the local building bye-laws, whichever is higher. Residential buildings are also recommended to meet its hot water demand from solar water heaters, as far as possible
5.7	The PP will submit report indicating compliance of each parameter of ECBC requirement and submit quantification saving report for each component

6. Waste Management

S. No	EC Conditions
6.1	A certificate from the competent authority handling municipal solid wastes, indicating the existing civic capacities of handling and their adequacy to cater to the M.S.W generated from project shall be obtained.
6.2	Disposal of muck during construction phase shall not create any adverse effect on the neighbouring communities and be disposed taking the necessary precautions for general safety and health aspects of people, only in approved sites with the approval of competent authority.
6.3	Separate wet and dry bins must be provided in each unit and at the ground level for facilitating segregation of waste. Solid waste shall be segregated into wet garbage and inert materials.
6.4	Organic Waste Converter within the premises with a minimum capacity of 0.5 kg/person/day must be installed. Leaves to be put in earmarked pits for converting them into compost to be used as manure.
6.5	All non-biodegradable waste shall be handed over to authorized recyclers for which a written tie up

S. No	EC Conditions
	must be done with the authorized recyclers
6.6	Any hazardous waste generated during construction phase, shall be disposed of as per applicable rules and norms with necessary approvals of the State Pollution Control Board.
6.7	Use of environment friendly materials in bricks, blocks and other construction materials, shall be required for at least 20% of the construction material quantity. These include Fly Ash bricks, hollow bricks, AACs, Fly Ash Lime Gypsum blocks, compressed earth blocks, and other environment friendly materials
6.8	Fly ash should be used as building material in the construction as per the provision of Fly Ash Notification of September, 1999 and amended as on 27th August, 2003 and 25thJanuary; 2016.Ready mixed concrete must be used in building construction.
6.9	Any wastes from construction and demolition activities related thereto shall be managed so as to strictly conform to the Construction and Demolition Rules, 2016.
6.10	Used CFLs and TFLs should be properly collected and disposed off/sent for recycling as per the prevailing guidelines/ rules of the regulatory authority to avoid mercury contamination

7. Green Cover

S. No	EC Conditions
7.1	In the proposed landscape plan, native species shall be included as per the list of concerned DFO.
7.2	The minimum growth of trees should be 03 meters with sufficient canopy.
7.3	No tree can be felled/transplant unless exigencies demand. Where absolutely necessary, tree felling shall be with prior permission from the concerned regulatory authority.
7.4	Old trees should be retained based on girth and age regulations as may be prescribed by the Forest Department. Plantations to be ensured species (cut) to species (planted).
7.5	A minimum of 1 tree (5’ tall) for every 80 sqm of land should be planted and maintained and the existing trees will be counted for this purpose.
7.6	The species with heavy foliage, broad leaves and wide canopy cover are desirable.
7.7	Water intensive and/or invasive species should not be used for landscaping.
7.8	Where the trees need to be cut with prior permission from the concerned local Authority, compensatory plantation in the ratio of 1:10 (i.e. planting of 10 trees for every single tree that is cut) shall be done and maintained. Plantations to be ensured species (cut) to species (planted). Area for green belt development shall be provided as per the details provided in the project document.
7.9	Topsoil should be stripped to a depth of 20 cm from the areas proposed for buildings, roads, paved areas, and external services. It should be stockpiled appropriately in designated areas and reapplied during plantation of the proposed vegetation on site.

S. No	EC Conditions
7.10	The PP shall ensure that the area marked for greenery and trees will not be rendered impervious by any means like soil, compaction or cement concrete or brick or tiles or rubber or plastic cover or any other impervious material in any manner and the area must be maintained pervious for water infiltration/percolation and air flow in the soil. It must be straight on earth and not on any roof or slab of any tile.

8. Transport

S. No	EC Conditions
8.1	A comprehensive mobility plan, as per MoUD best practices guidelines (URDPFI), shall be prepared to include motorized, non-motorized, public, and private networks. Road should be designed with due consideration for environment, and safety of users. The road system can be designed with these basic criteria. a) Hierarchy of roads with proper segregation of vehicular and pedestrian traffic. b) Traffic calming measures. c) Proper design of entry and exit points. d) Parking norms as per local regulation.
8.2	Vehicles hired for bringing construction material to the site should be in good condition and should have a pollution check certificate and should conform to applicable air and noise emission standards be operated only during non-peak hours.
8.3	A detailed traffic management and traffic decongestion plan shall be drawn up to ensure that the current level of service of the roads within a 05 kms radius of the project is maintained and improved upon after the implementation of the project. This plan should be based on cumulative impact of all development and increased habitation being carried out or proposed to be carried out by the project or other agencies in this 05 Kms radius of the site in different scenarios of space and time and the traffic management plan shall be duly validated and certified by the State Urban Development department and the P.W.D./competent authority for road augmentation and shall also have their consent to the implementation of components of the plan which involve the participation of these departments.

9. Human Health Issues

S. No	EC Conditions
9.1	All workers working at the construction site and involved in loading, unloading, carriage of construction material and construction debris or working in any area with dust pollution shall be provided with dust mask.
9.2	For indoor air quality the ventilation provisions as per National Building Code of India.
9.3	Emergency preparedness plan based on the Hazard identification and Risk Assessment (HIRA) and Disaster Management Plan shall be implemented.
9.4	Provision shall be made for the housing of construction labour within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, mobile STP, safe drinking water, medical health care, crèche etc. The housing may be in the form of temporary structures to be

S. No	EC Conditions
	removed after the completion of the project.
9.5	Occupational health surveillance of the workers shall be done on a regular basis.
9.6	A First Aid Room shall be provided in the project both during construction and operations of the project.
9.7	**Corporate Environment Responsibility** The project proponent shall comply with the provisions of CER, as applicable.
9.8	The company shall have a well laid down environmental policy duly approved by the Board of Directors. The environmental policy should prescribe for standard operating procedures to have proper checks and balances and to bring into focus any infringements/ deviation/ violation of the environmental/ forest/ wildlife norms/conditions. The company shall have defined system of reporting infringements/deviation/ violation of the environmental/ forest/ wildlife norms/ conditions and/ or shareholders/ stake holders. The copy of the board resolution in this regard shall be submitted to the MoEF&CC as a part of six-monthly report.
9.9	A separate Environmental Cell both at the project and company head quarter level, with qualified personnel shall be set up under the control of senior Executive, who will directly to the head of the organization.
9.10	Action plan for implementing EMP and environmental conditions along with responsibility matrix of the company shall be prepared and shall be duly approved by competent authority. The year wise funds earmarked for environmental protection measures shall be kept in separate account and not to be diverted for any other purpose. Year wise progress of implementation of action plan shall be reported to the Ministry/Regional Office along with the Six Monthly Compliance Report.

10. Miscellaneous

S. No	EC Conditions
10.1	The project proponent shall prominently advertise it at least in two local newspapers of the District or State, of which one shall be in the vernacular language within seven days indicating that the project has been accorded environment clearance and the details of MoEFCC/SEIAA website where it is displayed.
10.2	The copies of the environmental clearance shall be submitted by the project proponents to the Heads of local bodies, Panchayats and Municipal Bodies in addition to the relevant offices of the Government who in turn has to display the same for 30days from the date of receipt.
10.3	The project proponent shall upload the status of compliance of the stipulated environment clearance conditions, including results of monitored data on their website and update the same on half-yearly basis.
10.4	The project proponent shall submit six-monthly reports on the status of the compliance of the stipulated environmental conditions on the website of the ministry of Environment, Forest and Climate Change at environment clearance portal.

S. No	EC Conditions
10.5	The project proponent shall submit the environmental statement for each financial year in Form-V to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently and put on the website of the company.
10.6	The project proponent shall inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities, commencing the land development work and start of production operation by the project.
10.7	The project authorities must strictly adhere to the stipulations made by the State Pollution Control Board and the State Government.
10.8	The project proponent shall abide by all the commitments and recommendations made in the form-IA, Conceptual Plan and also that during their presentation to the Expert Appraisal Committee.
10.9	No further expansion or modifications in the plan shall be carried out without prior approval of the Ministry of Environment, Forests and Climate Change (MoEF&CC)/SEIAA, Haryana. The project proponent shall seek fresh environmental clearance under EIA notification 2006 if at any stage there is change of area of this project.
10.10	Any change in planning of the approved plan will leads to Environment Clearance void-ab-i nitio and PP will have to seek fresh Environment Clearance
10.11	The PP should give unambiguous affidavit giving land promoters in accordance with your ownership and possession of land legal the case referred for Environment Clearance to SEIAA.
10.12	Concealing factual data or submission of false/fabricated data may result in revocation of this environmental clearance and attract action under the provisions of Environment (Protection) Act, 1986.
10.13	The Ministry/SEIAA may revoke or suspend the clearance, if implementation of any of the above conditions is not satisfactory.
10.14	The Ministry/SEIAA reserves the right to stipulate additional conditions if found necessary. The Company in a time bound manner shall implement these conditions.
10.15	The Regional Office of this Ministry shall monitor compliance of the stipulated conditions. The project authorities should extend full cooperation to the officer(s) of the Regional Office by furnishing the requisite data / information/monitoring reports.
10.16	The above conditions shall be enforced, inter-alia under the provisions of the Water(Prevention & Control of Pollution) Act, 1974, the Air (Prevention & Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986, Hazardous and Other Wastes (Management and Trans boundary Movement) Rules, 2016 and the Public Liability Insurance Act, 1991 along with their amendments and Rules and any other orders passed by the Hon'ble Supreme Court of India / High Courts and any other Court of Law relating to the subject matter.
10.17	**The validity of this environment clearance letter is valid up to 10 years from the date of issuance of EC letter in accordance with the MoEF & CC, GoI Notification No. S.O.1807 (E), dated the 12th April, 2022. The environment clearance conditions applicable till life space project will continue to apply. In case of violation the action will be taken as per the laid down**

S. No	EC Conditions
	law of land. Compliance report shall be sent to this office till life of the project.
10.18	**If project is not completed within the validity period then the project proponent shall submit the application for extension of validity within one month before the lapse of validity period of Environment Clearance.**

e-KYC CAF DSC e-Processing e-Payments e-Compliance KYA
PARIVESH
CPC GREEN
Nature Protects if She is Protected

Signed by
Virender Kumar Dahiya
Date: 14-09-2024 14:05:20
Reason: Verified and signed

प्रभागीय वन अधिकारी द्वारा स्पष्टीकरण पत्र
Clarification letter by
Concerned Divisional Forest Officer
हरियाणा सरकार / Government of Haryana

हरियाणा भू-परिक्षण अधिनियम,1900 (1900 का पंजाब का अधिनियम II) अथवा वन अथवा प्रतिबंधित भूमि से संबंध मे निराक्षेप प्रमाण पत्र।
NOC in respect of Haryana Land and Preservation Act, 1900 (Punjab Act, II of 1900) or Forest or Restricted lands.

नाम Name	अलोक कुमार Alok Kumar
संगठन का नाम Organisation Name	Dlf Limited
वर्तमान पता Current Address	Gateway Tower, 2nd Floor, Dlf City Phase Iii
भूमि स्थान Land Location	WAZIRABAD,Gurgaon,Wazirabad
भूमि मापन Land Measurements	16.975 (Acre)
आयत नम्बर / मुरबा नम्बर Rectangle No./ Murba No.	Not Applicable, Applicable Khasra Nos : 2037/4 Min (0-2-6), 2038/6 Min(0 -1- 8), 2043/3min (0- 0- 14), 2044/3min (0- 0- 16), 2044/4min (0- 8- 6), 2045/1min (0- 1- 16), 2045/2min (0- 12- 9), 2046/1/1(1- 12- 19), 2046/1/2(1- 2- 14), 2046/2(1- 6- 7), 2047/1(1- 19- 3), 2047/2(1- 11- 17), 2048(3- 7- 0), 2049(4- 4- 0), 2050/1(1- 7- 10), 2050/2min (1- 2- 8), 2051min (1- 18- 8), 2052/1min (0- 2- 0), 2052/2min(0- 1- 3), 2056/2min(6- 0- 0) Total Area : 16.975 Acers;

Reference No. (SRN):- XUU-N8F-HHUW
जारी करने की तिथि / Date of Issuance: 18-03-2024
जारी करने का स्थान / Place of Issuance: Gurgaon
जारी करने वाला प्राधिकरण / Issuing Authority: Divisional Forest Officer

This is a Digitally Signed Certificate and does not require physical signature. The authenticity of this certificate can be verified from the verification link mentioned below:
https://164.100.137.243/eservices/mobileapi/verify/clarification/XUUN8FHHUW

प्रभागीय वन अधिकारी द्वारा स्पष्टीकरण पत्र
Clarification letter by
Concerned Divisional Forest Officer
हरियाणा सरकार / Government of Haryana

हरियाणा भू-परिक्षण अधिनियम,1900 (1900 का पंजाब का अधिनियम II) अथवा वन अथवा प्रतिबंधित भूमि से संबंध मे निराक्षेप प्रमाण पत्र।
NOC in respect of Haryana Land and Preservation Act, 1900 (Punjab Act, II of 1900) or Forest or Restricted lands.

किला नम्बर Killa Number	Not Applicable, Applicable Khasra Nos : 2037/4 Min (0-2-6), 2038/6 Min(0 -1- 8), 2043/3min (0- 0- 14), 2044/3min (0- 0- 16), 2044/4min (0- 8- 6), 2045/1min (0- 1- 16), 2045/2min (0- 12- 9), 2046/1/1(1- 12- 19), 2046/1/2(1- 2- 14), 2046/2(1- 6- 7), 2047/1(1- 19- 3), 2047/2(1- 11- 17), 2048(3- 7- 0), 2049(4- 4- 0), 2050/1(1- 7- 10), 2050/2min (1- 2- 8), 2051min (1- 18- 8), 2052/1min (0- 2- 0), 2052/2min(0- 1- 3), 2056/2min(6- 0- 0) Total Area : 16.975 Acers
प्रयोजन Purpose	Building Construction

जारी करने की तिथि / Date of Issuance: 18-03-2024
जारी करने का स्थान / Place of Issuance: Gurgaon
जारी करने वाला प्राधिकरण / Issuing Authority: Divisional Forest Officer

This is a Digitally Signed Certificate and does not require physical signature. The authenticity of this certificate can be verified from the verification link mentioned below:
https://164.100.137.243/eservices/mobileapi/verify/clarification/XUUN8FHHUW

प्रभागीय वन अधिकारी द्वारा स्पष्टीकरण पत्र
Clarification letter by
Concerned Divisional Forest Officer
हरियाणा सरकार / Government of Haryana

हरियाणा भू-परिक्षण अधिनियम,1900 (1900 का पंजाब का अधिनियम II) अथवा वन अथवा प्रतिबंधित भूमि से संबंध मे निराक्षेप प्रमाण पत्र।
NOC in respect of Haryana Land and Preservation Act, 1900 (Punjab Act, II of 1900) or Forest or Restricted lands.
Applicant Alok Kumar located at village /city WAZIRABAD district Gurgaon made a proposal to use this land for Building Construction. It is made clear that:

a) As per records available above said land is not part of notified Reserved Forest, Protected Forest under Indian Forest Act, 1927 or any area closed under section 4 of Punjab Land Preservation Act, 1900.

b) It is clarified that by the Notification No. S.O.8/P.A 2/1900/S. 4/2013 dated 4th January, 2013, all Revenue Estate of Gurgaon is notified u/s 4 of PLPA 1900 and S.O.81/PA.2/1900/S.3/2012 u/s 3 of PLPA 1900. The area is however not recorded as forest in the Government record but felling of any tree is strictly prohibited without the permission of Divisional Forest Officer, Gurgaon.

c) If approach is required from Protected Forest by the user agency, the clearance/ regularization under Forest Conservation Act 1980 will be required. Without prior clearance from Forest Department, the use of Forest land for approach road is strictly prohibited. M/s Dlf Limited whose land is located at village/city, WAZIRABAD District Gurgaon must obtain clearance as applicable under Forest Conservation Act 1980.

d) As per the records available with the Forest Department, Gurgaon the area does not fall in areas where plantations were raised by the Forest Department under Aravalli project.

e) All other statutory clearances mandated under the Environment Protection Act. 1986, as per the notification of Ministry of Environment and Forests, Government of India, dated 07-05-1992 or any other Act/ order shall be obtained as applicable by the project proponents from the concerned authorities.

f) The project proponent will not violate any Judicial Order/ direction issued by the Hon'ble Supreme Court/ High Courts.

g) It is clarified that the Hon'ble Supreme Court has issued various judgments dated 07.05.2002, 29.10.2002, 16.12.2002, 18.03.2004, 14.05.2008 etc. pertaining to Aravalli region in Haryana, which should be complied with.

h) It shall be the responsiblity of user agency/ applicant to get necessary clearances/ permissions under various Acts and Rules applicable if any, from the respective authorities/ Department.

i) This certificate is not applicable in case of Environment Department notification dated 10.03.2016 for Screening Plant, and notification dated 11.05.2016 for Stone Crusher. Investor/Applicant has to take clearance from Environment Department in case of Screening Plant and Stone Crusher .

It is subject to the following conditions:

1.Clarification Is Hereby Issued Subject To The Conditions Mentioned Above.

Date: 18-03-2024
Place: Gurgaon

Rajeev Tejyan,
(Divisional Forest Officer)

This is a Digitally Signed Certificate and does not require physical signature. The authenticity of this certificate can be verified from the verification link mentioned below:

https://164.100.137.243/eservices/mobileapi/verify/clarification/XUUN8FHHUW

प्रभागीय वन अधिकारी द्वारा अनुमति पत्र
Permission letter by
Concerned Divisional Forest Officer
हरियाणा सरकार / Government of Haryana

पी. एल. पी. ए. 1900 की सामान्य धारा 4 क्षेत्रों और विशिष्ट धारा 4/ या 5 में पेड़ों की कटाई की अनुमति।
Permission for felling of trees in General Section 4 Areas & specific Section 4/ or 5 of PLPA, 1900.

नाम Name	अलोक कुमार Alok Kumar
संगठन का नाम Organisation Name	DLF LIMITED
वर्तमान पता Current Address	Shopping Mall Arjun Marg, Third Floor, Phase1, Dlf City,gurgaon-122002
भूमि स्थान Land Location	WAZIRABAD , Gurgaon (Haryana),
भूमि मापन Land Measurements	7.57(Acre)
खसरा/ प्लाट नम्बर Khasra/Plot Number	2046/1/1, 2046/1/2, 2047/1, 2048, 2049, 2050/1, 2050/2

रेंज अफसर का नाम Range Officer Name	Karamvir Malik

Reference No. (SRN):-X3C-N0D-9LFU
जारी करने की तिथि / Date of Issuance: 22-07-2022
जारी करने का स्थान / Place of Issuance: Gurgaon
जारी करने वाला प्राधिकरण / Issuing Authority: Divisional Forest Officer (Rajeev Tejyan,)

This is a Digitally Signed Certificate and does not require physical signature. The authenticity of this certificate can be verified from the verification link mentioned below:
https://164.100.137.243/eservices/mobileapi/verify/forest/X3CN0D9LFU

प्रभागीय वन अधिकारी द्वारा अनुमति पत्र
Permission letter by
Concerned Divisional Forest Officer
हरियाणा सरकार / Government of Haryana

पी. एल. पी. ए. 1900 की सामान्य धारा 4 क्षेत्रों और विशिष्ट धारा 4/ या 5 में पेड़ों की कटाई की अनुमति।
Permission for felling of trees in General Section 4 Areas & specific Section 4/ or 5 of PLPA, 1900.

Species	Classwise number of trees								Total no. of trees	Total Volume (M3)
	V	IV	III	IIA	IIB	IA	IB	Under Size Trees		
Shisham	2	0	0	0	0	0	0	0	2	0.12
Alastonia/simbal Iii Class (transplant)	3	0	1	0	0	0	0	0	4	0.75
Misc	76	4	0	0	0	0	0	0	80	5.12
Total	81	4	1	0	0	0	0	0	86	5.99

जारी करने की तिथि / Date of Issuance: 22-07-2022
जारी करने का स्थान / Place of Issuance: Gurgaon
जारी करने वाला प्राधिकरण / Issuing Authority: Divisional Forest Officer (Rajeev Tejyan,)

This is a Digitally Signed Certificate and does not require physical signature. The authenticity of this certificate can be verified from the verification link mentioned below:
https://164.100.137.243/eservices/mobileapi/verify/forest/X3CN0D9LFU

प्रभागीय वन अधिकारी द्वारा अनुमति पत्र
Permission letter by
Concerned Divisional Forest Officer
हरियाणा सरकार / Government of Haryana

पी. एल. पी. ए. 1900 की सामान्य धारा 4 क्षेत्रों और विशिष्ट धारा 4/ या 5 में पेड़ों की कटाई की अनुमति।
Permission for felling of trees in General Section 4 Areas & Specific Section 4/ or 5 of PLPA, 1900.

Applicant Alok Kumar located at village Wazirabad district Gurgaon made a proposal to fell trees on this land with Khasra/ Plot number _____.
The report submitted by RFO, Karamvir Malik dated 15-07-2022.

CONDITIONS OF PERMIT

1. Only the numbered trees will be felled.

2. Trees to be felled will not be uprooted except in case of developmental works/ Individual plots.

3. No dragging of wood will be permitted.

4. Felling after sun set and before the sun rise will not be permitted.

5. No fire will be allowed.

6. No damage to unmarked trees will be caused during felling in the area and the owner will have to pay the compensation as determined by DFO for any such damage.

7. The owner of land shall be responsible for any illicit felling in the area and he will have to pay the compensation as determined by DFO for any such illicit felling.

8. No forest produce will be removed without a Rawana Challan from concerned Range Officer.

9. The permit is liable to be cancelled at any time if any violations of conditions of permit take place / facts given in the application for permit are found incorrect. The decision of DFO in this regard will be final.

10. The forest department does not hold any responsibility for distribution of sale proceeds among the owners of the land.

11. No separate permit for timber transit as per Indian Forest Act,1927 is required within the territory of Haryana.

12. Permission Is Granted For Felling Of 86 Trees And 250 U/s Misc. Plants Subjected To The Condition That The User Agency Will Plant 10 Times Saplings In A Lieu Of Felling Trees.i.e.86+250=336x10=3360 Plants.the Applicant Must Provide The Proof Of Same.to The Concerned Rfo. Permission Is Valid For 03 M

Date: 22-07-2022
Place: Gurgaon

Rajeev Tejyan,
(Divisional Forest Officer)

This is a Digitally Signed Certificate and does not require physical signature. The authenticity of this certificate can be verified from the verification link mentioned below:
https://164.100.137.243/eservices/mobileapi/verify/forest/X3CN0D9LFU

प्रभागीय वन अधिकारी द्वारा अनुमति पत्र
Permission letter by
Concerned Divisional Forest Officer
हरियाणा सरकार / Government of Haryana

पी. एल. पी. ए. 1900 की सामान्य धारा 4 क्षेत्रों और विशिष्ट धारा 4/ या 5 में पेड़ों की कटाई की अनुमति।
Permission for felling of trees in General Section 4 Areas & specific Section 4/ or 5 of PLPA, 1900.

नाम Name	अलोक कुमार Alok Kumar
संगठन का नाम Organisation Name	DLF LIMITED
वर्तमान पता Current Address	Shopping Mall Complex Third Floor Arjun Marg Dlf Phasei Gurgaon 122002
भूमि स्थान Land Location	WAZIRABAD , Gurgaon (Haryana),
भूमि नापन Land Measurements	7.57(Acre)
खसरा/ प्लाट नम्बर Khasra/Plot Number	2046/1/1,2046/1/2, 2047/2,2048,2049, 2050/1, 2050/2
रेंज अफसर का नाम Range Officer Name	Karamvir Malik

Reference No. (SRN):-TVV-FWQ-TEWB
जारी करने की तिथि / Date of Issuance: 09-09-2022
जारी करने का स्थान / Place of Issuance: Gurgaon
जारी करने वाला प्राधिकरण / Issuing Authority: Divisional Forest Officer (Rajeev Tejyan,)

This is a Digitally Signed Certificate and does not require physical signature. The authenticity of this certificate can be verified from the verification link mentioned below:

https://164.100.137.243/eservices/mobileapi/verify/forest/TVVFWQTEWB

प्रभागीय वन अधिकारी द्वारा अनुमति पत्र
Permission letter by
Concerned Divisional Forest Officer
हरियाणा सरकार / Government of Haryana

पी. एल. पी. ए. 1900 की सामान्य धारा 4 क्षेत्रों और विशिष्ट धारा 4/ या 5 में पेडों की कटाई की अनुमति।
Permission for felling of trees in General Section 4 Areas & specific Section 4/ or 5 of PLPA, 1900.

Applicant Alok Kumar located at village Wazirabad district Gurgaon made a proposal to fell trees on this land with Khasra/ Plot number _____.
The report submitted by RFO, Karamvir Malik dated 24-08-2022.

CONDITIONS OF PERMIT

1. Only the numbered trees will be felled.

2. Trees to be felled will not be uprooted except in case of developmental works/ Individual plots.

3. No dragging of wood will be permitted.

4. Felling after sun set and before the sun rise will not be permitted.

5. No fire will be allowed.

6. No damage to unmarked trees will be caused during felling in the area and the owner will have to pay the compensation as determined by DFO for any such damage.

7. The owner of land shall be responsible for any illicit felling in the area and he will have to pay the compensation as determined by DFO for any such illicit felling.

8. No forest produce will be removed without a Rawana Challan from concerned Range Officer.

9. The permit is liable to be cancelled at any time if any violations of conditions of permit take place / facts given in the application for permit are found incorrect. The decision of DFO in this regard will be final.

10. The forest department does not hold any responsibility for distribution of sale proceeds among the owners of the land.

11. No separate permit for timber transit as per Indian Forest Act,1927 is required within the territory of Haryana.

12. Permission Is Granted For Felling Of 51 Trees And 25 Plants And Transplant Of 33 Trees Subjected To The Condition That The User Agency Will Plant 10 Times Sapling Of Felling Trees/plants (76x10=760) Applicant Must Submit The Proof Of Same To The Concerned Rfo.permission Is Valid For Three Months

Date: 09-09-2022
Place: Gurgaon

Rajeev Tejyan,
(Divisional Forest Officer)

This is a Digitally Signed Certificate and does not require physical signature. The authenticity of this certificate can be verified from the verification link mentioned below:

https://164.100.137.243/eservices/mobileapi/verify/forest/TVVFWQTEWB

प्रभागीय वन अधिकारी द्वारा अनुमति पत्र
Permission letter by
Concerned Divisional Forest Officer
हरियाणा सरकार / Government of Haryana

हरियाणा भू-परिक्षण अधिनियम, 1900 (1900 का पंजाब का अधिनियम II) की धारा-4 के अधीन अधिसूचित भूमि में वृक्षों की कटाई की अनुमति।
Permission for felling of trees in areas notified under general section-4 of Haryana Land and Preservation Act, 1900 (Punjab Act II of 1900).

नाम Name	विनायक विलासराओ भोसले,सीइव वप Vinayak Vilasrao Bhosale,sr Vp
संगठन का नाम Organisation Name	DLF LIMITED
वर्तमान पता Current Address	Shopping Mall Third Floor, Arjun Margh, Dlf City Phase-i Gurugram-122002
भूमि स्थान Land Location	WAZIRABAD , Gurgaon (Haryana),
भूमि मापन Land Measurements	7.57(Acre)
खसरा/ प्लाट नम्बर Khasra/Plot Number	2046/1/1, 2046/1/2, 2047/2, 2048, 2049, 2050/1, 2050/2
रेंज अफसर का नाम Range Officer Name	Karamvir Malik

Reference No. (SRN):-MAE-V6C-TBGL
जारी करने की तिथि / Date of Issuance: 18-11-2022
जारी करने का स्थान / Place of Issuance: Gurgaon
जारी करने वाला प्राधिकरण / Issuing Authority: Divisional Forest Officer (Rajeev Tejyan,)

This is a Digitally Signed Certificate and does not require physical signature. The authenticity of this certificate can be verified from the verification link mentioned below:
https://164.100.137.243/eservices/mobileapi/verify/forest/MAEV6CTBGL

प्रभागीय वन अधिकारी द्वारा अनुमति पत्र
Permission letter by
Concerned Divisional Forest Officer
हरियाणा सरकार / Government of Haryana

हरियाणा भू-परिक्षण अधिनियम, 1900 (1900 का पंजाब का अधिनियम II) की धारा-4 के अधीन अधिसूचित भूमि में वृक्षों की कटाई की अनुमति।
Permission for felling of trees in areas notified under general section-4 of Haryana Land and Preservation Act, 1900 (Punjab Act II of 1900).

Species	Classwise number of trees								Total no. of trees	Total Volume (M3)
	V	IV	III	IIA	IIB	IA	IB	Under Size Trees		
Muscut	65	16	4	0	0	0	0	0	85	8.42
A. Tortlis	3	0	0	0	0	0	0	0	3	0.18
Kikar	2	0	0	0	0	0	0	0	2	0.12
Muscut	28	0	0	0	0	0	0	0	28	0.00
Total	98	16	4	0	0	0	0	0	118	8.72

जारी करने की तिथि / Date of Issuance: 18-11-2022
जारी करने का स्थान / Place of Issuance: Gurgaon
जारी करने वाला प्राधिकरण / Issuing Authority: Divisional Forest Officer (Rajeev Tejyan,)

This is a Digitally Signed Certificate and does not require physical signature. The authenticity of this certificate can be verified from the verification link mentioned below:
https://164.100.137.243/eservices/mobileapi/verify/forest/MAEV6CTBGL

प्रभागीय वन अधिकारी द्वारा अनुमति पत्र
Permission letter by
Concerned Divisional Forest Officer
हरियाणा सरकार / Government of Haryana

हरियाणा भू-परिक्षण अधिनियम, 1900 (1900 का पंजाब का अधिनियम II) की धारा-4 के अधीन अधिसूचित भूमि में वृक्षों की कटाई की अनुमति।
Permission for felling of trees in areas notified under general section-4 of Haryana Land and Preservation Act, 1900 (Punjab Act II of 1900).

Applicant Vinayak Vilasrao Bhosale, IAS at village Wazirabad district Gurgaon made a proposal to fell trees on this land with Khasra/ Plot number -.
The report submitted by RFO, Karamvir Malik dated 14-11-2022.

CONDITIONS OF PERMIT

1. Only the numbered trees will be felled.
2. Trees to be felled will not be uprooted except in case of developmental works/ Individual plots.
3. No dragging of wood will be permitted.
4. Felling after sun set and before the sun rise will not be permitted.
5. No fire will be allowed.
6. No damage to unmarked trees will be caused during felling in the area and the owner will have to pay the compensation as determined by DFO for any such damage.
7. The owner of land shall be responsible for any illicit felling in the area and he will have to pay the compensation as determined by DFO for any such illicit felling.
8. No forest produce will be removed without a Rawana Challan from concerned Range Officer.
9. The permit is liable to be cancelled at any time if any violations of conditions of permit take place / facts given in the application for permit are found incorrect. The decision of DFO in this regard will be final.
10. The forest department does not hold any responsibility for distribution of sale proceeds among the owners of the land.
11. No separate permit for timber transit as per Indian Forest Act,1927 is required within the territory of Haryana.
12. Permission Is Granted For Felling Of 90 Trees And 28 U/s Plants Subject To The Condition That The User Agency Will Plant Ten Times Of Felling Trees I.e 90x10=900 Applicant Must Submit The Proof Of Same To The Concerned Rfo. Permission Is Valid For Three Months.

Date: 18-11-2022
Place: Gurgaon

Rajeev Tejyan,
(Divisional Forest Officer)

This is a Digitally Signed Certificate and does not require physical signature. The authenticity of this certificate can be verified from the verification link mentioned below:
https://164.100.137.243/eservices/mobileapi/verify/forest/MAEV6CTBGL

प्रभागीय वन अधिकारी द्वारा अनुमति पत्र
Permission letter by
Concerned Divisional Forest Officer
हरियाणा सरकार / Government of Haryana

हरियाणा भू-परिक्षण अधिनियम, 1900 (1900 का पंजाब का अधिनियम II) की धारा-4 के अधीन अधिसूचित भूमि में वृक्षों की कटाई की अनुमति।
Permission for felling of trees in areas notified under general section-4 of Haryana Land and Preservation Act, 1900 (Punjab Act II of 1900).

नाम Name	अलोक कुमार Alok Kumar
संगठन का नाम Organisation Name	DLF LIMITED
वर्तमान पता Current Address	Dlf Shopping Mall, Third Floor, Arjun Marg, Dlf City Phase-i, Gurugram-122002
भूमि स्थान Land Location	WAZIRABAD , Gurgaon (Haryana),
भूमि मापन Land Measurements	10.68(Acre)
खसरा/ प्लाट नम्बर Khasra/Plot Number	2046/1/1, 2046/1/2, 2047/1, 2047/2, 2048, 2049, 2050/1, 2050/2
रेंज अफसर का नाम Range Officer Name	Karamvir Malik

Reference No. (SRN):-K39-A7L-T3D5
जारी करने की तिथि / Date of Issuance: 06-01-2023
जारी करने का स्थान / Place of Issuance: Gurgaon
जारी करने वाला प्राधिकरण / Issuing Authority: Divisional Forest Officer (Rajeev Tejyan,)

This is a Digitally Signed Certificate and does not require physical signature. The authenticity of this certificate can be verified from the verification link mentioned below:

https://164.100.137.243/eservices/mobileapi/verify/forest/K39A7LT3D5

प्रभागीय वन अधिकारी द्वारा अनुमति पत्र
Permission letter by
Concerned Divisional Forest Officer
हरियाणा सरकार / Government of Haryana

हरियाणा भू-परिक्षण अधिनियम, 1900 (1900 का पंजाब का अधिनियम II) की धारा-4 के अधीन अधिसूचित भूमि में वृक्षों की कटाई की अनुमति।
Permission for felling of trees in areas notified under general section-4 of Haryana Land and Preservation Act, 1900 (Punjab Act II of 1900).

Species	Classwise number of trees								Total no. of trees	Total Volume (M3)
	V	IV	III	IIA	IIB	IA	IB	Under Size Trees		
Muscut	59	2	0	0	0	0	0	21	82	3.82
Kikar	4	0	0	0	0	0	0	0	4	0.24
A. Tortlis	1	0	0	0	0	0	0	0	1	0.06
Total	64	2	0	0	0	0	0	21	87	4.12

जारी करने की तिथि / Date of Issuance: 06-01-2023
जारी करने का स्थान / Place of Issuance: Gurgaon
जारी करने वाला प्राधिकरण / Issuing Authority: Divisional Forest Officer (Rajeev Tejyan,)

This is a Digitally Signed Certificate and does not require physical signature. The authenticity of this certificate can be verified from the verification link mentioned below:

https://164.100.137.243/eservices/mobileapi/verify/forest/K39A7LT3D5

प्रभागीय वन अधिकारी द्वारा अनुमति पत्र
Permission letter by
Concerned Divisional Forest Officer
हरियाणा सरकार / Government of Haryana

हरियाणा भू-परिक्षण अधिनियम, 1900 (1900 का पंजाब का अधिनियम II) की धारा-4 के अधीन अधिसूचित भूमि में वृक्षों की कटाई की अनुमति।
Permission for felling of trees in areas notified under general section-4 of Haryana Land and Preservation Act, 1900 (Punjab Act II of 1900).

Applicant Alok Kumar located at village Wazirabad district Gurgaon made a proposal to fell trees on this land with Khasra/ Plot number _____.
The report submitted by RFO, Karamvir Malik dated 24-12-2022.

CONDITIONS OF PERMIT

1. Only the numbered trees will be felled.

2. Trees to be felled will not be uprooted except in case of developmental works/ Individual plots.

3. No dragging of wood will be permitted.

4. Felling after sun set and before the sun rise will not be permitted.

5. No fire will be allowed.

6. No damage to unmarked trees will be caused during felling in the area and the owner will have to pay the compensation as determined by DFO for any such damage.

7. The owner of land shall be responsible for any illicit felling in the area and he will have to pay the compensation as determined by DFO for any such illicit felling.

8. No forest produce will be removed without a Rawana Challan from concerned Range Officer.

9. The permit is liable to be cancelled at any time if any violations of conditions of permit take place / facts given in the application for permit are found incorrect. The decision of DFO in this regard will be final.

10. The forest department does not hold any responsibility for distribution of sale proceeds among the owners of the land.

11. No separate permit for timber transit as per Indian Forest Act,1927 is required within the territory of Haryana.

12. Permission Is Granted For Felling Of 66 Trees And 21 U/s Plants Subject To The Condition That The User Agency Will Plant 10 Times Of Felling Trees/plants (87x10=870) Applicant Must Submit The Proof Of Same To The Concerned Rfo. Permission Is Valid For Three Months.

Date: 06-01-2023
Place: Gurgaon

Rajeev Tejyan,
(Divisional Forest Officer)

This is a Digitally Signed Certificate and does not require physical signature. The authenticity of this certificate can be verified from the verification link mentioned below:

https://164.100.137.243/eservices/mobileapi/verify/forest/K39A7LT3D5

प्रभागीय वन अधिकारी द्वारा अनुमति पत्र
Permission letter by
Concerned Divisional Forest Officer
हरियाणा सरकार / Government of Haryana

हरियाणा भू-परिक्षण अधिनियम, 1900 (1900 का पंजाब का अधिनियम II) की धारा-4 के अधीन अधिसूचित भूमि में वृक्षों की कटाई की अनुमति।
Permission for felling of trees in areas notified under general section-4 of Haryana Land and Preservation Act, 1900 (Punjab Act II of 1900).

नाम Name	देविन्देर सिंह Devinder Singh
संगठन का नाम Organisation Name	DLF LIMITED
वर्तमान पता Current Address	Dlfshoppingmall Dlfphaseisecondfloor Arjun Marg Gurugramharyana
भूमि स्थान Land Location	WAZIRABAD , Gurgaon (Haryana),
भूमि मापन Land Measurements	10.86(Acre)
खसरा/ प्लाट नम्बर Khasra/Plot Number	2046/1/1, 2046/1/2, 2047/1, 2047/2, 2048, 2049, 2050/1, 2050/2 And 2052/1
रेंज अफसर का नाम Range Officer Name	Karamvir Malik

Reference No. (SRN):-U3E-X9H-TA1R
जारी करने की तिथि / Date of Issuance: 03-03-2023
जारी करने का स्थान / Place of Issuance: Gurgaon
जारी करने वाला प्राधिकरण / Issuing Authority: Divisional Forest Officer (Rajeev Tejyan,)

This is a Digitally Signed Certificate and does not require physical signature. The authenticity of this certificate can be verified from the verification link mentioned below:
https://164.100.137.243/eservices/mobileapi/verify/forest/U3EX9HTA1R

प्रभागीय वन अधिकारी द्वारा अनुमति पत्र
Permission letter by
Concerned Divisional Forest Officer
हरियाणा सरकार / Government of Haryana

हरियाणा भू-परिक्षण अधिनियम, 1900 (1900 का पंजाब का अधिनियम II) की धारा-4 के अधीन अधिसूचित भूमि में वृक्षों की कटाई की अनुमति।
Permission for felling of trees in areas notified under general section-4 of Haryana Land and Preservation Act, 1900 (Punjab Act II of 1900).

Species	Classwise number of trees								Total no. of trees	Total Volume (M3)
	V	IV	III	IIA	IIB	IA	IB	Under Size Trees		
Pilkhan Transplant	0	2	1	0	0	0	0	0	3	0.85
Shisham	2	5	1	0	0	0	0	0	8	1.39
A. Tortlis	5	1	0	0	0	0	0	0	6	0.44
Ber	2	0	1	0	0	0	0	0	3	0.69
Karil	4	0	0	0	0	0	0	0	4	0.24
Ficus Benjamina Transplant	1	0	0	0	0	0	0	0	1	0.06
Ficus Retusa Transplant	0	1	1	0	0	0	0	0	2	0.71
Kikar	2	0	0	0	0	0	0	0	2	0.12
Muscut	15	1	1	0	0	0	0	18	35	1.61
Gullar Transplant	0	0	0	0	1	0	0	0	1	1.98
Sahtoot	0	2	1	0	0	0	0	0	3	0.85
Pipal Transplant	1	0	0	0	0	0	0	0	1	0.06

जारी करने की तिथि / Date of Issuance: 03-03-2023
जारी करने का स्थान / Place of Issuance: Gurgaon
जारी करने वाला प्राधिकरण / Issuing Authority: Divisional Forest Officer (Rajeev Tejyan,)

This is a Digitally Signed Certificate and does not require physical signature. The authenticity of this certificate can be verified from the verification link mentioned below:
https://164.100.137.243/eservices/mobileapi/verify/forest/U3EX9HTA1R

प्रभागीय वन अधिकारी द्वारा अनुमति पत्र
Permission letter by
Concerned Divisional Forest Officer
हरियाणा सरकार / Government of Haryana

हरियाणा भू-परिक्षण अधिनियम, 1900 (1900 का पंजाब का अधिनियम II) की धारा-4 के अधीन अधिसूचित भूमि में वृक्षों की कटाई की अनुमति।
Permission for felling of trees in areas notified under general section-4 of Haryana Land and Preservation Act, 1900 (Punjab Act II of 1900).

Applicant Devinder Singh located at village Wazirabad district Gurgaon made a proposal to fell trees on this land with Khasra/ Plot number _____.
The report submitted by RFO, Karamvir Malik dated 11-02-2023.

CONDITIONS OF PERMIT

1. Only the numbered trees will be felled.

2. Trees to be felled will not be uprooted except in case of developmental works/ Individual plots.

3. No dragging of wood will be permitted.

4. Felling after sun set and before the sun rise will not be permitted.

5. No fire will be allowed.

6. No damage to unmarked trees will be caused during felling in the area and the owner will have to pay the compensation as determined by DFO for any such damage.

7. The owner of land shall be responsible for any illicit felling in the area and he will have to pay the compensation as determined by DFO for any such illicit felling.

8. No forest produce will be removed without a Rawana Challan from concerned Range Officer.

9. The permit is liable to be cancelled at any time if any violations of conditions of permit take place / facts given in the application for permit are found incorrect. The decision of DFO in this regard will be final.

10. The forest department does not hold any responsibility for distribution of sale proceeds among the owners of the land.

11. No separate permit for timber transit as per Indian Forest Act,1927 is required within the territory of Haryana.

12. Permission Is Granted For Felling Of 25 Trees 18 Plants And Transplant Of 08 Tree Subject To The Condition That The User Agency Will Plants Ten Times Of Felling Trees I.e. (43x10=430) Applicant Must Plant 10x In A Lieu Of Felling Trees. Permission Is Valid For Three Months

Date: 03-03-2023
Place: Gurgaon

Rajeev Tejyan,
(Divisional Forest Officer)

This is a Digitally Signed Certificate and does not require physical signature. The authenticity of this certificate can be verified from the verification link mentioned below:

https://164.100.137.243/eservices/mobileapi/verify/forest/U3EX9HTA1R

प्रभागीय वन अधिकारी द्वारा अनुमति पत्र
Permission letter by
Concerned Divisional Forest Officer
हरियाणा सरकार / Government of Haryana

हरियाणा भू-परिक्षण अधिनियम, 1900 (1900 का पंजाब का अधिनियम II) की धारा-4 के अधीन अधिसूचित भूमि में वृक्षों की कटाई की अनुमति।
Permission for felling of trees in areas notified under general section-4 of Haryana Land and Preservation Act, 1900 (Punjab Act II of 1900).

नाम Name	विकास कुमार लकरा Vikas Kumar Lakra
संगठन का नाम Organisation Name	DLF LIMITED
वर्तमान पता Current Address	Dlf Limited Shopping Mall Arjun Marg Dlf City Phase 1 Gurugram 122002
भूमि स्थान Land Location	WAZIRABAD , Gurgaon (Haryana),
भूमि नापन Land Measurements	13.5(Acre)
खसरा/ प्लाट नम्बर Khasra/Plot Number	2046/1/1, 2046/1/2, 2047/1, 2047/2, 2048, 2049, 2050/1, 2050/2, 2052/1
रेंज अफसर का नाम Range Officer Name	Karamvir Malik

Reference No. (SRN):-KBV-JF4-AMMW
जारी करने की तिथि / Date of Issuance: 02-06-2023
जारी करने का स्थान / Place of Issuance: Gurgaon
जारी करने वाला प्राधिकरण / Issuing Authority: Divisional Forest Officer (Rajeev Tejyan,)

This is a Digitally Signed Certificate and does not require physical signature. The authenticity of this certificate can be verified from the verification link mentioned below:
https://164.100.137.243/eservices/mobileapi/verify/forest/KBVJF4AMMW

प्रभागीय वन अधिकारी द्वारा अनुमति पत्र
Permission letter by
Concerned Divisional Forest Officer
हरियाणा सरकार / Government of Haryana

हरियाणा भू-परिक्षण अधिनियम, 1900 (1900 का पंजाब का अधिनियम II) की धारा-4 के अधीन अधिसूचित भूमि में वृक्षों की कटाई की अनुमति।
Permission for felling of trees in areas notified under general section-4 of Haryana Land and Preservation Act, 1900 (Punjab Act II of 1900).

Species	Classwise number of trees								Total no. of trees	Total Volume (M3)
	V	IV	III	IIA	IIB	IA	IB	Under Size Trees		
Muscut	26	11	5	0	0	0	0	22	64	5.95
Totlas	0	18	2	2	0	0	0	0	22	2.50
Total	26	29	7	2	0	0	0	22	86	8.45

जारी करने की तिथि / Date of Issuance: 02-06-2023
जारी करने का स्थान / Place of Issuance: Gurgaon
जारी करने वाला प्राधिकरण / Issuing Authority: Divisional Forest Officer (Rajeev Tejyan.)

This is a Digitally Signed Certificate and does not require physical signature. The authenticity of this certificate can be verified from the verification link mentioned below:
https://164.100.137.243/eservices/mobileapi/verify/forest/KBVJF4AMMW

प्रभागीय वन अधिकारी द्वारा अनुमति पत्र
Permission letter by,
Concerned Divisional Forest Officer
हरियाणा सरकार / Government of Haryana

हरियाणा भू-परिक्षण अधिनियम, 1900 (1900 का पंजाब का अधिनियम II) की धारा-4 के अधीन अधिसूचित भूमि में वृक्षों की कटाई की अनुमति।
Permission for felling of trees in areas notified under general section-4 of Haryana Land and Preservation Act, 1900 (Punjab Act II of 1900).

Applicant Vikas Kumar Lakra located at village Wazirabad district Gurgaon made a proposal to fell trees on this land with Khasra/ Plot number _____.
The report submitted by RFO, Karamvir Malik dated 19-05-2023.

CONDITIONS OF PERMIT

1. Only the numbered trees will be felled.

2. Trees to be felled will not be uprooted except in case of developmental works/ Individual plots.

3. No dragging of wood will be permitted.

4. Felling after sun set and before the sun rise will not be permitted.

5. No fire will be allowed.

6. No damage to unmarked trees will be caused during felling in the area and the owner will have to pay the compensation as determined by DFO for any such damage.

7. The owner of land shall be responsible for any illicit felling in the area and he will have to pay the compensation as determined by DFO for any such illicit felling.

8. No forest produce will be removed without a Rawana Challan from concerned Range Officer.

9. The permit is liable to be cancelled at any time if any violations of conditions of permit take place / facts given in the application for permit are found incorrect. The decision of DFO in this regard will be final.

10. The forest department does not hold any responsibility for distribution of sale proceeds among the owners of the land.

11. No separate permit for timber transit as per Indian Forest Act,1927 is required within the territory of Haryana.

12. Permission Is Granted For Felling Of 64 Trees And 22 Plants Subject To The Condition That The User Agency Will Plant 10 Times Of Felling Tree/plants (86x10=860 Plants) Applicant Must Submit The Proof Of Same To The Concerned Rfo.permission Is Valid For Three Months

Date: 02-06-2023
Place: Gurgaon

Rajeev Tejyan,
(Divisional Forest Officer)

This is a Digitally Signed Certificate and does not require physical signature. The authenticity of this certificate can be verified from the verification link mentioned below:
https://164.100.137.243/eservices/mobileapi/verify/forest/KBVJF4AMMW

प्रभागीय वन अधिकारी द्वारा अनुमति पत्र
Permission letter by
Concerned Divisional Forest Officer
हरियाणा सरकार / Government of Haryana

हरियाणा भू-परिक्षण अधिनियम, 1900 (1900 का पंजाब का अधिनियम II) की धारा-4 के अधीन अधिसूचित भूमि में वृक्षों की कटाई की अनुमति।
Permission for felling of trees in areas notified under general section-4 of Haryana Land and Preservation Act, 1900 (Punjab Act II of 1900).

नाम Name	विकास कुमार लकरा Vikas Kumar Lakra
संगठन का नाम Organisation Name	DLF LIMITED
वर्तमान पता Current Address	Dlf Limited Shopping Mall Arjun Marg Dlf Phase-1 Dlf City Gurugram122002
भूमि स्थान Land Location	WAZIRABAD , Gurgaon (Haryana),
भूमि मापन Land Measurements	13.5(Acre)
खसरा/ प्लाट नम्बर Khasra/Plot Number	2046/1/1, 2046/1/2,2047/1, 2047/2, 2048, 2049, 2050/1, 2050/2, 2052/1
रेंज अफसर का नाम Range Officer Name	Karamvir Malik

Reference No. (SRN):-WXR-DW6-JARD
जारी करने की तिथि / Date of Issuance: 27-06-2023
जारी करने का स्थान / Place of Issuance: Gurgaon
जारी करने वाला प्राधिकरण / Issuing Authority: Divisional Forest Officer (Rajeev Tejyan,)

This is a Digitally Signed Certificate and does not require physical signature. The authenticity of this certificate can be verified from the verification link mentioned below:
https://164.100.137.243/eservices/mobileapi/verify/forest/WXRDW6JARD

प्रभागीय वन अधिकारी द्वारा अनुमति पत्र
Permission letter by
Concerned Divisional Forest Officer
हरियाणा सरकार / Government of Haryana

हरियाणा भू-परिक्षण अधिनियम, 1900 (1900 का पंजाब का अधिनियम II) की धारा-4 के अधीन अधिसूचित भूमि में वृक्षों की कटाई की अनुमति।
Permission for felling of trees in areas notified under general section-4 of Haryana Land and Preservation Act, 1900 (Punjab Act II of 1900).

Species	Classwise number of trees								Total no. of trees	Total Volume (M3)
	V	IV	III	IIA	IIB	IA	IB	Under Size Trees		
Musket	25	8	1	0	0	0	0	23	57	3.19
A. Tortlis	5	2	0	0	0	0	0	0	7	0.58
Shisham	3	2	0	0	0	0	0	0	5	0.46
Kikar	5	0	0	0	0	0	0	0	5	0.30
Ailanthus	1	0	0	0	0	0	0	0	1	0.06
Total	39	12	1	0	0	0	0	23	75	4.59

जारी करने की तिथि / Date of Issuance: 27-06-2023
जारी करने का स्थान / Place of Issuance: Gurgaon
जारी करने वाला प्राधिकरण / Issuing Authority: Divisional Forest Officer (Rajeev Tejyan,)

This is a Digitally Signed Certificate and does not require physical signature. The authenticity of this certificate can be verified from the verification link mentioned below:
https://164.100.137.243/eservices/mobileapi/verify/forest/WXRDW6JARD

प्रभागीय वन अधिकारी द्वारा अनुमति पत्र
Permission letter by
Concerned Divisional Forest Officer
हरियाणा सरकार / Government of Haryana

हरियाणा भू-परिक्षण अधिनियम, 1900 (1900 का पंजाब का अधिनियम II) की धारा-4 के अधीन अधिसूचित भूमि में वृक्षों की कटाई की अनुमति।
Permission for felling of trees in areas notified under general section-4 of Haryana Land and Preservation Act, 1900 (Punjab Act II of 1900).

Applicant Vikas Kumar Lakra located at village Wazirabad district Gurgaon made a proposal to fell trees on this land with Khasra/ Plot number _____.
The report submitted by RFO, Karamvir Malik dated 15-06-2023.

CONDITIONS OF PERMIT

1. Only the numbered trees will be felled.

2. Trees to be felled will not be uprooted except in case of developmental works/ Individual plots.

3. No dragging of wood will be permitted.

4. Felling after sun set and before the sun rise will not be permitted.

5. No fire will be allowed.

6. No damage to unmarked trees will be caused during felling in the area and the owner will have to pay the compensation as determined by DFO for any such damage.

7. The owner of land shall be responsible for any illicit felling in the area and he will have to pay the compensation as determined by DFO for any such illicit felling.

8. No forest produce will be removed without a Rawana Challan from concerned Range Officer.

9. The permit is liable to be cancelled at any time if any violations of conditions of permit take place / facts given in the application for permit are found incorrect. The decision of DFO in this regard will be final.

10. The forest department does not hold any responsibility for distribution of sale proceeds among the owners of the land.

11. No separate permit for timber transit as per Indian Forest Act,1927 is required within the territory of Haryana.

12. .permission Is Granted For Felling Of 75 Trees Subject To The Condition That The User Will Plant Ten Times Of The Number Of Felling Trees/plants 75x10=750 Plants And Submit Land Plan & Third Party Monitoring Report Post Monsoon. Permission Is Valid For Three Months

Date: 27-06-2023
Place: Gurgaon

Rajeev Tejyan,
(Divisional Forest Officer)

This is a Digitally Signed Certificate and does not require physical signature. The authenticity of this certificate can be verified from the verification link mentioned below:

https://164.100.137.243/eservices/mobileapi/verify/forest/WXRDW6JARD

प्रभागीय वन अधिकारी द्वारा अनुमति पत्र
Permission letter by
Concerned Divisional Forest Officer
हरियाणा सरकार / Government of Haryana

हरियाणा भू-परिक्षण अधिनियम, 1900 (1900 का पंजाब का अधिनियम II) की धारा-4 के अधीन अधिसूचित भूमि में वृक्षों की कटाई की अनुमति।
Permission for felling of trees in areas notified under general section-4 of Haryana Land and Preservation Act, 1900 (Punjab Act II of 1900).

नाम Name	विकास कुमार लकरा Vikas Kumar Lakra
संगठन का नाम Organisation Name	DLF LIMITED
वर्तमान पता Current Address	Shopping Mall Dlf City Phase-i Gurugram Haryana 122002
भूमि स्थान Land Location	WAZIRABAD , Gurgaon (Haryana),
भूमि मापन Land Measurements	13.5(Acre)
खसरा/ प्लाट नम्बर Khasra/Plot Number	2046/1/1, 2046/1/2, 2047/1. 2047/2, 2049, 2050/1, 2050/2, 2052/1
रेंज अफसर का नाम Range Officer Name	Karamvir Malik

Reference No. (SRN):-VGE-F85-DVJC
जारी करने की तिथि / Date of Issuance: 06-07-2023
जारी करने का स्थान / Place of Issuance: Gurgaon
जारी करने वाला प्राधिकरण / Issuing Authority: Divisional Forest Officer (Rajeev Tejyan,)

This is a Digitally Signed Certificate and does not require physical signature. The authenticity of this certificate can be verified from the verification link mentioned below:
https://164.100.137.243/eservices/mobileapi/verify/forest/VGEF85DVJC

प्रभागीय वन अधिकारी द्वारा अनुमति पत्र
Permission letter by
Concerned Divisional Forest Officer
हरियाणा सरकार / Government of Haryana

हरियाणा भू-परिक्षण अधिनियम, 1900 (1900 का पंजाब का अधिनियम II) की धारा-4 के अधीन अधिसूचित भूमि में वृक्षों की कटाई की अनुमति।
Permission for felling of trees in areas notified under general section-4 of Haryana Land and Preservation Act, 1900 (Punjab Act II of 1900).

Species	Classwise number of trees								Total no. of trees	Total Volume (M3)
	V	IV	III	IIA	IIB	IA	IB	Under Size Trees		
Muscut	45	9	0	0	0	0	0	21	75	3.96
A. Tortlis	4	0	0	0	0	0	0	0	4	0.24
Casuarina	2	0	0	0	0	0	0	0	2	0.12
Kikar	2	0	0	0	0	0	0	0	2	0.12
Pipal/ Transplant	0	1	0	0	0	0	0	0	1	0.14
Total	53	10	0	0	0	0	0	21	84	4.58

जारी करने की तिथि / Date of Issuance: 06-07-2023
जारी करने का स्थान / Place of Issuance: Gurgaon
जारी करने वाला प्राधिकरण / Issuing Authority: Divisional Forest Officer (Rajeev Tejyan,)

This is a Digitally Signed Certificate and does not require physical signature. The authenticity of this certificate can be verified from the verification link mentioned below:
https://164.100.137.243/eservices/mobileapi/verify/forest/VGEF85DVJC

प्रभागीय वन अधिकारी द्वारा अनुमति पत्र
Permission letter by
Concerned Divisional Forest Officer
हरियाणा सरकार / Government of Haryana

हरियाणा भू-परिक्षण अधिनियम, 1900 (1900 का पंजाब का अधिनियम II) की धारा-4 के अधीन अधिसूचित भूमि में वृक्षों की कटाई की अनुमति।
Permission for felling of trees in areas notified under general section-4 of Haryana Land and Preservation Act, 1900 (Punjab Act II of 1900).

Applicant Vikas Kumar Lakra located at village Wazirabad district Gurgaon made a proposal to fell trees on this land with Khasra/ Plot number - .
The report submitted by RFO, Karamvir Malik dated 22-06-2023.

CONDITIONS OF PERMIT

1. Only the numbered trees will be felled.

2. Trees to be felled will not be uprooted except in case of developmental works/ Individual plots.

3. No dragging of wood will be permitted.

4. Felling after sun set and before the sun rise will not be permitted.

5. No fire will be allowed.

6. No damage to unmarked trees will be caused during felling in the area and the owner will have to pay the compensation as determined by DFO for any such damage.

7. The owner of land shall be responsible for any illicit felling in the area and he will have to pay the compensation as determined by DFO for any such illicit felling.

8. No forest produce will be removed without a Rawana Challan from concerned Range Officer.

9. The permit is liable to be cancelled at any time if any violations of conditions of permit take place / facts given in the application for permit are found incorrect. The decision of DFO in this regard will be final.

10. The forest department does not hold any responsibility for distribution of sale proceeds among the owners of the land.

11. No separate permit for timber transit as per Indian Forest Act,1927 is required within the territory of Haryana.

12. .permission Is Granted For Felling Of 83 Trees/plants And Transplant Of 01 Pipal Subject To The Condition That The User Agency Will Plant 10 Times Of Felling Trees (84x10=840 Plants) Applicant Must Submit The Proof Of Same To The Concerned Rfo. Permission Is Valid For Three Months

Date: 06-07-2023
Place: Gurgaon

Rajeev Tejyan,
(Divisional Forest Officer)

This is a Digitally Signed Certificate and does not require physical signature. The authenticity of this certificate can be verified from the verification link mentioned below:
https://164.100.137.243/eservices/mobileapi/verify/forest/VGEF85DVJC

प्रभागीय वन अधिकारी द्वारा अनुमति पत्र
Permission letter by
Concerned Divisional Forest Officer
हरियाणा सरकार / Government of Haryana

हरियाणा भू-परिक्षण अधिनियम, 1900 (1900 का पंजाब का अधिनियम II) की धारा-4 के अधीन अधिसूचित भूमि में वृक्षों की कटाई की अनुमति।
Permission for felling of trees in areas notified under general section-4 of Haryana Land and Preservation Act, 1900 (Punjab Act II of 1900).

नाम Name	विकास कुमार लकरा Vikas Kumar Lakra
संगठन का नाम Organisation Name	DLF LIMITED
वर्तमान पता Current Address	Shopping Mall Arjun Marg Dlf City Phase I Gurugram 122002
भूमि स्थान Land Location	WAZIRABAD , Gurgaon (Haryana),
भूमि मापन Land Measurements	13.50(Acre)
खसरा/ प्लाट नम्बर Khasra/Plot Number	2046/1/1, 2046/1/2, 2047/1, 2047/2, 2048, 2049, 2050/1, 2050/2, 2052/1
रेंज अफसर का नाम Range Officer Name	Karamvir Malik

Reference No. (SRN):-T40-RYU-K0T3
जारी करने की तिथि / Date of Issuance: 11-08-2023
जारी करने का स्थान / Place of Issuance: Gurgaon
जारी करने वाला प्राधिकरण / Issuing Authority: Divisional Forest Officer (Rajeev Tejyan,)

This is a Digitally Signed Certificate and does not require physical signature. The authenticity of this certificate can be verified from the verification link mentioned below:
https://164.100.137.243/eservices/mobileapi/verify/forest/T40RYUK0T3

प्रभागीय वन अधिकारी द्वारा अनुमति पत्र
Permission letter by
Concerned Divisional Forest Officer
हरियाणा सरकार / Government of Haryana

हरियाणा भू-परिक्षण अधिनियम, 1900 (1900 का पंजाब का अधिनियम II) की धारा-4 के अधीन अधिसूचित भूमि में वृक्षों की कटाई की अनुमति।
Permission for felling of trees in areas notified under general section-4 of Haryana Land and Preservation Act, 1900 (Punjab Act II of 1900).

Species	Classwise number of trees								Total no. of trees	Total Volume (M3)
	V	IV	III	IIA	IIB	IA	IB	Under Size Trees		
A. Torlis	11	2	0	0	0	0	0	0	13	0.94
Mesquite	33	0	0	0	0	0	0	19	52	1.98
Casurina	15	4	0	0	0	0	0	0	19	1.46
Total	59	6	0	0	0	0	0	19	84	4.38

जारी करने की तिथि / Date of Issuance: 11-08-2023
जारी करने का स्थान / Place of Issuance: Gurgaon
जारी करने वाला प्राधिकरण / Issuing Authority: Divisional Forest Officer (Rajeev Tejyan,)

This is a Digitally Signed Certificate and does not require physical signature. The authenticity of this certificate can be verified from the verification link mentioned below:
https://164.100.137.243/eservices/mobileapi/verify/forest/T40RYUK0T3

प्रभागीय वन अधिकारी द्वारा अनुमति पत्र
Permission letter by
Concerned Divisional Forest Officer
हरियाणा सरकार / Government of Haryana

हरियाणा भू-परिक्षण अधिनियम, 1900 (1900 का पंजाब का अधिनियम II) की धारा-4 के अधीन अधिसूचित भूमि में वृक्षों की कटाई की अनुमति।
Permission for felling of trees in areas notified under general section-4 of Haryana Land and Preservation Act, 1900 (Punjab Act II of 1900).

Applicant Vikas Kumar Lakra located at village Wazirabad district Gurgaon made a proposal to fell trees on this land with Khasra/ Plot number - .
The report submitted by RFO, Karamvir Malik dated 28-07-2023.

CONDITIONS OF PERMIT

1. Only the numbered trees will be felled.

2. Trees to be felled will not be uprooted except in case of developmental works/ Individual plots.

3. No dragging of wood will be permitted.

4. Felling after sun set and before the sun rise will not be permitted.

5. No fire will be allowed.

6. No damage to unmarked trees will be caused during felling in the area and the owner will have to pay the compensation as determined by DFO for any such damage.

7. The owner of land shall be responsible for any illicit felling in the area and he will have to pay the compensation as determined by DFO for any such illicit felling.

8. No forest produce will be removed without a Rawana Challan from concerned Range Officer.

9. The permit is liable to be cancelled at any time if any violations of conditions of permit take place / facts given in the application for permit are found incorrect. The decision of DFO in this regard will be final.

10. The forest department does not hold any responsibility for distribution of sale proceeds among the owners of the land.

11. No separate permit for timber transit as per Indian Forest Act,1927 is required within the territory of Haryana.

12. Permission Is Granted For Felling Of 84 Trees Subject To The Condition That The User Agency Will Plant Twice The Number Of Felling Tree (84x10=840 Plants) Applicant Must Submit The Proof Of Same To The Concerned Rfo. Permission Is Valid For Three Months.

Date: 11-08-2023
Place: Gurgaon

Rajeev Tejyan,
(Divisional Forest Officer)

This is a Digitally Signed Certificate and does not require physical signature. The authenticity of this certificate can be verified from the verification link mentioned below:

https://164.100.137.243/eservices/mobileapi/verify/forest/T40RYUK0T3

प्रभागीय वन अधिकारी द्वारा अनुमति पत्र
Permission letter by
Concerned Divisional Forest Officer
हरियाणा सरकार / Government of Haryana

हरियाणा भू-परिक्षण अधिनियम, 1900 (1900 का पंजाब का अधिनियम II) की धारा-4 के अधीन अधिसूचित भूमि में वृक्षों की कटाई की अनुमति।
Permission for felling of trees in areas notified under general section-4 of Haryana Land and Preservation Act, 1900 (Punjab Act II of 1900).

नाम Name	विकास कुमार लकरा Vikas Kumar Lakra
संगठन का नाम Organisation Name	DLF LIMITED
वर्तमान पता Current Address	Shopping Mall Dlf City, Ph-1, Gurugram , Haryana
भूमि स्थान Land Location	WAZIRABAD , Gurgaon (Haryana),
भूमि मापन Land Measurements	15.11(Acre)
खसरा/ प्लाट नम्बर Khasra/Plot Number	2044/4,2045/2,2046/1/1, 2046/1/2,2047/1, 2046/2, 20246/2, 2047/2, 2048,2049, 2050/1,2051, 2056/2, 2052/1
रेंज अफसर का नाम Range Officer Name	Karamvir Malik

Reference No. (SRN):-PQ3-HGN-V2CF
जारी करने की तिथि / Date of Issuance: 24-01-2024
जारी करने का स्थान / Place of Issuance: Gurgaon
जारी करने वाला प्राधिकरण / Issuing Authority: Divisional Forest Officer (Rajeev Tejyan,)

This is a Digitally Signed Certificate and does not require physical signature. The authenticity of this certificate can be verified from the verification link mentioned below:
https://164.100.137.243/eservices/mobileapi/verify/forest/PQ3HGNV2CF

प्रभागीय वन अधिकारी द्वारा अनुमति पत्र
Permission letter by
Concerned Divisional Forest Officer
हरियाणा सरकार / Government of Haryana

हरियाणा भू-परिक्षण अधिनियम, 1900 (1900 का पंजाब का अधिनियम II) की धारा-4 के अधीन अधिसूचित भूमि में वृक्षों की कटाई की अनुमति।
Permission for felling of trees in areas notified under general section-4 of Haryana Land and Preservation Act, 1900 (Punjab Act II of 1900).

Species	Classwise number of trees								Total no. of trees	Total Volume (M3)
	V	IV	III	IIA	IIB	IA	IB	Under Size Trees		
A. Tortlis	16	9	0	0	0	0	0	0	25	2.22
Muscut	36	3	0	0	0	0	0	19	58	2.58
Shisham	1	0	0	0	0	0	0	0	1	0.06
Total	53	12	0	0	0	0	0	19	84	4.86

जारी करने की तिथि / Date of Issuance: 24-01-2024
जारी करने का स्थान / Place of Issuance: Gurgaon
जारी करने वाला प्राधिकरण / Issuing Authority: Divisional Forest Officer (Rajeev Tejyan,)

This is a Digitally Signed Certificate and does not require physical signature. The authenticity of this certificate can be verified from the verification link mentioned below:
https://164.100.137.243/eservices/mobileapi/verify/forest/PQ3HGNV2CF

प्रभागीय वन अधिकारी द्वारा अनुमति पत्र
Permission letter by
Concerned Divisional Forest Officer
हरियाणा सरकार / Government of Haryana

हरियाणा भू-परिक्षण अधिनियम, 1900 (1900 का पंजाब का अधिनियम II) की धारा-4 के अधीन अधिसूचित भूमि में वृक्षों की कटाई की अनुमति।
Permission for felling of trees in areas notified under general section-4 of Haryana Land and Preservation Act, 1900 (Punjab Act II of 1900).

Applicant Vikas Kumar Lakra located at village Wazirabad district Gurgaon made a proposal to fell trees on this land with Khasra/ Plot number - .
The report submitted by RFO, Karamvir Malik dated 18-12-2023.

CONDITIONS OF PERMIT

1. Only the numbered trees will be felled.

2. Trees to be felled will not be uprooted except in case of developmental works/ Individual plots.

3. No dragging of wood will be permitted.

4. Felling after sun set and before the sun rise will not be permitted.

5. No fire will be allowed.

6. No damage to unmarked trees will be caused during felling in the area and the owner will have to pay the compensation as determined by DFO for any such damage.

7. The owner of land shall be responsible for any illicit felling in the area and he will have to pay the compensation as determined by DFO for any such illicit felling.

8. No forest produce will be removed without a Rawana Challan from concerned Range Officer.

9. The permit is liable to be cancelled at any time if any violations of conditions of permit take place / facts given in the application for permit are found incorrect. The decision of DFO in this regard will be final.

10. The forest department does not hold any responsibility for distribution of sale proceeds among the owners of the land.

11. No separate permit for timber transit as per Indian Forest Act,1927 is required within the territory of Haryana.

12. Permission Is Granted For Felling Of 84 Trees/plants Subject To The Condition That The User Agency Will Plant Ten Times The Number Of Felling Trees (84x10 Plants) And Submit Land Plan For Plantation. Permission Is Valid For 03 Months From The Date Of Issuance.

Date: 24-01-2024
Place: Gurgaon

Rajeev Tejyan,
(Divisional Forest Officer)

This is a Digitally Signed Certificate and does not require physical signature. The authenticity of this certificate can be verified from the verification link mentioned below:

https://164.100.137.243/eservices/mobileapi/verify/forest/PQ3HGNV2CF

प्रभागीय वन अधिकारी द्वारा अनुमति पत्र
Permission letter by
Concerned Divisional Forest Officer
हरियाणा सरकार / Government of Haryana

हरियाणा भू-परिक्षण अधिनियम, 1900 (1900 का पंजाब का अधिनियम II) की धारा-4 के अधीन अधिसूचित भूमि में वृक्षों की कटाई और वृक्ष ट्रांजिट/ प्रत्यारोपण की अनुमति।

Permission for felling of trees in areas notified under general section-4 of Haryana Land and Preservation Act, 1900 (Punjab Act II of 1900) and tree transit/transplation.

नाम Name	जावेद इक़बाल Javed Iqbal
संगठन का नाम Organisation Name	DLF LIMITED
वर्तमान पता Current Address	Shopping Mall Complex, Arjun Marg, Dlf Phase I, Gurgaon-122002, Haryana
भूमि स्थान Land Location	WAZIRABAD , Gurgaon (Haryana),
भूमि मापन Land Measurements	17.344(Acre)
खसरा/ प्लाट नम्बर Khasra/Plot Number	2045/2,2045/1/2, 2043/3/2,2056/2, 2037/4, 2038/6
रेंज अफसर का नाम Range Officer Name	Sushil Kumar

Reference No. (SRN):-MU4-996-VHWD
जारी करने की तिथि / Date of Issuance: 24-12-2024
जारी करने का स्थान / Place of Issuance: Gurgaon
जारी करने वाला प्राधिकरण / Issuing Authority: Divisional Forest Officer (Raj Kumar)

This is a Digitally Signed Certificate and does not require physical signature. The authenticity of this certificate can be verified from the verification link mentioned below:

https://164.100.137.243/eservices/mobileapi/verify/forest/MU4996VHWD

प्रभागीय वन अधिकारी द्वारा अनुमति पत्र
Permission letter by
Concerned Divisional Forest Officer
हरियाणा सरकार / Government of Haryana

हरियाणा भू-परिक्षण अधिनियम, 1900 (1900 का पंजाब का अधिनियम II) की धारा-4 के अधीन अधिसूचित भूमि में वृक्षों की कटाई और वृक्ष ट्रांजिट/ प्रत्यारोपण की अनुमति।

Permission for felling of trees in areas notified under general section-4 of Haryana Land and Preservation Act, 1900 (Punjab Act II of 1900) and tree transit/transplation.

Species	Classwise number of trees								Total no. of trees	Total Volume (M3)
	V	IV	III	IIA	IIB	IA	IB	Under Size Trees		
Pipal Transplant	1	0	0	0	0	0	0	0	1	0.06
Tortlis	13	2	1	0	0	0	0	0	16	1.63
Mesquite	47	1	1	0	0	0	0	21	70	3.53
Casreena	0	2	0	0	0	0	0	0	2	0.28
Shisham	3	0	0	0	0	0	0	0	3	0.18
Neem	0	1	0	0	0	0	0	0	1	0.14
Ashoka	1	0	0	0	0	0	0	0	1	0.06
Total	65	6	2	0	0	0	0	21	94	5.88

जारी करने की तिथि / Date of Issuance: 24-12-2024
जारी करने का स्थान / Place of Issuance: Gurgaon
जारी करने वाला प्राधिकरण / Issuing Authority: Divisional Forest Officer (Raj Kumar)

This is a Digitally Signed Certificate and does not require physical signature. The authenticity of this certificate can be verified from the verification link mentioned below:

https://164.100.137.243/eservices/mobileapi/verify/forest/MU4996VHWD

प्रभागीय वन अधिकारी द्वारा अनुमति पत्र
Permission letter by
Concerned Divisional Forest Officer
हरियाणा सरकार / Government of Haryana

हरियाणा भू-परिक्षण अधिनियम, 1900 (1900 का पंजाब का अधिनियम II) की धारा-4 के अधीन अधिसूचित भूमि में वृक्षों की कटाई और वृक्ष ट्रांजिट/ प्रत्यारोपण की अनुमति।

Permission for felling of trees in areas notified under general section-4 of Haryana Land and Preservation Act, 1900 (Punjab Act II of 1900) and tree transit/transplation.

Applicant Javed Iqbal located at village Wazirabad district Gurgaon made a proposal to fell trees on this land with Khasra/ Plot number - .
The report submitted by RFO, Sushil Kumar dated 24-12-2024.

CONDITIONS OF PERMIT

1. Only the numbered trees will be felled.

2. Trees to be felled will not be uprooted except in case of developmental works/ Individual plots.

3. No dragging of wood will be permitted.

4. Felling after sun set and before the sun rise will not be permitted.

5. No fire will be allowed.

6. No damage to unmarked trees will be caused during felling in the area and the owner will have to pay the compensation as determined by DFO for any such damage.

7. The owner of land shall be responsible for any illicit felling in the area and he will have to pay the compensation as determined by DFO for any such illicit felling.

8. No forest produce will be removed without a Rawana Challan from concerned Range Officer.

9. The permit is liable to be cancelled at any time if any violations of conditions of permit take place / facts given in the application for permit are found incorrect. The decision of DFO in this regard will be final.

10. The forest department does not hold any responsibility for distribution of sale proceeds among the owners of the land.

11. No separate permit for timber transit as per Indian Forest Act,1927 is required within the territory of Haryana.

12. Permission Is Granted For Felling 93 Trees And Transplant Of 01 Pipal.applicant Must Plant 10x Saplings In Lieu Of Felling Trees. Permission Is Valid For 03 Months.

Date: 24-12-2024
Place: Gurgaon

Raj Kumar
(Divisional Forest Officer)

This is a Digitally Signed Certificate and does not require physical signature. The authenticity of this certificate can be verified from the verification link mentioned below:

https://164.100.137.243/eservices/mobileapi/verify/forest/MU4996VHWD