



**1ST (SERVICE) FLOOR PLAN LVL+6450**

**NOTE:**  
 1. BUILDING HAS AUTOMATIC SPRINKLER SYSTEM WHEREVER REQUIRED BY NBC.  
 2. BUILDING WILL BE DESIGNED (STRUCTURES) AS PER NBC REQUIREMENTS FOR RESISTANCE.  
 3. 100% POWER BACKUP MECHANICAL VENTILATED WITH CENTRALIZED A/C

**KEY PLAN:**

**LEGEND:-**

SYR	TITLE	W	H	SILL	NOTES
801	SLIDING DOOR	3610	2500	± 00	
802	SLIDING DOOR	3540	2500	± 00	
803	SLIDING DOOR	3440	2500	± 00	
804	SLIDING DOOR	3410	2500	± 00	
805	SLIDING DOOR	3338	2500	± 00	
806	SLIDING DOOR	2960	2500	± 00	
807	SLIDING DOOR	2850	2500	± 00	
808	SLIDING DOOR	2700	2500	± 00	
809	SLIDING DOOR	2550	2500	± 00	
810	SLIDING DOOR	2440	2500	± 00	
811	SLIDING DOOR	1825	2500	± 00	
812	SLIDING DOOR	1475	2500	± 00	
813	SLIDING DOOR	1450	2500	± 00	
01	FLUSH DOOR	1200	2500	± 00	1 HR FIRE RATED
02	FLUSH DOOR	1000	2250	± 00	
03	FLUSH DOOR	800	2250	± 00	
04	FIRE DOOR	1800	2250	± 00	2 HR FIRE RATED
05	FIRE DOOR	1500	2250	± 00	2 HR FIRE RATED
06	FIRE DOOR	1500	2250	+100	2 HR FIRE RATED
07	FIRE DOOR	1250	2250	± 00	2 HR FIRE RATED
08	FIRE DOOR	900	2150	+100	2 HR FIRE RATED
09	FIRE DOOR	700	2150	+100	2 HR FIRE RATED
001	DOOR WINDOW	1150/800	2250	± 00	
002	GLASS DOOR	2000	2500	± 00	
003	GLASS DOOR	1500	1350	+900	
004	WINDOW	1075	1350	+900	
005	WINDOW	600	1200	+1050	
006	VENTILATOR	450	1200	+1050	

**PLUMBING LEGEND**

S.NO.	DESCRIPTION
1	1000 SOIL & VENT PIPE
2	1000 WASTE & VENT PIPE
3	1000 ANTISTIPHOXAGE PIPE
4	110 OD RAIN WATER PIPE
5	160 OD RAIN WATER PIPE
6	DOMESTIC WATER SUPPLY DOWN TAKE FOR TOP FOUR FLOOR (86-33)
7	DOMESTIC WATER SUPPLY DOWN TAKE FOR (32-17) FLOOR
8	DOMESTIC WATER SUPPLY DOWN TAKE FOR (16-GRO) FLOOR
9	FLUSHING WATER SUPPLY DOWN TAKE FOR (23-12) FLOOR
10	FLUSHING WATER SUPPLY DOWN TAKE FOR (11-GROUND) FLOOR
11	DOMESTIC WATER RISER PIPE TO OHT
13	FLUSHING WATER RISER PIPE TO OHT

HORIZONTAL PIPE CONNECTIONS SHALL BE AS FOLLOWS:  
 FROM WASH BASIN TO FT 320 PIPE  
 FROM SINK TO FT 400 PIPE  
 FROM FD TO FT 500 PIPE  
 FROM FT TO VERTICAL STACK 1000 PIPE  
 FROM WC TO VERTICAL STACK 1000 PIPE

**FIRE LEGEND :-**

S.NO.	DESCRIPTION
A	1500 FIRE PIPE LOWE ZONE BASEMENT TO 9th FLOOR
B	1500 FIRE PIPE MIDDLE ZONE 10th TO 23rd FLOOR
C	1500 FIRE PIPE HIGH ZONE 24th TO TERRACE LVL
D	1500 SPRINKLER PIPE LOWE ZONE BASEMENT TO 9th FLOOR
E	1500 SPRINKLER PIPE MIDDLE ZONE 10th TO 23rd FLOOR
F	1500 SPRINKLER PIPE HIGH ZONE 24th TO TERRACE LVL
G	1500 ALTERNATE SPRINKLER PIPE LOWE ZONE BASEMENT TO 9th FLOOR
H	1500 ALTERNATE SPRINKLER PIPE MIDDLE ZONE 10th TO 23rd FLOOR
J	1500 ALTERNATE SPRINKLER PIPE HIGH ZONE 24th TO TERRACE LVL
K	1500 FIRE DOWN COMER PIPE
L	800 DRAIN PIPE

**LEGEND**

	COMMUNITY AREA FAR AREA
	TOWER FAR AREA
	TOWER NON FAR AREA
	COMMUNITY NON FAR AREA
	SERVICE AREA
	SHAFT AREA UNDER REDUCTION

**OWNER:** M3M INDIA INFRASTRUCTURES PVT. LTD.

**PROJECT:** PROPOSED BUILDING PLAN OF GROUP HOUSING POCKET 8 AREA MEASURING 8.1521 ACRES, PART OF INDUSTRIAL PLOTTED COLONY OVER AN AREA MEASURING 130.9575 ACRES LICENSE NO.108 OF 2025 (P) IN THE CITY OF CHENNAI, DISTRICT OF CHENNAI, BASAHSA AND JALINDI SARAJIAD, IN SECTOR M8, M10 AND M11 CURUGRAM MANESAR URBAN COMPLEX

**ARCHITECTS:** STUDIO STYBOSIS  
 INDIA | GERMANY | UK  
 MUMBAI | CHENNAI | BANGALORE  
 SECTOR 8B, INDIA, U.P. 201301, INDIA  
 TEL: +91 8125 422879  
 E-MAIL: INFO@STUDIOSTYBOSIS.COM  
 WWW.STUDIOSTYBOSIS.COM

**OWNER'S SEAL & SIGNATURE:**

**ARCHITECT'S SEAL & SIGNATURE:**

**DATE:** 31/01/25

**DWG NO:** PF-802-01