



4

This is a "PROVISIONAL BUILDING PLAN" approved only for the purpose of inviting objections from the general public

S.T.P (HQ) Member Secretary B.P.A.C.
S.T.P (G) Member B.P.A.C.
C.T.P (Hr.) Chairman B.P.A.C.
DTP(HQ)
ATP(HQ)
AD
PA
ATP

TO BE READ WITH THIS OFFICE
MEMO NO.:
DATED :

Rajesh Dutt
SD(HQ)

FSO, (HQ)
Member
BPAC

This drawing is a "COPYRIGHT" contents of this drawing or part thereof may not be used or reproduced without the permission of the Architect.

OWNER SIGN

ARCHITECT SIGN

VISHAL SHARMA ARCHITECT CA-98/23261 9310164866 NEW DELHI

| D/W ID | FINISHED FRAME | | | | LOCATION |
|---|---|---|---|---|---|
| | WIDTH mm | CILL mm | LINTEL mm | HEIGHT mm | ROOM |
| DT35 | 750 | 0 | 2100 | 2100 | Toilets |
| DM01 | 1200 | 0 | 2100 | 2100 | Staircase |
| DM02 | 1000 | 0 | 2100 | 2100 | Toilet/ESS 02 |
| DM03 | 900 | 0 | 2100 | 2100 | Store/ Toilet |
| DM04 | 2400 | 0 | 2100 | 2100 | Store |
| DM05 | 2000 | 0 | 2100 | 2100 | Store |
| DM06 | 1500 | 0 | 2100 | 2100 | Staircase |
| DM07 | 1350 | 0 | 2100 | 2100 | Store |
| FD01 | 1200 | 0 | 2400 | 2400 | Lift Lobby [2HR F. RATED] |
| FD06 | 1200 | 100 | 2400 | 2300 | Electrical Shaft [2HR F. RATED] |
| FD04 | 900 | 100 | 2400 | 2300 | FHC Shaft [2HR F. RATED] |
| FD05 | 750 | 100 | 2400 | 2300 | LV Shaft [2HR F. RATED] |
| DT32 | 1200 | 0 | 2700 | 2700 | Public Staircase |
| DT33 | 1250 | 0 | 2400 | 2400 | Lobby |
| DT34 | 1200 | 0 | 2400 | 2400 | Store, Public Staircase |
| DT35 | 750 | 0 | 2100 | 2100 | Toilets |
| VM01 | 600 | 1500 | 2100 | 600 | Toilet |
| RS03 | 3000 | 00 | 2400 | 2400 | ESS ROLLING SHUTTER 2 HR. FIRE RATED |
| RS04 | 3000 | 00 | 2400 | 2400 | D.G. ROLLING SHUTTER 2 HR. FIRE RATED |
| FD | 1500 | 00 | 2400 | 2400 | 2 FIRE RATED DOOR |

ALL FULL HEIGHT GLAZING IN TOWER ENTRANCE LOBBIES ARE 2 HOUR FIRE RATED

TOTAL CAR PARKING IN BASEMENT 01

| TAG | | OC RECEIVED (E) | PROPOSED AREA |
|---|---|---|---|
| PARKING | | 360 | 930 |
| HANDICAP PARKING | | | 18 |
| | GRAND TOTAL | 360 | 948 |

LEGEND


- PLOT LINE
- ZONING LINE
- PROPOSED BASEMENT PROFILE
- OC RECEIVED BASEMENT PROFILE

LEGEND

- FIRE TRAVEL DISTANCE
- FHC TRAVEL DISTANCE
- FIRST CAR PARKING
- LAST CAR PARKING

N

KEY PLAN




Checked and found ok for Public Health (Internal) Services only subject to comments in in forwarding letter No.............. Dt ..........

SUBMISSION DRAWING

OWNER

M/S ASHIANA LANDCRAFT REALTY PVT. LTD.

Superintending Engineer (HQ)
for Chief Engineer-I
HSVP, Panchkula

PROJECT

REVISED BUILDING PLAN FOR GROUP HOUSING COLONY OVER AN AREA MEASURING 24.125 ACRES (LICENCE NO.42 OF 2013 DATED 06.06.2013 & LICENCE NO.46 OF 2013 DATED 08.06.2013) IN THE REVENUE ESTATE OF VILLAGE HARSARU,SECTOR -88A,GURUGRAM

| SCALE | DATE | |
|---|---|---|
| A0/1:500 | 12-09-2025 | |

DRAWING TITLE

FLOOR PLAN (LVL -4500)

BASEMENT 01

ARCHITECTS

Confluence

CONFLUENCE CONSULTANCY SERVICES
F-1, First Floor, Mira Corporate Suites, Ishwar Nagar, New Delhi-65
www.confluenceworld.in | ccs@inconfluence.com
+91 11 41684508 | +91 11 41635305
Member of IGBC | ISO - 9001 : 2000

architecture urban design hospitality interiors

| DRAWING NO. | REVISION |
|---|---|
| S-B1-105 | R0 |