



सत्यमेव जयते

File No: 21/131/2025-IA.III  
Government of India  
Ministry of Environment, Forest  
and Climate Change  
IA Division

\*\*\*



Date 01/12/2025



To,

Shri. Satya Pal Singh  
M/s M3M INDIA INFRASTRUCTURES PRIVATE LIMITED  
41st Floor, Tower-1, M3M International Financial Center, Sector-66, Gurugram-122101 Haryana  
eiaindustrialm9to11@gmail.com

**Subject:** Proposed Industrial Colony Under Enterprises Promotion Policy 2015 bearing Licence no. 168 of 2025 dated 08.09.2025 for an area measuring 139.79375 acres in the revenue estate of Village Bas Haria and Jhund Sarai Adab, Tehsil Harsaru and Farrukh Nagar in Sector M9, M10 and M11 Gurugram, Haryana by M/s M3M Infrastructures Private Limited- **For Grant of Environmental Clearance -reg.**

Sir/Madam,

This has reference to above mentioned proposal No. IA/HR/INFRA2/547766/2025 received on 11.08.2025 online through PARIVESH Portal for seeking Environmental Clearance (EC) as per the provisions of EIA Notification, 2006 as amended under the Environment (Protection) Act, 1986.

2. The particulars of the proposal are as below :

(i) EC Identification No.	EC25B3812HR5421639N
(ii) File No.	21/131/2025-IA.III
(iii) Clearance Type	Fresh EC
(iv) Category	B1
(v) Project/Activity Included Schedule No.	8(b) Townships/ Area Development Projects / Rehabilitation Centres
(vi) Sector	INFRA-2 Proposed Industrial Colony Under Enterprises Promotion Policy-2015 for an area measuring 141.00625 acres in the revenue estate of Village Bas Haria and Jhund Sarai Adab, Tehsil Harsaru and Farrukh Nagar in Sector M9, M19 And M11 Gurugram, Haryana
(vii) Name of Project	
(viii) Name of Company/Organization	M3M INDIA INFRASTRUCTURES PRIVATE

(ix) Location of Project (District, State)	LIMITED GURUGRAM, HARYANA
(x) Issuing Authority	MoEF&CC
(xi) Applicability of General Conditions as per EIA Notification, 2006	No

3. The project/ activity is covered under category 'B' of item 8(b) 'Township and Area Development Project' of the Schedule to the EIA Notification, 2006 as amended and requires appraisal at the State level. The PP has submitted the application before SEIAA Haryana, however, due to the temporary absence of SEIAA / SEAC in Haryana, this proposal was forwarded to the Ministry as per the provisions of the OM No. IA3-22/10/2022-IA.III [E 177258] dated 02.08.2023, thus, proposal has been appraised at the Central level by sectoral EAC.

4. Accordingly, the above-mentioned proposal for Environmental Clearance has been examined by the Expert Appraisal Committee (Infra-2) in its 152<sup>th</sup> meeting held on 18<sup>th</sup> September, 2025.

5. The details of the project, as per the application form, documents submitted by the project proponent, and also as informed during the aforesaid meeting of EAC, are provided below for reference:

- i. The project is new.
- ii. The project is located at in the revenue estate of Village Bas Haria and Jhund Sarai Adab, Tehsil Harsaru and Farrukh Nagar in Sector M9, M19 and M11 Gurugram, Haryana. The geographical coordinates of the project site area are 28°23'8.67" N (Latitude) and 76°52'43.20" E (Longitude).
- iii. The total plot area is 141.00625 acres out of which net planned area is 134.908 acres. Area under plots is 47.231 acres, under Residential Group Housing is 36.387 acres and under Commercial is 4.070 acres. FAR/FSI area is 559742.5997 sq. m (533057.6997 sq. m for residential + 26684.9 sq. m for commercial) and Total Built-up area will be 1106543.28 sq. m (1064915.3 sq. m for residential + 41627.98 sq. m for commercial). Number of Industrial Plots will be 267 no. and Dwelling units will be 5380 nos. The project will comprise of 2B+G+35 floors. Maximum height of the building is 114.75 m. The details of building are as follows:

S. No.	Particulars	Details
1	Total plot area / License area (acres)	141.00625
2	Net Planned for Development (acres)	134.908
3	Area under Industrial Plots (acres)	47.231
4	Area under Residential Group Housing (acres)	36.387
5	Area under Commercial (acres)	4.070
6	Nos. of Industrial Plots (Nos.)	267
7	Total Nos Dwelling Units (including EWS) (Nos.)	5380
8	Total population (Nos.)	38628
9	Project Cost (Cr.)	1799
10	Total water Requirement (KLD)	4605.00
11	Fresh water Requirement (KLD)	2231.23
12	Treated water Requirement (KLD)	2373.77
13	Waste water Generation from GH (KLD)	2007.36
14	Waste water Generation from Industrial (KLD)	1175.72
15	Proposed STP Capacity for GH (KLD)	2510.00
16	Proposed CETP Capacity (KLD)	1350.00

17	Total green area (including GH Green) 21.68 % of total licenced area (sq. m)	123710.78
17	Total Solid waste Generation (TPD)	15.31
18	Total Power requirement (KVA)	24700
19	DG Backup (KVA)	27300

**Details of the residential area**

20	Plot area (GH1-9.10 Acres + GH2- 16.37 Acres + GH3-10.92 Acres) (sq. m)	147252.6
21	Permissible Ground Coverage (35%) (sq. m)	51538.41
22	Proposed Ground Coverage (18.74%) (sq. m)	27601.86503
23	Permissible FAR (GH1- 5.12 + GH2 3.12 + GH3- 3.12) (sq. m)	533057.6998
24	Proposed FAR (sq. m)	533057.6997
25	Club Area including banquet (sq. m)	11148.28
26	Non FAR Area Mumnty + Stairs + Guard Room (sq. m)	352657.6
27	Basement Area (sq. m)	179200
28	Built-up area (sq. m)	1064915.3
29	Max No of Floors (Group Housing) (nos.)	2B+G+35
30	Max Height of Building (m)	114.75
31	Total Nos Dwelling Units (nos.)	5380
32	Required Total Parking@ 1ECS (ECS)	5600
33	Proposed Total Parking (ECS)	6161

**Details of the commercial area**

Plot Area Commercial (Comm 1- 2.558 Acres + Comm. 2 - 1.513 Acres) (sq. m)	16466.63
Ground Coverage (sq. m)	8233.315
Permissible FAR (1.62) (sq. m)	26684.98
Proposed FAR (sq. m)	26684.9
Non FAR Area (sq. m)	14943
Built-up area (sq. m)	41627.98
Max No of Floors (Retail) (Nos.)	G+2

Details of the area as given below:

S. No	Particulars	Proposal			
		(Acres)	Proposal %	Permissible (acres)	Permissible %
1	License Site Area (A)	141.00625			
2	UD Area (B)	1.414			
3	Area Under 60m Wide Road (C)	9.36875			
4	Balance Area (D= A-B-C)	130.224			
5	50% Benefit from area under 60m wide Sector-Road (E)	4.684			
6	<b>Net Planned Area (4+5)</b>	<b>134.908</b>			
7	Area under Industrial Plots	47.231	35.010	47.218	35 %
8	Area under Residential Group Housing	36.387	26.972	36.402	(Minimum) 26.983 % (Maximum)
9	Area under Commercial	4.070	3.017	4.070	3.017 % (Maximum)
10	Green (Including Parking plot)	11.45			

- iv. During construction phase, total water requirement for labours is expected to be 8 KLD, which will be met by 5 KLD of fresh water and 3 KLD of treated water through tankers. During the construction phase, soak pits and septic tanks will be provided for disposal of waste water. Temporary sanitary toilets will be provided during peak labor force.
- v. During operational phase, total water requirement of the project is expected to be 4605 KLD and the same will be met by 2232 KLD (466 KLD for industrial + commercial and 1766 KLD for residential) of fresh water from GMDA and 2373 KLD (1287 KLD for industrial + commercial and 1086 KLD for residential) treated water from onsite CETP and STPs with primary treatment of individual Industries as applicable. Total waste water generated from the project will be 3183 KLD (1176 KLD effluent from industrial + commercial and 2007 KLD sewage from residential). Sewage from residential plots will be treated up to the tertiary level in the on-site Sewage Treatment Plant (2510 KLD capacity) based on SBR technology. Effluent from industrial will be treated in on site common effluent treatment plant (CETP) of 1350 KLD. Additional 229 KLD treated water from onsite STP will be used to fulfil the treated water requirement of Industrial and remaining excess 491 KLD treated water overflow will be discharged in to municipal sewer with prior permission. Treated water will be recycled and reused for flushing, DG Cooling, HVAC and landscaping within the project site.
- vi. About 15.31 TPD solid wastes will be generated in the project. The biodegradable waste (7.20 TPD) will be processed in OWC, the non-biodegradable waste generated (8.11 TPD) will be handed over to authorized local vendor.
- vii. The total power requirement during construction phase is 250 KVA and will be met from Grid supply of Dakshin Haryana Bijli Vitaran Nigam Limited (DHBVNL) and total power requirement during operation phase is 24700 KVA (22344 KVA for Group Housing + 2033 KVA for Commercial + 323 KVA for Industrial) and will be met from Grid supply of Dakshin Haryana Bijli Vitaran Nigam Limited (DHBVNL).
- viii. 36 Nos. of RWH pits are proposed for ground water recharge.
- ix. Parking facility for 6161 ECS is proposed to be provided against the requirement of 5600 ECS (according to local norms).
- x. Proposed energy saving measures would save about 21.22 % of power.
- xi. The project is not located in Critically Polluted area.
- xii. No NBWL Clearance is required for the project.
- xiii. No Forest Clearance is required for the project.
- xiv. No Court case pending against the project.
- xv. The Sultanpur National Park is situated at distance of 6.54 km to the North direction.
- xvi. The total Cost of the project is Rs.1799 Cr.
- xvii. There are 133 trees present at the project site, out of which 85 trees will be cut with prior permission of the forest department. 123,710.7818 sq. m (21.68 % of plot area) area is earmarked for green belt development. Total no. of proposed trees is 7,140 nos. within project site.
- xviii. The expected timeline for completion of the project is approx. 05 years from the date of start of construction.
- xix. The total outlay of the Environment Management Plan: (Capital Cost = Rs 415.44Lakhs Lakh; Recurring Cost- Rs 91.75 lakhs/ year = During construction phase and during operation phase Capital Cost = Rs 1432.65 Lakhs; Recurring Cost = Rs 424.54 Lakhs /year).
- xx. Employment potential – 270 individuals.
- xxi. Benefits of the project– The project will lead to development of the area by providing employment of the local people during construction and operation phase.

6. The EAC, after deliberations, observed that the proposal is a greenfield project for which ToR has already been granted vide letter dated 23.08.2025 by the SEAC/SEIAA Haryana. The Committee noted that the

proposed built-up area is 11,06,543.28 sq. m (10,64,915.3 sq. m for residential + 41,627.98 sq. m for commercial) with a maximum floors of 2B+G+35 floors. Total Nos. of Industrial Plots will be 267 Nos. and Total Nos Dwelling Units (including EWS) will be 5380.

7. As per the OM dated 14.01.2025, a representative of Haryana State Pollution Control Board (HSPCB) was invited through email to participate in the appraisal of the proposal. However, no communication was received from the Board therefore the committee continued with the appraisal process.

8. The committee observed that the PP has obtained the licence from Directorate of Town & Country Planning, Haryana vide licence number 168 of 2025 for development of Industrial Plotted Colony over an area measuring 139.79375 acres. However, the PP has proposed the total plot area is 141.00625 acres. Accordingly, it was advised that Environmental Clearance (EC) shall be granted only for the licensed land area of 139.79375 acres and not beyond that area. It was further observed that the project site is located in the vicinity of industrial units as per the .kml file. The Committee also inquired about the drinking water supply plan for the residential plots, to which the PP informed that they have obtained an assurance for drinking water supply from HSVP vide letter dated 12.09.2025.

9. The committee enquired about the landscape area and observed that PP has proposed to plant 7,140 number of trees in area of 1,23,710.78 sq. m, The committee directed PP to increase the number of trees and make it 8,000. The PP agreed with the suggestion of the committee and assured that 8000 number of trees shall be planted by in the plant premises. The PP obtained forest NoC vide reference No. JRA-QWW-Y2YA dated 24.05.2024. and vide reference No. XXB-TBA-VE2C dated 24.05.2024 and Aravali NoC obtained from DC vide letter no. 99/M.B. dated 16.07.2024

10. The committee also deliberated the EMP budget and observed that same is not satisfactory and directed PP to revise the EMP, the PP based on the suggestion of the committee submitted the revised EMP, during construction phase of the Capital Cost is Rs. 415.44 Lakhs and recurring cost is Rs 91.75 Lakhs/Yr and during operation phase of Capital Cost is Rs.1585.5 Lakhs and recurring cost is 424.54 Lakhs/Yr. The revised EMP was found satisfactory by the committee.

11. The Committee further, enquired about the hydrogeology study report. PP presented the hydrogeology study report. The committee found the reply satisfactory. The Committee observed that the PP has proposed 36 RWH pits, however, the committee suggested for installation of a rainwater storage tank within the premises and further enhancement of treated water utilization. Accordingly, the PP submitted a revised EMP budget for the RWH pits.

12. It was informed by PP that proposed industrial plots shall have only green/white categories of facilities which will not have much impact on ambient air quality. However, vehicular emission may be one of the prominent source. Accordingly, it was desired that PP shall deploy atleast 50% of e-vehicles at the entry of the project area to transit inside and the same shall be included in agreements with plot owners.

13. Based on the information submitted and clarifications provided by the Project Proponent and detailed discussion held on all the issues, the EAC recommended to grant Environment Clearance for the project, under the provisions of EIA Notifications, 2006 as amended therein, subject to the following specific conditions and other Standard (General) EC Conditions as specified by the Ministry vide OM dated 04.01.2019 with the specific conditions.

14. Based on recommendations of EAC, the Ministry of Environment, Forest and Climate Change hereby accords Environmental Clearance to the **“Proposed Industrial Colony Under Enterprises Promotion Policy 2015 for an area measuring only 139.79375 acres in the revenue estate of Village Bas Haria and Jhund Sarai Adab, Tehsil Harsaru and Farrukh Nagar in Sector M9, M19 And M11 Gurugram, Haryana by M/s M3M Infrastructures Private Limited”**, under the provisions of EIA Notifications, 2006 and its amendments therein, subject to the following specific conditions and other Standard (General) EC Conditions as specified by the Ministry vide OM dated 04.01.2019 for the said project/activity:

15. This issues with the approval of the Competent Authority.

**Copy To**

1. The Principal Secretary, Directorate, Environment & Climate Change, Haryana, IInd Floor, Bays No. 55-58, Paryatan Bhawan, Sector-2, Panchkula, Haryana-134109.
2. Deputy Director General of Forests (C), Ministry of Environment, Forest and Climate Change, Bays No. 24-25, Sector 31 A, Dakshin Marg, Chandigarh – 160030
3. The Member Secretary, Central Pollution Control Board, Parivesh Bhavan, CBD-cum-Office Complex, East Arjun Nagar, New Delhi – 110 032.
4. The Member Secretary, Haryana State Pollution Control Board (Head Office) C-11, Sector-6, Panchkula, Haryana - 134109, Haryana.
5. Monitoring Cell, MoEF&CC, Indira Paryavaran Bhawan, New Delhi.
6. Guard File/ Record File/ Notice Board/MoEF&CC website.

**Annexure 1**

**Specific EC Conditions for (Townships/ Area Development Projects / Rehabilitation Centres)**

**1. Specific Conditions**

S. No	EC Conditions
1.1	This Environmental Clearance (EC) shall be granted only for the licensed land area of 139.79375 acres and not beyond. Further, PP shall not conduct any commercial component activity till permission is granted by Town and Country Planning Department, Govt. of Haryana.
1.2	As per Ministry's OM dated 14th January, 2025, projects shall obtain the environmental safeguards required for the establishment of the Project/Activity, from the concerned SPCB/PCC within 30 days of this OM, after payment of requisite fees. The same shall be appended to the EC later and the project proponent shall file six monthly compliance for the safeguards, along with the EC conditions. SPCB shall follow the provisions of Ministry's OM dated 14 <sup>th</sup> January, 2025.
1.3	PP shall comply with Environment Management Plan of budget the construction phase, the total Capital Cost is Rs. 415.44 Lakhs and recurring cost is Rs. 91.75 Lakhs/Yr and during operation phase of Capital Cost is Rs. 1585.5 Lakhs and recurring cost is 424.54 Lakhs/Yr. Further, Rs. 200 Lakh additional budget to be allocated for EMP budget for nearby area/ outside the project boundary and in Aravali Safari Project and Green Wall Project
1.4	PP shall deploy atleast 50% of e-vehicles at the entry of the project area to transit inside and the same shall be included in agreements with plot owners.
1.5	PP shall not exceed 40% for the use of glass facade in the proposed commercial project.
1.6	No treated water shall be discharged from the project premises. It shall be reused internally and accordingly agreement shall be made to plot owners to use treated water for further usage.
1.7	Boundary of galvanized sheet of at least 10 mts height shall be constructed with fixed sprinkler to restrict fugitive emission prior to the start of construction. 1 nos of Mechanical sweeper shall be deployed to remove road dust during the construction and operation phase.

S. No	EC Conditions
1.8	PP should complete the entire plantation as per the plan and recommendation of EAC before the CTO/Occupancy Certificate is issued. The local authority should verify the Green Belt area before issuing the CTO/Occupancy Certificate.
1.9	PP shall arrange surface water from local authorities to enable the availability of surface water and treated wastewater. An Occupancy Certificate shall be issued only after obtaining the necessary permission for required surface water supply from the Concerned Authority.
1.10	PP shall ensure road connectivity of the proposed project site to of the nearest highway.
1.11	The project proponent shall obtain the Fire safety certification from the Fire Department and also height clearance from the Airports Authority of India and submit the same to the concerned Integrated Regional Office of the Ministry within six months of the issue of the EC letter.
1.12	The freshwater requirement shall not exceed 2,232 KLD during operational phase. Approval/Permission of the CGWA/SGWA shall be obtained before drawing ground water for the project activities. SPCB concerned shall not issue CTO till the PP obtains such permission.
1.13	The plantation under Green Credit Program by the Project Proponent shall not be eligible for site specific plantation clearance forming part of Environment Clearance.
1.14	As proposed, wastewater shall be treated onsite in STP (Moving Bed Biofilm Reactor (MBBR) Technology with Tertiary Treatment) of 2510 KLD capacity.
1.15	The project proponents would commission a third-party study from Environment Auditors/Premier Institutes on the implementation of all EC conditions in every 2 years. This study shall also include details related to quality and quantity of recycling and reuse of treated water, the efficiency of treatment systems, the quality of treated water being supplied for flushing (specially the bacterial counts), comparative bacteriological studies from toilet seats using recycled treated waters and fresh waters for flushing, and quality of water being supplied through spray faucets attached to toilet seats
1.16	Area for greenery shall be provided as per the details provided in the project document i.e., 1,23,710.78 sq. m, (21.68 % of the total plot area) as committed PP shall plant 8,000 numbers of native tree species. A minimum of 01 tree for every 80 sq. m of total land area of the project should be maintained taking the existing trees into account. Species with heavy foliage, broad leaves and wide canopy cover may be preferred. Invasive species should not be used for landscaping.
1.17	Project Proponent shall strive to enhance the Green Belt beyond 21.68 % and that the 8,000 trees planted in this regard would be planted under the campaign "एक_पेड़_माँ_के_नाम" and the details of the trees planted would be uploaded on the portal <a href="https://merilife.nic.in">https://merilife.nic.in</a> .
1.18	PP shall create 36 nos of rain harvesting recharge pits and rain water collection tank of 1000 KL capacity of adequate size in the project area.
1.19	As committed, biodegradable waste shall be utilized through the 10 nos. OWCs to be installed within the site. Inert waste shall be disposed of as per norms at the authorized site.
1.20	As committed 6161 ECS parking areas is to be provided, and 20% of Electronic vehicle charging points are to be provided. Project proponent shall essentially comply with all parking norms and standards as applicable.

S. No	EC Conditions
1.21	PP shall installed solar power generation facility of 310 KW and thereby total energy saving measures from overall power consumption shall be 15%. Energy Audit by third party shall be conducted. Further, Agreement with plot owners shall be made to enhance the solar power generation by atleast 25% of overall power consumption.
1.22	The Environmental Clearance to the project is primarily under provisions of EIA Notification, 2006. The Project Proponent is under obligation to obtain approvals/clearances under any other Acts/Regulations or Statutes as applicable to the project.
1.23	Proponent shall ensure that requirements of accessibility particularly universal accessibility and more particularly pedestrian requirements are provided. Street and road sections should have the mandatory provision of cross-section elements and footpaths so as to minimize the shift from walk mode to vehicular mode to have least impact on energy and the environment.
1.24	The project proponent shall ensure that there is more than one entry /exit from different directions however, it should be checked that it does not create road safety hazard.
1.25	Any change in stipulations of EC will lead to Environment Clearance void-ab-initio and PP will have to seek fresh Environment Clearance.
1.26	PP shall be responsible for establishment, operation and maintenance of all common facilities like STP, OWC, Green belt development, Solar, Rainwater Harvesting, and other such amenities provided within the project site for a period of 5 years after handed over to the bona fide Residential Welfare Association or any other such association and also for compliance of EC conditions during operation stage. Responsibility of comply EC conditions shall be with Project Proponent only till the EC is transferred to Residents Welfare Association/Society/Committee. Agreement between Project Proponent and bona fide Residents Welfare Association/Society/Committee during handover of assets/infrastructure shall clearly mentioned the responsibility of complying EC Condition.
1.27	PP shall comply with the sanction plans which is subject to strict compliance as contained in order dated 10.04.2015 passed by Hon'ble National Green Tribunal in OA No. 21 of 2014 Vardhman Kaushik Vs. UOIL and others as well as MOEF guidelines 2010.

**Standard EC Conditions for (Townships/ Area Development Projects / Rehabilitation Centres)**

**1. Statutory Compliance**

S. No	EC Conditions
1.1	The project proponent shall obtain all necessary clearance/ permission from all relevant agencies including town planning authority before commencement of work. All the construction shall be done in accordance with the local building byelaws.
1.2	The approval of the Competent Authority shall be obtained for structural safety of buildings due to earthquakes, adequacy of firefighting equipment etc. as per National Building Code including protection measures from lightning etc.
1.3	The project proponent shall obtain forest clearance under the provisions of Forest (Conservation) Act, 1980, in case of the diversion of forest land for non-forest purpose involved in the project.

S. No	EC Conditions
1.4	The project proponent shall obtain clearance from the National Board for Wildlife, if applicable.
1.5	The project proponent shall obtain Consent to Establish / Operate under the provisions of Air (Prevention & Control of Pollution) Act, 1981 and the Water (Prevention & Control of Pollution) Act, 1974 from the concerned State Pollution Control Board/ Committee.
1.6	The project proponent shall obtain the necessary permission for drawl of ground water / surface water required for the project from the competent authority.
1.7	A certificate of adequacy of available power from the agency supplying power to the project along with the load allowed for the project should be obtained.
1.8	All other statutory clearances such as the approvals for storage of diesel from Chief Controller of Explosives, Fire Department, Civil Aviation Department shall be obtained, as applicable, by project proponents from the respective competent authorities.
1.9	The provisions of the Solid Waste Management Rules, 2016, e-Waste (Management) Rules, 2016, and the Plastics Waste Management Rules, 2016, shall be followed.
1.10	The project proponent shall follow the ECSBC-2024/ENS (ECSBC-2024) prescribed by Bureau of Energy Efficiency, Ministry of Power strictly.

## 2. Air Quality Monitoring And Preservation

S. No	EC Conditions
2.1	Notification GSR 94(E) dated 25.01.2018 of MoEF&CC regarding Mandatory Implementation of Dust Mitigation Measures for Construction and Demolition Activities for projects requiring Environmental Clearance shall be complied with.
2.2	A management plan shall be drawn up and implemented to contain the current exceedance in ambient air quality at the site.
2.3	The project proponent shall install system to carryout Ambient Air Quality monitoring for common/criterion parameters relevant to the main pollutants released (e.g. PM10 and PM2.5) covering upwind and downwind directions during the construction period.
2.4	Diesel power generating sets proposed as source of backup power should be of enclosed type and conform to rules made under the Environment (Protection) Act, 1986. The height of stack of DG sets should be equal to the height needed for the combined capacity of all proposed DG sets. Use of low sulphur diesel. The location of the DG sets may be decided with in consultation with State Pollution Control Board.
2.5	Construction site shall be adequately barricaded before the construction begins. Dust, smoke & other air pollution prevention measures shall be provided for the building as well as the site. These measures shall include screens for the building under construction, continuous dust/ wind breaking walls all around the site (at least 3-meter height). Plastic/tarpaulin sheet covers shall be provided for vehicles bringing in sand, cement, murrum and other construction materials prone to causing dust pollution at the site as well as taking out debris from the site.

S. No	EC Conditions
2.6	Sand, murrum, loose soil, cement, stored on site shall be covered adequately so as to prevent dust pollution.
2.7	Wet jet shall be provided for grinding and stone cutting.
2.8	Unpaved surfaces and loose soil shall be adequately sprinkled with water to suppress dust.
2.9	All construction and demolition debris shall be stored at the site (and not dumped on the roads or open spaces outside) before they are properly disposed. All demolition and construction waste shall be managed as per the provisions of the Construction and Demolition Waste Management Rules 2016.
2.10	The diesel generator sets to be used during construction phase shall be low sulphur diesel type and shall conform to Environmental (Protection) prescribed for air and noise emission standards.
2.11	The gaseous emissions from DG set shall be dispersed through adequate stack height as per CPCB standards. Acoustic enclosure shall be provided to the DG sets to mitigate the noise pollution. Low sulphur diesel shall be used. The location of the DG set and exhaust pipe height shall be as per the provisions of the Central Pollution Control Board (CPCB) norms.
2.12	For indoor air quality the ventilation provisions as per National Building Code of India.

### 3. Water Quality Monitoring And Preservation

S. No	EC Conditions
3.1	The natural drain system should be maintained for ensuring unrestricted flow of water. No construction shall be allowed to obstruct the natural drainage through the site, on wetland and water bodies. Check dams, bio-swales, landscape, and other sustainable urban drainage systems (SUDS) are allowed for maintaining the drainage pattern and to harvest rain water.
3.2	Buildings shall be designed to follow the natural topography as much as possible. Minimum cutting and filling should be done.
3.3	Total fresh water use shall not exceed the proposed requirement as provided in the project details.
3.4	The quantity of fresh water usage, water recycling and rainwater harvesting shall be measured and recorded to monitor the water balance as projected by the project proponent. The record shall be submitted to the Regional Office, MoEF&CC along with six monthly Monitoring reports.
3.5	A certificate shall be obtained from the local body supplying water, specifying the total annual water availability with the local authority, the quantity of water already committed, the quantity of water allotted to the project under consideration and the balance water available. This should be specified separately for ground water and surface water sources, ensuring that there is no impact on other users.
3.6	At least 20% of the open spaces as required by the local building bye-laws shall be pervious. Use of Grass pavers, paver blocks with at least 50% opening, landscape etc. would be considered as pervious surface.
3.7	Installation of dual pipe plumbing for supplying fresh water for drinking, cooking and bathing etc and

S. No	EC Conditions
	other for supply of recycled water for flushing, landscape irrigation, car washing, thermal cooling, conditioning etc. shall be done.
3.8	Use of water saving devices/fixtures (viz. low flow flushing systems; use of low flow faucets tap aerators etc) for water conservation shall be incorporated in the building plan.
3.9	Separation of grey and black water should be done by the use of dual plumbing system. In case of single stack system separate recirculation lines for flushing by giving dual plumbing system be done.
3.10	Water demand during construction should be reduced by use of pre-mixed concrete, curing agents and other best practices referred.
3.11	The local bye-law provisions on rain water harvesting should be followed. If local bye-law provision is not available, adequate provision for storage and recharge should be followed as per the Ministry of Urban Development Model Building Byelaws, 2016. Rain water harvesting recharge pits/storage tanks shall be provided for ground water recharging as per the CGWB norms.
3.12	A rain water harvesting plan needs to be designed where the recharge bores of minimum one recharge bore per 5,000 square meters of built up area and storage capacity of minimum one day of total fresh water requirement shall be provided. In areas where ground water recharge is not feasible, the rain water should be harvested and stored for reuse. The ground water shall not be withdrawn without approval from the Competent Authority.
3.13	All recharge should be limited to shallow aquifer.
3.14	No ground water shall be used during construction phase of the project.
3.15	Any ground water dewatering should be properly managed and shall conform to the approvals and the guidelines of the CGWA in the matter. Formal approval shall be taken from the CGWA for any ground water abstraction or dewatering.
3.16	The quantity of fresh water usage, water recycling and rainwater harvesting shall be measured and recorded to monitor the water balance as projected by the project proponent. The record shall be submitted to the Regional Office, MoEF&CC along with six monthly Monitoring reports.
3.17	Sewage shall be treated in the STP with tertiary treatment. The treated effluent from STP shall be recycled/re-used for flushing, AC make up water and gardening. As proposed, no treated water shall be disposed in to municipal drain.
3.18	No sewage or untreated effluent water would be discharged through storm water drains.
3.19	Onsite sewage treatment of capacity of treating 100% waste water to be installed. The installation of the Sewage Treatment Plant (STP) shall be certified by an independent expert and a report in this regard shall be submitted to the Ministry before the project is commissioned for operation. Treated waste water shall be reused on site for landscape, flushing, cooling tower, and other end-uses. Excess treated water shall be discharged as per statutory norms notified by Ministry of Environment, Forest and Climate Change. Natural treatment systems shall be promoted.
3.20	Periodical monitoring of water quality of treated sewage shall be conducted. Necessary measures should be made to mitigate the odour problem from STP.

S. No	EC Conditions
3.21	Sludge from the onsite sewage treatment, including septic tanks, shall be collected, conveyed and disposed as per the Ministry of Urban Development, Central Public Health and Environmental Engineering Organization (CPHEEO) Manual on Sewerage and Sewage Treatment Systems, 2013.

#### 4. Noise Monitoring And Prevention

S. No	EC Conditions
4.1	Ambient noise levels shall conform to residential area/commercial area/industrial area/silence zone both during day and night as per Noise Pollution (Control and Regulation) Rules, 2000. Incremental pollution loads on the ambient air and noise quality shall be closely monitored during construction phase. Adequate measures shall be made to reduce ambient air and noise level during construction phase, so as to conform to the stipulated standards by CPCB / SPCB.
4.2	Noise level survey shall be carried as per the prescribed guidelines and report in this regard shall be submitted to Regional Officer of the Ministry as a part of six-monthly compliance report.
4.3	Acoustic enclosures for DG sets, noise barriers for ground-run bays, ear plugs for operating personnel shall be implemented as mitigation measures for noise impact due to ground sources.

#### 5. Energy Conservation Measures

S. No	EC Conditions
5.1	Compliance with the Energy Conservation Sustainable Building Code (ECSBC-2024/ENS (ECSBC-2024)) of Bureau of Energy Efficiency shall be ensured. Buildings in the States which have notified their own ECSBC-2024/ENS (ECSBC-2024), shall comply with the State ECSBC-2024/ENS (ECSBC-2024).
5.2	Outdoor and common area lighting shall be LED.
5.3	Concept of passive solar design that minimize energy consumption in buildings by using design elements, such as building orientation, landscaping, efficient building envelope, appropriate fenestration, increased day lighting design and thermal mass etc. shall be incorporated in the building design. Wall, window, and roof u-values shall be as per ECSBC-2024/ENS (ECSBC-2024) specifications.
5.4	Energy conservation measures like installation of CFLs/ LED for the lighting the area outside the building should be integral part of the project design and should be in place before project commissioning.
5.5	Solar, wind or other Renewable Energy shall be installed to meet electricity generation equivalent to 1% of the demand load or as per the state level/ local building bye-laws requirement, whichever is higher.
5.6	Solar power shall be used for lighting in the apartment to reduce the power load on grid. Separate electric meter shall be installed for solar power. Solar water heating shall be provided to meet 20% of the hot water demand of the commercial and institutional building or as per the requirement of the local building bye-laws, whichever is higher. Residential buildings are also recommended to meet its hot water demand from solar water heaters, as far as possible.

## 6. Waste Management

S. No	EC Conditions
6.1	A certificate from the competent authority handling municipal solid wastes, indicating the existing civic capacities of handling and their adequacy to cater to the M.S.W. generated from project shall be obtained.
6.2	Disposal of muck during construction phase shall not create any adverse effect on the neighbouring communities and be disposed taking the necessary precautions for general safety and health aspects of people, only in approved sites with the approval of competent authority.
6.3	Separate wet and dry bins must be provided in each unit and at the ground level for facilitating segregation of waste. Solid waste shall be segregated into wet garbage and inert materials.
6.4	Organic waste compost/Vermiculture pit/Organic Waste Converter within the premises with a minimum capacity of 0.3 kg /person/day must be installed.
6.5	All non-biodegradable waste shall be handed over to authorized recyclers for which a written tie up must be done with the authorized recyclers.
6.6	Any hazardous waste generated during construction phase, shall be disposed off as per applicable rules and norms with necessary approvals of the State Pollution Control Board.
6.7	Use of environment friendly materials in bricks, blocks and other construction materials, shall be required for at least 20% of the construction material quantity. These include Fly Ash bricks, hollow bricks, AACs, Fly Ash Lime Gypsum blocks, Compressed earth blocks, and other environment friendly materials.
6.8	Fly ash should be used as building material in the construction as per the provision of Fly Ash Notification of September, 1999 and amended as on 27th August, 2003 and 25th January, 2016. Ready mixed concrete must be used in building construction.
6.9	Any wastes from construction and demolition activities related thereto shall be managed so as to strictly conform to the Construction and Demolition Waste Management Rules, 2016.
6.10	Used CFLs and TFLs should be properly collected and disposed off/sent for recycling as per the prevailing guidelines/ rules of the regulatory authority to avoid mercury contamination.

## 7. Green Cover

S. No	EC Conditions
7.1	No tree can be felled/transplant unless exigencies demand. Where absolutely necessary, tree felling shall be with prior permission from the concerned regulatory authority. Old trees should be retained based on girth and age regulations as may be prescribed by the Forest Department. Plantations to be ensured species (cut) to species (planted).
7.2	A minimum of 1 tree for every 80 sqm of land should be planted and maintained. The existing trees will be counted for this purpose. The landscape planning should include plantation of native species. The species with heavy foliage, broad leaves and wide canopy cover are desirable. Water intensive and/or

S. No	EC Conditions
	invasive species should not be used for landscaping.
7.3	Where the trees need to be cut with prior permission from the concerned local Authority, compensatory plantation in the ratio of 1:10 (i.e. planting of 10 trees for every 1 tree that is cut) shall be done and maintained. Plantations to be ensured species (cut) to species (planted). Area for green belt development shall be provided as per the details provided in the project document.
7.4	Topsoil should be stripped to a depth of 20 cm from the areas proposed for buildings, roads, paved areas, and external services. It should be stockpiled appropriately in designated areas and reapplied during plantation of the proposed vegetation on site.

## 8. Transport

S. No	EC Conditions
8.1	A comprehensive mobility plan, as per MoUD best practices guidelines (URDPFI), shall be prepared to include motorized, non-motorized, public, and private networks. Road should be designed with due consideration for environment, and safety of users. The road system can be designed with these basic criteria. a. Hierarchy of roads with proper segregation of vehicular and pedestrian traffic. b. Traffic calming measures. c. Proper design of entry and exit points. d. Parking norms as per local regulation.
8.2	Vehicles hired for bringing construction material to the site should be in good condition and should have a pollution check certificate and should conform to applicable air and noise emission standards be operated only during non-peak hours.

## 9.

S. No	EC Conditions
9.1	A detailed traffic management and traffic decongestion plan shall be drawn up to ensure that the current level of service of the roads within a 05 kms radius of the project is maintained and improved upon after the implementation of the project. This plan should be based on cumulative impact of all development and increased habitation being carried out or proposed to be carried out by the project or other agencies in this 05 Kms radius of the site in different scenarios of space and time and the traffic management plan shall be duly validated and certified by the State Urban Development department and the P.W.D./competent authority for road augmentation and shall also have their consent to the implementation of components of the plan which involve the participation of these departments.

## 10. Human Health Issues

S. No	EC Conditions
10.1	All workers working at the construction site and involved in loading, unloading, carriage of construction material and construction debris or working in any area with dust pollution shall be provided with dust mask.
10.2	For indoor air quality the ventilation provisions as per National Building Code of India.

S. No	EC Conditions
10.3	Emergency preparedness plan based on the Hazard identification and Risk Assessment (HIRA) and Disaster Management Plan shall be implemented.
10.4	Provision shall be made for the housing of construction labour within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, mobile STP, safe drinking water, medical health care, crèche etc. The housing may be in the form of temporary structures to be removed after the completion of the project.
10.5	Occupational health surveillance of the workers shall be done on a regular basis.
10.6	A First Aid Room shall be provided in the project both during construction and operations of the project.

### 11. Miscellaneous

S. No	EC Conditions
11.1	The project proponent shall prominently advertise it at least in two local newspapers of the District or State, of which one shall be in the vernacular language within seven days indicating that the project has been accorded environment clearance and the details of MoEFCC/SEIAA website where it is displayed.
11.2	ii. environmental clearance shall be submitted by the project proponents to the Heads of local bodies, Panchayats and Municipal Bodies in addition to the relevant offices of the Government who in turn has to display the same for 30 days from the date of receipt.
11.3	The project proponent shall upload the status of compliance of the stipulated environment clearance conditions, including results of monitored data on their website and update the same on half-yearly basis.
11.4	The project proponent shall submit six-monthly reports on the status of the compliance of the stipulated environmental conditions on the website of the ministry of Environment, Forest and Climate Change at environment clearance portal.
11.5	The company shall have a well laid down environmental policy duly approved by the Board of Directors. The environmental policy should prescribe for standard operating procedures to have proper checks and balances and to bring into focus any infringements/deviation/violation of the environmental/forest/wildlife norms/conditions. The company shall have defined system of reporting infringements/deviation/violation of the environmental/forest/wildlife norms/conditions and/or shareholders/stake holders. The copy of the board resolution in this regard shall be submitted to the MoEF&CC as a part of six-monthly report.
11.6	A separate Environmental Cell both at the project and company head quarter level, with qualified personnel shall be set up under the control of senior Executive, who will directly report to the head of the organization.
11.7	Action plan for implementing EMP and environmental conditions along with responsibility matrix of the company shall be prepared and shall be duly approved by competent authority. The year wise funds earmarked for environmental protection measures shall be kept in separate account and not to be diverted for any other purpose. Year wise progress of implementation of action plan shall be reported to

S. No	EC Conditions
	the Ministry/Regional Office along with the Six Monthly Compliance Report
11.8	The project proponent shall submit the environmental statement for each financial year in Form-V to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently and put on the website of the company.
11.9	The project proponent shall inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities, commencing the land development work and start of production operation by the project.
11.10	The project authorities must strictly adhere to the stipulations made by the State Pollution Control Board and the State Government.
11.11	The project proponent shall abide by all the commitments and recommendations made in the EIA/EMP report and also that during their presentation to the Expert Appraisal Committee.
11.12	No further expansion or modifications in the plant shall be carried out without prior approval of the Ministry of Environment, Forest and Climate Change (MoEF&CC).
11.13	Concealing factual data or submission of false/fabricated data may result in revocation of this environmental clearance and attract action under the provisions of Environment (Protection) Act, 1986.
11.14	The Ministry may revoke or suspend the clearance, if implementation of any of the above conditions is not satisfactory.
11.15	The Ministry reserves the right to stipulate additional conditions if found necessary. The Company in a time bound manner shall implement these conditions.
11.16	The Regional Office of this Ministry shall monitor compliance of the stipulated conditions. The project authorities should extend full cooperation to the officer (s) of the Regional Office by furnishing the requisite data / information/monitoring reports.
11.17	The above conditions shall be enforced, inter-alia under the provisions of the Water (Prevention & Control of Pollution) Act, 1974, the Air (Prevention & Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986, Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016, and the Public Liability Insurance Act, 1991 along with their amendments and Rules and any other orders passed by the Hon'ble Supreme Court of India / High Courts and any other Court of Law relating to the subject matter.
11.18	Any appeal against this EC shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.

## 12. Specific Conditions

S. No	EC Conditions
12.1	The project proponent shall develop R& D facilities to develop their own technologies for propylene and polypropylene processing.