

Memo No. Ch-10/OLNC-HT/RWR/EP-603

Dated:- 01.07.2026

To

Superintending Engineer/Operation,
Circle, DHBVN, Rewari.

Subject: - Approval of Electrification Plan for an Ultimate load of 452.52kW or 502.80kVA in the name of M/s Irenic Growth Pvt. Ltd. for the release of Individual/Multipoint Connection(s) in the Affordable Residential Plotted Colony under (DDJAY-2016) over an area measuring 6.90 acres in the revenue estate of Village-Rampura, Sector-15, Rewari.

Ref:-

1. License no. 40 of 2026 dated 03.03.2026 issued by DTCP
2. Online application no DTCP120626134 dated 12.06.2026 received from DTCP, Haryana on the online EP portal.
3. This office Memo No. Ch-05/OLNC-HT/RWR/EP-603 dated 16.06.2026—seeking the documents from the applicant.
4. Documents completed by the applicant on 24.06.2026
5. The following License details issued by DTCP:-

LOI Memo No. / License No.	License/LOI issued for	Area (In Acres)
40 of 2026 dated 03.03.2026	Sh. Inderjit Singh, M/s Tropic India Marketing Pvt. Ltd. & others in collaboration with Irenic Growth Pvt. Ltd. for development of affordable Residential Plotted Colony (under DDJAY-2016) falling in the revenue estate of Village-Rampura, Sector-15, Rewari.	6.90
Total		6.90

In consideration of the online application No. DTCP120626134 dated 12.06.2026 received from the Directorate of Town & Country Planning (DTCP), Haryana; and further documents submitted by M/s Irenic Growth Pvt. Ltd. regarding the Electrification Plan for their Affordable Residential Plotted Colony over an area measuring 6.90 acres in the revenue estate of Village-Rampura, Sector-15, Rewari, the plan has been examined in light of the documents submitted and the applicable provisions of the HERC Regulations, "Duty to Supply Electricity on Request, Power to Recover Expenditure, and Power to Recover Security Regulations, 2016" (as amended by the 2nd & 3rd Amendment Regulations, 2023), circulated vide Sales Circular No. D-32/2023. Accordingly, the Electrification Plan for an ultimate load of 452.52kW or 502.80kVA, as assessed in accordance with Sales Circular No. D-25/2024 (Annexure-I), is hereby approved for M/s Irenic Growth Pvt. Ltd. (hereinafter referred to as the builder/developer/colonizer), under the powers conferred vide Sales Circular No. D-03/2025, for the release of individual/multipoint connection(s) in the said colony, subject to compliance with the following applicable technical, commercial, and statutory provisions:-

1. **Power Source & Technical Feasibility:** The sanctioned ultimate load of the project area shall be catered through the 11kV level feeder. Technical feasibility shall be assessed and finalized by SE/Operation, Circle, Rewari, in accordance with Sales Circular No. D-27/2022, and the estimate shall be approved accordingly.
Assessment of the Technical Feasibility Report for the Ultimate Load, recommendations for the supply source & supply level, and planning for the distribution infrastructure must be in strict adherence to the notification(s) of HERC Regulations 3.1 & 3.2 of the Electricity Supply Code.
2. **Right to Modify:** Any proposal for power supply arrangements to the project shall be subject to revision based on evolving system architecture, reliability requirements, network configuration, and technical considerations, and shall not limit the rights of DHBVN in this regard.
3. **Infrastructure Development Responsibilities:**
 - **Internal as well as External Electrical Infrastructure:** To be developed by the builder/developer as per HERC Regulation 4.6 & any other similar enabling provisions under

the said regulation – HERC Duty to Supply Electricity on Request and Power to Recover expenditure and Power to Recover Security Regulations, 2016 (1st Amendment) Regulation, 2020 circulated vide Sales Circular No. D-12/2020 dated 25.06.2020 & Instruction No. 09/2011/P&D, 02/2019/PD&C (as the case may be) of CE/PD&C, DHBVN, Hisar.

- In case the builder/developer desires to get the complete electrical infrastructure erected & commissioned from DHBVN, the applicant/developer shall be required to deposit the value of such infrastructure with the DHBVN as per the instructions of DHBVN for the said work. Accordingly, the same shall be executed by DHBVN.

4. Timeline and Validity: As per HERC Regulation No. 4 (4.12) – Power to Recover Expenditure – Duty to Supply circulated vide Sales Circular No. D-12/2020 and D-21/2020, the timely creation of the electrical infrastructure in five (5) years as per the approved plan is essential. SE/Operation, Circle, Rewari, must monitor and ensure adherence to the timelines.

5. Regulatory Compliance for Release of Connections: In line with the enabling HERC Regulations and relevant sales circulars, this EP approval shall form the basis for the release of Individual/Multipoint/Temporary or permanent electricity connections by DHBVN in the project area strictly under the provisions of:

- HERC Duty to Supply Regulations (3rd Amendment, 2023),
- SC Nos. D-32/2023 and D-21/2020,
- HERC Electricity Supply Code (HERC 29/2014 & amendments),
- Sales Circular D-07/2020.

6. Distribution System Specifications: 11/0.433kV Distribution transformers (1x630kVA = 63KVA) to be installed by the developer for catering supply to the Residential area as per technical design and instructions (09/2011/P&D or 02/2019/PD&C).

7. Financial Instruments:

- With this approval of EP, the release of any Temporary/Permanent electricity connection to the applicant shall be contingent upon the timely submission of the Bank Guarantee(s) by the developer for the creation of the electrical infrastructure (as per the approved EP) in terms of the HERC Regulation Duty to Supply Electricity on Request and Power to Recover Expenditure and Power to Recover Security Regulation 2016 (1st Amendment) Regulation 2020, circulated vide Sales Circular No. D-12/2020, and further Sales Circular No D-21/2020 of the Nigam.
- Within 30 days of approval of the Electrification Plan, the XEN/Operations concerned shall issue a demand notice requiring the Developer to submit BG within 30 days equivalent to the estimated cost of the work for installation of Electrical Infrastructure as per the approved Electrical Infrastructure.
- In case of non-submission of the required BG by the builder/developer within a stipulated timeframe, further necessary action shall be initiated against the builder/developer as per clause no. 4.12.2 of HERC Regulation Duty to Supply Electricity on Request and Power to Recover Expenditure and Power to Recover Security Regulation 2016 (1st Amendment) Regulation 2020, circulated vide Sales Circular No. D-12/2020.
- Safe custody, validity monitoring, and SFMS verification of BGs to be ensured as per FA&CAO/MM memo Ch-2138 dated 12.09.2022.

8. Restriction on Defaulters: As per SC D-21/2020, no connection/load shall be released to the builder/developer/applicant(s) or subsidiary or sister concern/partnership firm thereof, as well as to the premises, having any pending dues of Nigam or defaulter of any kind, whether disputed or undisputed.

9. Document Verification: Ownership, identity, and tariff category documents must be thoroughly verified before connection release in adherence to the following regulations:

- a. Follow Regulation 4 of the HERC Electricity Supply Code (SC D-07/2020).
- b. Verify identity, ownership, and correct tariff category (SC D-29/2013 & D-06/2026).
- c. Recover all charges (SC D-12/2020).

- ✓
10. **Development Estimates:** The execution plan and internal/external service estimates must be approved by the competent authority before commencing work. Creation of the complete electrical infrastructure, including planning & design, must be as per the Nigam's specifications and construction standards. CEA and IE Rules on safety shall be strictly adhered to.
All the relevant provisions, as contained in Instruction No. 09/2011/P&D, 02/2019/PD&C (as the case may be) of CE/PD&C, DHBVN, Hisar, issued by the Nigam, must be fully complied with and strictly adhered to.
11. **License Validity:** The validity of the License No. 40 of 2026 dated 03.03.2026 shall always remain sacrosanct. In the event the license expires, it shall be the developer's responsibility to ensure timely renewal with the DTCP.
12. **Revised EP for Load Change:** Modification Clause: Any modification in FAR or project scope, significant change in the final layout plan approved by DTCP, or added/deleted license areas resulting in a load revision, shall warrant submission of a revised EP by the builder/developer, who shall bear all resulting infrastructure upgrade costs per prevailing DHBVN guidelines.
13. **Seniority & Site Provisioning:** Seniority for connection release and energy meter site provisioning must align with SMI 1.24, SMI 4.2, and applicable HERC provisions.
14. **GIS Integration:** System updates, asset mapping, and consumer indexing must be ensured post infrastructure development.
15. **SOP Compliance:** Dormancy must be properly justified for any delay to avoid non-compliance under the RTS Act and SOP.
16. **Solar Provisions:** Compliance with SC Nos. D-33/2021 and D-04/2023 regarding rooftop solar installations are mandatory.
17. **Applicability of Regulations/Instructions of HERC/Nigam:** All applicable instructions of DHBVN and regulations of HERC issued from time to time shall be binding upon the builder/developer.

The approval of the Electrification Plan has been accorded in accordance with the statutory and regulatory framework prevailing as on the date of issuance. Any order, direction, clarification, regulation, or decision issued from time to time by the Hon'ble Haryana Electricity Regulatory Commission (HERC), Hon'ble Courts, or any other competent statutory authority, including those issued after this approval, shall be binding upon the applicant/developer. Accordingly, the Electrification Plan, load sanction, or power supply arrangements shall stand modified, reviewed, or regulated to the extent so required, without any claim, right, or estoppel against DHBVN.

The approval of the Electrification Plan shall not be construed as validation, regularization, or certification of compliance relating to land use, zoning, building permissions, FAR, occupancy, or any other statutory approvals governed by authorities other than DHBVN. The applicant/developer shall remain solely responsible for obtaining and maintaining all such approvals and compliances, and DHBVN shall not be liable for any consequence arising therefrom.

18. **Undertaking:** An NJSP (Notarized) undertaking to be obtained from the developer confirming acceptance and fulfilment of all conditions.
19. **Liability Clause:** The approval of the Electrification Plan is granted based on compliance with the above conditions. Any misrepresentation, delay, or non-compliance may render this approval void. DHBVN reserves the right to revoke this sanction and recover associated financial/operational losses, in addition to pursuing legal remedies.

DA:- Annexure-I

-sd-
CE/Commercial
DHBVN, Hisar

Endst. No: Ch-11/OLNC-HT/RWR/EP-603

Dated:- 01.07.2026

A copy of the above is also being forwarded to the Chief Town Planner, DTCP, Haryana, Plot No. 3, Sec-18A, Madhya Marg, Chandigarh, for information and further necessary action in the matter w.r.t the online application no DTCP120626134 dated 12.06.2026 received from your office on the online EP portal.

—sd—
CE/Commercial
DHBVN, Hisar

Endst. No: Ch-12/OLNC-HT/RWR/EP-603

Dated:- 01.07.2026

A copy of the above is also being forwarded to the following for their information on the matter, please: -

1. CE/TS, HVPN, Gurugram.
2. CE/Planning, HVPNL, Panchkula.
3. SE/TS, HVPN Gurugram.

—sd—
CE/Commercial
DHBVN, Hisar

Endst No: Ch-13/OLNC-HT/RWR/EP-603

Dated:- 01.07.2026

A copy of the approval letter is also being forwarded to:-

M/s Irenic Growth Pvt. Ltd.
Office – 11th Floor, Unit No. 001,
The Emaar Palm Square, Golf Course Extn. Road,
Sector-66, Gurugram-122102.

It is reiterated that the subject approval has been accorded based on the documents and details furnished along with the application. The approval shall remain contingent upon compliance with the stated conditions. In case of any misrepresentation or concealment of facts, or non-compliance with stipulated requirements, this approval shall stand void ab initio. Any deliberate misstatement or false declaration resulting in loss to Nigam shall make the firm liable to compensate for such loss, without prejudice to Nigam's right to seek legal remedies.

12/7/26
CE/Commercial
DHBVN, Hisar

Cc to:-

1. SPS to Director/Operations, DHBVN – for the kind information of the Director.
2. Chief Engineer Operation Delhi – for information on the matter.
3. SE/R-APDRP, DHBVN, Hisar – for information and ensuring necessary action w.r.t Sr. No. 14 of the terms and conditions, please.

For Irenic Growth Private Limited

Director

Load Calculation sheet M/s Irenic Growth Pvt. Ltd.										Annexure-I	
Plot Type	No. of Plots (A)	Total Area of plot in sq. meter	Area of one plot	In Marla	Load per Unit as per S.C. no. D-25/2024	Total Load	Demand Factor	Net Load In KW	Net Load in KVA	Required Capacity of T/F	
A	49	7159.60	146.11	5.78	7.78	381.07	0.4	152.43	169.36	211.70	
B	54	7954.34	147.30	5.82	7.82	422.49	0.4	169.00	187.77	234.72	
C	4	540.94	135.24	5.35	7.35	29.39	0.4	11.75	13.06	16.33	
Commercial Area		1116.93				164.19	0.5	82.09	91.22	114.02	
Community Area		0.690 acres				35	0.5	17.25	19.17	23.95	
Common area load								20	22.22	27.78	
Total								452.52	502.80	628.50	

For Irenic Growth Private Limited


Director