

































PLUMBING LEGENDS:	
1	110 DD SOIL PIPE PVC SWR TYPE-B (SOLVENT JOINT)
2	110 DD WASTE PIPE PVC SWR TYPE-B (SOLVENT JOINT)
3	COLD WATER SUPPLY ON TAKE FOR 1ST & 2ND FLR. (PVC SCH.40)
3a	COLD WATER SUPPLY ON TAKE FOR 3RD & 4TH FLR. (PVC SCH.40)
4	25ø WATER SUPPLY RISER PIPE (PVC SCH.40)
R	75 DD RWP FOR (BALCONY / TERRACE) PVC SWR TYPE-A ; TYPE-B UNDER GROUND
COP	CLEAN OUT PLUG

DOOR WINDOW SCHEDULE

TYPE	WIDTH	HEIGHT	SILL LVL	LINTEL LVL	REMARKS
D1 Pocket	1050	2350	± 00	2350	ENTRANCE
D2 Pocket	900	2350	± 00	2350	BEDROOMS
D3 Pocket	750	2350	± 00	2350	TOILETS
D4 Glazed Door	800	2350	± 00	2350/Beam bottom	KITCHEN
D5 Glazed Door	950	2350	± 00	2350/Beam bottom	BEDROOMS
D6 Glazed Door	1000	2350	± 00	2350	BASEMENT
SD2 Glazed Door Sliding	1900	2350	± 00	2350/Beam bottom	LIVING
SD3 Glazed Door Sliding	2600	2350	± 00	2350/Beam bottom	BEDROOMS
DW4 Glazed Door/Window	600-1120	2350	± 00	2350/Beam bottom	BEDROOMS
WT Glazed Window	1000	2350	± 00	Beam bottom	STAIRCASE
V1 Glazed Window	500	1350	1000	2350	TOILETS

AREA CALCULATION

						AREA	UNIT
TOTAL PLOT AREA (9.22 X 15.30)					=	141.07	SQ.M.
PERMISSIBLE FAR @ 2.64					=	372.414	SQ.M.
PROPOSED FAR @ 2.6398					=	372.383	SQ.M.
PERMISSIBLE GR. COV. @ 75%					=	105.80	SQ.M.
PROPOSED GROUND COVERAGE @ 74.34%					=	104.87	SQ.M.

AREA OF STILT FLOOR/ GROUND COVERAGE

A	9.220	X	12.700	X 1	=	117.094	SQ.M.
				TOTAL	=	117.094	SQ.M.
DEDUCTION							
1	4.820	X	1.695	X 1	=	8.170	SQ.M.
2	0.875	X	2.625	X 1	=	2.297	SQ.M.
3	5.615	X	0.625	X 1	=	1.755	SQ.M.
				TOTAL	=	12.220	SQ.M.
TOTAL AREA OF STILT FLOOR/ GROUND COVERAGE (A)					=	104.87	SQ.M.

FAR AREA OF STILT FLOOR

A	1.825	X	1.900	X 1	=	3.468	SQ.M.
				TOTAL	=	3.468	SQ.M.
FAR AREA OF STILT FLOOR (B)					=	3.468	SQ.M.

AREA OF TYPICAL FLOOR (1ST, 2ND, 3RD & 4TH)

A	9.220	X	12.700	X 1	=	117.094	SQ.M.
				TOTAL	=	117.094	SQ.M.
DEDUCTION							
1	4.820	X	1.695	X 1	=	8.170	SQ.M.
2	0.875	X	2.625	X 1	=	2.297	SQ.M.
3	5.615	X	0.625	X 1	=	3.509	SQ.M.
4	1.650	X	1.700	X 1	=	2.805	SQ.M.
5	1.925	X	4.200	X 1	=	8.085	SQ.M.
				TOTAL	=	24.865	SQ.M.
AREA OF TYPICAL FLOOR					=	92.229	SQ.M.
TOTAL AREA OF TYPICAL FLOOR (C)					=	368.915	SQ.M.
TOTAL FLOOR AREA (D) = (STILT+1ST FLOOR + 2ND FLOOR + 3RD FLOOR + 4TH FLOOR)					=	372.383	SQ.M.

BASEMENT AREA

A	9.220	X	12.800	X 1	=	118.016	SQ.M.
TOTAL BASEMENT AREA (E)					=	118.016	SQ.M.

MUMTY/MACHINE ROOM AREA

B	1.825	X	1.800	X 1	=	3.285	SQ.M.
TOTAL MUMTY/MACHINE ROOM AREA (F)					=	3.285	SQ.M.

STAIRCASE AREA (G)

5	1.975	X	4.200	X 4	=	33.180	SQ.M.
TOTAL BUILT-UP AREA (A+C+E+F+G)					=	628.270	SQ.M.



Vaibhav Vashisht, Architect
Council of Architecture
Registration. No. CA/2007/41326

Memo No. AA89-2017
Date- 24-Sep-2024

PROJECT:


PROPOSED BUILDING PLAN ON PLOT NO.- A7-1,4,10,18,31,35 FOR RESIDENTIAL PLOTTED COLONY UNCER DEEN DAYAL JAN AWAS YOJNA) OVER AN AREA MEASURING 57.40ACRES (LICENSE NO 32 OF 2021, DATED 03.07.2021 FOR AN AREA MEASURING 52.275 ACRES & LICENSE NO. 102 OF 2022 DATED 27.02.2022 FOR AN AREA MEASURING 5.125 ACRE(S) IN THE REVENUE ESTATE OF VILLAGE HAYATPUR, SECTOR-89, GURUGRAM BEING DEVELOPED BY AAWAM RESIDENCY PRIVATE LIMITED & OTHERS IN COLLABORATION WITH ADHIKAANSH REALTORS PRIVATE LIMITED.

DRAWING TITLE:
FLOOR PLANS WITH AREA CALCULATION, ELEVATIONS AND SECTIONS
TYPE- A7 (Left Corner)


ARCHITECT'S SIGN

Vaibhav Vashisht, Architect
Council of Architecture
Registration. No. CA/2007/41326


AUTHORIZED SIGN




SITE PLAN




BASEMENT FLOOR PLAN




STILT FLOOR PLAN




TYPICAL FLOOR PLAN
(1st, 2ND, 3RD & 4TH)




TERRACE FLOOR PLAN



SECTION-A



SECTION-B




FRONT ELEVATION

REAR ELEVATION

DOOR WINDOW SCHEDULE					
TYPE	WIDTH	HEIGHT	SILL LVL	LINTEL LVL	REMARKS
D1	1000	2350	± 00	2350	ENTRANCE
D2	900	2350	± 00	2350	BEDROOMS
D3	750	2350	± 00	2350	TOILETS
D4	800	2350	± 00	2350/Beam bottom	KITCHEN
D5	850	2350	± 00	2350/Beam bottom	BEDROOMS
D6	1000	2350	± 00	2350	BASEMENT
W1	1800	2350	± 00	2350/Beam bottom	LIVING
W2	2650	2350	± 00	2350/Beam bottom	BEDROOMS
W3	800-1100	2350	± 00	2350/Beam bottom	BEDROOMS
W4	1000	2350	± 00	Beam bottom	STAIRCASE
V1	500	1350	1000	2350	TOILETS

PLUMBING LEGENDS:
1 110 OD SOIL PIPE PVC SWR TYPE-B (SOLVENT JOINT)
2 110 OD WASTE PIPE PVC SWR TYPE-B (SOLVENT JOINT)
3 COLD WATER SUPPLY DN TAKE FOR 1ST & 2ND FLR. (PVC SCH.40)
3a COLD WATER SUPPLY DN TAKE FOR 3RD & 4TH FLR. (PVC SCH.40)
4 25Ø WATER SUPPLY RISER PIPE (PVC SCH.40)
R 75 OD RWP FOR (BALCONY / TERRACE) PVC SWR TYPE-B ,TYPE-B UNDER GROUND
CDP CLEAN OUT PLUG



MUMTY/MACHINE ROOM




MACHINE ROOM
AREA DIAGRAM




STILT FLOOR- FAR AREA DIAGRAM



BASEMENT AREA DIAGRAM



GROUND COVERAGE/ STILT FLOOR- AREA DIAGRAM



TYPICAL FLOOR- AREA DIAGRAM

AREA CALCULATION							
						AREA	UNIT
TOTAL PLOT AREA (9.22 X 15.30)					=	141.07	SQ.M.
PERMISSIBLE FAR @ 2.64					=	372.414	SQ.M.
PROPOSED FAR @ 2.638					=	372.411	SQ.M.
PERMISSIBLE GR. COV. @ 75%					=	105.80	SQ.M.
PROPOSED GROUND COVERAGE @ 74.35%					=	104.88	SQ.M.

AREA OF STILT FLOOR/ GROUND COVERAGE							
A	9.220	X	12.700	X	1	=	117.094 SQ.M.
					TOTAL	=	117.094 SQ.M.
DEDUCTION							
1	4.870	X	1.695	X	1	=	8.255 SQ.M.
2	0.840	X	2.625	X	1	=	2.205 SQ.M.
3	5.615	X	0.625	X	1	=	1.755 SQ.M.
					TOTAL	=	12.213 SQ.M.
TOTAL AREA OF STILT FLOOR/ GROUND COVERAGE (A)						=	104.88 SQ.M.

FAR AREA OF STILT FLOOR							
A	1.825	X	1.900	X	1	=	3.468 SQ.M.
FAR AREA OF STILT FLOOR (B)						=	3.468 SQ.M.

AREA OF TYPICAL FLOOR (1ST, 2ND, 3RD & 4TH)							
A	9.220	X	12.700	X	1	=	117.094 SQ.M.
					TOTAL	=	117.094 SQ.M.
DEDUCTION							
1	4.870	X	1.695	X	1	=	8.255 SQ.M.
2	0.840	X	2.625	X	1	=	2.205 SQ.M.
3	5.615	X	0.625	X	1	=	3.509 SQ.M.
4	1.650	X	1.700	X	1	=	2.805 SQ.M.
5	1.925	X	4.200	X	1	=	8.085 SQ.M.
					TOTAL	=	24.858 SQ.M.
AREA OF TYPICAL FLOOR						=	92.236 SQ.M.
TOTAL AREA OF TYPICAL FLOOR (C)						=	368.944 SQ.M.
TOTAL FLOOR AREA (D) = (STILT+1ST FLOOR + 2ND FLOOR + 3RD FLOOR + 4TH FLOOR)						=	372.411 SQ.M.

BASEMENT AREA							
A	9.220	X	12.800	X	1	=	118.016 SQ.M.
TOTAL BASEMENT AREA (E)						=	118.016 SQ.M.
MUMTY/MACHINE ROOM AREA							
B	1.825	X	1.900	X	1	=	3.468 SQ.M.
TOTAL MUMTY/MACHINE ROOM AREA (F)						=	3.468 SQ.M.
STAIRCASE AREA (G)							
5	1.975	X	4.200	X	4	=	33.180 SQ.M.
TOTAL BUILT-UP AREA (A+C+E+F+G)						=	628.488 SQ.M.

Vaibhav Vashisht, Architect
Council of Architecture
Registration. No. CA/2007/41326

Memo No. AA89-2017
Date: 24-Sep-2024



KEY PLAN


PROJECT:
PROPOSED BUILDING PLAN ON PLOT NO.- A7-2,6,8,12,14,16,20,22,24,27,29,33 FOR RESIDENTIAL PLOTTED COLONY UNDER DEEN DAYAL JAN AWAS YOJNA) OVER AN AREA MEASURING 57.40ACRES (LICENSE NO. 32 OF 2021, DATED 03.07.2021 FOR AN AREA MEASURING 52.275 ACRES & LICENSE NO. 102 OF 2022 DATED 27.02.2022 FOR AN AREA MEASURING 5.125 ACRES) IN THE REVENUE ESTATE OF VILLAGE HAYATPUR, SECTOR-89, GURUGRAM BEING DEVELOPED BY AAWAM RESIDENCY PRIVATE LIMITED & OTHERS IN COLLABORATION WITH ADHIKAANSH REALTORS PRIVATE LIMITED.

DRAWING TITLE:
FLOOR PLANS WITH AREA CALCULATION, ELEVATIONS AND SECTIONS
TYPE- A7 (Left)


ARCHITECT'S SIGN

Vaibhav Vashisht, Architect
Council of Architecture
Registration. No. CA/2007/41326


AUTHORIZED SIGN




SITE PLAN




BASEMENT FLOOR PLAN




STILT FLOOR PLAN




TYPICAL FLOOR PLAN
(1st, 2ND, 3RD & 4TH)



TERRACE FLOOR PLAN




SECTION-A



SECTION-B



FRONT ELEVATION



REAR ELEVATION

DOOR WINDOW SCHEDULE

TYPE	WIDTH	HEIGHT	SILL LVL	LINTEL LVL	REMARKS
D1	1050	2350	± 00	2350	ENTRANCE
D2	900	2350	± 00	2350	BEDROOMS
D3	750	2350	± 00	2350	TOILETS
D4	800	2350	± 00	2350/Beam bottom	KITCHEN
D5	950	2350	± 00	2350/Beam bottom	BEDROOMS
D6	1200	2350	± 00	2350	BASEMENT
D7	1900	2350	± 00	2350/Beam bottom	LIVING
D8	2400	2350	± 00	2350/Beam bottom	BEDROOMS
D9	800-1120	2350	± 00	2350/Beam bottom	BEDROOMS
V1	1000	2350	± 00	Beam bottom	STAIRCASE
V2	500	1350	1000	2350	TOILETS

PLUMBING LEGENDS:

1	110 OD SOIL PIPE PVC SWR TYPE-B (SOLVENT JOINT)
2	110 OD WASTE PIPE PVC SWR TYPE-B (SOLVENT JOINT)
3	COLD WATER SUPPLY ON TAKE FOR 1ST & 2ND FLR. (PVC SCH.80)
3a	COLD WATER SUPPLY ON TAKE FOR 3RD & 4TH FLR (PVC SCH.40)
4	25Ø WATER SUPPLY RISER PIPE (PVC SC-40)
R	75 OD RWP FOR (BALCONY / TERRACE) PVC SWR TYPE-A ,TYPE-B UNDER GROUND
COP	CLEAN OUT PLUG



MUMTY/MACHINE ROOM




MACHINE ROOM
AREA DIAGRAM




STILT FLOOR- FAR AREA DIAGRAM



BASEMENT AREA DIAGRAM



GROUND COVERAGE/ STILT FLOOR- AREA DIAGRAM



TYPICAL FLOOR- AREA DIAGRAM

AREA CALCULATION

						AREA	UNIT
TOTAL PLOT AREA (9.22 X 15.30)					=	**141.07**	**SQ.M.**
PERMISSIBLE FAR @ 2.64					=	372.414	SQ.M.
PROPOSED FAR @ 2.6398					=	**372.383**	**SQ.M.**
PERMISSIBLE GR. COV. @ 75%					=	105.80	SQ.M.
PROPOSED GROUND COVERAGE @ 74.34%					=	**104.87**	**SQ.M.**

AREA OF STILT FLOOR/ GROUND COVERAGE

A	9.220	X	12.700	X	1	=	117.094	SQ.M.
					TOTAL	=	117.094	SQ.M.
DEDUCTION								
1	4.820	X	1.695	X	1	=	8.170	SQ.M.
2	0.875	X	2.625	X	1	=	2.297	SQ.M.
3	5.615	X	0.625	X	1	=	1.755	SQ.M.
					TOTAL	=	12.220	SQ.M.
TOTAL AREA OF STILT FLOOR/ GROUND COVERAGE (A)						=	**104.87**	**SQ.M.**

FAR AREA OF STILT FLOOR

A	1.825	X	1.900	X	1	=	3.468	SQ.M.
					TOTAL	=	3.468	SQ.M.
FAR AREA OF STILT FLOOR (B)						=	**3.468**	**SQ.M.**

AREA OF TYPICAL FLOOR (1ST, 2ND, 3RD & 4TH)

A	9.220	X	12.700	X	1	=	117.094	SQ.M.
					TOTAL	=	117.094	SQ.M.
DEDUCTION								
1	4.820	X	1.695	X	1	=	8.170	SQ.M.
2	0.875	X	2.625	X	1	=	2.297	SQ.M.
3	5.615	X	0.625	X	1	=	3.509	SQ.M.
4	1.650	X	1.700	X	1	=	2.805	SQ.M.
5	1.925	X	4.200	X	1	=	8.085	SQ.M.
					TOTAL	=	24.865	SQ.M.
AREA OF TYPICAL FLOOR						=	**92.229**	**SQ.M.**
TOTAL AREA OF TYPICAL FLOOR (C)						=	**368.915**	**SQ.M.**

TOTAL FLOOR AREA (D) = (STILT+1ST FLOOR + 2ND FLOOR + 3RD FLOOR + 4TH FLOOR)						=	**372.383**	**SQ.M.**

BASEMENT AREA

A	9.220	X	12.800	X	1	=	118.016	SQ.M.
TOTAL BASEMENT AREA (E)						=	**118.016**	**SQ.M.**

MUMTY/MACHINE ROOM AREA

B	1.825	X	1.800	X	1	=	3.285	SQ.M.
TOTAL MUMTY/MACHINE ROOM AREA (F)						=	**3.285**	**SQ.M.**

STAIRCASE AREA (G)

5	1.975	X	4.200	X	4	=	33.180	SQ.M.
TOTAL BUILT-UP AREA (A+C+E+F+G)						=	**628.270**	**SQ.M.**

Vaibhav Vashisht, Architect
Council of Architecture
Registration. No. CA/2007/41326

Memo No. AA89-2017
Date: 24-Sep-2024



KEY PLAN


PROJECT:
PROPOSED BUILDING PLAN ON PLOT NO.- A7-3,9,17,25,26,32 FOR RESIDENTIAL PLOTTED COLONY UNDER DEEN DAYAL JAN AWAS YOJNA) OVER AN AREA MEASURING 57.40ACRES (LICENSE NO. 32 OF 2021, DATED 03.07.2021 FOR AN AREA MEASURING 52.275 ACRES & LICENSE NO. 102 OF 2022 DATED 27.02.2022 FOR AN AREA MEASURING 5.125 ACRES) IN THE REVENUE ESTATE OF VILLAGE HAYATPUR, SECTOR-89, GURUGRAM BEING DEVELOPED BY AAWAM RESIDENCY PRIVATE LIMITED & OTHERS IN COLLABORATION WITH ADHIKAANSH REALTORS PRIVATE LIMITED.

DRAWING TITLE:
FLOOR PLANS WITH AREA CALCULATION, ELEVATIONS AND SECTIONS
TYPE- A7 (Right Corner)


ARCHITECT'S SIGN

Vaibhav Vashisht, Architect
Council of Architecture
Registration. No. CA/2007/41326


AUTHORIZED SIGN




SITE PLAN




BASEMENT FLOOR PLAN




STILT FLOOR PLAN




TYPICAL FLOOR PLAN
(1st, 2ND,3RD & 4TH)




TERRACE FLOOR PLAN



SECTION-A



SECTION-B



FRONT ELEVATION


REAR ELEVATION

DOOR WINDOW SCHEDULE

TYPE	WIDTH	HEIGHT	SILL LVL	LINTEL LVL	REMARKS
D1	1000	2350	± 00	2350	ENTRANCE
D2	900	2350	± 00	2350	BEDROOMS
D3	750	2350	± 00	2350	TOILETS
D4	800	2350	± 00	2350+Beam bottom	KITCHEN
D5	850	2350	± 00	2350+Beam bottom	BEDROOMS
D6	1000	2350	± 00	2350	BASEMENT
D7	1900	2350	± 00	2350+Beam bottom	LIVING
D8	2400	2350	± 00	2350+Beam bottom	BEDROOMS
D9	900-1100	2350	± 00	2350+Beam bottom	BEDROOMS
D10	1000	2350	± 00	Beam bottom	STAIRCASE
V1	600	1350	1000	2350	TOILETS

PLUMBING LEGENDS:


1	110 OD SOIL PIPE PVC SWR TYPE-B (SOLVENT JOINT)
2	110 OD WASTE PIPE PVC SWR TYPE-B (SOLVENT JOINT)
3	COLD WATER SUPPLY DN TAKE FOR 1ST & 2ND FLR. (PVC SCH.40)
3a	COLD WATER SUPPLY DN TAKE FOR 3RD & 4TH FLR. (PVC SCH.40)
4	25Ø WATER SUPPLY RISER PIPE (PVC SCH.40)
R	75 OD RWP FOR (BALCONY / TERRACE) PVC SWR TYPE-A, TYPE-B UNDER GROUND
COP	CLEAN OUT PLUG




MUMTY/MACHINE ROOM

MACHINE ROOM
AREA DIAGRAM


STILT FLOOR- FAR AREA DIAGRAM



BASEMENT AREA DIAGRAM



GROUND COVERAGE/ STILT FLOOR- AREA DIAGRAM



TYPICAL FLOOR- AREA DIAGRAM

AREA CALCULATION

							AREA	UNIT
TOTAL PLOT AREA (9.22 X 15.30)						=	141.07	SQ.M.
PERMISSIBLE FAR @ 2.64						=	372.414	SQ.M.
PROPOSED FAR @ 2.638						=	372.411	SQ.M.
PERMISSIBLE GR. COV. @ 75%						=	105.80	SQ.M.
PROPOSED GROUND COVERAGE @ 74.38%						=	104.88	SQ.M.

AREA OF STILT FLOOR/ GROUND COVERAGE

A	9.220	X	12.700	X	1	=	117.094	SQ.M.
					TOTAL	=	117.094	SQ.M.
DEDUCTION								
1	4.870	X	1.695	X	1	=	8.255	SQ.M.
2	0.840	X	2.625	X	1	=	2.205	SQ.M.
3	5.615	X	0.625	X	1	=	1.755	SQ.M.
					TOTAL	=	12.213	SQ.M.
TOTAL AREA OF STILT FLOOR/ GROUND COVERAGE (A)						=	104.88	SQ.M.

FAR AREA OF STILT FLOOR

A	1.825	X	1.900	X	1	=	3.468	SQ.M.
FAR AREA OF STILT FLOOR (B)						=	3.468	SQ.M.

AREA OF TYPICAL FLOOR (1ST, 2ND, 3RD & 4TH)

A	9.220	X	12.700	X	1	=	117.094	SQ.M.
					TOTAL	=	117.094	SQ.M.
DEDUCTION								
1	4.870	X	1.695	X	1	=	8.255	SQ.M.
2	0.840	X	2.625	X	1	=	2.205	SQ.M.
3	5.615	X	0.625	X	1	=	3.509	SQ.M.
4	1.650	X	1.700	X	1	=	2.805	SQ.M.
5	1.925	X	4.200	X	1	=	8.085	SQ.M.
					TOTAL	=	24.858	SQ.M.
AREA OF TYPICAL FLOOR						=	92.236	SQ.M.
TOTAL AREA OF TYPICAL FLOOR (C)						=	368.944	SQ.M.
TOTAL FLOOR AREA (D) = (STILT+1ST FLOOR + 2ND FLOOR + 3RD FLOOR + 4TH FLOOR)						=	372.411	SQ.M.

BASEMENT AREA

A	9.220	X	12.800	X	1	=	118.016	SQ.M.
TOTAL BASEMENT AREA (E)						=	118.016	SQ.M.

MUMTY/MACHINE ROOM AREA

B	1.825	X	1.900	X	1	=	3.468	SQ.M.
TOTAL MUMTY/MACHINE ROOM AREA (F)						=	3.468	SQ.M.

STAIRCASE AREA (G)

5	1.975	X	4.200	X	4	=	33.180	SQ.M.
TOTAL BUILT-UP AREA (A+C+E+F+G)						=	628.488	SQ.M.

Vaibhav Vashisht, Architect
Council of Architecture
Registration. No. CA/2007/41326

Memo No. AA89-2017
Date: 24-Sep-2024



KEY PLAN

PROJECT:
PROPOSED BUILDING PLAN ON PLOT NO.- A7-5,7,11,13,15,19,21,23,28,30,34 FOR RESIDENTIAL PLOTTED COLONY UNDER DEEN DAYAL JAN AWAS YOJNA) OVER AN AREA MEASURING 57.40ACRES (LICENSE NO. 32 OF 2021, DATED 03.07.2021 FOR AN AREA MEASURING 52.275 ACRES & LICENSE NO. 102 OF 2022 DATED 27.02.2022 FOR AN AREA MEASURING 5.125 ACRES) IN THE REVENUE ESTATE OF VILLAGE HAYATPUR, SECTOR-89, GURUGRAM BEING DEVELOPED BY AAWAM RESIDENCY PRIVATE LIMITED & OTHERS IN COLLABORATION WITH ADHIKAANSH REALTORS PRIVATE LIMITED.

DRAWING TITLE:
FLOOR PLANS WITH AREA CALCULATION, ELEVATIONS AND SECTIONS
TYPE- A7 (Right)

ARCHITECT'S SIGN

Vaibhav Vashisht, Architect
Council of Architecture
Registration. No. CA/2007/41326

AUTHORIZED SIGN