



AREA CHART - ADDITIONAL FAR PROPOSED ON GROUND FLOOR STILL AREA				
ADDITION				
AREA TAG	LENGTH Gn No	WIDTH Gn No	NOS	AREA Gn S200
A01	7.260	18.365	1	133.303
A02	2.530	1.580	1	3.987
A03	8.632	2.090	1	18.166
A04	18.962	3.173	1	56.701
SUB-TOTAL				211.404
DEDUCTION				
				0
SUB-TOTAL	0.000	0.000	0	0.000
ADDITIONAL FAR PROPOSED	0.000	0.000	0	211.404
TAK AREA AS NEW SCHEDULED USE				2686.1340
TOTAL NEW FAR PROPOSED				2897.5384

 PROPOSED AREA WITHIN
STILT

TOTAL AREA DETAIL - EWS			
GROUND FLOOR	=	349.034	Sq.m
1st FLOOR	=	577.025	Sq.m
2nd FLOOR	=	577.025	Sq.m
3rd FLOOR	=	577.025	Sq.m
4th FLOOR	=	577.025	Sq.m
TOTAL AREA ON ALL FLOORS		2660.134	Sq.m

THIS DRAWING IS THE PROPERTY OF DPM AND NOT TO BE
COPIED OR USED WITHOUT THEIR WRITTEN PERMISSION.



OWNER
CONSOLIDATE REALTOR PVT.
LTD.

CONSULTANTS

DESIGNPLUS ASSOCIATES SERVICES
PVT. LTD.

Structural Consultant:
VINTECH CONSULTANTS

C-35, Pamposh Enclave, Greater
Kailash-1, New Delhi

C P VIDYA & ASSOCIATES

South City - II, Sector 49,
Gurgaon

1. *Journal of the American Medical Association*, 273: 1025-1030, 1995.

- NOTES:
1. ALL DIMENSIONS ARE IN MM. UNLESS MENTIONED OTHERWISE.
 2. ALL DIMENSIONS ARE TO BE READ ONLY AND NOT TO BE MEASURED / SCALED.
 3. BUILDING HAS AUTOMATIC SPRINKLER SYSTEM WHEREVER REQUIRED AS PER NBC.
 4. BUILDING SHALL BE DESIGNED (STRUCTURES) AS PER RELEVANT IS CODE FOR EARTHQUAKE RESISTANCE.

- | FIRE LEGEND:- | |
|---|------------------------------------|
| A | 150W HYDRANT PIPE FOR LOW ZONE. |
| B | 80W DRAIN PIPE |
| C | 150W SPRINKLER PIPE FOR HIGH ZONE |
| D | 150W MAKE UP LINE |
| E | 150W SPRINKLER PIPE FOR LOW ZONE. |
| F | 120W HYDRANT PIPE FOR HIGH ZONE |
|  | CO2 4.5 KG. |
|  | WATER TYPE FIRE EXTINGUISHERS 9Lb. |

- | PLUMBING LEGEND:- | |
|-------------------|------------------------|
| FD TO FT | 50 OD uPVC WASTE PIPE |
| WB TO FT | 40 OD uPVC WASTE PIPE |
| FT TO MAIN PIPE | 110 OD uPVC WASTE PIPE |
| WC TO MAIN PIPE | 110 OD uPVC SOIL PIPE |

- | | |
|----|--------------------------------|
| 1 | 110 OD uPVC SOIL & VENT PIPE |
| 2 | 110 OD uPVC WASTE & VENT PIPE |
| 3 | 75 OD uPVC VENT PIPE |
| 4 | 110 OD uPVC BALCONY PIPE |
| 4a | 100 OD uPVC RAIN WATER PIPE |
| 4b | 110 OD uPVC RAIN WATER PIPE |
| 5 | DOMESTIC WATER SUPPLY DOWNTAKE |
| 6 | FLUSHING WATER SUPPLY DOWNTAKE |
| 7 | DOMESTIC WATER SUPPLY RISER |
| 8 | FLUSHING WATER SUPPLY RISER |

- | | |
|-----|----------------------------|
| DWG | DOMESTIC WATER SUPPLY PIPE |
| FWS | FLUSHING WATER SUPPLY PIPE |
| FT | FLOOR TRAP |
| FD | FLOOR DRAIN |
| AD | ACCESS DOOR |
| COP | CLEAN OUT PLUG |
| BD | BALCONY DRAIN |
| FHC | FIRE HOSE CABINET |
| | |
| | |

2. PROVIDE OF AND DOCUMENTATION IS CRITICAL TO THE SUCCESS OF AN INVESTIGATION. ALL INFORMATION IS CRITICAL.
3. DOCUMENTATION SHOULD NOT BE DELETED ONLY INFORMATION SHOULD BE DELETED.
4. THIS TRAINING SHOULD BE RE-ANNUALLY DOCUMENTED WITH ALL INFORMATION (LAW, SCIENCE, DOCUMENTATION, AND INVESTIGATION TRAINING).
5. ALL INFORMATION SHOULD BE DELETED AT THE END OF THE INVESTIGATION.

-

- Proposed Addition of Tower 11
in Group Housing Colony
measuring 13.344 Acres
(License No. 53 of 2011, Dated
10.06.2011).

- Sector 67, Gurgaon Manesar Urban
Complex being developed by
Consolidate Realltors Pvt. Ltd.

- SUBMISSION DRAWING
- DRAWING TITLE

- ## AND AREA CHART

- 76

- | | |
|----------------|---|
| SCALE | NORTH |
| 1:150 |  |
| DRAWING NUMBER | REVISION |

- | | |
|-------|--|
| E-102 | |
|-------|--|

Proposed Addition of Tower 11
in Group Housing Colony
measuring 13.344 Acres
(License No. 53 of 2011, Dated
10.06.2011)

Sector 67, Gurgaon Manesar Urban
Complex being developed by
Consolidate Realltors Pvt. Ltd.

SUBMISSION DRAWING

DRAWING TITLE

AND AREA CHART

76

SCALE	NORTH
1:150	
DRAWING NUMBER	REVISION

E-102	
-------	--