





SITE PLAN




BASEMENT PLAN




STILT FLOOR PLAN




TYPICAL FLOOR PLAN
(1ST, 2ND, 3RD & 4TH FLOOR)




TERRACE PLAN



SECTION-B



SECTION-A



FRONT ELEVATION




REAR ELEVATION




KEY PLAN


PLUMBING LEGENDS:	
1	110 OD SOIL PIPE
2	110 OD WASTE PIPE
3	COLD WATER SUPPLY DN TAKE
3ø	COLD WATER SUPPLY DN TAKE BY HYDRO-PNEUMATIC SYSTEM
4	25ø WATER SUPPLY RISER PIPE
R1	75 OD RWP FOR (BALCONY)
R	110 OD RWP FOR (TERRACE)
COP	CLEAN OUT PLUG




BASEMENT
AREA DIAGRAM



STILT FLOOR AREA DIAGRAM
(GR COVERAGE)



TYPICAL FLOOR
AREA DIAGRAM



MUMTY/MACHINE ROOM



MACHINE ROOM
AREA DIAGRAM



STILT FLOOR FAR
AREA DIAGRAM

Vaibhav Vashisht, Architect
Council of Architecture
Registration. No. CA/2007/41326

Memo No. AA89-2005
Date- 24-Sep-2024

DOOR WINDOW SCHEDULE

TYPE	WIDTH	HEIGHT	SILL LVL	LINTEL LVL	REMARKS
D1 Flushed	1050	2350	± 00	2350	ENTRANCE
D2 Flushed	900	2350	± 00	2350	BEDROOMS
D3 Flushed	750	2350	± 00	2350	TOILETS
SD1 Glazed Door - Sliding	2400	2350	± 00	2350/Beam bottom	LIVING
SD2 Glazed Door - Sliding	1200	2350	± 00	2350/Beam bottom	BEDROOMS
DW1 Glazed Door /Window	750-1200	2350	± 00	2350/Beam bottom	LIVING
DW2 Glazed Door /Window	750-1070	2350	± 00	2350/Beam bottom	BEDROOMS
W1 Glazed Window	1550	1450	± 900	2350/Beam bottom	KITCHEN
W2 Glazed Window	1060	Beam bottom	± 00	Beam bottom	STAIRCASE
V1 Ventilator	500	1350	± 1050	2350	TOILETS
D5 Glazed Door	1000	2350	± 00	2350	BASEMENT

AREA CALCULATION

							AREA	UNIT
TOTAL PLOT AREA (9.200X10.590)						=	**97.428**	**SQ.M.**
PERMISSIBLE FAR @ 2.64						=	257.210	SQ.M.
PROPOSED FAR @ 2.46						=	**241.616**	**SQ.M.**
PERMISSIBLE GR. COV. @ 75%						=	73.071	SQ.M.
PROPOSED GROUND COVERAGE @ 71.50%						=	**69.638**	**SQ.M.**

AREA OF STILT FLOOR/ GROUND COVERAGE

A	9.175	X	8.090	X	1	=	74.226	SQ.M.
					TOTAL	=	74.226	SQ.M.
DEDUCTION								
1	4.710	X	0.650	X	1	=	3.062	SQ.M.
2	1.220	X	0.390	X	1	=	0.476	SQ.M.
3	1.430	X	0.565	X	1	=	0.808	SQ.M.
4	0.290	X	0.290	X	1	=	0.042	SQ.M.
					TOTAL	=	4.387	SQ.M.
TOTAL AREA OF STILT FLOOR/ GROUND COVERAGE (A)						=	**69.838**	**SQ.M.**

FAR AREA OF STILT FLOOR

A	1.825	X	1.700	X	1	=	3.103	SQ.M.
					TOTAL	=	3.103	SQ.M.
TOTAL FAR AREA OF STILT FLOOR (B)						=	**3.103**	**SQ.M.**

FAR AREA OF TYPICAL FLOOR (1ST, 2ND, 3RD & 4TH)

A	9.175	X	8.090	X	1	=	74.226	SQ.M.
					TOTAL	=	74.226	SQ.M.
DEDUCTION								
1	4.710	X	0.650	X	1	=	3.062	SQ.M.
2	1.220	X	0.390	X	1	=	0.476	SQ.M.
3	1.430	X	0.565	X	1	=	0.808	SQ.M.
4	0.290	X	0.290	X	1	=	0.042	SQ.M.
5	1.550	X	1.500	X	1	=	2.325	SQ.M.
6	1.900	X	4.150	X	1	=	7.885	SQ.M.
					TOTAL	=	14.597	SQ.M.
TOTAL AREA OF TYPICAL FLOOR (C)						=	**59.628**	**SQ.M.**
TOTAL FLOOR AREA (D)								
= (1ST FLOOR + 2ND FLOOR + 3RD FLOOR + 4TH FLOOR)						=	**241.616**	**SQ.M.**

BASEMENT AREA

A	9.175	X	8.090	X	1	=	74.226	SQ.M.
TOTAL BASEMENT AREA (E)						=	**74.226**	**SQ.M.**

MUMTY/ MACHINE ROOM AREA

A	1.825	X	1.700	X	1	=	3.103	SQ.M.
TOTAL MUMTY/ MACHINE ROOM AREA (F)						=	**3.103**	**SQ.M.**

STAIRCASE AREA

6	1.900	X	4.150	X	4	=	31.540	SQ.M.
TOTAL STAIRCASE AREA (G)						=	**31.540**	**SQ.M.**
TOTAL BUILT-UP AREA (A+C+E+F+G)						=	**417.221**	**SQ.M.**


PROJECT:
REVISED BUILDING PLAN ON PLOT NO.- E-3,7,11,15 FOR RESIDENTIAL PLOTTED COLONY UNDER DEEN DAYAL JAN AWAS YOJNA) OVER AN AREA MEASURING 57.40 ACRES (LICENSE NO. 32 OF 2021, DATED 03.07.2021 FOR AN AREA MEASURING 52.275 ACRES & LICENSE NO. 102 OF 2022 DATED 27.02.2022 FOR AN AREA MEASURING 5.125 ACRES) IN THE REVENUE ESTATE OF VILLAGE HAYATPUR, SECTOR-89, GURUGRAM BEING DEVELOPED BY AAWAM RESIDENCY PRIVATE LIMITED & OTHERS IN COLLABORATION WITH ADHIKAANSH REALTORS PRIVATE LIMITED.

DRAWING TITLE:
FLOOR PLANS WITH AREA CALCULATION, ELEVATIONS AND SECTIONS
TYPE- E (LEFT)


ARCHITECT'S SIGN

Vaibhav Vashisht, Architect
Council of Architecture
Registration. No. CA/2007/41326


AUTHORIZED SIGN




SITE PLAN




BASEMENT PLAN




STILT FLOOR PLAN




TYPICAL FLOOR PLAN
(1ST, 2ND, 3RD & 4TH FLOOR)



TERRACE PLAN



SECTION-B




SECTION-A




FRONT ELEVATION


REAR ELEVATION




BASEMENT
AREA DIAGRAM



STILT FLOOR AREA DIAGRAM
(GR COVERAGE)



TYPICAL FLOOR
AREA DIAGRAM



MUMTY/MACHINE ROOM



MACHINE ROOM
AREA DIAGRAM



STILT FLOOR FAR



KEY PLAN

PLUMBING LEGENDS:	
1	110 OD SOIL PIPE
2	110 OD WASTE PIPE
3	COLD WATER SUPPLY DN TAKE
3P	COLD WATER SUPPLY DN TAKE BY HYDRO-PNEUMATIC SYSTEM
4	25Ø WATER SUPPLY RISER PIPE
R1	75 OD RWP FOR (BALCONY)
R	110 OD RWP FOR (TERRACE)
COP	CLEAN OUT PLUG

Memo No. AA89-2005
Date- 24-Sep-2024

Vaibhav Vashisht, Architect
Council of Architecture
Registration. No. CA/2007/41326

DOOR WINDOW SCHEDULE

TYPE	WIDTH	HEIGHT	SILL LVL	LINTEL LVL	REMARKS
D1 Flushed	1050	2350	± 00	2350	ENTRANCE
D2 Flushed	900	2350	± 00	2350	BEDROOMS
D3 Flushed	750	2350	± 00	2350	TOILETS
SO1 Glazed Door - Sliding	2400	2350	± 00	2350/Beam bottom	LIVING
SO2 Glazed Door - Sliding	1200	2350	± 00	2350/Beam bottom	BEDROOMS
DW1 Glazed Door /Window	750-1200	2350	± 00	2350/Beam bottom	LIVING
DW2 Glazed Door /Window	750-1070	2350	± 00	2350/Beam bottom	BEDROOMS
W1 Glazed Window	1550	1450	± 900	2350/Beam bottom	KITCHEN
W2 Glazed Window	1050	Beam bottom	± 00	Beam bottom	STAIRCASE
V1 Ventilator	500	1350	± 1050	2350	TOILETS
D5 Glazed Door	1000	2350	± 00	2350	BASEMENT

AREA CALCULATION

							AREA	UNIT
TOTAL PLOT AREA (9.200X10.590)						=	**97.428**	**SQ.M.**
PERMISSIBLE FAR @ 2.64						=	257.210	SQ.M.
PROPOSED FAR @ 2.46						=	**241.616**	**SQ.M.**
PERMISSIBLE GR. COV. @ 75%						=	73.071	SQ.M.
PROPOSED GROUND COVERAGE @ 71.50%						=	**69.838**	**SQ.M.**
AREA OF STILT FLOOR/ GROUND COVERAGE								
A	9.175	X	8.090	X	1	=	74.226	SQ.M.
					TOTAL	=	74.226	SQ.M.
DEDUCTION								
1	4.710	X	0.650	X	1	=	3.062	SQ.M.
2	1.220	X	0.390	X	1	=	0.476	SQ.M.
3	1.430	X	0.565	X	1	=	0.808	SQ.M.
4	0.290	X	0.290	X	1	=	0.042	SQ.M.
					TOTAL	=	4.387	SQ.M.
TOTAL AREA OF STILT FLOOR/ GROUND COVERAGE (A)						=	**69.838**	**SQ.M.**
FAR AREA OF STILT FLOOR								
A	1.825	X	1.700	X	1	=	3.103	SQ.M.
					TOTAL	=	3.103	SQ.M.
TOTAL FAR AREA OF STILT FLOOR (B)						=	**3.103**	**SQ.M.**
FAR AREA OF TYPICAL FLOOR (1ST, 2ND, 3RD & 4TH)								
A	9.175	X	8.090	X	1	=	74.226	SQ.M.
					TOTAL	=	74.226	SQ.M.
DEDUCTION								
1	4.710	X	0.650	X	1	=	3.062	SQ.M.
2	1.220	X	0.390	X	1	=	0.476	SQ.M.
3	1.430	X	0.565	X	1	=	0.808	SQ.M.
4	0.290	X	0.290	X	1	=	0.042	SQ.M.
5	1.550	X	1.500	X	1	=	2.325	SQ.M.
6	1.900	X	4.150	X	1	=	7.885	SQ.M.
					TOTAL	=	14.597	SQ.M.
TOTAL AREA OF TYPICAL FLOOR (C)						=	**59.628**	**SQ.M.**
TOTAL FLOOR AREA (D)								
= (1ST FLOOR + 2ND FLOOR + 3RD FLOOR + 4TH FLOOR)						=	**241.616**	**SQ.M.**
BASEMENT AREA								
A	9.175	X	8.090	X	1	=	74.226	SQ.M.
TOTAL BASEMENT AREA (E)						=	**74.226**	**SQ.M.**
MUMTY/ MACHINE ROOM AREA								
A	1.825	X	1.700	X	1	=	3.103	SQ.M.
TOTAL MUMTY/ MACHINE ROOM AREA (F)						=	**3.103**	**SQ.M.**
STAIRCASE AREA								
6	1.900	X	4.150	X	4	=	31.540	SQ.M.
TOTAL STAIRCASE AREA (G)						=	**31.540**	**SQ.M.**
TOTAL BUILT-UP AREA (A+C+E+F+G)						=	**417.221**	**SQ.M.**

PROJECT:

REVISED BUILDING PLAN ON PLOT NO.- E-1,5,9,13 FOR RESIDENTIAL FLOTTED COLONY UNDER DEEN DAYAL JAN AWAS YOJNA) OVER AN AREA MEASURING 57.40ACRES (LICENSE NO. 32 OF 2021, DATED 03.07.2021 FOR AN AREA MEASURING 52.275 ACRES & LICENSE NO. 102 OF 2022 DATED 27.02.2022 FOR AN AREA MEASURING 5.125 ACRES) IN THE REVENUE ESTATE OF VILLAGE HAYATPUR, SECTOR-89, GURUGRAM BEING DEVELOPED BY AAWAM RESIDENCY PRIVATE LIMITED & OTHERS IN COLLABORATION WITH ADHIKAANSH REALTORS PRIVATE LIMITED.


DRAWING TITLE:

FLOOR PLANS WITH AREA CALCULATION, ELEVATIONS AND SECTIONS
TYPE- E (Right Corner)


ARCHITECT'S SIGN

Vaibhav Vashisht, Architect
Council of Architecture
Registration. No. CA/2007/41326


AUTHORIZED SIGN




SITE PLAN




BASEMENT PLAN




STILT FLOOR PLAN




TYPICAL FLOOR PLAN
(1ST, 2ND, 3RD & 4TH FLOOR)



TERRACE PLAN



SECTION-B




SECTION-A




PLUMBING LEGENDS:	
1	110 OD SOIL PIPE
2	110 OD WASTE PIPE
3	COLD WATER SUPPLY DN TAKE
3a	COLD WATER SUPPLY DN TAKE BY HYDRO-PNEUMATIC SYSTEM
4	25Ø WATER SUPPLY RISER PIPE
R1	75 OD RWP FOR (BALCONY)
R	110 OD RWP FOR (TERRACE)
COP	CLEAN OUT PLUG




FRONT ELEVATION




REAR ELEVATION




BASEMENT AREA DIAGRAM



STILT FLOOR AREA DIAGRAM (GR COVERAGE)



TYPICAL FLOOR AREA DIAGRAM



MUMTY/MACHINE ROOM





Vaibhav Vashisht, Architect
Council of Architecture
Registration. No. CA/2007/41326

Memo No. AA89-2005'
Date- 24-Sep-2024

DOOR WINDOW SCHEDULE

TYPE	WIDTH	HEIGHT	SILL LVL	LINTEL LVL	REMARKS
D1 Flushed	1050	2350	± 00	2350	ENTRANCE
D2 Flushed	900	2350	± 00	2350	BEDROOMS
D3 Flushed	750	2350	± 00	2350	TOILETS
SD1 Glazed Door - Sliding	2400	2350	± 00	2350/Beam bottom	LIVING
SD2 Glazed Door - Sliding	1200	2350	± 00	2350/Beam bottom	BEDROOMS
DW1 Glazed Door /Window	750-1200	2350	± 00	2350/Beam bottom	LIVING
DW2 Glazed Door /Window	750-1070	2350	± 00	2350/Beam bottom	BEDROOMS
W1 Glazed Window	1550	1450	± 900	2350/Beam bottom	KITCHEN
W2 Glazed Window	1050	Beam bottom	± 00	Beam bottom	STAIRCASE
V1 Ventilator	500	1350	± 1050	2350	TOILETS
D4 Glazed Door	1000	2350	± 00	2350	BASEMENT

AREA CALCULATION

							AREA	UNIT
TOTAL PLOT AREA (9.200X10.590)						=	**97.428**	**SQ.M.**
PERMISSIBLE FAR @ 2.64						=	257.210	SQ.M.
PROPOSED FAR @ 2.46						=	**241.616**	**SQ.M.**
PERMISSIBLE GR. COV. @ 75%						=	73.071	SQ.M.
PROPOSED GROUND COVERAGE @ 71.50%						=	**69.838**	**SQ.M.**

AREA OF STILT FLOOR/ GROUND COVERAGE

A	9.175	X	8.090	X	1	=	74.226	SQ.M.
					TOTAL	=	74.226	SQ.M.
DEDUCTION								
1	4.710	X	0.650	X	1	=	3.062	SQ.M.
2	1.220	X	0.390	X	1	=	0.476	SQ.M.
3	1.430	X	0.565	X	1	=	0.808	SQ.M.
4	0.290	X	0.290	X	1	=	0.042	SQ.M.
					TOTAL	=	4.387	SQ.M.
TOTAL AREA OF STILT FLOOR/ GROUND COVERAGE (A)						=	**69.838**	**SQ.M.**

FAR AREA OF STILT FLOOR

A	1.825	X	1.700	X	1	=	3.103	SQ.M.
					TOTAL	=	3.103	SQ.M.
TOTAL FAR AREA OF STILT FLOOR (B)						=	**3.103**	**SQ.M.**

FAR AREA OF TYPICAL FLOOR (1ST, 2ND, 3RD & 4TH)

A	9.175	X	8.090	X	1	=	74.226	SQ.M.
					TOTAL	=	74.226	SQ.M.
DEDUCTION								
1	4.710	X	0.650	X	1	=	3.062	SQ.M.
2	1.220	X	0.390	X	1	=	0.476	SQ.M.
3	1.430	X	0.565	X	1	=	0.808	SQ.M.
4	0.290	X	0.290	X	1	=	0.042	SQ.M.
5	1.550	X	1.500	X	1	=	2.325	SQ.M.
6	1.900	X	4.150	X	1	=	7.885	SQ.M.
					TOTAL	=	14.597	SQ.M.
TOTAL AREA OF TYPICAL FLOOR (C)						=	**59.628**	**SQ.M.**
TOTAL FLOOR AREA (D)								
= (1ST FLOOR + 2ND FLOOR + 3RD FLOOR + 4TH FLOOR)						=	**241.616**	**SQ.M.**

BASEMENT AREA

A	9.175	X	8.090	X	1	=	74.226	SQ.M.
TOTAL BASEMENT AREA (E)						=	**74.226**	**SQ.M.**

MUMTY/ MACHINE ROOM AREA

A	1.825	X	1.700	X	1	=	3.103	SQ.M.
TOTAL MUMTY/ MACHINE ROOM AREA (F)						=	**3.103**	**SQ.M.**

STAIRCASE AREA

6	1.900	X	4.150	X	4	=	31.540	SQ.M.
TOTAL STAIRCASE AREA (G)						=	**31.540**	**SQ.M.**
TOTAL BUILT-UP AREA (A+C+E+F+G)						=	**417.221**	**SQ.M.**

PROJECT:

REVISED BUILDING PLAN ON PLOT NO.- E-2,6,10,14 FOR RESIDENTIAL PLOTTED COLONY UNDER DEEN DAYAL JAN AWAS YOJNA) OVER AN AREA MEASURING 57.40ACRES (LICENSE NO. 32 OF 2021, DATED 03.07.2021 FOR AN AREA MEASURING 52.275 ACRES & LICENSE NO. 102 OF 2022 DATED 27.02.2022 FOR AN AREA MEASURING 5.125 ACRES) IN THE REVENUE ESTATE OF VILLAGE HAYATPUR, SECTOR-89, GURUGRAM BEING DEVELOPED BY AAWAM RESIDENCY PRIVATE LIMITED & OTHERS IN COLLABORATION WITH ADHIKAANSH REALTORS PRIVATE LIMITED.


DRAWING TITLE:

FLOOR PLANS WITH AREA CALCULATION, ELEVATIONS AND SECTIONS
TYPE- E (Right)


ARCHITECT'S SIGN

Vaibhav Vashisht, Architect
Council of Architecture
Registration. No. CA/2007/41326


AUTHORIZED SIGN




SITE PLAN




BASEMENT PLAN




STILT FLOOR PLAN




TYPICAL FLOOR PLAN
(1ST, 2ND, 3RD & 4TH FLOOR)




TERRACE PLAN




SECTION-B



SECTION-A




FRONT ELEVATION




REAR ELEVATION




PLUMBING LEGENDS:	
1	110 OD SOIL PIPE
2	110 OD WASTE PIPE
3	COLD WATER SUPPLY DN TAKE
3a	COLD WATER SUPPLY DN TAKE BY HYDRO-PNEUMATIC SYSTEM
4	25Ø WATER SUPPLY RISER PIPE
R1	75 OD RWP FOR (BALCONY)
R	110 OD RWP FOR (TERRACE)
COP	CLEAN OUT PLUG




BASEMENT
AREA DIAGRAM



STILT FLOOR AREA DIAGRAM
(GR COVERAGE)



TYPICAL FLOOR
AREA DIAGRAM



MUMTY/MACHINE ROOM



MACHINE ROOM
AREA DIAGRAM



STILT FLOOR FAR
AREA DIAGRAM

Vaibhav Vashisht, Architect
Council of Architecture
Registration. No. CA/2007/41326

Memo No. AA89-2005
Date- 24-Sep-2024

DOOR WINDOW SCHEDULE

TYPE	WIDTH	HEIGHT	SILL LVL	LINTEL LVL	REMARKS
D1 Flushed	1050	2350	± 00	2350	ENTRANCE
D2 Flushed	900	2350	± 00	2350	BEDROOMS
D3 Flushed	750	2350	± 00	2350	TOILETS
SD1 Glazed Door - Sliding	2400	2350	± 00	2350/Beam bottom	LIVING
SD2 Glazed Door - Sliding	1200	2350	± 00	2350/Beam bottom	BEDROOMS
DW1 Glazed Door /Window	750-1200	2350	± 00	2350/Beam bottom	LIVING
DW2 Glazed Door /Window	750-1070	2350	± 00	2350/Beam bottom	BEDROOMS
W1 Glazed Window	1550	1450	± 900	2350/Beam bottom	KITCHEN
W2 Glazed Window	1050	Beam bottom	± 00	Beam bottom	STAIRCASE
V1 Ventilator	500	1350	± 1050	2350	TOILETS
D5 Glazed Door	1000	2350	± 00	2350	BASEMENT

AREA CALCULATION

							AREA	UNIT
TOTAL PLOT AREA (9.200X10.590)						=	97.428	SQ.M.
PERMISSIBLE FAR @ 2.64						=	257.210	SQ.M.
PROPOSED FAR @ 2.46						=	241.616	SQ.M.
PERMISSIBLE GR COV @ 75%						=	73.071	SQ.M.
PROPOSED GROUND COVERAGE @ 71.50%						=	69.838	SQ.M.

AREA OF STILT FLOOR/ GROUND COVERAGE

A	9.175	X	8.090	X	1	=	74.226	SQ.M.
					TOTAL	=	74.226	SQ.M.
DEDUCTION								
1	4.710	X	0.650	X	1	=	3.062	SQ.M.
2	1.220	X	0.390	X	1	=	0.476	SQ.M.
3	1.430	X	0.565	X	1	=	0.808	SQ.M.
4	0.290	X	0.290	X	1	=	0.042	SQ.M.
					TOTAL	=	4.387	SQ.M.
TOTAL AREA OF STILT FLOOR/ GROUND COVERAGE (A)						=	69.838	SQ.M.

FAR AREA OF STILT FLOOR

A	1.825	X	1.700	X	1	=	3.103	SQ.M.
					TOTAL	=	3.103	SQ.M.
TOTAL FAR AREA OF STILT FLOOR (B)						=	3.103	SQ.M.

FAR AREA OF TYPICAL FLOOR (1ST, 2ND, 3RD & 4TH)

A	9.175	X	8.090	X	1	=	74.226	SQ.M.
					TOTAL	=	74.226	SQ.M.
DEDUCTION								
1	4.710	X	0.650	X	1	=	3.062	SQ.M.
2	1.220	X	0.390	X	1	=	0.476	SQ.M.
3	1.430	X	0.565	X	1	=	0.808	SQ.M.
4	0.290	X	0.290	X	1	=	0.042	SQ.M.
5	1.550	X	1.500	X	1	=	2.325	SQ.M.
6	1.900	X	4.150	X	1	=	7.885	SQ.M.
					TOTAL	=	14.597	SQ.M.
TOTAL AREA OF TYPICAL FLOOR (C)						=	59.628	SQ.M.
TOTAL FLOOR AREA (D)								
= (1ST FLOOR + 2ND FLOOR + 3RD FLOOR + 4TH FLOOR)						=	241.616	SQ.M.

BASEMENT AREA

A	9.175	X	8.090	X	1	=	74.226	SQ.M.
TOTAL BASEMENT AREA (E)						=	74.226	SQ.M.

MUMTY/ MACHINE ROOM AREA

A	1.825	X	1.700	X	1	=	3.103	SQ.M.
TOTAL MUMTY/ MACHINE ROOM AREA (F)						=	3.103	SQ.M.

STAIRCASE AREA

6	1.900	X	4.150	X	4	=	31.540	SQ.M.
TOTAL STAIRCASE AREA (G)						=	31.540	SQ.M.
TOTAL BUILT-UP AREA (A+C+E+F+G)						=	417.221	SQ.M.

PROJECT:
REVISED BUILDING PLAN ON PLOT NO.- E-4,8,12,16 FOR RESIDENTIAL PLOTTED COLONY UNDER DEEN DAYAL JAN AWAS YOJNA) OVER AN AREA MEASURING 57.40ACRES (LICENSE NO. 32 OF 2021, DATED 03.07.2021 FOR AN AREA MEASURING 52.275 ACRES & LICENSE NO. 102 OF 2022 DATED 27.02.2022 FOR AN AREA MEASURING 5.125 ACRES) IN THE REVENUE ESTATE OF VILLAGE HAYATPUR, SECTOR-89, GURUGRAM BEING DEVELOPED BY AAWAM RESIDENCY PRIVATE LIMITED & OTHERS IN COLLABORATION WITH ADHIKAANSH REALTORS PRIVATE LIMITED.

DRAWING TITLE:
FLOOR PLANS WITH AREA CALCULATION, ELEVATIONS AND SECTIONS
TYPE- E (Left Corner)

ARCHITECT'S SIGN
Vaibhav Vashisht, Architect
Council of Architecture
Registration. No. CA/2007/41326

AUTHORIZED SIGN