








TYPICAL FLOOR VIBRATION TO 415T FLOOR FAR AREA 2 CALCULATIONS									
X \ Y \ Z		X	Y	Z	X (m)	Y (m)	Z (m)	X (ft)	Y (ft)
		3.42	37.88	1357.70					
S. No.	DESCRIPTION	WIDTH	LENGTH	THICK	NO. IN SOAT	AREA	NO. IN SOAT	AREA	NO. IN SOAT
OUTER RECTANGLES (D)									
1	C1	8.88	1.52	4	43.97				
2	C2	8.88	1.52	4	43.97				
3	C3	3.54	7.88	4	17.92				
4	C4	8.88	3.62	4	26.10				
5	C5	8.88	3.62	4	26.10				
6	C6	1.42	1.52	4	7.89				
7	C7	3.96	0.52	4	9.39				
8	C8	3.96	0.52	4	9.39				
9	C9A	1.41	4.15	1	47.15				
10	C9B	1.41	4.15	1	47.15				
11	C10	4.00	1.80	1	66.12				
12	C11	4.00	1.80	1	66.12				
13	C11	4.42	2.42	2	19.36				
14	C12	4.42	2.42	2	19.36				
15	C13	4.42	2.42	2	19.36				
TOTAL OUTER RECTANGLES (D)					430.46				
TOTAL TYPICAL FLOOR PLATE AREA (D)					912.14				
TOTAL TYPICAL FLOOR PLATE AREA (D) 912.14									
S. No.	DESCRIPTION	WIDTH	LENGTH	THICK	NO. IN SOAT	AREA	NO. IN SOAT	AREA	NO. IN SOAT
INNER RECTANGLES (D)									
1	D1	0.52	0.52	4	3.05				
2	D2	0.52	0.52	4	3.05				
3	D3	1.16	0.52	4	2.08				
4	D4	1.16	0.52	4	2.08				
5	D5	0.52	0.49	4	0.10				
6	D6	0.52	0.49	4	0.10				
7	D7	1.30	0.56	4	2.80				
8	D8	2.80	0.50	1	1.70				
9	D9	2.80	0.50	1	1.70				
10	D10	3.00	4.10	1	14.10				
11	D11	3.00	4.10	1	14.10				
12	D12	0.50	1.25	1	0.63				
13	D13	0.70	0.70	1	0.49				
14	D14	1.25	0.50	1	0.63				
15	D15	1.25	0.50	1	0.63				
16	D16	2.40	2.10	1	2.84				
17	D17	2.40	2.10	1	2.84				
18	D18	2.40	2.10	1	2.84				
19	D19	1.50	0.50	1	0.37				
20	D20	1.50	0.50	1	0.37				
21	D21	1.50	0.50	1	0.37				
22	D22	1.50	0.50	1	0.37				
TOTAL INNER RECTANGLES (D)					85.71				
TOTAL TYPICAL FLOOR PLATE AREA (D)					998.40				
TOTAL TYPICAL FLOOR PLATE AREA (D) 998.40									
S. No.	DESCRIPTION	WIDTH	LENGTH	THICK	NO. IN FAR	AREA	NO. IN FAR	AREA	NO. IN FAR
NON FAR AREA (D)									
1	D23	2.16	1.50	7	4.08				
2	D24	2.16	1.50	7	4.08				
3	D25	1.20	1.50	1	2.16				
4	D26	1.20	1.50	1	2.16				
5	D27	1.00	0.80	1	0.80				
6	D27	1.00	0.80	1	0.80				
TOTAL NON FAR AREA (D)					21.68				
TOTAL NON FAR AREA (D)					21.68				

		BALCONY NON FUR (B)			
1	B1	0.980	1.452	4	4.610
2	B2	1.900	6.865	4	48.428
3	B3	3.253	1.600	4	36.340
4	B4	1.950	1.300	4	14.868
5	B5A	1.550	4.130	2	14.698
6	B5B	1.820	1.400	2	14.698
7	B6	2.150	1.800	4	15.480
8	B5	3.900	3.620	4	26.054
9	B5A	1.450	1.305	4	7.569
10	B6	0.700	1.295	4	3.020
11	B7	3.365	1.800	4	24.228
12	B8	1.550	1.103	4	14.698
		TOTAL (B)		=	231.316
		BALCONY NON FUR AREA (B)		=	231.316

DOOR WINDOW SCHEDULE				
NO.	QTY	SIZE	SEAL LINTEL	REMARKS
1	1	10'0" X 6'0"	0	0
2	1	10'0" X 6'0"	0	0
3	1	10'0" X 6'0"	0	0
4	1	10'0" X 6'0"	0	0
5	1	10'0" X 6'0"	0	0
6	1	10'0" X 6'0"	0	0
7	1	10'0" X 6'0"	0	0
8	1	10'0" X 6'0"	0	0
9	1	10'0" X 6'0"	0	0
10	1	10'0" X 6'0"	0	0
11	1	10'0" X 6'0"	0	0
12	1	10'0" X 6'0"	0	0
13	1	10'0" X 6'0"	0	0
14	1	10'0" X 6'0"	0	0
15	1	10'0" X 6'0"	0	0
16	1	10'0" X 6'0"	0	0
17	1	10'0" X 6'0"	0	0
18	1	10'0" X 6'0"	0	0
19	1	10'0" X 6'0"	0	0
20	1	10'0" X 6'0"	0	0
21	1	10'0" X 6'0"	0	0
22	1	10'0" X 6'0"	0	0
23	1	10'0" X 6'0"	0	0
24	1	10'0" X 6'0"	0	0
25	1	10'0" X 6'0"	0	0
26	1	10'0" X 6'0"	0	0
27	1	10'0" X 6'0"	0	0
28	1	10'0" X 6'0"	0	0
29	1	10'0" X 6'0"	0	0
30	1	10'0" X 6'0"	0	0
31	1	10'0" X 6'0"	0	0
32	1	10'0" X 6'0"	0	0
33	1	10'0" X 6'0"	0	0
34	1	10'0" X 6'0"	0	0
35	1	10'0" X 6'0"	0	0
36	1	10'0" X 6'0"	0	0
37	1	10'0" X 6'0"	0	0
38	1	10'0" X 6'0"	0	0
39	1	10'0" X 6'0"	0	0
40	1	10'0" X 6'0"	0	0
41	1	10'0" X 6'0"	0	0
42	1	10'0" X 6'0"	0	0
43	1	10'0" X 6'0"	0	0
44	1	10'0" X 6'0"	0	0
45	1	10'0" X 6'0"	0	0
46	1	10'0" X 6'0"	0	0
47	1	10'0" X 6'0"	0	0
48	1	10'0" X 6'0"	0	0
49	1	10'0" X 6'0"	0	0
50	1	10'0" X 6'0"	0	0
51	1	10'0" X 6'0"	0	0
52	1	10'0" X 6'0"	0	0
53	1	10'0" X 6'0"	0	0
54	1	10'0" X 6'0"	0	0
55	1	10'0" X 6'0"	0	0
56	1	10'0" X 6'0"	0	0
57	1	10'0" X 6'0"	0	0
58	1	10'0" X 6'0"	0	0
59	1	10'0" X 6'0"	0	0
60	1	10'0" X 6'0"	0	0
61	1	10'0" X 6'0"	0	0
62	1	10'0" X 6'0"	0	0
63	1	10'0" X 6'0"	0	0
64	1	10'0" X 6'0"	0	0
65	1	10'0" X 6'0"	0	0
66	1	10'0" X 6'0"	0	0
67	1	10'0" X 6'0"	0	0
68	1	10'0" X 6'0"	0	0
69	1	10'0" X 6'0"	0	0
70	1	10'0" X 6'0"	0	0
71	1	10'0" X 6'0"	0	0
72	1	10'0" X 6'0"	0	0
73	1	10'0" X 6'0"	0	0
74	1	10'0" X 6'0"	0	0
75	1	10'0" X 6'0"	0	0
76	1	10'0" X 6'0"	0	0
77	1	10'0" X 6'0"	0	0
78	1	10'0" X 6'0"	0	0
79	1	10'0" X 6'0"	0	0
80	1	10'0" X 6'0"	0	0
81	1	10'0" X 6'0"	0	0
82	1	10'0" X 6'0"	0	0
83	1	10'0" X 6'0"	0	0
84	1	10'0" X 6'0"	0	0
85	1	10'0" X 6'0"	0	0
86	1	10'0" X 6'0"	0	0
87	1	10'0" X 6'0"	0	0
88	1	10'0" X 6'0"	0	0
89	1	10'0" X 6'0"	0	0
90	1	10'0" X 6'0"	0	0
91	1	10'0" X 6'0"	0	0
92	1	10'0" X 6'0"	0	0
93	1	10'0" X 6'0"	0	0
94	1	10'0" X 6'0"	0	0
95	1	10'0" X 6'0"	0	0
96	1	10'0" X 6'0"	0	0
97	1	10'0" X 6'0"	0	0
98	1	10'0" X 6'0"	0	0
99	1	10'0" X 6'0"	0	0
100	1	10'0" X 6'0"	0	0

SERVICE PERSONAL UNIT CARPET AREA CALCULATIONS				
ADDITION				
S. No.	DESCRIPTION	WIDTH	LENGTH	AREA IN SQMT
1	1	2.750	3.655	10.051
2	2	1.300	2.350	3.055
TOTAL ADDITION				13.106



PRINCIPAL ARCHITECT:

ACPL

80 Kent Avenue • 1
New York 10002
Tel: +1 212 462 16
Fax: +1 212 462 02
E: contact@acplnyc.com

KEY PLAN

ORIENTATION



PROJECT:-

APPROVAL OF REVISED BUILDING PLAN ON MIXED LAND USE COLONY FOR AN AREA 111.0801 ACRES FALLING UNDER LICENCE NO. 199 OF 2023 AND 15 OF 2024 IN SECTOR-104 GURUGRAM BEING DEVELOPED BY M/S HERO REALTY PVT. LTD.

Hero Realty, Inc. Ltd.


Authorized Signatory
OWNER/AUTH SIGNATURE

RAVI KUMAR GARG
ARCHITECT
CA2913158473


ARCHITECT'S SIGNATURE

DRAWING TITLE TOWER-A TYPICAL FLOOR PLAN (10TH TO 41ST FLOOR, EXCLUDING REFUGE FLOOR) & AREA DIAGRAM	DRAWING NO. T-A-AR-03	SCALE :- 1:100
---	-----------------------	----------------

DRAWING NO. T-A-AR-03




LOWER PENT HOUSE FLOOR PLAN
TAXI AREA (DIAGRAM) (TOWER A)




LOWER PENT HOUSE FLOOR PLAN
NON TAXI AREA (DIAGRAM) (TOWER A)

LOWER PENT HOUSE FLOOR AREA CALCULATIONS


S. No.	DESCRIPTION	WIDTH	LENGTH	NOS.	AREA IN SQ/M
		X'	Y	Z (in Sq.Mt.)	
	X x Y = Z	33.57	37.770		1267.939



4TH FLOOR UPPER PENT HOUSE DUPLEX TOWER



4TH FLOOR UPPER PENT HOUSE DUPLEX TOWER (NON FAR AREA DIAGRAM)



4TH FLOOR UPPER PENT HOUSE DUPLEX TOWER (NON FAR AREA DIAGRAM)

DOOR WINDOW SCHEDULE									
S.NO	FR	SW	FW	FW	FW	FW	FW	FW	REMARKS
1	D1	1000X2000	0	2400	0	0	0	0	0
2	D2	1000X2000	0	2400	0	0	0	0	0
3	D3	800X2000	0	2400	0	0	0	0	0
4	D4	800X2000	0	2400	0	0	0	0	0
5	D5	800X2000	0	2400	0	0	0	0	0
6	D6	800X2000	0	2400	0	0	0	0	0
7	D7	800X2000	0	2400	0	0	0	0	0
8	D8	800X2000	0	2400	0	0	0	0	0
9	D9	800X2000	0	2400	0	0	0	0	0
10	D10	800X2000	0	2400	0	0	0	0	0
11	D11	800X2000	0	2400	0	0	0	0	0
12	D12	800X2000	0	2400	0	0	0	0	0
13	D13	800X2000	0	2400	0	0	0	0	0
14	D14	800X2000	0	2400	0	0	0	0	0
15	D15	800X2000	0	2400	0	0	0	0	0
16	D16	800X2000	0	2400	0	0	0	0	0
17	D17	800X2000	0	2400	0	0	0	0	0
18	D18	800X2000	0	2400	0	0	0	0	0
19	D19	800X2000	0	2400	0	0	0	0	0
20	D20	800X2000	0	2400	0	0	0	0	0
21	D21	800X2000	0	2400	0	0	0	0	0
22	D22	800X2000	0	2400	0	0	0	0	0
23	D23	800X2000	0	2400	0	0	0	0	0
24	D24	800X2000	0	2400	0	0	0	0	0
25	D25	800X2000	0	2400	0	0	0	0	0
26	D26	800X2000	0	2400	0	0	0	0	0
27	D27	800X2000	0	2400	0	0	0	0	0
28	D28	800X2000	0	2400	0	0	0	0	0
29	D29	800X2000	0	2400	0	0	0	0	0
30	D30	800X2000	0	2400	0	0	0	0	0
31	D31	800X2000	0	2400	0	0	0	0	0
32	D32	800X2000	0	2400	0	0	0	0	0
33	D33	800X2000	0	2400	0	0	0	0	0
34	D34	800X2000	0	2400	0	0	0	0	0
35	D35	800X2000	0	2400	0	0	0	0	0
36	D36	800X2000	0	2400	0	0	0	0	0
37	D37	800X2000	0	2400	0	0	0	0	0
38	D38	800X2000	0	2400	0	0	0	0	0

UPPER PENT HOUSE FAR AREA CALCULATIONS									
S. No	DESCRIPTION	COEFF.	WIDTH	LENGTH	MOS.	AREA IN SQ.M	REMARKS		
1	D1	1	8.40	1.50	6	4.455			
2	D2	1	8.40	1.50	6	4.455			
3	D3	1	8.40	1.50	6	4.455			
4	D4	1	8.40	1.50	6	4.455			
5	D5	1	8.40	1.50	6	4.455			
6	D6	1	8.40	1.50	6	4.455			
7	D7	1	8.40	1.50	6	4.455			
8	D8	1	8.40	1.50	6	4.455			
9	D9	1	8.40	1.50	6	4.455			
10	D10	1	8.40	1.50	6	4.455			
11	D11	1	8.40	1.50	6	4.455			
12	D12	1	8.40	1.50	6	4.455			
13	D13	1	8.40	1.50	6	4.455			
14	D14	1	8.40	1.50	6	4.455			
15	D15	1	8.40	1.50	6	4.455			
16	D16	1	8.40	1.50	6	4.455			
17	D17	1	8.40	1.50	6	4.455			
18	D18	1	8.40	1.50	6	4.455			
19	D19	1	8.40	1.50	6	4.455			
20	D20	1	8.40	1.50	6	4.455			
21	D21	1	8.40	1.50	6	4.455			
22	D22	1	8.40	1.50	6	4.455			
23	D23	1	8.40	1.50	6	4.455			
24	D24	1	8.40	1.50	6	4.455			
25	D25	1	8.40	1.50	6	4.455			
26	D26	1	8.40	1.50	6	4.455			
27	D27	1	8.40	1.50	6	4.455			
28	D28	1	8.40	1.50	6	4.455			
29	D29	1	8.40	1.50	6	4.455			
30	D30	1	8.40	1.50	6	4.455			
31	D31	1	8.40	1.50	6	4.455			
32	D32	1	8.40	1.50	6	4.455			
33	D33	1	8.40	1.50	6	4.455			
34	D34	1	8.40	1.50	6	4.455			
35	D35	1	8.40	1.50	6	4.455			
36	D36	1	8.40	1.50	6	4.455			
37	D37	1	8.40	1.50	6	4.455			
38	D38	1	8.40	1.50	6	4.455			
TOTAL REDUCTION (D)						443.329			
TOTAL REDUCTION (D)						443.329			
TOTAL REDUCTION (D)						443.329			

UPPER PENT HOUSE FAR AREA CALCULATIONS									
S. No	DESCRIPTION	COEFF.	WIDTH	LENGTH	MOS.	AREA IN SQ.M	REMARKS		
1	D1	1	8.40	1.50	6	4.455			
2	D2	1	8.40	1.50	6	4.455			
3	D3	1	8.40	1.50	6	4.455			
4	D4	1	8.40	1.50	6	4.455			
5	D5	1	8.40	1.50	6	4.455			
6	D6	1	8.40	1.50	6	4.455			
7	D7	1	8.40	1.50	6	4.455			
8	D8	1	8.40	1.50	6	4.455			
9	D9	1	8.40	1.50	6	4.455			
10	D10	1	8.40	1.50	6	4.455			
11	D11	1	8.40	1.50	6	4.455			
12	D12	1	8.40	1.50	6	4.455			
13	D13	1	8.40	1.50	6	4.455			
14	D14	1	8.40	1.50	6	4.455			
15	D15	1	8.40	1.50	6	4.455			
16	D16	1	8.40	1.50	6	4.455			
17	D17	1	8.40	1.50	6	4.455			
18	D18	1	8.40	1.50	6	4.455			
19	D19	1	8.40	1.50	6	4.455			
20	D20	1	8.40	1.50	6	4.455			
21	D21	1	8.40	1.50	6	4.455			
22	D22	1	8.40	1.50	6	4.455			
23	D23	1	8.40	1.50	6	4.455			
24	D24	1	8.40	1.50	6	4.455			
25	D25	1	8.40	1.50	6	4.455			
26	D26	1	8.40	1.50	6	4.455			
27	D27	1	8.40	1.50	6	4.455			
28	D28	1	8.40	1.50	6	4.455			
29	D29	1	8.40	1.50	6	4.455			
30	D30	1	8.40	1.50	6	4.455			
31	D31	1	8.40	1.50	6	4.455			
32	D32	1	8.40	1.50	6	4.455			
33	D33	1	8.40	1.50	6	4.455			
34	D34	1	8.40	1.50	6	4.455			
35	D35	1	8.40	1.50	6	4.455			
36	D36	1	8.40	1.50	6	4.455			
37	D37	1	8.40	1.50	6	4.455			
38	D38	1	8.40	1.50	6	4.455			
TOTAL REDUCTION (D)						443.329			
TOTAL REDUCTION (D)						443.329			
TOTAL REDUCTION (D)						443.329			

UPPER PENT HOUSE FAR AREA CALCULATIONS									
S. No	DESCRIPTION	COEFF.	WIDTH	LENGTH	MOS.	AREA IN SQ.M	Z (IN SQ.M)	Y	X
			29.62	37.70		116.47			
1	D1	1	8.40	1.50	6	4.455			
2	D2	1	8.50	1.405	4	0.910			
3	D3	1	8.50	1.405	4	0.910			
4	D4	1	2.80	5.560	2	28.620			
5	D5	1	2.80	5.560	2	28.620			
6	D6	1	2.80	5.560	2	28.620			
7	D7	1	2.80	5.560	2	28.620			
8	D10	1	1.250	1.750	1	2.100			
9	D11	1	1.250	1.750	1	2.100			
10	D12	1	1.250	1.750	1	2.100			
11	D13	1	1.065	2.520	1	2.118			
12	D14	1	2.400	2.100	4	20.160			
13	D15	1	1.075	0.910	1	0.962			
14	D16	1	1.075	0.910	1	0.962			
15	D17	1	1.075	0.910	1	0.962			
16	D18	1	1.075	0.910	1	0.962			
17	D19	1	1.655	4.420	2	4.183			
18	D20	0.867	0.960	2	6.867				
19	D21	0.867	0.960	2	6.867				
20	D22	0.867	0.960	2	6.867				
21	D23	0.867	0.960	2	6.867				
22	D24	0.867	0.960	2	6.867				
23	D25	0.867	0.960	2	6.867				
24	C1	1	9.415	1.600	2	3.054			
25	C2	1	9.415	1.600	2	3.054			
26	C3	1	3.715	1.880	2	13.214			
27	C4	1	1.500	1.190	2	0.450			
28	C5	1	1.500	1.190	2	0.450			
29	C6	1	1.500	1.190	2	0.450			
30	C8A	1	1.755	1.100	2	3.881			
31	C7	1	4.005	4.400	2	37.688			
32	C8B	1	1.755	1.100	2	3.881			
33	C9	1	1.755	1.400	2	4.918			
34	C10	1	8.500	0.250	2	60.125			
35	C11	1	8.500	0.250	2	60.125			
36	C12A	1	1.500	0.300	2	0.050			
37	C12	1	1.765	1.130	2	3.983			
38	C13	1	1.765	1.130	2	3.983			
TOTAL RECTANGON (D)						443.920			
UPPER PENT HOUSE FLOOR AREA (ZD) = 674.918									

