

BR-III  
(See Rule 44)  
DIRECTORATE OF TOWN & COUNTRY PLANNING, HARYANA  
SCO-71-75, SECTOR-17-C, CHANDIGARH.  
Tele-Fax: 0172-2548475; Tel.: 0172-2549851, E-mail: tcphry@gmail.com  
Website [www.tcpharyana.gov.in](http://www.tcpharyana.gov.in)

Memo No. ZP-567/AD(RA)/2015/ 16319 Dated:- 28/8/15

To

Sh. Sanjay Passi and others,  
C/o Emaar MGF Land Ltd.  
ECE House, 16 K.G. Marg,  
New Delhi.

Subject:- Approval of revised building plans of Tower-F,B12,B13,B14, B15-01, B15-02, B16-01, B16-02, B17, EWS, Nursery School, 2 No's Primary School, Guard Hut, HT Meter Room falling in Group Housing Scheme measuring 29.34675 acres (Licence No. 56 of 2009 dated 31.08.2009 and Licence No. 62 of 2013 dated 05.08.2013) in Sector-77 Gurgaon Manesar Urban Complex being developed by Sh. Sanjay Passi and others in collaboration with Emaar MGF Land Limited.

Reference your application dated 20.08.2013 and subsequently letter dated 30.07.2015 for permission to re-erect the buildings in Group Housing Colony measuring 29.34675 acres in Sector-77, Gurgaon Manesar Urban Complex, in accordance with the plans submitted with it.

The building plans were approved provisionally vide this office memo no. 1547 dated 27.01.2015 for the purpose of inviting objections/suggestions. STP, Gurgaon vide memo no. 401 dated 19.05.2015 has informed that 42 objection has been received from any allottee in respect of the amendments made in the building plans. Hence, permission for construction for subject cited plans approved provisionally vide above memo is hereby granted subject to the provisions of the Punjab Scheduled Roads & Controlled Areas Restriction of Unregulated Development Act, 1963, its rules and the zoning plan framed thereunder alongwith special reference to the following conditions: -

1. The plans are valid for a period of 2 years of the buildings less than 15.00 meters in height and 5 years for the multistoried buildings from the date of issuance of sanction, subject to validity of licenses granted for this scheme.
2. The structural responsibility of the construction shall be entirely of the owner/ supervising architect/ Engineer of the scheme.

Further that: -

- a) The building shall be constructed as per the structure design submitted by you and as certified by your structure engineer that the same has been designed as per the provisions of NBC and relevant IS code for all seismic load, all dead and live loads wind pressure and structural safety from earthquake of the intensity expected under Zone-IV.
- b) All material to be used for erection of building shall conform to I.S.I. and N.B.C. standards.

- c) No walls/ceiling shall be constructed of easily inflammable material and staircases shall be built of the fire resisting material as per standard specification.
- d) The roof slab of the basement external to the buildings if any shall be designed/constructed to take the load of fire tender up to 45 tones.

3. FIRE SAFETY:

The colonizer firm and the Supervising Architect of the project shall be entirely responsible for making provisions of fire safety and fire fighting measures and shall abide by all fire safety bye laws.

Further, the colonizer firm shall also prepare and submit the plans in triplicate to Commissioner Municipal Corporation, Gurgaon clearly marked and indicating the complete fire protection arrangements and means of escape/ access for the proposed building with suitable legend and standard signs.

On receipt of the above request the Commissioner Municipal Corporation, Gurgaon, after satisfying himself that the entire fire protection measures proposed for the above buildings are as per NBC and other Fire Safety Bye Laws, and would issue a NOC from Fire Safety and means of escape/access point of view. This clearance/ NOC from Fire Authority shall be submitted in this office alongwith a set of plans duly signed by the Commissioner Municipal Corporation, Gurgaon, within a period of 90 days from the date of issuance of sanction of building plans. Further, it is also made clear that no permission for occupancy of the building shall be issued by Commissioner Municipal Corporation, Gurgaon, unless he is satisfied that adequate fire fighting measures have been installed by you and suitable external fire fighting infrastructure has been created at Gurgaon, by Commissioner Municipal Corporation, Gurgaon,. A clearance to this effect shall be obtained from the Commissioner Municipal Corporation, Gurgaon, before grant of occupation certificate by the Director General.

- 4. The provision of letter boxes for each dwelling unit shall be made at the ground floor of each building.
- 5. No addition and alteration in the building plans/ layout plan shall be made without the prior approval of DG,TCP. Further only figured dimensions shall be followed and in case of any variation in the plans, prior approval of DG,TCP shall be pre-requisite.
- 6. That you shall furnish the service plan/ estimate of this scheme in accordance with approved building plans within 60 days from the date of issue of this letter.
- 7. Based on the actual estimated cost of internal development of the group housing colony you shall furnish additional bank guarantee if required within 60 days of approval of the service plans.
- 8. The revenue Rasta if any passing through the site shall be kept unobstructed.
- 9. If any infringement of byelaws remains unnoticed, the department reserves the right to amend the plan as and when any such infringement comes to its notice after giving an opportunity of being heard and the department shall stand indemnified against any claim on this account.

10. No person shall occupy or allow any other person to occupy any new building or part of a new building for any purpose whatsoever until such building or part thereof has been certified by the Director General, or by any person authorized by him in this behalf as having been completed in accordance with the permission granted and an occupation certificate has been issued in your favour on Form BR-VI.

11. Before grant of occupation certificate, you shall apply for occupation certificate as per the provisions of Rule 47 (1) of the Punjab Schedule Roads and Controlled Areas Restriction of Unregulated Development Rules, 1965 which shall be accompanied by certificates regarding completion of works described in the plans and it shall be accompanied by:-

- (i) DPC certificate issued by DTP, Gurgaon.
- (ii) Structural stability certificate duly signed by the recognized Architect & Structural Engineer.
- (iii) A clearance from Fire Safety point of view from the Commissioner, Municipal Corporation, Gurgaon.

12. The basements shall be used for parking and services as prescribed in the approved zoning plan and building plans. The parking lots proposed in the scheme shall be exclusively for the use of flat owners/residents of the group housing scheme. The parking lot shall not be leased out /transferred to any person who is not a flat owners /residents of the group housing complex.

#### 13. WATER SUPPLY:

- (i) The down take system shall be provided by you by providing clear water storage tank of not less than half day storage of water for domestic usage on top of the building block. The capacity of the tank as shown on the plan and down take system thereof is as under: -

| Sr. No. | Name of Building                         | Capacity of Tank of Domestic Use | Up Pipe in mm.          | Down Pipe in mm.       |
|---------|------------------------------------------|----------------------------------|-------------------------|------------------------|
| 1.      | Tower-B12, B13 & B14 (Dom)               | 3x7000 Ltrs.                     | 32mm                    | 50/40/32/25/20mm       |
|         | Flushing                                 | 3x3000 Ltrs.                     | 25 mm                   | 40/32/25/20mm          |
| 2.      | Tower-B-15-1 & B-15-2 (Dom)              | 2x18000 Ltrs.                    | 50mm                    | 65/50/40/32/25/20mm    |
|         | Flushing                                 | 2x9000 Ltrs.                     | 40mm                    | 50/40/32/25/20mm       |
| 3.      | Tower-B16-01, 02 and B17 (2 No's.) (Dom) | 3x27000 Ltrs.                    | 65mm                    | 80/65/50/40/32/25/20mm |
|         | Flushing                                 | 3x14000 Ltrs.                    | 50mm                    | 65/50/40/32/25/20mm    |
| 4.      | EWS (Dom)                                | 2x38000 Ltrs.                    | 65mm                    | 65/50/40/32/25/20mm    |
|         | Flushing                                 | 2x20000 Ltrs.                    | 50mm                    | 50/40/32/25/20mm       |
| 5.      | Primary School-1 (Dom)                   | 1x10000 Ltrs.                    | 32mm                    | 32/25/20mm             |
|         | Flushing                                 | 1x4000 Ltrs.                     | 25mm                    | 25/20mm                |
| 6.      | Primary School-2 (Dom)                   | 1x10000 Ltrs.                    | 32mm                    | 32/25/20mm             |
|         | Flushing                                 | 1x5000 Ltrs.                     | 25mm                    | 25/20mm                |
|         | RCC UGT (Dom)                            | 650 KL. (Already approved)       | +350 KL addl. proposed. |                        |

- (ii) Inlet pipes from down take to toilet shall be 25/20/15 mm dia as shown on the plans and connection to each individual fixture shall be 15 mm dia.
- (iii) The adequate booster pumps to boost the water in the water tanks with 100% standby arrangement shall also be provided by you. It is made clear that you shall be solely responsible for boosting arrangement all the time.
- (iv) The alternative arrangement of power supply, such as Gen. Set etc. of suitable capacity shall also be provided by you during failure of electricity.

#### 14. SEWERAGE:

- (i) All external sewerage lines should not be less than 200 mm. dia Pipes.
- (ii) All soil pipe connection W.C. to soil stack / manhole shall be 100 mm dia as shown on the plans.
- (iii) Waste water stack shall be 100/75 mm dia as shown on the plans and soil stack shall be 100 mm dia.
- (iv) All F.T. shall be 75 mm dia.
- (v) All W.C. shall be provided with high / low level flushing cistern. The capacity of flushing cistern shall be of 8 Ltrs.
- (vi) All pipes from waste water stack to I.C. and I.C. to manhole shall be 100 mm dia as shown on the plans.
- (vii) Suitable approach/ ventilation arrangement shall be provided by you by providing inspection window/ duct etc. for repairing of piping system.

#### 15. STORM WATER DRAINAGE:

- (i) You have provided single level basement below B-16-01, B-16-02 & B-17 and three level basements below MLCP for services and parking only. For draining out the wash water/rain water accumulated in the lower basement shall be collected through covered channel of 300 mm wide to the sumps at different places and from where the pumping has been proposed by the you by providing pumps of 350 LPM capacity at 21.00 meters head. Thus it is made clear to you that you shall be sole responsible for pumping out of rain water/ wash water etc. all the time and 100% standby pumps alternate power supply arrangement shall also be provided by you during the failure of electricity/ breakdown.
- (ii) All external storm water drainage shall be provided suitably so as to disposal of rainwater in to the existing system of the colony.
- (iii) All rainwater stack pipe shall be 100/150 mm dia pipes as shown on the plans.
- (iv) It is made clear to you that roof top rain harvesting system shall be provided by you and shall be kept operational all the time.

#### 16. GENERAL: -

- (i) You shall provide alternative source of electricity for functioning of water supply, sewerage and storm water drainage scheme by providing Gen. set of required capacity.

- (ii) All pipes, fixtures, fitting, pumps, Gen. set and filtration plan etc. shall be conforming to relevant IS specification and ISI marked.
- (iii) You shall provide the minimum open able aperture of 1/8<sup>th</sup> of the floor area of the habitable room and in case of kitchen the area of opening shall be increased by 25%.
- (iv) That the colonizer shall obtain the clearance/NOC as per the provisions of the Notification No. S.O. 1533 (E) Dated 14.09.2006 issued by Ministry of Environment and Forest, Government of India before starting the construction/execution of development works at site.
- (v) That the rain water harvesting system shall be provided as per Central Ground Water Authority norms/Haryana Govt. notification as applicable.
- (vi) That the provision of solar water heating system shall be as per norms specified by HAREDA and shall be made operational in the each building block before applying for an occupation certificate.
- (vii) That the colonizer/owner shall use only Light-Emitting Diode (LED) Lamps fitting for internal lighting as well as Campus lighting.
- (viii) That you shall submit the scanned copy of the approved building plans of this scheme in CD format within one week to this office from the issuance of this letter.
- (ix) That you shall deposit the labour cess in future, time to time as per construction of work done at site.
- (x) That if any, site for Electric Sub Station is required same will be provided by you in the group housing colony.
- (xi) Recycled water is proposed to be utilized for flushing purpose. The firm has made provision of separate flushing line, storage tank, metering system, pumping system and plumbing. It is clarified to you that no tap or outlet of any kind will be provided from the flushing lines/plumbing lines for recycled water except for connection to the cistern of flushing tanks and any scouring arrangement. Even ablation taps should be avoided.
- (xii) No cross connection between recycled water system and potable water system shall be made.
- (xiii) All plumbing pipes fittings, valves will be of red colour or painted red. In case of embedded pipes. Marker taps of red colour at suitable intervals shall be fixed. The underground and over head tanks should have. Recycle water not fit for drinking and other warning signs embossed/marked on them.
- (xiv) Recycled water pipes and potable water pipes will be fixed in separate chases and a minimum horizontal distance of 6" (150mm) will be mentioned between them. In case of cross suitably coloured/taped sleeve shall be used.
- (xv) Alternative source of electricity shall be provided by you for functioning of water supply, sewerage, SWD, Scheme by providing Gen. set of required capacity.

- (xvi) The colonizer/firm will provide appropriate pipes (both up and down) for solar water heating system.
- (xvii) That no separate zoning plan is approved for community sites earmarked within a Group Housing Colony. The community building/buildings shall be constructed by the colonizer/owner as per provision of The Haryana Development and Regulation of Urban Areas (Amendment and Validation) Act No. 4 of 2012, failing which the said site shall vest in the Government.
- (xviii) That you shall abide by the policies issued by the Department regarding allotment of EWS flats time to time.
- (xix) That the colonizer shall submit the fire fighting scheme duly approved in accordance with the section 15 of The Haryana Fire Safety Act 2009 and directions issued by the Director, Urban Local bodies Haryana before starting the construction work at site.
- (xx) That provision of parking shall be made within the area earmarked /designated for parking in the colony and no vehicle shall be allowed to park outside the premises.
- (xxi) The responsibility of laying and maintain (including quality and design etc.) of internal public health services shall be entirely.
- (xxii) You shall abide the terms and conditions of the Undertaking/Affidavit submitted in the office of Administrator, HUDA, Gurgaon in compliance of Order dated 16.07.2012 of the Hon'ble High Court and shall not extract groundwater for construction purposes.
- (xxiii) That you shall submit electric service plan estimate for approval to concerned power utility under intimation to this office within 30 days from the issuance of this letter & get the electrical service plan Estimates/Power load requirement approved from the concerned power utility.
- (xxiv) That you shall obtain the approval of power load requirement from the DHBVN and submit in this office within two months from the issuance of this letter.
- (xxv) That you shall submit the service plan estimates approval within 30 days from the issuance of this letter.
- (xxvi) That you shall follow provisions of section 46 of 'The Persons with Disabilities (Equal Opportunities, protection of Rights and full Participation) Act, 1995' which includes constructions of Ramps in public buildings, adaption of toilets for wheelchair users, Braille symbols and auditory signals in elevators or lifts and other relevant measures for Hospitals, Primary Health Centre and other medical care and rehabilitation units.
- (xxvii) You shall ensure the installation of solar photovoltaic power plant as per provision of Notification no. 22/52/2005-5 power dated 03.09.2014 of Haryana Government Renewable Energy Department.

17. Environment:-

- (i) That you shall strictly comply with the directions of MOEF Guidelines, 2010 while raising construction.
- (ii) You shall put tarpaulin on scaffolding around the area of construction and the building. You are also directed that you shall not store any construction material particularly sand on any part of the street/road.
- (iii) The construction material of any kind that is stored in the site shall be fully covered in all respects so that it does not disperse in the Air in any form.
- (iv) All the construction material and debris shall be carried in the trucks or other vehicles which are fully covered and protected so as to ensure that the construction debris or the construction material does not get dispersed into the air or atmosphere, in any form whatsoever.
- (v) The dust emissions from the construction site should be completely controlled and all precautions taken in that behalf.
- (vi) The vehicles carrying construction material and construction debris of any kind should be cleaned before it is permitted to ply on the road after unloading of such material.
- (vii) Every worker working on the construction site and involved in loading, unloading and carriage of construction material and construction debris shall be provided with mask to prevent inhalation of dust particles.
- (viii) Every owner and/or builder shall be under obligation to provide all medical help, investigation and treatment to the workers involved in the construction of building and carrying of construction material and debris relating to dust emission.
- (ix) It shall be the responsibility of every owner/builder to transport construction material and debris waste to construction site, dumping site or any other place in accordance with rules and in terms of this clause.
- (x) You shall take all appropriate measures and ensure that the terms and conditions of any earlier order in this regard and terms of the clause are strictly complied with by fixing sprinklers, creations of green air barriers.
- (xi) You shall compulsory use wet jet in grinding and stone cutting.
- (xii) You shall construct wind breaking walls around construction site.
- (xiii) That you shall ensure that least dust is emitted into air/atmosphere and all steps are taken to prevent the same.
- (xiv) That you shall increase the 'tree cover' area by planting large number of trees of various species depending upon the quality content of soil and other natural attendant circumstances.
- (xv) That you shall provide green belt around the building which is to be constructed.
- (xvi) If any person, owner and or builder is found to be violating any of the conditions stated in this clause and or for their non-compliance such person, owner, builder shall be liable to pay compensation of ` 50,000/- per default in

relation to construction activity at its site and ` 5,000/- for each violation during carriage and transportation of construction material, debris through trucks or other vehicles, in terms of Section 15 of the NGT Act on the principle of Polluter Pay. Such action would be in addition not in derogation to the other action that the Authority may take against such builder, owner, person and transporter under the laws in force.

(xvii) All the owners/builders shall ensure that the construction material & debris/demolition waste has been removed from the site and transported to the solid waste disposal site.

(xviii) It is made clear that even if constructions have been started after seeking Environmental Clearance under the EIA notification 2006 and after taking other approvals but is being carried out without taking the preventive and protective environmental steps as stated herein above and MOEF guidelines, 2010, the State Government, SPCB and any officer of any department as aforesated shall be entitled to direct stoppage of work.

*In addition to the above you shall pay 5<sup>th</sup> instalment of EDC within next three months with penal interest.*

*This sanction will be void abinitio, if any of the conditions mentioned above are not complied with.*

  
(Karamveer Singh)  
District Town Planner (HQ),  
Member Secretary,  
For: Chief Town Planner, Haryana-cum-Chairman,  
Building Plan Approval Committee.

Memo No. ZP-567/AD (RA)/2015/\_\_\_\_\_ Dated:-\_\_\_\_\_

A copy is forwarded to the following for information: -

1. Haryana State Pollution Control Board, Panchkula with the request that the compliance of the instructions issued by NGT shall be monitored and strict compliance to be ensured.
2. Administrator HUDA, Gurgaon, w.r.t. his office Memo. No. 15270 dated 17.09.2012.
3. Senior Town Planner, Gurgaon.
4. Superintending Engineer (HQ) HUDA, Panchkula.
5. District Town Planner (HQ) PP.
6. District Town Planner, Gurgaon.
7. District Town Planner (Enf.), Gurgaon.

  
(Karamveer Singh)  
District Town Planner (HQ),  
Member Secretary,  
For: Chief Town Planner, Haryana-cum-Chairman,  
Building Plan Approval Committee.