

**Details of units for Turning Point Phase-1 :**

| Unit Type         | Carpet Area (Sqm) | Balcony Area (sqm) | Nos. of unit |
|-------------------|-------------------|--------------------|--------------|
| 2B Type-A         | 63.66             | 6.21               | 63           |
| 2B Type-A- MIRROR | 63.66             | 6.21               | 32           |
| 3B Type-A         | 83.54             | 10                 | 57           |
| 3B Type-A-MIRROR  | 83.54             | 10                 | 36           |
| 3B Type-B         | 87.04             | 9.01               | 57           |
| 3B Type-B-MIRROR  | 87.04             | 9.01               | 36           |
| 3B Type-E         | 83.54             | 9.33               | 14           |
| 3B Type-F         | 87.04             | 8.33               | 14           |
| 3B+ Type-A1       | 90.72             | 9.19               | 10           |
| 3B+ Type-A2       | 90.72             | 11.86              | 5            |
| 3B+ Type-A3       | 90.72             | 8.91               | 5            |
| 3B+ Type-A4       | 90.72             | 12.02              | 6            |
| 3B+ Type-A5       | 90.72             | 11.63              | 4            |
| 3B+ Type-A6       | 90.72             | 7.03               | 4            |
| 3B+ Type-A7       | 90.72             | 8.07               | 4            |
| 3B+ Type-A8       | 90.72             | 11.99              | 6            |
| 3B+ Type-A9       | 90.72             | 8.95               | 1            |
| 3B+ Type-B1       | 96.07             | 8.92               | 6            |
| 3B+ Type-B10      | 96.07             | 8.78               | 2            |
| 3B+ Type-B11      | 96.07             | 11.42              | 2            |
| 3B+ Type-B12      | 96.07             | 8.07               | 2            |
| 3B+ Type-B13      | 96.07             | 12.02              | 4            |
| 3B+ Type-B14      | 96.07             | 8.51               | 2            |
| 3B+ Type-B2       | 96.07             | 11.42              | 1            |
| 3B+ Type-B3       | 96.07             | 8.91               | 1            |
| 3B+ Type-B4       | 96.07             | 10.67              | 1            |
| 3B+ Type-B5       | 96.07             | 11.78              | 10           |
| 3B+ Type-B6       | 96.07             | 9.76               | 1            |
| 3B+ Type-B7       | 96.07             | 12.42              | 1            |
| 3B+ Type-B8       | 96.07             | 12.87              | 10           |
| 3B+ Type-B9       | 96.07             | 11.66              | 2            |
| 4B Type-A         | 114.78            | 10.99              | 14           |
| 4B Type-B         | 114.78            | 11.43              | 58           |
| 4B Type-B-MIRROR  | 114.78            | 11.43              | 36           |
| 4B Type-D         | 116.56            | 11.07              | 1            |
| 4B Type-E1        | 121.44            | 15.25              | 1            |
| 4B Type-E2        | 121.44            | 16.19              | 4            |
| 4B+ Type-A        | 130.29            | 11.07              | 13           |
| 4B+ Type-B        | 130.29            | 11.51              | 57           |
| 4B+ Type-B-MIRROR | 130.29            | 11.51              | 35           |
| 4B+ Type-D1       | 130.01            | 16.19              | 8            |
| 4B+ Type-D10      | 130.01            | 12.3               | 1            |
| 4B+ Type-D11      | 130.01            | 14.13              | 1            |
| 4B+ Type-D12      | 130.01            | 14.97              | 1            |
| 4B+ Type-D13      | 130.01            | 9.37               | 1            |
| 4B+ Type-D14      | 130.01            | 10.42              | 1            |
| 4B+ Type-D15      | 130.01            | 15.18              | 1            |
| 4B+ Type-D2       | 130.01            | 15.03              | 2            |
| 4B+ Type-D3       | 130.01            | 15.06              | 10           |
| 4B+ Type-D4       | 130.01            | 11.35              | 2            |
| 4B+ Type-D5       | 130.01            | 15.16              | 4            |
| 4B+ Type-D6       | 130.01            | 15.53              | 4            |
| 4B+ Type-D7       | 130.01            | 15.4               | 2            |
| 4B+ Type-D8       | 130.01            | 15.25              | 1            |
|                   |                   |                    |              |

**Annexure- 2.11**

|              |        |       |    |
|--------------|--------|-------|----|
| 4B+ Type-D9  | 130.01 | 15.2  | 1  |
| 4B+ Type-E1  | 129.62 | 15.8  | 2  |
| 4B+ Type-E10 | 129.62 | 12.47 | 6  |
| 4B+ Type-E11 | 129.62 | 15.6  | 2  |
| 4B+ Type-E12 | 129.62 | 15.89 | 2  |
| 4B+ Type-E13 | 129.62 | 12.82 | 2  |
| 4B+ Type-E14 | 129.62 | 15.53 | 4  |
| 4B+ Type-E15 | 129.62 | 15.01 | 4  |
| 4B+ Type-E2  | 129.62 | 15.54 | 2  |
| 4B+ Type-E3  | 129.62 | 13.2  | 1  |
| 4B+ Type-E4  | 129.62 | 14.96 | 1  |
| 4B+ Type-E5  | 129.62 | 15.18 | 1  |
| 4B+ Type-E6  | 129.62 | 10.19 | 1  |
| 4B+ Type-E7  | 129.62 | 14.48 | 1  |
| 4B+ Type-E8  | 129.62 | 15.46 | 10 |
| 4B+ Type-E9  | 129.62 | 15.37 | 6  |

## Details of units for Vatika Turning Point (Phase-I)

| Sl. No. | Unit Type                  | Carpet Area | Balcony area | Count | Sold upto 31-July-2017 | Total Carpet Area |
|---------|----------------------------|-------------|--------------|-------|------------------------|-------------------|
| 1       | 2B Type-A-N                | 63.61       | 6.39         | 1     |                        | 63.61             |
| 2       | 3B Type-A-MIRROR-N         | 83.46       | 10.27        | 2     |                        | 166.92            |
| 3       | 3B+ Type-A10               | 90.74       | 11.66        | 1     |                        | 90.74             |
| 4       | 3B+ Type-B18               | 96.06       | 11.87        | 1     |                        | 96.06             |
| 5       | 4B+ Type-D1-N              | 129.92      | 16.59        | 2     |                        | 259.84            |
| 6       | HSG-026-2B Type-A          | 63.66       | 6.21         | 43    | 13                     | 2,737.38          |
| 7       | HSG-026-2B Type-A-MIRROR   | 63.66       | 6.21         | 32    | 20                     | 2,037.12          |
| 8       | HSG-026-2B Type-A-N        | 63.61       | 6.39         | 19    |                        | 1,208.59          |
| 9       | HSG-026-3B Type-A          | 83.54       | 10           | 26    | 9                      | 2,172.04          |
| 10      | HSG-026-3B Type-A-MIRROR   | 83.54       | 10           | 27    | 10                     | 2,255.58          |
| 11      | HSG-026-3B Type-A-MIRROR-N | 83.46       | 10.27        | 7     |                        | 584.22            |
| 12      | HSG-026-3B Type-A-N        | 83.46       | 10.27        | 31    | 1                      | 2,587.26          |
| 13      | HSG-026-3B Type-B          | 87.04       | 9.01         | 11    | 2                      | 957.44            |
| 14      | HSG-026-3B Type-B-MIRROR   | 87.04       | 9.01         | 23    | 2                      | 2,001.92          |
| 15      | HSG-026-3B Type-B-MIRROR-N | 87.06       | 9.58         | 13    |                        | 1,131.78          |
| 16      | HSG-026-3B Type-B-N        | 87.06       | 9.58         | 46    | 1                      | 4,004.76          |
| 17      | HSG-026-3B Type-E          | 83.54       | 9.33         | 14    | 8                      | 1,169.56          |
| 18      | HSG-026-3B Type-F          | 87.04       | 8.33         | 13    | 8                      | 1,131.52          |
| 19      | HSG-026-3B Type-F-N        | 87.06       | 8.89         | 1     |                        | 87.06             |
| 20      | HSG-026-3B+ Type-A1        | 90.72       | 9.19         | 4     |                        | 362.88            |
| 21      | HSG-026-3B+ Type-A1-N      | 90.74       | 9.74         | 9     |                        | 816.66            |
| 22      | HSG-026-3B+ Type-A2        | 90.72       | 11.86        | 3     | 1                      | 272.16            |
| 23      | HSG-026-3B+ Type-A2-N      | 90.74       | 12.28        | 2     |                        | 181.48            |
| 24      | HSG-026-3B+ Type-A3        | 90.72       | 8.91         | 2     |                        | 181.44            |
| 25      | HSG-026-3B+ Type-A3-N      | 90.74       | 9.23         | 3     |                        | 272.22            |
| 26      | HSG-026-3B+ Type-A4        | 90.72       | 12.02        | 3     |                        | 272.16            |
| 27      | HSG-026-3B+ Type-A4-N      | 90.74       | 12.55        | 1     |                        | 90.74             |
| 28      | HSG-026-3B+ Type-A5        | 90.72       | 11.63        | 2     | 2                      | 181.44            |
| 29      | HSG-026-3B+ Type-A5-N      | 90.74       | 12.12        | 2     |                        | 181.48            |
| 30      | HSG-026-3B+ Type-A6        | 90.72       | 7.03         | 3     | 1                      | 272.16            |
| 31      | HSG-026-3B+ Type-A6-N      | 90.74       | 7.27         | 1     |                        | 90.74             |
| 32      | HSG-026-3B+ Type-A7        | 90.72       | 8.07         | 3     | 1                      | 272.16            |
| 33      | HSG-026-3B+ Type-A7-N      | 90.74       | 8.6          | 1     |                        | 90.74             |
| 34      | HSG-026-3B+ Type-A8        | 90.72       | 11.99        | 2     | 1                      | 181.44            |
| 35      | HSG-026-3B+ Type-A8-N      | 90.74       | 12.26        | 2     |                        | 181.48            |
| 36      | HSG-026-3B+ Type-A9-N      | 90.74       | 10.3         | 1     |                        | 90.74             |
| 37      | HSG-026-3B+ Type-B1        | 96.07       | 8.92         | 2     |                        | 192.14            |
| 38      | HSG-026-3B+ Type-B10       | 96.07       | 8.78         | 1     | 1                      | 96.07             |
| 39      | HSG-026-3B+ Type-B10-N     | 96.06       | 9.25         | 1     |                        | 96.06             |
| 40      | HSG-026-3B+ Type-B11       | 96.07       | 11.42        | 1     |                        | 96.07             |
| 41      | HSG-026-3B+ Type-B12       | 96.07       | 8.07         | 1     |                        | 96.07             |
| 42      | HSG-026-3B+ Type-B12-N     | 96.06       | 8.6          | 1     |                        | 96.06             |
| 43      | HSG-026-3B+ Type-B13       | 96.07       | 12.02        | 3     | 1                      | 288.21            |
| 44      | HSG-026-3B+ Type-B13-N     | 96.06       | 12.55        | 1     |                        | 96.06             |
| 45      | HSG-026-3B+ Type-B14       | 96.07       | 8.51         | 1     | 1                      | 96.07             |
| 46      | HSG-026-3B+ Type-B14-N     | 96.06       | 8.99         | 1     |                        | 96.06             |
| 47      | HSG-026-3B+ Type-B1-N      | 96.06       | 9.47         | 5     |                        | 480.30            |
| 48      | HSG-026-3B+ Type-B2-N      | 96.06       | 11.85        | 1     |                        | 96.06             |
| 49      | HSG-026-3B+ Type-B3-N      | 96.06       | 9.12         | 1     |                        | 96.06             |
| 50      | HSG-026-3B+ Type-B5        | 96.07       | 11.78        | 6     | 1                      | 576.42            |
| 51      | HSG-026-3B+ Type-B5-N      | 96.06       | 12.18        | 5     |                        | 480.30            |
| 52      | HSG-026-3B+ Type-B6-N      | 96.06       | 9.99         | 1     |                        | 96.06             |
| 53      | HSG-026-3B+ Type-B7-N      | 96.06       | 12.97        | 1     |                        | 96.06             |
| 54      | HSG-026-3B+ Type-B8        | 96.07       | 12.87        | 5     | 1                      | 480.35            |

For VATIKA LIMITED

*[Signature]*  
Authorized Signatory

| Sl. No.     | Unit Type                   | Carpet Area | Balcony area | Count | Sold upto 31-July-2017 | Total Carpet Area |
|-------------|-----------------------------|-------------|--------------|-------|------------------------|-------------------|
| 55          | HSG-026-3B+ Type-B8-N       | 96.06       | 13.35        | 4     |                        | 384.24            |
| 56          | HSG-026-3B+ Type-B9         | 96.07       | 11.66        | 1     |                        | 96.07             |
| 57          | HSG-026-3B+ Type-B9-N       | 96.06       | 12.07        | 1     |                        | 96.06             |
| 58          | HSG-026-4B Type-A-N         | 114.65      | 11.28        | 13    |                        | 1,490.45          |
| 59          | HSG-026-4B Type-B           | 114.78      | 11.43        | 12    | 6                      | 1,377.36          |
| 60          | HSG-026-4B Type-B-MIRROR    | 114.78      | 11.43        | 2     | 2                      | 229.56            |
| 61          | HSG-026-4B Type-B-MIRROR-N  | 114.65      | 11.73        | 34    |                        | 3,898.10          |
| 62          | HSG-026-4B Type-B-N         | 114.65      | 11.73        | 47    |                        | 5,388.55          |
| 63          | HSG-026-4B Type-D-N         | 116.36      | 11.39        | 1     |                        | 116.36            |
| 64          | HSG-026-4B Type-E1-N        | 121.47      | 15.71        | 1     |                        | 121.47            |
| 65          | HSG-026-4B Type-E2-N        | 121.47      | 16.59        | 4     |                        | 485.88            |
| 66          | HSG-026-4B+ Type-A-N        | 129.97      | 11.39        | 12    |                        | 1,559.64          |
| 67          | HSG-026-4B+ Type-B          | 130.29      | 11.51        | 1     |                        | 130.29            |
| 68          | HSG-026-4B+ Type-B-MIRROR-N | 129.97      | 11.83        | 35    |                        | 4,548.95          |
| 69          | HSG-026-4B+ Type-B-N        | 129.97      | 11.83        | 57    |                        | 7,408.29          |
| 70          | HSG-026-4B+ Type-D1         | 130.01      | 16.19        | 1     | 1                      | 130.01            |
| 71          | HSG-026-4B+ Type-D10-N      | 129.92      | 12.58        | 1     |                        | 129.92            |
| 72          | HSG-026-4B+ Type-D12-N      | 129.92      | 15.47        | 1     |                        | 129.92            |
| 73          | HSG-026-4B+ Type-D13-N      | 129.92      | 9.39         | 1     |                        | 129.92            |
| 74          | HSG-026-4B+ Type-D14-N      | 129.92      | 10.78        | 1     |                        | 129.92            |
| 75          | HSG-026-4B+ Type-D15-N      | 129.92      | 15.66        | 1     |                        | 129.92            |
| 76          | HSG-026-4B+ Type-D1-N       | 129.92      | 16.59        | 11    |                        | 1,429.12          |
| 77          | HSG-026-4B+ Type-D2         | 130.01      | 15.03        | 1     | 1                      | 130.01            |
| 78          | HSG-026-4B+ Type-D2-N       | 129.92      | 15.5         | 1     |                        | 129.92            |
| 79          | HSG-026-4B+ Type-D3         | 130.01      | 15.06        | 2     | 2                      | 260.02            |
| 80          | HSG-026-4B+ Type-D3-N       | 129.92      | 15.52        | 4     |                        | 519.68            |
| 81          | HSG-026-4B+ Type-D5         | 130.01      | 15.16        | 1     |                        | 130.01            |
| 82          | HSG-026-4B+ Type-D5-N       | 129.92      | 15.6         | 4     |                        | 519.68            |
| 83          | HSG-026-4B+ Type-D6-N       | 129.92      | 16.28        | 3     |                        | 389.76            |
| 84          | HSG-026-4B+ Type-D7-N       | 129.92      | 15.82        | 2     |                        | 259.84            |
| 85          | HSG-026-4B+ Type-D8-N       | 129.92      | 15.71        | 2     |                        | 259.84            |
| 86          | HSG-026-4B+ Type-D9-N       | 129.92      | 15.68        | 1     |                        | 129.92            |
| 87          | HSG-026-4B+ Type-E10-N      | 129.83      | 12.89        | 6     |                        | 778.98            |
| 88          | HSG-026-4B+ Type-E11        | 129.62      | 15.6         | 1     | 1                      | 129.62            |
| 89          | HSG-026-4B+ Type-E11-N      | 129.83      | 16.05        | 1     |                        | 129.83            |
| 90          | HSG-026-4B+ Type-E12        | 129.62      | 15.89        | 1     | 1                      | 129.62            |
| 91          | HSG-026-4B+ Type-E12-N      | 129.83      | 16.31        | 1     |                        | 129.83            |
| 92          | HSG-026-4B+ Type-E13        | 129.62      | 12.82        | 1     |                        | 129.62            |
| 93          | HSG-026-4B+ Type-E13-N      | 129.83      | 13.22        | 1     |                        | 129.83            |
| 94          | HSG-026-4B+ Type-E14        | 129.62      | 15.53        | 1     |                        | 129.62            |
| 95          | HSG-026-4B+ Type-E14-N      | 129.83      | 16.16        | 3     |                        | 389.49            |
| 96          | HSG-026-4B+ Type-E15-N      | 129.83      | 15.41        | 2     |                        | 259.66            |
| 97          | HSG-026-4B+ Type-E1-N       | 129.83      | 16.29        | 3     |                        | 389.49            |
| 98          | HSG-026-4B+ Type-E2-N       | 129.83      | 16.02        | 2     |                        | 259.66            |
| 99          | HSG-026-4B+ Type-E3-N       | 129.83      | 13.56        | 1     |                        | 129.83            |
| 100         | HSG-026-4B+ Type-E5-N       | 129.83      | 15.7         | 1     |                        | 129.83            |
| 101         | HSG-026-4B+ Type-E6-N       | 129.83      | 10.56        | 1     |                        | 129.83            |
| 102         | HSG-026-4B+ Type-E7-N       | 129.83      | 14.46        | 1     |                        | 129.83            |
| 103         | HSG-026-4B+ Type-E8         | 129.62      | 15.46        | 1     |                        | 129.62            |
| 104         | HSG-026-4B+ Type-E8-N       | 129.83      | 15.87        | 11    |                        | 1,428.13          |
| 105         | HSG-026-4B+ Type-E9-N       | 129.83      | 15.84        | 6     |                        | 778.98            |
| Grand Total |                             | 11,282.06   | 1,262.84     | 703   | 99                     | 70,495.98         |

Turning Point-Phase-IConstruction Progress Status

| Category of Work | West End-1    | West End-2    | West End-3    | West End-4    | West End-5    | West End-6    | West End-7    | West End-8    |
|------------------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|
| Civil            | To be Started | To be Started | To be Started | To be Started | To be Started | To be Started | To be Started | To be Started |
| Blockwork        | To be Started | To be Started | To be Started | To be Started | To be Started | To be Started | To be Started | To be Started |
| Waterproofing    | To be Started | To be Started | To be Started | To be Started | To be Started | To be Started | To be Started | To be Started |
| Electrical       | To be Started | To be Started | To be Started | To be Started | To be Started | To be Started | To be Started | To be Started |

For VARIKA LIMITED



Authorised Signatory