

PARKING

CAR PARKING REQUIRE @ OF 1.5 PER FLAT = (228 X 1.5) = 342
 PROPOSED NO OF CAR PARKING ON SURFACE (OPEN) = 76
 PROPOSED NO OF CAR PARKING IN BASEMENT (2) = 520
 PROPOSED NO OF CAR PARKING IN BASEMENT (2) = 520
 TOTAL CAR PARKING PROVIDED = 779

LEGEND


SYMBOL	DESCRIPTION
	1:15000, WATER LINE
	DRAIN PIPE
	7%

DOOR & WINDOW SCHEDULE

NO.	UNIT	TYPE	SIZE	MARK
1	DOOR	1.5	1.5	1.5
2	DOOR	1.5	1.5	1.5
3	DOOR	1.5	1.5	1.5
4	DOOR	1.5	1.5	1.5
5	DOOR	1.5	1.5	1.5
6	DOOR	1.5	1.5	1.5
7	DOOR	1.5	1.5	1.5
8	DOOR	1.5	1.5	1.5
9	DOOR	1.5	1.5	1.5
10	DOOR	1.5	1.5	1.5
11	DOOR	1.5	1.5	1.5
12	DOOR	1.5	1.5	1.5
13	DOOR	1.5	1.5	1.5
14	DOOR	1.5	1.5	1.5
15	DOOR	1.5	1.5	1.5
16	DOOR	1.5	1.5	1.5
17	DOOR	1.5	1.5	1.5
18	DOOR	1.5	1.5	1.5
19	DOOR	1.5	1.5	1.5
20	DOOR	1.5	1.5	1.5
21	DOOR	1.5	1.5	1.5
22	DOOR	1.5	1.5	1.5
23	DOOR	1.5	1.5	1.5
24	DOOR	1.5	1.5	1.5
25	DOOR	1.5	1.5	1.5
26	DOOR	1.5	1.5	1.5
27	DOOR	1.5	1.5	1.5
28	DOOR	1.5	1.5	1.5
29	DOOR	1.5	1.5	1.5
30	DOOR	1.5	1.5	1.5
31	DOOR	1.5	1.5	1.5
32	DOOR	1.5	1.5	1.5
33	DOOR	1.5	1.5	1.5
34	DOOR	1.5	1.5	1.5
35	DOOR	1.5	1.5	1.5
36	DOOR	1.5	1.5	1.5
37	DOOR	1.5	1.5	1.5
38	DOOR	1.5	1.5	1.5
39	DOOR	1.5	1.5	1.5
40	DOOR	1.5	1.5	1.5
41	DOOR	1.5	1.5	1.5
42	DOOR	1.5	1.5	1.5
43	DOOR	1.5	1.5	1.5
44	DOOR	1.5	1.5	1.5
45	DOOR	1.5	1.5	1.5
46	DOOR	1.5	1.5	1.5
47	DOOR	1.5	1.5	1.5
48	DOOR	1.5	1.5	1.5
49	DOOR	1.5	1.5	1.5
50	DOOR	1.5	1.5	1.5
51	DOOR	1.5	1.5	1.5
52	DOOR	1.5	1.5	1.5
53	DOOR	1.5	1.5	1.5
54	DOOR	1.5	1.5	1.5
55	DOOR	1.5	1.5	1.5
56	DOOR	1.5	1.5	1.5
57	DOOR	1.5	1.5	1.5
58	DOOR	1.5	1.5	1.5
59	DOOR	1.5	1.5	1.5
60	DOOR	1.5	1.5	1.5
61	DOOR	1.5	1.5	1.5
62	DOOR	1.5	1.5	1.5
63	DOOR	1.5	1.5	1.5
64	DOOR	1.5	1.5	1.5
65	DOOR	1.5	1.5	1.5
66	DOOR	1.5	1.5	1.5
67	DOOR	1.5	1.5	1.5
68	DOOR	1.5	1.5	1.5
69	DOOR	1.5	1.5	1.5
70	DOOR	1.5	1.5	1.5
71	DOOR	1.5	1.5	1.5
72	DOOR	1.5	1.5	1.5
73	DOOR	1.5	1.5	1.5
74	DOOR	1.5	1.5	1.5
75	DOOR	1.5	1.5	1.5
76	DOOR	1.5	1.5	1.5
77	DOOR	1.5	1.5	1.5
78	DOOR	1.5	1.5	1.5
79	DOOR	1.5	1.5	1.5
80	DOOR	1.5	1.5	1.5
81	DOOR	1.5	1.5	1.5
82	DOOR	1.5	1.5	1.5
83	DOOR	1.5	1.5	1.5
84	DOOR	1.5	1.5	1.5
85	DOOR	1.5	1.5	1.5
86	DOOR	1.5	1.5	1.5
87	DOOR	1.5	1.5	1.5
88	DOOR	1.5	1.5	1.5
89	DOOR	1.5	1.5	1.5
90	DOOR	1.5	1.5	1.5
91	DOOR	1.5	1.5	1.5
92	DOOR	1.5	1.5	1.5
93	DOOR	1.5	1.5	1.5
94	DOOR	1.5	1.5	1.5
95	DOOR	1.5	1.5	1.5
96	DOOR	1.5	1.5	1.5
97	DOOR	1.5	1.5	1.5
98	DOOR	1.5	1.5	1.5
99	DOOR	1.5	1.5	1.5
100	DOOR	1.5	1.5	1.5

NOTE

TOWER DISTANCE IN THE BASEMENT IS AS PER THE NATIONAL BUILDING CODE CLAUSE 4.3.1.8.1.2



PROJECT INFORMATION

PROJECT NAME: [Name]
 CLIENT: [Name]
 LOCATION: [Location]
 DATE: [Date]
 SCALE: 1:1000

DESIGNER

NAME: [Name]
 POSITION: [Position]
 SIGNATURE: [Signature]

APPROVER

NAME: [Name]
 POSITION: [Position]
 SIGNATURE: [Signature]

REVISIONS

NO.	DESCRIPTION	DATE
1	ISSUED FOR PERMIT	2024-10-26

06

PARKING

CAR PARKING REQUIRED @ 0.75 PER FLAT = 220 X 1.51 = 333
 PROPOSED NO OF CAR PARKING ON SURFACE (OPEN) = 378
 PROPOSED NO OF CAR PARKING IN BASEMENT (1) = 350
 PROPOSED NO OF CAR PARKING IN BASEMENT (2) = 353
TOTAL CAR PARKING PROVIDED = 779

NOTE

TOTAL DISTANCE IN THE BASEMENT IS AS PER THE NATIONAL BUILDING CODE
 CHAPTER 11.4.4.1

LEGEND

1.5.5.5.1.1

1.5.5.5.1.2

1.5.5.5.1.3

1.5.5.5.1.4

1.5.5.5.1.5

1.5.5.5.1.6

1.5.5.5.1.7

1.5.5.5.1.8

1.5.5.5.1.9

1.5.5.5.1.10

1.5.5.5.1.11

1.5.5.5.1.12

1.5.5.5.1.13

1.5.5.5.1.14

1.5.5.5.1.15

1.5.5.5.1.16

1.5.5.5.1.17

1.5.5.5.1.18

1.5.5.5.1.19

1.5.5.5.1.20

1.5.5.5.1.21

1.5.5.5.1.22

1.5.5.5.1.23

1.5.5.5.1.24

1.5.5.5.1.25

1.5.5.5.1.26

1.5.5.5.1.27

1.5.5.5.1.28

1.5.5.5.1.29

1.5.5.5.1.30

1.5.5.5.1.31

1.5.5.5.1.32

1.5.5.5.1.33

1.5.5.5.1.34

1.5.5.5.1.35

1.5.5.5.1.36

1.5.5.5.1.37

1.5.5.5.1.38

1.5.5.5.1.39

1.5.5.5.1.40

1.5.5.5.1.41

1.5.5.5.1.42

1.5.5.5.1.43

1.5.5.5.1.44

1.5.5.5.1.45

1.5.5.5.1.46

1.5.5.5.1.47

1.5.5.5.1.48

1.5.5.5.1.49

1.5.5.5.1.50

1.5.5.5.1.51

1.5.5.5.1.52

1.5.5.5.1.53

1.5.5.5.1.54

1.5.5.5.1.55

1.5.5.5.1.56

1.5.5.5.1.57

1.5.5.5.1.58

1.5.5.5.1.59

1.5.5.5.1.60

1.5.5.5.1.61

1.5.5.5.1.62

1.5.5.5.1.63

1.5.5.5.1.64

1.5.5.5.1.65

1.5.5.5.1.66

1.5.5.5.1.67

1.5.5.5.1.68

1.5.5.5.1.69

1.5.5.5.1.70

1.5.5.5.1.71

1.5.5.5.1.72

1.5.5.5.1.73

1.5.5.5.1.74

1.5.5.5.1.75

1.5.5.5.1.76

1.5.5.5.1.77

1.5.5.5.1.78

1.5.5.5.1.79

1.5.5.5.1.80

1.5.5.5.1.81

1.5.5.5.1.82

1.5.5.5.1.83

1.5.5.5.1.84

1.5.5.5.1.85

1.5.5.5.1.86

1.5.5.5.1.87

1.5.5.5.1.88

1.5.5.5.1.89

1.5.5.5.1.90

1.5.5.5.1.91

1.5.5.5.1.92

1.5.5.5.1.93

1.5.5.5.1.94

1.5.5.5.1.95


1.5.5.5.1.96

1.5.5.5.1.97

1.5.5.5.1.98

1.5.5.5.1.99

1.5.5.5.1.100



Sanction

1.5.5.5.1.1

1.5.5.5.1.2

1.5.5.5.1.3

1.5.5.5.1.4

1.5.5.5.1.5

1.5.5.5.1.6

1.5.5.5.1.7

1.5.5.5.1.8

1.5.5.5.1.9

1.5.5.5.1.10

1.5.5.5.1.11

1.5.5.5.1.12

1.5.5.5.1.13

1.5.5.5.1.14

1.5.5.5.1.15

1.5.5.5.1.16

1.5.5.5.1.17

1.5.5.5.1.18

1.5.5.5.1.19

1.5.5.5.1.20

1.5.5.5.1.21

1.5.5.5.1.22

1.5.5.5.1.23

1.5.5.5.1.24

1.5.5.5.1.25

1.5.5.5.1.26

1.5.5.5.1.27

1.5.5.5.1.28

1.5.5.5.1.29

1.5.5.5.1.30

1.5.5.5.1.31

1.5.5.5.1.32

1.5.5.5.1.33

1.5.5.5.1.34

1.5.5.5.1.35

1.5.5.5.1.36

1.5.5.5.1.37

1.5.5.5.1.38

1.5.5.5.1.39

1.5.5.5.1.40

1.5.5.5.1.41

1.5.5.5.1.42

1.5.5.5.1.43

1.5.5.5.1.44

1.5.5.5.1.45

1.5.5.5.1.46

1.5.5.5.1.47

1.5.5.5.1.48

1.5.5.5.1.49

1.5.5.5.1.50

1.5.5.5.1.51

1.5.5.5.1.52

1.5.5.5.1.53

1.5.5.5.1.54

1.5.5.5.1.55

1.5.5.5.1.56

1.5.5.5.1.57

1.5.5.5.1.58

1.5.5.5.1.59

1.5.5.5.1.60

1.5.5.5.1.61

1.5.5.5.1.62

1.5.5.5.1.63

1.5.5.5.1.64

1.5.5.5.1.65

1.5.5.5.1.66

1.5.5.5.1.67

1.5.5.5.1.68

1.5.5.5.1.69

1.5.5.5.1.70

1.5.5.5.1.71

1.5.5.5.1.72

1.5.5.5.1.73

1.5.5.5.1.74

1.5.5.5.1.75

1.5.5.5.1.76

1.5.5.5.1.77

1.5.5.5.1.78

1.5.5.5.1.79

1.5.5.5.1.80

1.5.5.5.1.81

1.5.5.5.1.82

1.5.5.5.1.83

1.5.5.5.1.84

1.5.5.5.1.85

1.5.5.5.1.86

1.5.5.5.1.87

1.5.5.5.1.88

1.5.5.5.1.89

1.5.5.5.1.90

1.5.5.5.1.91

1.5.5.5.1.92

1.5.5.5.1.93

1.5.5.5.1.94

1.5.5.5.1.95


1.5.5.5.1.96

1.5.5.5.1.97

1.5.5.5.1.98

1.5.5.5.1.99

1.5.5.5.1.100



SALA LUNGA 2.00x3.00									
NO.	DESCRIZIONE	UNITA'	QUANTITA'	PREZZO UNITARIO	TOTALE	UNITA'	QUANTITA'	PREZZO UNITARIO	TOTALE
1	1.00	m ²	6.00	1.00	6.00	1.00	6.00	1.00	6.00
2	2.00	m ²	12.00	1.00	12.00	1.00	12.00	1.00	12.00
3	3.00	m ²	18.00	1.00	18.00	1.00	18.00	1.00	18.00
4	4.00	m ²	24.00	1.00	24.00	1.00	24.00	1.00	24.00
5	5.00	m ²	30.00	1.00	30.00	1.00	30.00	1.00	30.00
6	6.00	m ²	36.00	1.00	36.00	1.00	36.00	1.00	36.00
7	7.00	m ²	42.00	1.00	42.00	1.00	42.00	1.00	42.00
8	8.00	m ²	48.00	1.00	48.00	1.00	48.00	1.00	48.00
9	9.00	m ²	54.00	1.00	54.00	1.00	54.00	1.00	54.00
10	10.00	m ²	60.00	1.00	60.00	1.00	60.00	1.00	60.00
11	11.00	m ²	66.00	1.00	66.00	1.00	66.00	1.00	66.00
12	12.00	m ²	72.00	1.00	72.00	1.00	72.00	1.00	72.00
13	13.00	m ²	78.00	1.00	78.00	1.00	78.00	1.00	78.00
14	14.00	m ²	84.00	1.00	84.00	1.00	84.00	1.00	84.00
15	15.00	m ²	90.00	1.00	90.00	1.00	90.00	1.00	90.00
16	16.00	m ²	96.00	1.00	96.00	1.00	96.00	1.00	96.00
17	17.00	m ²	102.00	1.00	102.00	1.00	102.00	1.00	102.00
18	18.00	m ²	108.00	1.00	108.00	1.00	108.00	1.00	108.00
19	19.00	m ²	114.00	1.00	114.00	1.00	114.00	1.00	114.00
20	20.00	m ²	120.00	1.00	120.00	1.00	120.00	1.00	120.00
21	21.00	m ²	126.00	1.00	126.00	1.00	126.00	1.00	126.00
22	22.00	m ²	132.00	1.00	132.00	1.00	132.00	1.00	132.00
23	23.00	m ²	138.00	1.00	138.00	1.00	138.00	1.00	138.00
24	24.00	m ²	144.00	1.00	144.00	1.00	144.00	1.00	144.00
25	25.00	m ²	150.00	1.00	150.00	1.00	150.00	1.00	150.00

AUTORE: *[Firma]*
 DATA: *[Data]*
 LAVORO: *[Descrizione]*
 CLIENTE: *[Nome]*
 INGENGERE: *[Firma]*
 DATA: *[Data]*
 LAVORO: *[Descrizione]*
 CLIENTE: *[Nome]*

08




TABLE 1: ROOM SCHEDULE

Room No.	Room Name	Area (sq. ft.)	Volume (cu. ft.)	Remarks
1	Central Hall	1000	1000	
2	Room 2	100	100	
3	Room 3	100	100	
4	Room 4	100	100	
5	Room 5	100	100	
6	Room 6	100	100	
7	Room 7	100	100	
8	Room 8	100	100	
9	Room 9	100	100	
10	Room 10	100	100	
11	Room 11	100	100	
12	Room 12	100	100	
13	Room 13	100	100	
14	Room 14	100	100	
15	Room 15	100	100	
16	Room 16	100	100	
17	Room 17	100	100	
18	Room 18	100	100	
19	Room 19	100	100	
20	Room 20	100	100	
21	Room 21	100	100	
22	Room 22	100	100	
23	Room 23	100	100	
24	Room 24	100	100	

SANITATION


Sanitation is provided for all rooms. The system is designed to handle the maximum number of occupants. The system is designed to handle the maximum number of occupants. The system is designed to handle the maximum number of occupants.

Sanitation System

The sanitation system is designed to handle the maximum number of occupants. The system is designed to handle the maximum number of occupants. The system is designed to handle the maximum number of occupants.

Sanitation System

The sanitation system is designed to handle the maximum number of occupants. The system is designed to handle the maximum number of occupants. The system is designed to handle the maximum number of occupants.



SYMBOL	DESCRIPTION
1	STANDARD PULL STATION (RATED)
2	STANDARD PULL STATION (UNRATED)
3	STANDARD PULL STATION (RATED) WITH BELL
4	STANDARD PULL STATION (UNRATED) WITH BELL
5	STANDARD PULL STATION (RATED) WITH BELL AND SMOKE DETECTOR
6	STANDARD PULL STATION (UNRATED) WITH BELL AND SMOKE DETECTOR
7	STANDARD PULL STATION (RATED) WITH BELL AND SMOKE DETECTOR AND PHOTO EYE
8	STANDARD PULL STATION (UNRATED) WITH BELL AND SMOKE DETECTOR AND PHOTO EYE
9	STANDARD PULL STATION (RATED) WITH BELL AND SMOKE DETECTOR AND PHOTO EYE AND SMOKE DETECTOR
10	STANDARD PULL STATION (UNRATED) WITH BELL AND SMOKE DETECTOR AND PHOTO EYE AND SMOKE DETECTOR

SYMBOL	DESCRIPTION
1	Water supply type 1.1
2	Water supply type 1.2
3	Water supply type 1.3
4	Water supply type 1.4
5	Water supply type 1.5
6	Water supply type 1.6
7	Water supply type 1.7
8	Water supply type 1.8
9	Water supply type 1.9
10	Water supply type 1.10

- NOTES ON THE DRAWING
1. Fire alarm pull station is to be installed in accordance with the following:
 - (a) 60mm dia. single ended hydraulic valve
 - (b) 20mm dia. single ended hydraulic valve
 - (c) 20mm dia. single ended hydraulic valve
 - (d) 20mm dia. single ended hydraulic valve
 - (e) 20mm dia. single ended hydraulic valve
 - (f) 20mm dia. single ended hydraulic valve
 - (g) 20mm dia. single ended hydraulic valve
 - (h) 20mm dia. single ended hydraulic valve
 - (i) 20mm dia. single ended hydraulic valve
 - (j) 20mm dia. single ended hydraulic valve
 - (k) 20mm dia. single ended hydraulic valve
 - (l) 20mm dia. single ended hydraulic valve
 - (m) 20mm dia. single ended hydraulic valve
 - (n) 20mm dia. single ended hydraulic valve
 - (o) 20mm dia. single ended hydraulic valve
 - (p) 20mm dia. single ended hydraulic valve
 - (q) 20mm dia. single ended hydraulic valve
 - (r) 20mm dia. single ended hydraulic valve
 - (s) 20mm dia. single ended hydraulic valve
 - (t) 20mm dia. single ended hydraulic valve
 - (u) 20mm dia. single ended hydraulic valve
 - (v) 20mm dia. single ended hydraulic valve
 - (w) 20mm dia. single ended hydraulic valve
 - (x) 20mm dia. single ended hydraulic valve
 - (y) 20mm dia. single ended hydraulic valve
 - (z) 20mm dia. single ended hydraulic valve

SYMBOL	DESCRIPTION
1	Water supply type 1.1
2	Water supply type 1.2
3	Water supply type 1.3
4	Water supply type 1.4
5	Water supply type 1.5
6	Water supply type 1.6
7	Water supply type 1.7
8	Water supply type 1.8
9	Water supply type 1.9
10	Water supply type 1.10

SYMBOL	DESCRIPTION
1	Water supply type 1.1
2	Water supply type 1.2
3	Water supply type 1.3
4	Water supply type 1.4
5	Water supply type 1.5
6	Water supply type 1.6
7	Water supply type 1.7
8	Water supply type 1.8
9	Water supply type 1.9
10	Water supply type 1.10

- NOTE:-
1. THE DRAWING REPRESENTS ONLY A FIRE ALARMING DETAIL FOR ARCHITECTURAL STRUCTURAL AND OTHER SERVICES REFER RELEVANT DRAWINGS.
 2. PLEASE CO-ORDINATE THIS DRAWING WITH ALL OTHER RELEVANT DRAWINGS OF ALL THE SERVICES.
 3. ALL DIMENSIONS SHOWN IN DRAWINGS ARE IN MM AND MUST BE CO-ORDINATED WITH THE ARCHITECTURAL DRAWINGS.
 4. THE SPARKER SHALL BE INSTALLED GENERALLY AS PER THE GUIDELINES ON ANY OTHER RELEVANT CODES & STANDARDS. IT SHALL BE THE RESPONSIBILITY OF THE EXECUTING AGENCY TO CHECK THE SITE CONDITION ACCORDINGLY.
 5. THE LOCATION OF SPARKER SHALL BE AS PER ARCHITECTURAL CO-ORDINATION DRAWING. THE SPARKER SHALL BE GENERALLY INSTALLED 1.5 M.C. TO COVER ANY AREA OF 100.0 SQ. M.
 6. THE SPARKER INSTALLATION SHALL BE IN COMPLETE CONFORMANCE WITH CODES & STANDARDS & OTHER RELEVANT GUIDELINES.

SETBACK LINE
PROPERTY LINE



PROPERTY LINE
SETBACK LINE

MANUFACTURED

11

