



NOTES	1. <u>GENERAL</u> - ALL WORK SHALL BE AS PER PROVISIONS OF THE SPECIFICATIONS. 2. <u>VERIFICATION</u> - MEASUREMENTS SHALL BE AS PER RELEVANT PROVISIONS. 10% OF THE WORK SHALL BE RECHECKED FOR VERIFICATION. RECHECK SHALL BE IN THE PRESENCE OF THE OPERATOR IN CASE OF THE RECHECK. 3. <u>PRE-ERECTING SAFETY PROVISIONS</u> SHALL BE AS PER RELEVANT PROVISIONS. 4. <u>LOADING</u> - THE REQUIRED OFF-PEAK DURATION SHALL BE AS PER RELEVANT PROVISIONS. 5. <u>MAIN BATTERY AND EXHAUSTARY WARE</u> SHALL BE AS PER THE DESIGN. 6. <u>MAIN BATTERY AND EXHAUSTARY WARE</u> SHALL BE AS PER STANDARD DESIGN. 7. <u>ALL TAPERS</u> ARE 11.5 KVA FOR COPS & 20 KVA FOR TAPERS WITH TAPERS SPECIFIED. 8. <u>REQUIREMENTS</u> - 1. <u>EXHAUSTORY</u> 2. <u>EXHAUSTORY</u> 3. <u>EXHAUSTORY</u> 4. <u>EXHAUSTORY</u> 5. <u>EXHAUSTORY</u> 6. <u>EXHAUSTORY</u> 7. <u>EXHAUSTORY</u> 8. <u>EXHAUSTORY</u> 9. <u>EXHAUSTORY</u> 10. <u>EXHAUSTORY</u> 11. <u>EXHAUSTORY</u> 12. <u>EXHAUSTORY</u> 13. <u>EXHAUSTORY</u> 14. <u>EXHAUSTORY</u> 15. <u>EXHAUSTORY</u> 16. <u>EXHAUSTORY</u> 17. <u>EXHAUSTORY</u> 18. <u>EXHAUSTORY</u> 19. <u>EXHAUSTORY</u> 20. <u>EXHAUSTORY</u> 21. <u>EXHAUSTORY</u> 22. <u>EXHAUSTORY</u> 23. <u>EXHAUSTORY</u> 24. <u>EXHAUSTORY</u> 25. <u>EXHAUSTORY</u> 26. <u>EXHAUSTORY</u> 27. <u>EXHAUSTORY</u> 28. <u>EXHAUSTORY</u> 29. <u>EXHAUSTORY</u> 30. <u>EXHAUSTORY</u> 31. <u>EXHAUSTORY</u> 32. <u>EXHAUSTORY</u> 33. <u>EXHAUSTORY</u> 34. <u>EXHAUSTORY</u> 35. <u>EXHAUSTORY</u> 36. <u>EXHAUSTORY</u> 37. <u>EXHAUSTORY</u> 38. <u>EXHAUSTORY</u> 39. <u>EXHAUSTORY</u> 40. <u>EXHAUSTORY</u> 41. <u>EXHAUSTORY</u> 42. <u>EXHAUSTORY</u> 43. <u>EXHAUSTORY</u> 44. <u>EXHAUSTORY</u> 45. <u>EXHAUSTORY</u> 46. <u>EXHAUSTORY</u> 47. <u>EXHAUSTORY</u> 48. <u>EXHAUSTORY</u> 49. <u>EXHAUSTORY</u> 50. <u>EXHAUSTORY</u> 51. <u>EXHAUSTORY</u> 52. <u>EXHAUSTORY</u> 53. <u>EXHAUSTORY</u> 54. <u>EXHAUSTORY</u> 55. <u>EXHAUSTORY</u> 56. <u>EXHAUSTORY</u> 57. <u>EXHAUSTORY</u> 58. <u>EXHAUSTORY</u> 59. <u>EXHAUSTORY</u> 60. <u>EXHAUSTORY</u> 61. <u>EXHAUSTORY</u> 62. <u>EXHAUSTORY</u> 63. <u>EXHAUSTORY</u> 64. <u>EXHAUSTORY</u> 65. <u>EXHAUSTORY</u> 66. <u>EXHAUSTORY</u> 67. <u>EXHAUSTORY</u> 68. <u>EXHAUSTORY</u> 69. <u>EXHAUSTORY</u> 70. <u>EXHAUSTORY</u> 71. <u>EXHAUSTORY</u> 72. <u>EXHAUSTORY</u> 73. <u>EXHAUSTORY</u> 74. <u>EXHAUSTORY</u> 75. <u>EXHAUSTORY</u> 76. <u>EXHAUSTORY</u> 77. <u>EXHAUSTORY</u> 78. <u>EXHAUSTORY</u> 79. <u>EXHAUSTORY</u> 80. <u>EXHAUSTORY</u> 81. <u>EXHAUSTORY</u> 82. <u>EXHAUSTORY</u> 83. <u>EXHAUSTORY</u> 84. <u>EXHAUSTORY</u> 85. <u>EXHAUSTORY</u> 86. <u>EXHAUSTORY</u> 87. <u>EXHAUSTORY</u> 88. <u>EXHAUSTORY</u> 89. <u>EXHAUSTORY</u> 90. <u>EXHAUSTORY</u> 91. <u>EXHAUSTORY</u> 92. <u>EXHAUSTORY</u> 93. <u>EXHAUSTORY</u> 94. <u>EXHAUSTORY</u> 95. <u>EXHAUSTORY</u> 96. <u>EXHAUSTORY</u> 97. <u>EXHAUSTORY</u> 98. <u>EXHAUSTORY</u> 99. <u>EXHAUSTORY</u> 100. <u>EXHAUSTORY</u>
-------	--

[illegible]

SYMBOL	DESCRIPTION
	IRRIGATION WATER PIPE LINE
	GARDEN HYDRANT

TOTAL ACRES										11.28 ACRES		OR		4592.000 Sqn.	
TOTAL AREA FOR OPEN COVERABLE & A.A. CALCULATIONS										11.28 ACRES		OR		5,045,000 Sqn.	
PERMANENT COVERED AREA OF GROUND FLOORING 8% OF LLAB AREA										.902 ACRES		OR		7833.700 Sqn.	
PERMANENT COVERED AREA OF ROOFING 27% OF LLAB AREA										3.046 ACRES		OR		27,000.000 Sqn.	
PERMANENT OPENING COVERABLE										486.188 Sqn.		OR		51.841 %	
PERMANENT OPENING COVERABLE										7798.658 Sqn.		OR		176.137 %	
AREA TOTAL															

S.NO.	BLOCK	NO. OF HOUSES	GRASSY COVERAGE	TOTAL GRASSY COVERAGE	A.A. PER BLOCK	TOTAL A.A.	NO. OF DEVELOPMENTS UNITS IN BLOCK			TOTAL NO. OF DEVELOPMENTS UNITS IN BLOCK		
			In Sqn.	In Sqn.	In Sqn.		MAIN	SERVICE	MAINT. UNIT	MAIN	SERVICE	MAINT. UNIT
1	A	1	593.845	593.845	10.00	10.00	10.00	10.00	10.00	10.00	10.00	10.00
2	B	1	593.845	593.845	10.00	10.00	10.00	10.00	10.00	10.00	10.00	10.00
3	C	1	593.845	593.845	10.00	10.00	10.00	10.00	10.00	10.00	10.00	10.00
4	D	1	593.845	593.845	10.00	10.00	10.00	10.00	10.00	10.00	10.00	10.00
5	E	1	593.845	593.845	10.00	10.00	10.00	10.00	10.00	10.00	10.00	10.00
6	F	1	593.845	593.845	10.00	10.00	10.00	10.00	10.00	10.00	10.00	10.00
7	G	1	593.845	593.845	10.00	10.00	10.00	10.00	10.00	10.00	10.00	10.00
8	H	1	593.845	593.845	10.00	10.00	10.00	10.00	10.00	10.00	10.00	10.00
9	I	1	593.845	593.845	10.00	10.00	10.00	10.00	10.00	10.00	10.00	10.00
10	J	1	593.845	593.845	10.00	10.00	10.00	10.00	10.00	10.00	10.00	10.00
11	K	1	593.845	593.845	10.00	10.00	10.00	10.00	10.00	10.00	10.00	10.00
12	L	1	593.845	593.845	10.00	10.00	10.00	10.00	10.00	10.00	10.00	10.00
13	M	1	593.845	593.845	10.00	10.00	10.00	10.00	10.00	10.00	10.00	10.00
14	N	1	593.845	593.845	10.00	10.00	10.00	10.00	10.00	10.00	10.00	10.00
15	O	1	593.845	593.845	10.00	10.00	10.00	10.00	10.00	10.00	10.00	10.00
16	P	1	593.845	593.845	10.00	10.00	10.00	10.00	10.00	10.00	10.00	10.00
17	Q	1	593.845	593.845	10.00	10.00	10.00	10.00	10.00	10.00	10.00	10.00
18	R	1	593.845	593.845	10.00	10.00	10.00	10.00	10.00	10.00	10.00	10.00
19	S	1	593.845	593.845	10.00	10.00	10.00	10.00	10.00	10.00	10.00	10.00
20	T	1	593.845	593.845	10.00	10.00	10.00	10.00	10.00	10.00	10.00	10.00
21	U	1	593.845	593.845	10.00	10.00	10.00	10.00	10.00	10.00	10.00	10.00
22	V	1	593.845	593.845	10.00	10.00	10.00	10.00	10.00	10.00	10.00	10.00
23	W	1	593.845	593.845	10.00	10.00	10.00	10.00	10.00	10.00	10.00	10.00
24	X	1	593.845	593.845	10.00	10.00	10.00	10.00	10.00	10.00	10.00	10.00
25	Y	1	593.845	593.845	10.00	10.00	10.00	10.00	10.00	10.00	10.00	10.00
26	Z	1	593.845	593.845	10.00	10.00	10.00	10.00	10.00	10.00	10.00	10.00
27	AA	1	593.845	593.845	10.00	10.00	10.00	10.00	10.00	10.00	10.00	10.00
28	AB	1	593.845	593.845	10.00	10.00	10.00	10.00	10.00	10.00	10.00	10.00
29	AC	1	593.845	593.845	10.00	10.00	10.00	10.00	10.00	10.00	10.00	10.00
30	AD	1	593.845	593.845	10.00	10.00	10.00	10.00	10.00	10.00	10.00	10.00
31	AE	1	593.845	593.845	10.00	10.00	10.00	10.00	10.00	10.00	10.00	10.00
32	AF	1	593.845	593.845	10.00	10.00	10.00	10.00	10.00	10.00	10.00	10.00
33	AG	1	593.845	593.845	10.00	10.00	10.00	10.00	10.00	10.00	10.00	10.00
34	AH	1	593.845	593.845	10.00	10.00	10.00	10.00	10.00	10.00	10.00	10.00
35	AI	1	593.845	593.845	10.00	10.00	10.00	10.00	10.00	10.00	10.00	10.00
36	AJ	1	593.845	593.845	10.00	10.00	10.00	10.00	10.00	10.00	10.00	10.00
37	AK	1	593.845	593.845	10.00	10.00	10.00	10.00	10.00	10.00	10.00	10.00
38	AL	1	593.845	593.845	10.00	10.00	10.00	10.00	10.00	10.00	10.00	10.00
39	AM	1	593.845	593.845	10.00	10.00	10.00	10.00	10.00	10.00	10.00	10.00
40	AN	1	593.845	593.845	10.00	10.00	10.00	10.00	10.00	10.00	10.00	10.00
41	AO	1	593.845	593.845	10.00	10.00	10.00	10.00	10.00	10.00	10.00	10.00
42	AP	1	593.845	593.845	10.00	10.00	10.00	10.00	10.00	10.00	10.00	10.00
43	AQ	1	593.845	593.845	10.00	10.00	10.00	10.00	10.00	10.00	10.00	10.00
44	AR	1	593.845	593.845	10.00	10.00	10.00	10.00	10.00	10.00	10.00	10.00
45	AS	1	593.845	593.845	10.00	10.00	10.00	10.00	10.00	10.00	10.00	10.00
46	AT	1	593.845	593.845	10.00	10.00	10.00	10.00	10.00	10.00	10.00	10.00
47	AU	1	593.845	593.845	10.00	10.00	10.00	10.00	10.00	10.00	10.00	10.00
48	AV	1	593.845	593.845	10.00	10.00	10.00	10.00	10.00	10.00	10.00	10.00
49	AW	1	593.845	593.845	10.00	10.00	10.00	10.00	10.00	10.00	10.00	10.00
50	AX	1	593.845	593.845	10.00	10.00	10.00	10.00	10.00	10.00	10.00	10.00
51	AY	1	593.845	593.845	10.00	10.00	10.00	10.00	10.00	10.00	10.00	10.00
52	AZ	1	593.845	593.845	10.00	10.00	10.00	10.00	10.00	10.00	10.00	10.00
53	BA	1	593.845	593.845	10.00	10.00	10.00	10.00	10.00	10.00	10.00	10.00
54	BB	1	593.845	593.845	10.00	10.00	10.00	10.00	10.00	10.00	10.00	10.00
55	BC	1	593.845	593.845	10.00	10.00	10.00	10.00	10.00	10.00	10.00	10.00
56	BD	1	593.845	593.845	10.00	10.00	10.00	10.00	10.00	10.00	10.00	10.00
57	BE	1	593.845	593.845	10.00	10.00	10.00	10.00	10.00	10.00	10.00	10.00
58	BF	1	593.845	593.845	10.00	10.00	10.00	10.00	10.00	10.00	10.00	10.00
59	BG	1	593.845	593.845	10.00	10.00	10.00	10.00	10.00	10.00	10.00	10.00
60	BH	1	593.845	593.845	10.00	10.00	10.00	10.00	10.00	10.00	10.00	10.00
61	BI	1	593.845	593.845	10.00	10.00	10.00	10.00	10.00	10.00	10.00	10.00
62	BJ	1	593.845	593.845	10.00	10.00	10.00	10.00	10.00	10.00	10.00	10.00
63	BK	1	593.845	593.845	10.00	10.00	10.00	10.00	10.00	10.00	10.00	10.00
64	BL	1	593.845	593.845	10.00	10.00	10.00	10.00	10.00	10.00	10.00	10.00
65	BM	1	593.845	593.845	10.00	10.00	10.00	10.00	10.00	10.00	10.00	10.00
66	BN	1	593.845	593.845	10.00	10.00	10.00	10.00	10.00	10.00	10.00	10.00
67	BO	1	593.845	593.845	10.00	10.00	10.00	10.00	10.00	10.00	10.00	10.00
68	BP	1	593.845	593.845	10.00	10.00	10.00	10.00	10.00	10.00	10.00	10.00
69	BQ	1	593.845	593.845	10.00	10.00	10.00	10.00	10.00	10.00	10.00	10.00
70	BR	1	593.845	593.845	10.00	10.00	10.00	10.00	10.00	10.00	10.00	10.00
71	BS	1	593.845	593.845	10.00	10.00	10.00	10.00	10.00	10.00	10.00	10.00
72	BT	1	593.845	593.845	10.00	10.00	10.00	10.00	10.00	10.00	10.00	10.00
73	BU	1	593.845	593.845	10.00	10.00	10.00	10.00	10.00	10.00	10.00	10.00
74	BV	1	593.845	593.845	10.00	10.00	10.00	10.00	10.00	10.00	10.00	10.00
75	BW	1	593.845	593.845	10.00	10.00	10.00	10.00	10.00	10.00	10.00	10.00
76	BX	1	593.845	593.845	10.00	10.00	10.00	10.00	10.00	10.00	10.00	10.00
77	BY	1	593.845	593.845	10.00	10.00	10.00	10.00	10.00	10.00	10.00	10.00
78	BZ	1	593.845	593.845	10.00	10.00	10.00	10.00	10.00	10.00	10.00	10.00
79	CA	1	593.845	593.845	10.00	10.00	10.00	10.00	10.00	10.00	10.00	10.00
80	CB	1	593.845	593.845	10.00	10.00	10.00	10.00	10.00	10.00	10.00	10.00
81	CC	1	593.845	593.845	10.00	10.00	10.00	10.00	10.00	10.00	10.00	10.00
82	CD	1	593.845	593.845	10.00	10.00	10.00	10.00	10.00	10.00	10.00	10.00
83	CE	1	593.845	593.845	10.00	10.00	10.00	10.00	10.00	10.00	10.00	10.00
84	CF	1	593.845	593.845	10.00	10.00	10.00	10.00	10.00	10.00	10.00	10.00
85	CG	1	593.845	593.845	10.00	10.00	10.00	10.00	10.00	10.00	10.00	10.00
86	CH	1	593.845	593.845	10.00	10.00	10.00	10.00	10.00	10.00	10.00	10.00
87	CI	1	593.845	593.845	10.00	10.00	10.00	10.00	10.00	10.00	10.00	10.00
88	CJ	1	593.845	593.845	10.00	10.00	10.00	10.00	10.00	10.00	10.00	10.00
89	CK	1	593.845	593.845	10.00	10.00	10.00	10.00	10.00	10.00	10.00	10.00
90	CL	1	593.845	593.845	10.00	10.00	10.00	10.00	10.00	10.00	10.00	10.00
91	CM	1	593.845	593.845	10.00	10.00	10.00	10.00	10.00	10.00	10.00	10.00
92	CN	1	593.845	593.845	10.00	10.00	10.00	10.00	10.00	10.00	10.00	10.00
93	CO	1	593.845	593.845	10.00	10.00	10.00	10.00	10.00	10.00		