

OFFICE OF THE EXECUTIVE ENGINEER, HSVP, DIVISION NO-IV GURUGRAM

Water works, Sec-9A, Gurugram

Tel. 0124 - 2251510 Email: xen4hudaggn@gmail.com

To

Godrej Projects Development Ltd.
3rd floor, UM House Tower-A,
Plot No.35-P, Gate No.1,
Sec-44, Gurugram-122001 Haryana, India.
Tel:+91-124-4956150

Memo No. 4115

Dated: 6/7/18.

Subject: Request for Storm Water Connection for Group Housing Project Godrej Summit on land measuring 22.1234 acres (Licence No.102 of 2011 dated 07.12.2011) being development by Godrej Project Development Ltd in collaboration with Magic Info Solutions Pvt Ltd. Sec-104, Gurugram.

Ref : Your office letter dated No.05.07.2018 on the above noted subject.

In this context, you have submitted security as well as Storm Water Connection Charges vide your office letter under referred to above. Accordingly, the permission for 1No. Storm Water Connection for Group Housing Project Godrej Summit on land measuring 22.1234 acres (Licence No.102 of 2011 dated 07.12.2011) being development by Godrej Project Development Ltd into Master Storm Water Drainage Line as per appd. Service Plan Estimate is hereby accorded only for overflow of rain water from Rain Water Harvesting Pits subject to the following conditions:-


- 1 Storm water line is to be laid at requisite points and depth as per standard norms.
2. The connection will be made at site and you will be bound to make this connection only for the over flow of rain water from rain water harvesting pits in Group Housing Project Godrej Summit on land measuring 22.1234 acres being development by Godrej Project Development Ltd. The connection will be made in the presence of J.E.-in- charge of the area.
3. Storm water line will be laid as per approved layout plan attached by the agency.




4. The ownership of land will always remain with HSVP. In emergency case if storm water lines become hindrance in the way of planning, the same will be shifted by the agency concerned at his own cost.
5. The permission for Connectivity of your storm water drain into Master SWD drain is accorded with the condition that the road cut will be repaired by the agency by filling of 1.00 mtr. deep Jamuna sand in 3 layers of WBM with the specification i.e. 75mm thick BUSG, 50mm thick bituminous macadam with 25mm thick premix carpet and construction of retaining wall on both side of road cut as per X-section attached.
6. It may be ensured by firm that no sewer effluent/discharge shall be added in the S.W.D connection and violation if any, the S.W.D connection shall also be disconnected without any notice and the matter shall be referred to S.T.P., Gurugram for taking action against your firm and completion shall also be got cancelled.
7. The road cut will be done with extra care and if the damage occurs during this process to the existing infrastructures/facilities, such as, the water supply, sewerage, storm water drainage line and telephone line etc., the same will be rectified by the firm at his own cost and to the satisfaction of the Engineer-in-Charge.
8. It may be ensured by the firm that there will be no traffic hindrance at the time of making storm water connection into Master SWD.
9. The firm will restore the katcha portion and will not construct any manhole in metalled carriageway.
10. The connection fee & security amounting to Rs.100000+250000/-=Rs. 350000/- has been deposited by the firm vide Demand Draft No.741874 dated 04.07.2018 of HDFC Bank.
11. The Road Cut charges have not been taken in this permission. Road Cut if any, the permission of the same may be obtained by the firm from concerned division of HSVP.
12. The connection shall be maintained strictly as per rules and regulations framed by HSVP.

Sf
h
C
m

13. For any dispute in connection with the release of sewer connection/ maintenance and disconnection etc. for the said sewer connection and matter shall be referred by any of the two parties to the concerned Superintending Engineer, HSVP Circle No.II, Gurugram and his decision in the matter shall be final and legally binding on both the parties
14. You may ensured that the connection may be connected within six months from the date of issuing of this letter, after expiry of the date there will be fresh file for storm water connection will be submitted.
15. Storm water connection should not be already made at site before issuing the permission failing which will have to pay the penalty imposed, otherwise the connection will disconnection without serving any notice.



**Executive Engineer,
HSVP, Div. No.IV,
Gurugram.**

Enclst No.

Dated.

A copy of the above is forwarded to the following for information & necessary action please.

1. The Superintending Engineer, HSVP, Circle No-II, Gurugram.
2. The Sub Divisional Engineer, HSVP, Sub Division No-17, Gurugram for information and necessary action.


**Executive Engineer,
HSVP, Div. No. VI,
Gurugram.**