

**BR-III**  
**(See Rule 44)**

From

The Director,  
Town and Country Planning,  
Haryana, Chandigarh.

To

M/s Active Promoters Pvt. Ltd. and M/s B.C.C. Properties Pvt. Ltd.  
C/o M/s Emaar MGF Land Pvt. Ltd.  
ECE House 28 K.G. Marg,  
New Delhi-110001.

Memo No. ZP-308/4005 Dated:- 9-6-08

Subject:- Approval of building plans of the Group Housing Colony measuring 31.618 acres (Licence 228 of 2007 dated 27.9.2007) in Sector-66, Gurgaon being developed by M/s Active Promoters Pvt. Ltd. and M/s B.C.C. Properties Pvt. Ltd. in collaboration with M/s Emaar MGF Land Pvt. Ltd.

Reference your application dated 19.3.2008 for permission to erect buildings in Group Housing Scheme measuring 31.618 acres in Sector-66 Gurgaon in accordance with the plans submitted with it.

Permission is hereby granted for the aforesaid construction subject to the provisions of the Punjab Scheduled Roads & Controlled Areas Restriction of Unregulated Development Act, 1963, its rules and the zoning plan framed thereunder alongwith special reference to the following conditions: -

1. The plans are valid for a period of 2 years of the buildings less than 15.00 meters in height and 5 years for the multistoried buildings from the date of issuance of sanction, subject to validity of licences granted for this scheme.
2. The structural responsibility of the construction shall be entirely of the owner/supervising architect/ Engineer of the scheme.

Further that: -

- (a) A certificate from a recognized Structural Engineer shall be submitted to the department within 60 days of issuance of this letter that the structural design of the building is designed as per the provisions of NBC and relevant I.S. Code for all seismic load, all dead and live loads, wind pressure and structure safety from earth quake of the Intensity expected under zone-IV.
- (b) All material to be used for erection of building shall conform to I.S.I. and N.B.C. standards.
- (c) No walls/ceiling shall be constructed of easily inflammable material and stair cases shall be built of the fire resisting material as per standard specification.
- (d) The roof slab of the basement external to the buildings if any shall be designed/ constructed to take the load of fire tender up to 45 tones.

**3. FIRE SAFETY:**

The colonizer firm and the Supervising Architect of the project shall be entirely responsible for making provisions of fire safety and fire fighting measures and shall abide by all fire safety bye laws.

Further, the colonizer firm shall also prepare and submit the plans in triplicate to Executive Officer, Municipal Council, Gurgaon, clearly marked and indicating the complete fire protection arrangements and means of escape/ access for the proposed building with suitable legend and standard signs.

On receipt of the above request the Executive Officer, Municipal Council, Gurgaon after satisfying himself that the entire fire protection measures proposed for the above buildings are as per NBC and other Fire Safety Bye Laws, forward the same to the Director, Urban Development, Haryana who would issue a NOC from Fire Safety and means of escape/access point of view. This clearance/ NOC from Fire Authority shall be submitted in this office alongwith a set of plans duly



signed by the Executive Officer, Municipal Council, Gurgaon and countersigned by the Director, Urban Development, Haryana within a period of 90 days from the date of issuance of sanction of building plans. Further, it is also made clear that no permission for occupancy of the building shall be issued by the Director unless he is satisfied that adequate fire fighting measures have been installed by you and suitable external fire fighting infrastructure has been created at Gurgaon, by Urban Development Department. A clearance to this effect shall be obtained from the Director, Urban Development before grant of occupation certificate by the Director.

- 4- The provision of letter boxes for each dwelling unit shall be made at the ground floor of each building.
5. No addition and alteration in the building plans/ layout plan shall be made without the prior approval of DTCP. Further only figured dimensions shall be followed and in case of any variation in the plans, prior approval of DTCP shall be pre-requisite.
6. That you shall furnish the service plan estimate of this scheme in accordance with approved building plans within 60 days from the date of issue of this letter.
7. Based on the actual estimated cost of internal development of the group housing colony you shall furnish additional bank guarantee if required within 60 days of approval of the service plans.
8. The revenue rasta if any passing through the site shall be kept unobstructed.
9. If any infringement of bye-laws remains unnoticed, the department reserves the right to amend the plan as and when any such infringement comes to its notice after giving an opportunity of being heard and the department shall stand indemnified against any claim on this account.
10. The layout showing the electric installation shall have to be got approved from the Electrical Inspector, Haryana before execution of work at site.
11. No person shall occupy or allow any other person to occupy any new building or part of the same for any purpose what so ever until such building or part thereof has been certified by the Director or any person authorized by him in this behalf as having been completed in accordance with the permission granted and an occupation certificate in prescribed form has been duly issued in your favour.
12. Before grant of occupation certificate, you shall have to submit a notice of completion of the building in form BR-IV alongwith BR-V regarding completion of works described in the plans and it shall be accompanied by:
  - (i) Structural stability certificate duly signed by the recognized Structural Engineer.
  - (ii) A clearance from Fire Safety point of view from the Director, Urban Development, Haryana.
- 13- The basement shall be used for parking and services as prescribed in the approved zoning plan and building plans. The parking lots proposed in the scheme shall be exclusively for the use of flat owners/residents of the group housing scheme. The parking lot shall not be leased out /transferred to any person who is not a flat owner /resident of the group housing complex. The parking lots shall form part of common areas along with other common uses, in the declaration to be filed under Apartment Ownership Act, 1983.
14. WATER SUPPLY
  - (i) The down take system shall be provided by you by providing clear water storage tank of not less than half day storage of water for domestic usage on the top of the building block. The capacity of the tank as shown on the plans and down take system/thereof are as under: -

Sr. No	Name of Building Block	Capacity of tank for Domestic use in liters	Up pipe in mm	Down pipe in mm
1-	Block-A,B,C,D,E,P & Q	1x17000 Liters. Each bloc	65mm	80,65,50,40,32,25,20 mm
2-	Block-F,J,N	2x21000 Liters. Each block	65mm	65,50,40,32,25,20 mm



3-	Block-G,H,I,K & M	2x25000 Liters. Each block	65mm	65,50,40,32,25,20 mm
4-	Block-L	2x24000 Liters. Each block	65mm	65,50,40,32,25,20 mm
5-	EWS	3x15000 Liters.	65mm	80,65,50,40,32,25,20 mm
6-	Community Centre	1x5000 Liters.	25mm	32,25,20 mm
7-	Villas (V1) & V2 each	1x1000 Liters.	20mm	25,20 mm
8-	Shops	1 x 2000 Liters.	20mm	25,20mm
9-	U.G.T.	10,50,000 Liters.		

(ii) Inlet pipes from down take to toilet shall be 25,20,15 mm dia as shown on the plans and connection to each individual fixture shall be 15mm dia.

(iii) The Adequate booster pumps to boost the water in the water tanks with 100% stand by arrangement shall be provided by you. It is made clear that you shall be sole responsible for boosting arrangement all the time.

(iv) The alternative arrangement of power supply, such as Gen. Set etc. of suitable capacity shall also be provided by you during failure of electricity.

#### 15. SEWERAGE:

- (i) All external sewerage lines should not be less than 200 mm dia pipes.
- (ii) All soil pipe connection W.C. to soil stack/ manhole shall be 100 mm dia as shown on the plans.
- (iii) Waste water pipes connecting F.T. to G.T. and F.T. to waste water stack shall be 100/75 mm dia as shown on the plans.
- (iv) Waste water stack shall be 100mm/75mm dia as shown on the plans and soil stack shall be 100mm dia.
- (v) All F.T. shall be 75mm dia.
- (vi) All W.C. shall be provided with high/low levels flushing cistern. The capacity of flushing cistern shall be 8 liters.
- (vii) All pipes from waste water stack to IC and IC to Manhole shall be 100 mm dia as shown on the plans.
- (viii) You shall provide suitable approach/ ventilation arrangement by providing inspection window/ duct etc. for repairing of piping system.

#### 16. Storm Water Drainage


- (i) You have provided twin level basement for services and parking only. For draining out the wash water/ rain water accumulated in the basement shall be collected through covered channel of 300 mm wide to the sumps at different places and from where the pumping has been proposed by you by providing pumps of 300 L.P.M. capacity at 12.00 metres head. Thus it is made clear to you that you shall be sole responsible for pumping out of rain water/ wash water etc. all the time and 100% standby pumps alternate power supply arrangement of Electricity shall also be provided by you during the failure of electricity/ breakdown.
- (ii) All external storm water drainage shall be provided suitably so as to dispose of rain water in to external system of the Town.
- (iii) All rain water stack pipes shall be 100/150 mm dia pipes as shown on the plans.

#### 17. GENERAL:-

- (i) You shall provide alternative source of electricity for functioning of water supply, sewerage and storm water drainage scheme by providing Gen. Set of required capacity.
- (ii) All pipes, fixtures, fitting, pumps, Gen. set and filtration plant etc. shall be conforming to relevant IS specification and ISI marked.

- (iii) You shall provide the minimum openable aperture of  $1/8^{\text{th}}$  of the floor area of the habitable room and in case of kitchen the area of opening shall be increased by 25 percent.
- (iv) The community center shall be included by you as a part of the common areas of the group housing colony while filling the declaration under the Apartment Ownership Act and such community center shall be for the exclusive use of the residents of this group housing colony only.
- (v) That the coloniser shall obtain the clearance/NOC as per the provisions of the Notification No. S.O. 1533 (E) Dated 14.9.2006 issued by Ministry of Environment and Forest, Government of India before starting the construction/execution of development works at site.
- (vi) That the rain water harvesting system shall be provided as per Central Ground Water Authority norms/Haryana Govt. notification as applicable.
- (vii) That the provision of solar water heating system shall be as per norms specified by HAREDA and shall be made operational in each building block before applying for an occupation certificate.
- (viii) That the coloniser/owner shall use only Compact Fluorescent Lamps fitting for internal lighting as well as Campus lighting.
- (ix) That you shall not construct the building beyond 30.00 metres without obtaining the NOC from Airport Authority of India as per your undertaking dated 14.5.2008.

This sanction will be void ab initio, if any of the conditions mentioned above are not complied with  
DA/One set of Building Plans

  
District Town Planner (HQ) DN,  
Member Secretary,  
For: Chief Town Planner, Haryana-cum-Chairman,  
Building Plan Approval Committee.


Endst. No:

A copy is forwarded to the following for information: -

dated

- 1- Director, Urban Local Bodies, Haryana, Chandigarh.
- 2- Senior Town Planner, Gurgaon.
- 3- Superintending Engineer (HQ) HUDA, Panchkula.
- 4- Distt. Town Planner, Gurgaon alongwith one set of building plans.
- 5- Distt. Town Planner (Enf.), Gurgaon with a direction to ensure the condition 17(v) and (ix) is complied with.

Encl: as above

  
District Town Planner (HQ) DN,  
Member Secretary,  
For: Chief Town Planner, Haryana-cum-Chairman,  
Building Plan Approval Committee.

BR-III

(See Rule 44)

DIRECTORATE OF TOWN & COUNTRY PLANNING, HARYANA  
SECTOR-18, CHANDIGARH.

Tele-Fax: 0172-2548475; Tel.: 0172-2549851, E-mail: tcphry@gmail.com  
Website www.tcpharyana.gov.in

Memo No. ZP-308/JD(BS)/2011/ 6788

Date: 23-5-11

To.

M/s Active Promoters Pvt. Ltd.,  
M/s B. C. C. Properties Pvt. Ltd. and Others,  
C/o M/s Emaar MGF Land Ltd.  
ECE House, 28 K.G. Marg,  
New Delhi-110001.

Subject:- Approval of revised building plans (Building Blocks-P, Q, U1, W, Y, Community Building, EWS Block & Commercial Block) of the Group Housing Colony measuring 37.8117 acres (Licence no. 228 of 2007 dated 27.09.2007 and Licence No. 93 of 2008 dated 12.05.2008) in Sector-66, Gurgaon Manesar Urban Complex being developed by M/s Active Promoters Pvt. Ltd., M/s B. C. C. Properties Pvt. Ltd. and Others in collaboration with.

Reference your letter dated 13.10.2008 and subsequent letter dated 02.05.2011 for permission to erect the buildings in Group Housing Scheme measuring 37.8117 acres in Sector-66, Gurgaon Manesar Urban Complex, in accordance with the plans submitted with it.

Permission is hereby granted for the aforesaid construction subject to the provisions of the Punjab Scheduled Roads & Controlled Areas Restriction of Unregulated Development Act, 1963, its rules and the zoning plan framed thereunder alongwith special reference to following conditions:-

1. The plans are valid for a period of 2 years of the buildings less than 15.00 meters in height and 5 years for the multistoried buildings from the date of issuance of sanction, subject to validity of licenses granted for this scheme.
2. The structural responsibility of the construction shall be entirely of the owner/supervising architect/ Engineer of the scheme.

Further that: -

- a) All material to be used for erection of building shall conform to I.S.I. and N.B.C. standards.
- b) No walls/ceiling shall be constructed of easily inflammable material and staircases shall be built of the fire resisting material as per standard specification.
- c) The roof slab of the basement external to the buildings if any shall be designed/ constructed to take the load of fire tender up to 45 tones.

3. FIRE SAFETY:

The colonizer firm and the Supervising Architect of the project shall be entirely responsible for making provisions of fire safety and fire fighting measures and shall abide by all fire safety bye laws.

Further, the colonizer firm shall also prepare and submit the plans in triplicate to Commissioner, Municipal Corporation, Gurgaon, clearly marked and indicating the complete fire protection arrangements and means of escape/ access for the proposed building with suitable legend and standard signs.

- On receipt of the above request the Commissioner, Municipal Corporation, Gurgaon after satisfying himself that the entire fire protection measures proposed for the above buildings are as per NBC and other Fire Safety Bye Laws, and would issue a NOC from Fire Safety and means of escape/access point of view. This clearance/ NOC from Fire Authority shall be submitted in this office alongwith a set of plans duly signed by the Commissioner, Municipal Corporation, Gurgaon within a period of 90 days from the date of issuance of sanction of building plans. Further, it is also made clear that no permission for occupancy of the building shall be issued by Commissioner, Municipal Corporation, Gurgaon unless he is satisfied that adequate fire fighting measures have been installed by you and suitable external fire fighting infrastructure has been created at Gurgaon, by Municipal Corporation, Gurgaon. A clearance to this effect shall be obtained from the Commissioner, Municipal Corporation, Gurgaon before grant of occupation certificate by the Director General.
4. The provision of letter boxes for each dwelling unit shall be made at the ground floor of each building.
  5. No addition and alteration in the building plans/ layout plan shall be made without the prior approval of DG,TCP. Further only figured dimensions shall be followed and in case of any variation in the plans, prior approval of DG,TCP shall be pre-requisite.
  6. That you shall furnish the service plan/ estimate of this scheme in accordance with approved building plans within 60 days from the date of issue of this letter.
  7. Based on the actual estimated cost of internal development of the group housing colony you shall furnish additional bank guarantee if required within 60 days of approval of the service plans.
  8. The revenue Rasta if any passing through the site shall be kept unobstructed.
  9. If any infringement of byelaws remains unnoticed, the department reserves the right to amend the plan as and when any such infringement comes to its notice after giving an opportunity of being heard and the department shall stand indemnified against any claim on this account.
  10. The layout showing the electric installation shall have to be got approved from the Chief Electrical Inspector, Haryana before execution of work at site.
  11. No person shall occupy or allow any other person to occupy any new building or part of the same for any purpose what so ever until such building or part thereof has been certified by the Director General or any person authorized by him in this

behalf as having been completed in accordance with the permission granted and an occupation certificate in prescribed form has been duly issued in your favour.

12. Before grant of occupation certificate, you shall have to submit a notice of a completion of the building in form BR-IV alongwith BR-V regarding completion of works described in the plans and it shall be accompanied by:

- (i) Structural stability certificate duly signed by the recognized Structural Engineer.
- (ii) A clearance from Fire Safety point of view from the Commissioner, Municipal Corporation, Gurgaon.

13. The basements shall be used for parking and services as prescribed in the approved zoning plan and building plans. The parking lots proposed in the scheme shall be exclusively for the use of flat owners/residents of the group housing scheme. The parking lot shall not be leased out /transferred to any person who is not a flat owners /residents of the group housing complex. The parking lots shall form part of common areas along with other common uses, in the declaration to be filed under Apartment Ownership Act, 1983.

14. WATER SUPPLY:

- (i) The down take system shall be provided by you by providing clear water storage tank of not less than half day storage of water for domestic usage on top of the building block. The capacity of the tank as shown on the plan and down take system thereof is as under: -

Sr. No	Name of Building Block	Capacity of tank for Domestic uses (In Liters.)	Up pipe (In MM)	Down pipe (In MM)
1.	Block-P & Q	2x36,000	65mm	100/80/65/50/40/32/25/20 mm
2.	Block-U1	1x5000	32mm	40/32/25/20mm
3.	Block-W	1x10,000	40mm	65/50/40/32/25/20mm
4.	Block-Y	1x30,000	65mm	80/65/50/40/32/25/20mm
5.	Block-S & Z1	2x5000	20mm	20mm
6.	Block-T	4x12000	32mm	32/25/20mm
	U.G.T. (Domestic)	1000KL		

- (ii) In let pipes from down take to toilet shall be 25/20/15 mm dia as shown on the plans and connection to each individual fixture shall be 15 mm dia.
- (iii) The adequate booster pumps to boost the water in the water tanks with 100% standby arrangement shall also be provided by you. It is made clear that you shall be sole responsible for boosting arrangement all the time.
- (iv) The alternative arrangement of power supply, such as Gen. Set etc. of suitable capacity shall also be provided by you during failure of electricity.

15. SEWERAGE:

- (i) All external sewerage lines should not be less than 200 mm. dia Pipes.
- (ii) All soil pipe connection W.C. to soil stack / manhole shall be 100 mm dia as shown on the plans.
- (iii) Waste water stack shall be 100/75 mm dia as shown on the plans and soil stack shall be 100 mm dia.
- (iv) All W.C. shall be provided with high / low level flushing cistern. The capacity of flushing cistern shall be of 8 Ltrs.
- (v) All F.T. shall be 75 mm dia.
- (vi) All pipes from waste water stack to I.C. and I.C. to manhole shall be 100 mm dia as shown on the plans.
- (vii) Suitable approach/ ventilation arrangement shall be provided by you by providing inspection window/ duct etc. for repairing of piping system.

16. Storm Water Drainage:

- (i) All external storm water drainage shall be provided suitably so as to disposal of rainwater in to the existing system of the colony.
- (ii) All rainwater stack pipe shall be 100/150 mm dia pipes as shown on the plans.
- (iii) It is made clear to you that roof top rain harvesting system shall be provided by you and shall be kept operational all the time.

17. GENERAL: -

- (i) You shall provide alternative source of electricity for functioning of water supply, sewerage and storm water drainage scheme by providing Gen. set of required capacity.
- (ii) All pipes, fixtures, fitting, pumps, Gen. set and filtration plan etc. shall be conforming to relevant IS specification and ISI marked.
- (iii) You shall provide the minimum open able aperture of 1/8<sup>th</sup> of the floor area of the habitable room and in case of kitchen the area of opening shall be increased by 25%.
- (iv) The community centre shall be included by you as a part of the common areas of the group housing colony while filing the declaration under the Apartment Ownership Act and such community centre shall be for the exclusive use of residents of this group housing colony only.
- (v) That the colonizer shall obtain the clearance/NOC as per the provisions of the Notification No. S.O. 1533 (E) Dated 14.09.2006 issued by Ministry of Environment and Forest, Government of India before starting the construction/execution of development works at site.
- (vi) That the rain water harvesting system shall be provided as per Central Ground Water Authority norms/Haryana Govt. notification as applicable.


- (vii) That the provision of solar water heating system shall be as per norms specified by HAREDA and shall be made operational in the each building block before applying for an occupation certificate.
- (viii) That the colonizer/owner shall use only Compact Fluorescent Lamps fitting for internal lighting as well as Campus lighting.
- (ix) That you shall submit the soft copy of the approved building plans of this scheme within one week to this office from the issuance of this letter.
- (x) That you shall deposit the labour cess in future, time to time as per construction of work done at site.
- (xi) Recycled water is proposed to be utilized for flushing purpose. The firm has made provision of separate flushing line, storage tank, metering system, pumping system and plumbing. It may be clarified to developer that no tap or outlet of any kind will be provided from the flushing lines/plumbing lines for recycled water except for connection to the cistern of flushing tanks and any scouring arrangement. Even ablution taps should be avoided.
- (xii) No cross connection between recycled water system and potable water system shall be made.
- (xiii) All plumbing pipes fittings, valves will be of red colour or painted red. In case of embedded pipes. Marker taps of Red Colour at suitable intervals shall be fixed. The underground and over head tanks should have. Recycle water not fit for drinking and other warning signs embossed/marked on them.
- (xiv) Recycled water pipes and potable water pipes will be fixed in separate chases and a minimum horizontal distance of 6" (150mm) will be mentioned between them. In case of cross suitably coloured/taped sleeve shall be used.
- (xv) The colonizer/firm will provide appropriate pipes (both up and down) for solar water heating system.
- (xvi) That no separate zoning plan is approved for community sites earmarked within a Group Housing Colony. The community buildings shall be constructed within a period of three years. The time period of three years for construction of community sites shall start from the issuance of this sanction letter. In case of failure to construct within such three year period, the Government may take over the community site in accordance with the provisions of Section 3(3)(a)(iv) of the Act No. 8 of 1975.
- (xvii) That the owner shall construct the EWS flats within 2 years and give the advertisement in the newspapers for inviting the application for EWS

flats in their Group Housing Colony within 12 months from the issuance of this sanction letter.

- (xviii) That if any, site for Electric Sub Station is required the same will be provided by you in the group housing colony.

This sanction will be void abinitio, if any of the conditions mentioned above are not complied with.

DA/One set of Building Plans

  
(Devendra Nimbokar)

District Town Planner (HQ),

Member Secretary,

For: Chief Town Planner, Haryana-cum- Chairman,  
Building Plan Approval Committee.


Endst. No:- ZP-308/JD(BS)/2011/

Date:-

A copy is forwarded to the following for information: -

1. Chairman, Pollution Control Board, Haryana, Sector-6, Panchkula.
2. Commissioner, Municipal Corporation, Gurgaon.
3. Senior Town Planner, Gurgaon alongwith one set of building plans.
4. Superintending Engineer (HQ) HUDA.
5. Distt. Town Planner, Gurgaon.
6. Distt. Town Planner (Enf.), Gurgaon.

Encl: as above

  
(Devendra Nimbokar)

District Town Planner (HQ),

Member Secretary,

For: Chief Town Planner, Haryana-cum- Chairman,  
Building Plan Approval Committee.

BR-III  
(See Rule 44)

From

The Director,  
Town and Country Planning,  
Haryana, Chandigarh.

To

M/s Active Promoters Pvt. Ltd., M/s B.C.C. Properties Pvt. Ltd. and others in  
Collaboration with M/s Emaar MGF Land Pvt. Ltd.,  
C/o M/s Emaar MGF Land Pvt. Ltd.,  
ECE House 28 K.G. Marg,  
New Delhi-110001.

Memo No: - 2051

Dated: - 5-3-09

Subject: Approval of building plans of Building Type S,T,U,W,Y,Z and Basements in Group Housing Scheme measuring 37.8117 acres (License No. 228 of 2007 dated 29.09.2007 and 93 of 2008 dated 12.5.2008) in Sector-66, at Gurgaon Manesar Urban Complex being developed by M/s Active Promoters Pvt. Ltd., M/s B.C.C. Properties Pvt. Ltd. and others in collaboration with M/s Emaar MGF Land Pvt. Limited.

Reference your application dated 13.10.2008 for permission to erect the buildings in Group Housing Scheme measuring 37.8117 acres in Sector-66 at Gurgaon in accordance with the plans submitted with it.

Permission is hereby granted for the aforesaid construction subject to the provisions of the Punjab Scheduled Roads & Controlled Areas Restriction of Unregulated Development Act, 1963, its rules and the zoning plan framed thereunder alongwith special reference to following conditions:

1. The plans are valid for a period of 2 years of the buildings less than 15.00 meters in height and 5 years for the multistoried buildings from the date of issuance of sanction, subject to validity of licenses granted for this scheme.
2. The structural responsibility of the construction shall be entirely of the owner/supervising architect/ Engineer of the scheme.

Further that: -

- a) A certificate from a recognized Structural Engineer shall be submitted to the department within 60 days of issue of this letter that the structural design of the building is designed as per the provision of NBC and relevant I.S. Code for all seismic load, all dead and live loads, wind pressure and structure safety from earth quake of the intensity expected under zone-IV.
- b) All material to be used for erection of building shall conform to I.S.I. and N.B.C. standards.
- c) No walls/ceiling shall be constructed of easily inflammable material and staircases shall be built of the fire resisting material as per standard specification.
- d) The roof slab of the basement external to the buildings if any shall be designed/ constructed to take the load of fire tender up to 45 tones.

3. FIRE SAFETY:

The colonizer firm and the Supervising Architect of the project shall be entirely responsible for making provisions of fire safety and fire fighting measures and shall abide by all fire safety bye laws.

Further, the colonizer firm shall also prepare and submit the plans in triplicate to Commissioner, Municipal Corporation, Gurgaon, clearly marked and indicating the complete fire protection arrangements and means of escape/ access for the proposed building with suitable legend and standard signs.

On receipt of the above request the Commissioner, Municipal Corporation, Gurgaon after satisfying himself that the entire fire protection measures proposed for the above buildings are as per NBC and other Fire Safety Bye Laws, and would issue a NOC from Fire Safety and means of escape/access point of view. This clearance/ NOC from Fire Authority shall be submitted in this office alongwith a set of plans duly signed by the Commissioner, Municipal Corporation, Gurgaon within a period of 90 days from the date of issuance of sanction of building plans. Further, it is also made clear that no permission for occupancy of the building shall be issued by Commissioner, Municipal Corporation, Gurgaon unless he is satisfied that adequate fire fighting measures have been installed by you and suitable external fire fighting infrastructure has been created at Gurgaon, by Municipal Corporation, Gurgaon. A clearance to this effect shall be obtained from the Commissioner, Municipal Corporation, Gurgaon before grant of occupation certificate by the Director.

4. The provision of letter boxes for each dwelling unit shall be made at the ground floor of each building.
5. No addition and alteration in the building plans/ layout plan shall be made without the prior approval of DTCP. Further only figured dimensions shall be followed and in case of any variation in the plans, prior approval of DTCP shall be pre-requisite.
6. That you shall furnish the service plan/ estimate of this scheme in accordance with approved building plans within 60 days from the date of issue of this letter.
7. Based on the actual estimated cost of internal development of the group housing colony you shall furnish additional bank guarantee if required within 60 days of approval of the service plans.
8. The revenue Rasta if any passing through the site shall be kept unobstructed.
9. If any infringement of byelaws remains unnoticed, the department reserves the right to amend the plan as and when any such infringement comes to its notice after giving an opportunity of being heard and the department shall stand indemnified against any claim on this account.
10. The layout showing the electric installation shall have to be got approved from the Chief Electrical Inspector, Haryana before execution of work at site.
11. No person shall occupy or allow any other person to occupy any new building or part of the same for any purpose what so ever until such building or part thereof has been certified by the Director or any person authorized by him in this behalf as having been completed in accordance with the permission granted and an occupation certificate in prescribed form has been duly issued in your favour.
12. Before grant of occupation certificate, you shall have to submit a notice of a completion of the building in form BR-IV alongwith BR-V regarding completion of works described in the plans and it shall be accompanied by:
  - (i) Structural stability certificate duly signed by the recognized Structural Engineer.
  - (ii) A clearance from Fire Safety point of view from the Commissioner, Municipal Corporation, Gurgaon.
13. The basements shall be used for parking and services as prescribed in the approved zoning plan and building plans. The parking lots proposed in the scheme shall be exclusively for the use of flat owners/residents of the group housing scheme. The parking lot shall not be leased out /transferred to any person who is not a flat owners /residents of the group housing complex. The parking lots shall form part of common areas along with other common uses, in the declaration to be filed under Apartment Ownership Act, 1983.

14. WATER SUPPLY:

- (i) The down take system shall be provided by you by providing clear water storage tank of not less than half day storage of water for domestic usage on top of the building block. The capacity of the tank as shown on the plan and down take system thereof is as under: -

Sr. No	Name of Building Block	Capacity of tank for Domestic uses (In Ltrs.)	Up pipe (In MM)	Down pipe (In MM)
1.	Block-U (14 Nos.)	14 x 4,000	50mm	50/40/32/25 & 20mm.
2.	Block-W (2 Nos.)	2 x 8,000	50mm	65/50/40/32/25 & 20mm.
3.	Block-Y (1 No.)	1 x 20,000	50mm	-do-
4.	UGT (Domestic)	10,50,000 (Existing)		

- (ii) Inlet pipes from down take to toilet shall be 25/20/15 mm dia as shown on the plans and connection to each individual fixture shall be 15 mm dia.
- (iii) The adequate booster pumps to boost the water in the water tanks with 100% stand by arrangement shall also be provided by you. It is made clear that you shall be sole responsible for boosting arrangement all the time.
- (iv) The alternative arrangement of power supply, such as Gen. Set etc. of suitable capacity shall also be provided by you during failure of electricity.

15. SEWERAGE:

- (i) All external sewerage lines should not be less than 200 mm. dia Pipes.
- (ii) All soil pipe connection W.C. to soil stack / manhole shall be 100 mm dia as shown on the plans.
- (iii) Waste water stack shall be 100/75 mm dia as shown on the plans and soil stack shall be 100 mm dia.
- (iv) All W.C. shall be provided with high / low level flushing cistern. The capacity of flushing cistern shall be of 8 Ltrs.
- (v) All F.T. shall be 75 mm dia.
- (vi) All pipes from waste water stack to I.C. and I.C. to manhole shall be 100 mm dia as shown on the plans.
- (vii) Suitable approach/ ventilation arrangement shall be provided by you by providing inspection window/ duct etc. for repairing of piping system.

16. Storm Water Drainage:

- (i) You have provided single level basement for services and parking only. For draining out the wash water/ rain water accumulated in the lower basement shall be collected through covered channel of 300 mm wide to the sumps at different placed and from where the pumping has been proposed by you by providing pumps of 250 LPM capacity at 7.00 mtrs head. Thus it is made clear to you that you shall be sole responsible for pumping out of rain water/ wash water etc. all the time and 100% standby pumps alternate power supply arrangement shall also be provided by you during the failure of electricity/ breakdown.
- (ii) All external storm water drainage shall be provided suitably so as to disposal of rainwater in to the existing system of the colony.

- (iii) All rainwater stack pipe shall be 100/150 mm dia pipes as shown on the plans.
- (iv) It is made clear to you that roof top rain harvesting system shall be provided by you and shall be kept operational all the time.

17. GENERAL:

- (i) You shall provide alternative source of electricity for functioning of water supply, sewerage and storm water drainage scheme by providing Gen. set of required capacity.
- (ii) All pipes, fixtures, fitting, pumps, Gen. set and filtration plan etc. shall be conforming to relevant IS specification and ISI marked.
- (iii) You shall provide the minimum open able aperture of  $1/8^{\text{th}}$  of the floor area of the habitable room and in case of kitchen the area of opening shall be increased by 25%.
- (iv) The community centre shall be included by you as a part of the common areas of the group housing colony while filing the declaration under the Apartment Ownership Act and such community centre shall be for the exclusive use of residents of this group housing colony only.
- (v) You shall provide proper filtration plant for filtration and recycling of the water of the swimming pools, only small quantity of water shall be used for replacement of water in the swimming pools.
- (vi) The swimming pools shall not be connected with the storm water drain for the disposal of replacement water.
- (vii) You shall dispose off the replacement water by using the same for watering of landscaped area in colony or the same may be disposed off into the rain water harvesting system.
- (viii) That before making swimming pool operational you shall provide life guards and safety equipments like swimming jackets and first aid box etc. in sufficient numbers and clearance from District Administration regarding provision of above safety measures will be obtained.
- (ix) That the colonizer shall obtain the clearance/NOC as per the provisions of the Notification No. S.O. 1533 (E) Dated 14.9.2006 issued by Ministry of Environment and Forest, Government of India before starting the construction/execution of development works at site.
- (x) That the rain water harvesting system shall be provided as per Central Ground Water Authority norms/Haryana Govt. notification as applicable.
- (xi) That the provision of solar water heating system shall be as per norms specified by HAREDA and shall be made operational in the each building block before applying for an occupation certificate.
- (xii) That the colonizer/owner shall use only Compact Fluorescent Lamps fitting for internal lighting as well as Campus lighting.
- (xiii) That the colonizer/owner shall not construct the building beyond 30.00 meters without obtaining the NOC form AAI.
- (xiv) That the colonizer /owner shall convey the ultimate power load requirement of the project to the concerned power utility to enable the provision of site for transformers / switching stations / electric sub-station as per the norms prescribed by the power utility in the project site within 2 months from the issuance of sanction of building plans.

additional

additional

- add. 1*
- (xv) That you shall submit the soft copy of the approved building plans of this scheme within one week to this office from the issuance of this letter.

This sanction will be void ab initio, if any of the conditions mentioned above are not complied with.

DA/One set of Building Plans

District Town Planner (HQ) PP,  
Member Secretary,  
For: Chief Town Planner, Haryana-cum-Chairman,  
Building Plan Approval Committee.

*[Signature]*

Endst. No:

dated

A copy is forwarded to the following for information: -

1. Chairman, Pollution Control Board, Haryana, Sector-6, Panchkula.
2. Deputy Commissioner, Gurgaon.
3. Commissioner, Municipal Corporation, Gurgaon.
4. Joint Director, Environment Haryana-Cum Secretary, SEAC, SCO No. 1-3, Sector- 17D, Chandigarh.
5. Senior Town Planner, Gurgaon.
6. Superintending Engineer (HQ) HUDA.
7. Distt. Town Planner, Gurgaon alongwith one set of building plans.
8. Distt. Town Planner (Enf.), Gurgaon with a direction to ensure the condition 17(ix) & (xiii) is complied with.

Encl: as above

District Town Planner (HQ) PP,  
Member Secretary,  
For: Chief Town Planner, Haryana-cum-Chairman,  
Building Plan Approval Committee.

BR-III  
(See Rule 44)  
DIRECTORATE OF TOWN & COUNTRY PLANNING, HARYANA  
SECTOR-18, CHANDIGARH.  
Tele-Fax: 0172-2548475; Tel.: 0172-2549851, E-mail: tcphry@gmail.com  
Website www.tcpharyana.gov.in

Memo No. ZP-308/JD (BS)/2012/ 7760 Date:- 8/5/12

To

Active Promoters Pvt. Ltd.,  
B. C. C. Properties Pvt. Ltd. and Others,  
C/o Emaar MGF Land Ltd.  
ECE House, 28 K.G. Marg,  
New Delhi-110001.

Subject:- Approval of revised Building Plan of Block R, S, S1, U, V2, Y,W,Z, EWS Block, PTS-1 to PTS-12, Nursery School, Primary School, Community Building PTS-14 falling in the Group Housing Scheme measuring 45.4767 acres (License No. 228 of 2007 dated 27.09.2007, License No. 93 of 2008 dated 12.05.2008 and License No. 50 of 2010 dated 24.06.2010) in Sector-66, Gurgaon Manesar Urban Complex being developed by Active Promoters Pvt. Ltd. & B.C.C Properties Pvt. Ltd. and Others in Collaboration with Emaar MGF Land Ltd.

Reference your application dated 09.09.2011 and subsequent letter dated 05.11.2011 for permission to re-erect the buildings of Block R, S, S1, U, V2, Y, W, Z, EWS Block, PTS-1 to PTS-12, Nursery School, Primary School, Community Building PTS-14 falling in the in Group Housing Scheme measuring 45.4767 acres in Sector-66, Gurgaon Manesar Urban Complex in accordance with the plans submitted with it.

Permission is hereby granted for the aforesaid construction subject to the provisions of the Punjab Scheduled Roads & Controlled Areas Restriction of Unregulated Development Act, 1963, its rules and the zoning plan framed thereunder alongwith special reference to following conditions:-

1. The plans are valid for a period of 2 years of the buildings less than 15.00 meters in height and 5 years for the multistoried buildings from the date of issuance of sanction, subject to validity of licenses granted for this scheme.
2. The structural responsibility of the construction shall be entirely of the owner/supervising architect/ Engineer of the scheme.

Further that: -

- a) All material to be used for erection of building shall conform to I.S.I. and N.B.C. standards.
- b) No walls/ceiling shall be constructed of easily inflammable material and staircases shall be built of the fire resisting material as per standard specification.

- c) The roof slab of the basement external to the buildings if any shall be designed/ constructed to take the load of fire tender up to 45 tones.

3. FIRE SAFETY:

The colonizer firm and the Supervising Architect of the project shall be entirely responsible for making provisions of fire safety and fire fighting measures and shall abide by all fire safety bye laws.

Further, the colonizer firm shall also prepare and submit the plans in triplicate to Commissioner, Municipal Corporation, Gurgaon, clearly marked and indicating the complete fire protection arrangements and means of escape/access for the proposed building with suitable legend and standard signs.

On receipt of the above request the Commissioner, Municipal Corporation, Gurgaon after satisfying himself that the entire fire protection measures proposed for the above buildings are as per NBC and other Fire Safety Bye Laws, and would issue a NOC from Fire Safety and means of escape/access point of view. This clearance/NOC from Fire Authority shall be submitted in this office alongwith a set of plans duly signed by the Commissioner, Municipal Corporation, Gurgaon within a period of 90 days from the date of issuance of sanction of building plans. Further, it is also made clear that no permission for occupancy of the building shall be issued by Commissioner, Municipal Corporation, Gurgaon unless he is satisfied that adequate fire fighting measures have been installed by you and suitable external fire fighting infrastructure has been created at Gurgaon, by Municipal Corporation, Gurgaon. A clearance to this effect shall be obtained from the Commissioner, Municipal Corporation, Gurgaon before grant of occupation certificate by the Director General.

- 4. The provision of letter boxes for each dwelling unit shall be made at the ground floor of each building.
- 5. No addition and alteration in the building plans/ layout plan shall be made without the prior approval of DG,TCP. Further only figured dimensions shall be followed and in case of any variation in the plans, prior approval of DG,TCP shall be pre-requisite.
- 6. That you shall furnish the service plan/ estimate of this scheme in accordance with approved building plans within 60 days from the date of issue of this letter.
- 7. Based on the actual estimated cost of internal development of the group housing colony you shall furnish additional bank guarantee if required within 60 days of approval of the service plans.
- 8. The revenue Rasta if any passing through the site shall be kept unobstructed.
- 9. If any infringement of byelaws remains unnoticed, the department reserves the right to amend the plan as and when any such infringement comes to its

notice after giving an opportunity of being heard and the department shall stand indemnified against any claim on this account.

10. The layout showing the electric installation shall have to be got approved from the Chief Electrical Inspector, Haryana before execution of work at site.
11. No person shall occupy or allow any other person to occupy any new building or part of the same for any purpose what so ever until such building or part thereof has been certified by the Director General or any person authorized by him in this behalf as having been completed in accordance with the permission granted and an occupation certificate in prescribed form has been duly issued in your favour.
12. Before grant of occupation certificate, you shall have to submit a notice of a completion of the building in form BR-IV alongwith BR-V regarding completion of works described in the plans and it shall be accompanied by:
  - (i) Structural stability certificate duly signed by the recognized Structural Engineer.
  - (ii) A clearance from Fire Safety point of view from the Commissioner, Municipal Corporation, Gurgaon.
13. The basements shall be used for parking and services as prescribed in the approved zoning plan and building plans. The parking lots proposed in the scheme shall be exclusively for the use of flat owners/residents of the group housing scheme. The parking lot shall not be leased out/transferred to any person who is not a flat owners/residents of the group housing complex. The parking lots shall form part of common areas along with other common uses, in the declaration to be filed under Apartment Ownership Act, 1983.
14. WATER SUPPLY:
  - (i) The down take system shall be provided by you by providing clear water storage tank of not less than half day storage of water for domestic usage on top of the building block. The capacity of the tank as shown on the plan and down take system thereof is as under: -

Sr. No	Name of Building Block	Capacity of tank for Domestic uses (In Liters.)	Up pipe (In MM)	Down pipe (In MM)
1.	PTS-1 to 4 (Dom)	4x6000	25 mm	50/40/32/25/20mm
	Flushing	4x3000	25 mm	50/40/32/25/20 mm
2.	PTS-5 to 7, 11 & 12 (Dom)	5x7000	32 mm	65/50/40/32/25/20mm
	Flushing	5x4000	25 mm	50/40/32/25/20 mm
3.	PTS-8 to 10 (Dom)	3x8000	32 mm	65/50/40/32/25/20mm
	Flushing	3x4000	25 mm	50/40/32/25/20 mm
4.	PTS-14 Community	1x7000	32 mm	32/25/20 mm
	Flushing	1x3000	25 mm	25/20 mm

5.	Building-R Community (Dom)	1x7000	32 mm	32/25/20 mm
	Flushing	1x3000	25 mm	25/20 mm
6.	Villa-V2	8x500	20 mm	25/20 mm
7.	Building-T (Dom) (EWS)	4x8000	32 mm	65/50/40/32/25/20mm
	Flushing	4x4000	25 mm	50/40/32/25/20 mm
8.	Building-W (Dom)	2x8000	32 mm	65/50/40/32/25/20mm
	Flushing	2x4000	25 mm	50/40/32/25/20 mm
9.	Building-Y (Dom)	1x41000	50 mm	100/80/65/50/40/32/25/20mm
	Flushing	1x22000	40 mm	80/65/50/40/32/25/20 mm
10.	Building-P & Q (Dom)	2x18000	40 mm	80/65/50/40/32/25/20 mm
	Flushing	2x10000	32 mm	65/50/40/32/25/20 mm
11.	Building-S (Dom)	1x2000	20 mm	25/20mm
	Flushing	1x1000	20 mm	25/20mm
12.	Building-U (Dom)	7x4000	20 mm	40/32/25/20mm
13.	Building-Z (Community)	1x10000	25 mm	25/20mm
14.	Primary School	1x5000	25 mm	25/20mm
15.	Nursery School	1x5000	25 mm	25/20mm
16.	Shops (S-1)	1x1000	25 mm	25/20mm
	UGT (Dom)	1, 50, 000 Ltrs. Addl. Proposed 1000KL already appd.		

(ii) In let pipes from down take to toilet shall be 25/20/15 mm dia as shown on the plans and connection to each individual fixture shall be 15 mm dia.

(iii) The adequate booster pumps to boost the water in the water tanks with 100% standby arrangement shall also be provided by you. It is made clear that you shall be sole responsible for boosting arrangement all the time.

(iv) The alternative arrangement of power supply, such as Gen. Set etc. of suitable capacity shall also be provided by you during failure of electricity.

#### 15. SEWERAGE:

- (i) All external sewerage lines should not be less than 200 mm. dia Pipes.
- (ii) All soil pipe connection W.C. to soil stack/manhole shall be 100 mm dia as shown on the plans.
- (iii) Waste water stack shall be 100/75 mm dia as shown on the plans and soil stack shall be 100 mm dia.
- (iv) All W.C. shall be provided with high/low level flushing cistern. The capacity of flushing cistern shall be of 8 Ltrs.

- (v) All F.T. shall be 75 mm dia.
- (vi) All pipes from waste water stack to I.C. and I.C. to manhole shall be 100 mm dia as shown on the plans.
- (vii) Suitable approach/ventilation arrangement shall be provided by you by providing inspection window/duct etc. for repairing of piping system.

16. Storm Water Drainage:

- (i) You have provided twin level basement except EWS and Nursery School for parking/service only. For draining out the wash water/rain water accumulated in the lower basement shall be collected through covered channel of 300 mm wide to the sumps at different placed and from where the pumping has been proposed by you by providing pumps of 450 LPM capacity at 14.00 meters head. Thus, it is made clear to you that you shall be sole responsible for pumping out of rain water/ wash water etc. all the time and 100% standby pumps alternate power supply arrangement shall also be provided by you during the failure of electricity/ breakdown.
- (ii) All external storm water drainage shall be provided suitably so as to disposal of rainwater in to the existing system of the colony.
- (iii) All rainwater stack pipe shall be 100/150 mm dia pipes as shown on the plans.
- (iv) It is made clear to you that roof top rain harvesting system shall be provided by you as per Central Water Ground Authority norms/Haryana Govt. Notification as applicable and shall be kept operational all the time.

17. GENERAL: -

- (i) The replacement water shall be disposed off by using the same for watering of landscaped area in their colony or the same is disposed off into the rain water harvesting system.
- (ii) You shall provide alternative source of electricity for functioning of water supply, sewerage and storm water drainage scheme by providing Gen. set of required capacity.
- (iii) All pipes, fixtures, fitting, pumps, Gen. set and filtration plan etc. shall be conforming to relevant IS specification and ISI marked.
- (iv) You shall provide the minimum open able aperture of 1/8<sup>th</sup> of the floor area of the habitable room and in case of kitchen the area of opening shall be increased by 25%.

- (v) The community centre/centres shall form part of the common areas and facilities of the group housing colony as defined under the Apartment Ownership Act and the same shall be defined as such in the deed of declaration to be filed under the Apartment Ownership Act. Such community centre/centres shall be for the exclusive use of residents of this group housing colony only. You shall submit an undertaking in the form of an affidavit to the above effect within a period of ten days from the issuance of this approval.
- (vi) That the colonizer shall obtain the clearance/NOC as per the provisions of the Notification No. S.O. 1533 (E) Dated 14.09.2006 issued by Ministry of Environment and Forest, Government of India before starting the construction/execution of development works at site.
- (vii) That the provision of solar water heating system shall be as per norms specified by HAREDA and shall be made operational in the each building block before applying for an occupation certificate.
- (viii) That the colonizer/owner shall use only Compact Fluorescent Lamps fitting for internal lighting as well as Campus lighting.
- (ix) That if any, site for Electric Sub Station is required same will be provided by you in the group housing colony.
- (x) That you shall deposit the labour cess in future, time to time as per construction of work done at site.
- (xi) That you shall submit the soft copy of the approved building plans of this scheme within one week to this office from the issuance of this letter.
- (xii) Recycled water is proposed to be utilized for flushing purposes. The firm has made provision of separate flushing line, storage tank, metering system, pumping system and plumbing. It may be clarified to developer that no tap or outlet of any kind will be provided from the flushing lines/plumbing lines for recycled water except for connection to the cistern of flushing tanks and any scouring arrangement. Even ablution taps should be avoided.
- (xiii) No cross connection between recycled water system and potable water system shall be made.
- (xiv) All plumbing pipes fittings, valves of flushing system pipe will be of red colour or painted red. In case of embedded pipes. Marker taps of Red Colour at suitable intervals shall be fixed. The underground and over head tanks should have. Recycle water not

fit for drinking and other warning signs embossed/marked on them.

- (xv) Recycled water pipes and potable water pipes will be fixed in separate chases and a minimum horizontal distance of 6" (150mm) will be mentioned between them. In case of cross suitable colored/taped sleeve shall be used.
- (xvi) The coloniser/firm will provide appropriate pipes (both up and down) for solar water heating system.
- (xvii) That the owner shall construct the EWS flats within 2 years and give the advertisement in the newspapers for inviting the application for EWS flats in their Group Housing Colony within 12 months from the issuance of this sanction letter.
- (xviii) That no separate zoning plan is approved for community sites earmarked within a Group Housing Colony. The community buildings shall constructed within a period of three years. The time period of three years for construction of community sites shall start from the issuance of this sanction letter. In case of failure to do so, the Government may take over the community site in accordance with the provisions of Section 3(3)(a)(iv) of the Act No. 8 of 1975.
- (xix)
  - a. Invite objections from the existing allottees regarding the said amendment in the building plans through an advertisement to be issued in at least three of the following daily newspapers Times of India, Hindustan times, Indian Express, The Tribune, (English) Danik Jagran, Danik Bhaskar and Hindustan (Hindi) having wide circulation, within a period of 10 days from the issuance of approval.
  - b. The allottees may be granted 30 days time to file their objections in the office of Senior Town Planner, Gurgaon. During this 30 days period the original building plans as well as the amended building plans shall be available in the office of the colonizer as well as in the office of Senior Town Planner, Gurgaon for reference of the general public.
  - c. The objections received, if any, shall be examined by the office of Senior Town Planner, Gurgaon and report shall be forwarded to DG,TCP, Haryana. After giving an opportunity to the colonizer to explain its position in the matter, the DG,TCP, Haryana, within a period of 90 days from the issuance of the

advertisement, may decide to make amendments in the building plans, which shall be binding upon you.

- (xx) That you shall not give the advertisement for booking/sale of flats and shall not book any flats till the date upto which objection can be filed by existing allottees or till the decision on objections received, If any, by the office of Senior Town Planner, Gurgaon.

This sanction will be void abinitio, if any of the conditions mentioned above are not complied with.

DA/One set of Building Plans.

(Devendra Nimbokar)  
District Town Planner (HQ),  
Member Secretary,  
For: Chief Town Planner, Haryana-cum- Chairman,  
Building Plan Approval Committee.

Endst. No:- ZP-308/JD(BS)/2012/ 7761-66 Date:- 8/8/12

A copy is forwarded to the following for information: -

1. Chairman, Pollution Control Board, Haryana, Sector-6, Panchkula.
2. Commissioner, Municipal Corporation, Gurgaon.
3. Senior Town Planner, Gurgaon alongwith one set of building plans. These building plans should be made available for general viewing in your office. Any objections received within 30 days of publication of notice may be intimated to this office.
4. Superintending Engineer (HQ) HUDA.
5. Distt. Town Planner, Gurgaon.
- ✓ 6. Distt. Town Planner (Enf.), Gurgaon.

Encl: as above

(Devendra Nimbokar)  
District Town Planner (HQ),  
Member Secretary,  
For: Chief Town Planner, Haryana-cum- Chairman,  
Building Plan Approval Committee.