STATE ENVIRONMENT IMPACT ASSESSMENT AUTHORITY HARYANA Bay No. 55-58, Prayatan Bhawan, Sector-2, PANCHKULA.

E-mail Id: seiaa.hry@gmail.com

Tel: 0172-2565232

No. SEIAA(126)/HR/2021/ | | \$

Dated:

To

M/s Silverglades Infrastructure Pvt. Ltd, 5th Floor, Time Square Building, B Block, Sushant Lok-I, Gurugram 122002 E-mail ID: cs@silverglades.com

Subject: Sukhrali, Sector-28, District Gurugram, Haryana. Environment Clearance for Expansion of Group Housing Project at Village

constituted by MoEF & CC, GoI vide their Notification dated 30.01.2019, in its meeting held on with the application viz., Form-1, Form1-A, Conceptual Plan and additional clarifications provisions under the EIA Notification, 2006 on the basis of the mandatory documents enclosed Notification, 2006. The proposal has been appraised as per prescribed procedure in the light of Member Secretary, SEIAA, Haryana received on 28.07.2020 and subsequent letter dated 16.10.2020 awarded "Gold" rating / grading to the Project. furnished in response to the observations of the State Expert Appraisal Committee (SEAC) 16.10.2020 seeking prior Environmental Clearance for the above letter is in reference to your application dated 01.07.2020 addressed to project under the

[2]as given below: Project at Village Sukhrali, Sector-28, District Gurugram, Haryana. The details of the Project are It is inter-alia, noted that the project involves the Expansion of Group Housing

									S	4	သ	2.		Z S	2
	13.	12.	, <u>_</u> ,	10.	9.	.∞	7.	6.				. •	•	۶ .۳	
C . W	Total Parking	Rain Water Harvesting Pits (with size)	Total Green Area with %	Total Population	Total Built Up area	Non FAR Area	Proposed FAR	Proposed Ground Coverage	Net Plot Area	Plot Area	Longitude	Latitude	Online Proposal Number	Particulars	D
04	1180 ECS	05 No's	4,953.80 (@25.24% Plot area)	7882 Persons	1,18,744.25 Sq.m	48,269.04 Sq.m	70,475.21 Sq.m	6,504.69 Sq.m	19,627.25 Sq.m	19,627.25 Sq.m	77 ⁰ 04" 30.83 E.	28° 28" 20.53 N	SIA/I	Exisung	
71:	-374 ECS	Nii	Ζii	•	+ 3,083.44 Sq.m	+2,554.97 Sq.m	+ 528.47 Sq.m	+ 1,888.37 Sq.m	Nil	Z	77 ⁰ 04" 30.83 E.	28 ⁰ 28" 20.53 N	SIA/HR/MIS/163815/2020	Expansion	Typogen
01 500	806 ECS	05 No's (98.12 m³)	4,953.80 (@25.24% Plotarea)		1,21.827.69 Sq.m	50,824.01 Sq.m	71,003.68 Sq.m	8,393.06 Sq.m	19,627.25 Sq.m	19,627.25 Sq.m	77° 04" 30.83 E.	28° 28" 20.53 N	0	m)	Total Amon (So

							-					$\overline{\mathbf{J}}$			N	2	2	2	2	20	19.	18.		1/.	17	1	15.
	35.					34.	33.	32.	31.	30.	29.	28.	27.	26.	25.	24.	23.	22.	21.		.9						
Phase:	Construction			respect of:	Load in	Incremental	CER	Total Cost of the project:	R+U Value of Material	Stories	Community Center/ Club Area	Basement	Dwelling Units/ EWS	Number of Towers	Biodegradable Waste	Solid Waste Generated	STP Capacity	Waste Water Generated	Treated Water	Fresh Water Requirement	Domestic Water Requirement	Total Water Requirement		I Owel Daewah	Dower Racking	Building (m)	Maximum Height of the
ii) Water Require Source iii) STP (1	i) Pow	v) CO	iv) NO ₂	iii) SO ₂	ii) PM 10	i) PM 2.5		project:	aterial		er/ Club		SWS	S	aste	rated		rated		rement		rement					fthe
ii) Water Requirement & Source iii) STP (Modular) iv) Anti-Smoke Gun	i) Power Back-up		2		10	2.5	5.24 Cr	524.51 Cr	3.11 w/m2-oC	S+28	Present	05	Main Units = 274 EWS units = 48 Service Unit = 221	06	1,090 kg/day	1,817 kg/day	280 KLD	234 KLD	211 KLD	180 KLD		383 KLD	415kVA for phase I & 3 DG sets of 500, 1500,415 kVA for phase II)	sets of 1010kVA, 1500 kVA &	7.360 kVA (3DG	4.920.21KW	102.75 m
and STP treated Water. 01 Nil	77 77)	oC.						y	У							se 1 500, for	, A,	Ğ		
b ML and SIF p treated Water. Nil 01	_	0.070 µg/m²	0.189 µg/m	0.022 μg/m ³	0.008 µg/m	0.008 µg/m	Nil	Nii	3.11 w/m2-oC.	Nil	Present	-02	Main Units = -14 EWS units = -2 Service Unit = - 221	-03	136 kg/day	226 kg/day	I	+22.4 KLD	+19 KLD	+3 KLD	293 KLD	+3/ KLD			-50 kVA	Nii	+ 7.05 m
700	243 MI and	m	3 3	n'	n,	m ³	5.24 Cr	524.51 Cr	3.11 w/m2-oC.	G+28	Present	03	Main Onts – 260, EWS units = 46	0.5	1,226 kg/day	2,043 kg/day	300 KL	256.4 KLD	230 KLD	183 KLD		440 1800	kVA & Joo	(4DG sets of 1,500 kVA, 810	7,310 kVA	4,920.21KW	109.80 m

ENVIRONMENT MANAGEMENT PLAN COST

and the design of the state of		CAL
J. J. W	623	
200		trees
		Putting artificial nests on
0.50		> Awareness Generation
0,50	A	Platforms and enclosure
		Construction of feeding
0.25)	> Digging of Ponds
0.25	. · · · ·	> Plantation of trees
nest.)	Conservation
		Fund allocated for Wild Life
		Budget/Environmental Budget
	524	CSR/CER
COM F. C.	20.2	devices, miscellaneous)
ì)ease Gaz	Others (Energy saving
7	2.90	Green Area Development
0.74		Environmental Monitoring
9	0	Solid Waste Management
0.90	3.63	System
	7.50	Rain Water Harvesting
1.87	27.5	Sewage Treatment Plant
5.87		
(INR LAKH/YR)	(INR LAKI)	
RECURRING COST	CAPITAL COST	Election of the same
The state of the s		The second secon

response to its observations, have recommended the grant of Environmental Clearance for the relevant documents submitted by the project proponent and additional clarification furnished in Project mentioned above, subject to compliance with the stipulated conditions. Accordingly, the State Environment Impact Assessment Authority decided to compliance with the following stipulations depicted below:-Clearance for the Project under Category 8(a) of EIA Notification 2006 subject to the strict agree The State Expert Appraisal Committee, Haryana after due consideration of the with the recommendations of SEAC to accord necessary Environmental in its 126th meeting held on 11.12.2020

A. Specific conditions:-

- Sewage shall be treated in the STP based on latest Technology with tertiary treatment Ultra Filtration to achieve standards ordered by NGT. The Treated effluent from
- N STP shall be recycled /reused for flushing. DG cooling and Gardening The Project Proponent would devise a monitoring plan to the satisfaction of the State used for flushing in terms of faecal coli forms and other pathogenic bacteria Pollution Control Board so as to continuously monitor the treated waste water being
- \dot{c} The PP shall ensure that total 2% of the cost of project shall be spent on EMP Budget. shall be used before the commencement of the project & EMP recurring inside the included for the purpose of 2% amount. The project shall be implemented throughout the operation of the project the amount and component shown in EMP cost on Socio EMP table above shall also be Economic activities
- 4 basements and implement the reuse, storage plan of soil. The PP shall take preventive measures to control the dust of the excavated soil of
- Ç The PP shall implement the submitted the Wildlife Activity Plan and Rs.10 lakhs will be spent on various wildlife conservation activities like artificial nests on the trees Management Plan. of ponds, and construction of feeding platforms through Environment
- 9 The project proponent shall upload the status of compliance of the basic details (given monitored in above tables), stipulated environment clearance conditions, including results of data on their website and update the same on half-yearly basis

.7 of conditions related to quality and quantity of recycle and reuse of treated water, efficiency of treatment systems, quality of treated water being supplied for flushing The Project Proponents would commission a third party study on the implementation supplied through spray faucets attached to toilet seats. using recycled treated waters and fresh waters for flushing, and quality of water being (specially the bacterial counts), comparative bacteriological studies from toilet seats

00 Separate wet and dry bins must be provided in each unit and at ground level for facilitating segregation of waste. Solid Waste shall be segregated into wet garbage Adequate area shall be provided for solid waste management within the premises which will include area for segregation, composting. The Inert waste from the project Wet Garbage shall be composted in Organic waste convertor.

will be sent to solid waste dumping site through authorized vender

9 Apart, a detailed traffic management and traffic decongestion plan shall be drawn up to ensure that the current level of service of the roads within a 05 kms radius of the project is marinated and improved upon after the implementation of the project. This should be based management plan as submitted shall be implemented in letter and spirit on cumulative impact of all development and increased

<u>.</u> habilitation being carried out or purpose to be carried out by the project or other agencies in this 05kms radius of the site in different scenarios of space and time No tree cutting has been proposed in the instant project. A minimum of I tree for every 80sqm of land should be planted and maintained. The Existing trees will be

species. The species with heavy foliage, broad leaves and wide canopy cover are desirable. Water intensive and/or invasive species should not be used for landscaping. counted for this purpose. The landscape planning should include plantation of native proposed 4,953.80 (@25.24% Plot area) shall be provided for Green Area

development for whole project.

relevant agencies including town planning authority before commencement of All the construction shall be done in accordance with the local building byelaws. Project Proponent shall obtain all necessary before commencement of work clearance/permission from all

2 1981 and the Water (Prevention and control of pollution) Act, 1974 Consent to establish/operate for the project shall be obtained from the State Pollution Control Board as required under the Air (Prevention and Control of pollution) Act,

 $\ddot{\omega}$ National Building Code including protection measures from lightening etc building The Approval of the Competent Authority shall code due to earthquakes, adequacy of firefighting equipments etc. as be obtained for structural safety of per

4. The PP shall not carry any construction above or below the Revenue Rasta.

15 The PP shall obtain the Fire NOC from the Competent Authority before taking the occupation of the building.

16 The PP shall install the Eco Friendly Green Transformer based on ester oil to reduce carbon footprint. The PP shall install APCM for the DG set. The PP shall shift to gas based generator set when the gas

connection permitted by the competent authority. The PP shall not give occupation or possession before the water supply and sewage

<u>~</u> permitted by the competent Authority. Ą shall not give occupation or possession before the electricity connection

19 the approval from CGWA CGWA before the start of the project and also obtained the CTO from HSPCB after shall obtain the permission regarding withdrawal of ground water from

20 commercial colony/project. The PP shall carry out the quarterly awareness programs for the stakeholders of the

21. Rain water harvesting recharge pits for ground water recharging as per the CGWB

22. carry out quarterly maintenance and cleaning of 5 RWH pits The PP shall install Digital water level recorder for monitoring the water recharge and

The PP shall provide the Anti smog gun mounted on truck in the project for suppression of dust during construction & operational phase and shall use the treated

24 during construction and operational phase PP shall take all preventive measures including water sprinkles to control dust

provide the mechanical ladder for use in case of emergency

25 26 and PP will have to seek fresh Environment Clearance Any change in stipulations of EC will lead to Environment Clearance void-ab-initio

- 27. upcoming project; impediment in movement of traffic during Construction or Operational phase Services around the site ascertaining that there extensive studies have been undertaken regarding would be no adverse Traffic flow & Level effect of ofor Or
- 28 considered; While carrying out the "Air Dispersion modeling" inbound and outbound vehicles are 92 PCU/hr.) along with the emission and running hours (6 Hr) of DG sets has been
- 29 fuel to be used would be as per Guidelines of GRAP & NCAP; as per ruling passed by Hon'ble EPCA/NGT that National Clean Air program vide Office Order No. HSPCB/SSC/2020/4320-44 dated 25.06.2020 would be implemented. The running of DG sets/ Captive Power during Construction or Operational phase and
- 30 Environment Clearance was obtained from State Environment Impact Assessment inform you that the existing temporary structure is not in accordance to the site plan Temporary structure (site office/store) was constructed at the project site having area digging was done on the auspicious occasion of the Bhumipujan. No construction activity has been started for the proposed project. However, a small, approved by the Department of Town and Country Planning and will be dismantle. Town Planner, Gurgaon vide Memo No-STP/(G)/2014/332. Further, we would like to Authority (SEIAA), Haryana vide letter no. SEIAA/HR/2018/605 dated 15.06.2018 Sq.m and permission of the same was obtained from the Office of Senior
- scrubber would be filtered/treated & the same will be reused. The PP would use only treated water in "Wet Scrubber" and the outgoing water of the
- 32. NCAP/GRAP The PP shall install all the necessary retro-fitting to meet out the standards of

B. Statutory Compliance:

- relevant agencies including town planning authority for ground coverage, FAR and should be in accordance with zoning plan approved by Competent Authority before commencement of work. All the construction shall be done in accordance with the local building byelaws project proponent shall obtain all necessary clearance/ permission
- [2]buildings due to earthquakes, adequacy of firefighting equipment etc as per National Building Code including protection measures from lightening etc. The approval of the Competent Authority shall be obtained for structural safety of
- [3](Conservation) Act, The project proponent shall obtain forest clearance under the provisions of Forest purpose involved in the project. 1986, in case of the diversion of forest land for non-forest
- [4]applicable The project proponent shall obtain clearance from the National Board for Wildlife,
- [5]of Air (Prevention & Control of Pollution) Act, 1981 and the Water (Prevention & The project proponent shall obtain Consent to Establish/Operate under the provisions Control of Pollution) Act, 1974 from the Haryana State Pollution Control Board.
- 6 water /surface water required for the project from the competent authority The project proponent shall obtain the necessary permission for drawl of ground
- [2]project along with the load allowed for the project should be obtained A certificate of adequacy of available power from the agency supplying power to the
- $[\infty]$ All other statutory clearances such as the approvals for storage of diesel from Chief Controller of Explosives, Fire Department, Civil Aviation Department shall be as applicable, by project proponents from the respective competent
- [9] (Management) Rules, 2016, the Plastics provisions waste (Management Handling Rules2001 as amended in 2020) shall be of the Solid Waste Waste (Management) (Management) Rules, Rules, 2016, e-... ---les, 2016 and
- [10]The project proponent shall follow the ECBC Act/ECBC-Rules prescribed by Bureau of Energy Efficiency, Ministry of Power strictly in addition of bylaws of the State Government

I. Air Quality Monitoring and Preservation

<u>..</u>. Notification GSR 94(E) dated 25.01.2018 ofMoEF&CC regarding Mandatory

Implementation of Dust Mitigation Measures for Construction and Demolition Activities for projects requiring Environmental Clearance shall be complied with

Ξ: A management plan shall be drawn up and implemented to contain the current

exceedance in ambient air quality at the site.

Ħ: monitoring for common/criterion parameters relevant to the main pollutants released project PM₁₀ and PM_{2.5}) covering proponent shall install system to carryout Ambient Air Quality upwind and downwind directions during the

Ņ. Diesel power generating sets proposed as source of backup power should be of enclosed type and conform to rules made under the Environment (Protection) Act, construction period 1986. The height of stack of DG sets should be equal to the height needed for the combined capacity of all proposed DG sets. Use of ultra lowsulphur diesel. The location of the DG sets may be decided with in consultation with State Pollution

Control Board

- ۲. smoke & other air pollution prevention measures shall be provided for the building as Construction site shall be adequately barricaded before the construction begins. Dust, construction, continuous dust/ wind breaking walls all around the site (at least 3 meter height). Plastic/tarpaulin sheet covers shall be provided for vehicles bringing in sand, murram and other construction materials prone to causing dust pollution at the site. These measures shall include screens for the building
- ⊴. the site as well as taking out debris from the site. Sand, murram, loose soil, cement, stored on site shall be covered adequately so as to
- prevent dust pollution.
- VIII. VII. Wet jet shall be provided for grinding and stone cutting.
 Unpaved surfaces and loose soil shall be adequately sprinkled with water to suppress

- Χ. and construction waste shall be managed as per the provisions of the Construction the roads or open spaces outside) before they are properly disposed. All demolition All construction and demolition debris shall be stored at the site (and not dumped on and Demolition Waste Rules 2016.
- × for air and noise emission standards. lowsulphur diesel type and shall conform to Environmental (Protection) prescribed generator sets to be used during construction phase shall be ultra
- <u>×</u>. The gaseous emissions from DG set shall be dispersed through adequate stack height as per CPCB standards. Acoustic enclosure shall be provided to the DG sets to mitigate the noise pollution. Ultra low sulphur diesel shall be used. The location of the DG set and exhaust pipe height shall be as per the provisions of the Central Pollution Control Board (CPCB) norms.
- X11. For indoor air quality the ventilation provisions as per National Building Code of

Ħ. Water Quality Monitoring and Preservation

- ٠. site, on wetland and water bodies. Check dams, bio-swales, landscape, water. No construction shall be allowed to obstruct the natural drainage through the The natural drain system should be maintained for ensuring sustainable urban drainage systems (SUDS) are allowed for maintaining the drainage unrestricted flow of and other
- Ξ: Buildings shall be designed to follow the natural topography as much as possible pattern and to harvest rain water
- Ξ: Total fresh water use shall not exceed the proposed requirement as provided in the project details. The per capita supply should adhere to NBC 2016 and CGWA Notification dated 12.12.2018.
- Ņ. The quantity of fresh water usage, water recycling and rainwater harvesting shall be measured and recorded to monitor the water balance as projected by the project as to SEIAA, Haryana along with six monthly Monitoring Reports proponent. The record shall be submitted to the Regional Office, MoEF&CC as well
- total annual water availability with the local authority, the quantity of water already surface water sources, ensuring that there is no impact on other users balance water available. committed the quantity of water allotted to the project under consideration and the certificate shall be obtained from the local body supplying water, specifying the This should be specified separately for ground water and

- ≦. would be considered as pervious surface. At least 20% of the open spaces as required by the local building bye-laws shall be Use of Grass pavers, paver blocks with at least 50% opening, landscape etc.
- V11 car washing, thermal cooling, conditioning etc. shall be done.
 Use of water saving devices/ fixtures (viz. low flow flushing systems; use of low flow bathing etc and other for supply of recycled water for flushing, landscape irrigation, Installation of dual pipe plumbing for supplying fresh water for drinking, cooking and
- VIII. faucets tap aerators etc) for water conservation shall be incorporated in the building
- X system. In case of single stack system separate recirculation lines for flushing by Separation of grey and black water should be done by the use of dual plumbing giving dual plumbing system be done
- × curing agents and other best practices referred Water demand during construction should be reduced by use of pre-mixed concrete.
- ×. per the CGWB norms byelaw provision is not available, adequate provision for storage and recharge should The local bye-law provisions on rain water harvesting should be followed. If local followed as per the Ministry of Urban Development Model Building Rain Water Harvesting pits shall be provided for ground water recharging as Byelaws,
- X:: minimum one recharge bore per 5,000 square meters of built up area and storage capacity of minimum one day of total fresh water requirement shall be provided. In areas where ground water recharge is not feasible, the rain water should be harvested the Competent Authority. and stored for reuse. The ground water shall not be withdrawn without approval from rain water harvesting plan needs to be designed where the recharge bores of
- xiii. All recharge should be limited to shallow aquifer.
- Xiv. No ground water shall be used during construction phase of the project.
- ٧X Any ground water dewatering should be properly managed and shall conform to the approvals and the guidelines of the CGWA in the matter. Formal approval shall be taken from the CGWA for any ground water abstraction or dewatering.
- XVI. measured and recorded to monitor the water balance as projected by the project proponent. The record shall be submitted to the Regional Office, MoEF&CC along proponent. The quantity of fresh water usage, water recycling and rainwater harvesting shall be with six monthly Monitoring reports.
- XVII. STP shall be recycled/re-used for flushing, AC make up water proposed, no treated water shall be disposed in to municipal drain. Sewage shall be treated in the STP with tertiary treatment. The treated effluent from make up water and gardening.
- XVIII. No sewage or untreated effluent water would be discharged through storm water
- installation of the Sewage Treatment Plant (STP) shall be certified by an independent Onsite sewage treatment of capacity of treating 100% waste water to be installed. The discharged as per statutory norms notified by Ministry of Environment, Forest and expert and a report in this regard shall be submitted to the Ministry before the Climate Change. Natural treatment systems shall be promoted. commissioned for operation. Treated waste water shall be reused flushing, cooling tower, and other end-uses. Excess treated water shall be on for
- X Necessary measures should be made to mitigate the odour problem from STP. Periodical monitoring of water quality of treated sewage shall be conducted
- XXI. conveyed and disposed as per the Ministry of Urban Development, Central Public Health and Environmental Engineering Organization (CPHEEO) Manual on Sewerage and Sewage Treatment Systems, 2013. Sludge from the onsite sewage treatment, including septic tanks, shall be collected

III. Noise Monitoring and Prevention

٠ سب ambient air and stipulated standards by CPCB / SPCB monitored during construction phase. Adequate measures shall be made to reduce Incremental pollution loads on the ambient air and noise quality shall be closely Ambient noise levels shall conform to residential area/commercial area both during and night as per Noise Pollution (Control and noise level during construction phase, Regulation) Rules, so as to conform to the 2000.

- **:**: Noise level survey shall be carried as per the prescribed guidelines and report in this regard shall be submitted to Regional Officer of the Ministry as a part of six-monthly
- Ξ: Acoustic enclosures for DG sets, noise barriers for ground-run bays, ear plugs for compliance report. operating personnel shall be implemented as mitigation measures for noise impact due to ground sources

IV. **Energy Conservation Measures**

- ٠ سېږ with the State ECBC also which is in no case should be less than 25% as prescribed. ensured. Energy Efficiency as Compliance with the nce with the Energy Conservation Building Code (ECBC) of Bureau of Efficiency as per ECBC Act, 2017 read with ECBC Rules, 2018 shall be Buildings in the States which have notified their own ECBC, shall comply
- Outdoor and common area lighting shall be LED
- Ħ: #: using design elements, such as building orientation, landscaping, efficient building Concept of passive solar design that minimize energy consumption in buildings by envelope values shall be as per ECBC specifications. etc. shall be appropriate fenestration, increased day lighting design and thermal mass be incorporated in the building design. Wall, window, and roof R & U-
- įv. Energy conservation measures like installation of CFLs/ LED for the lighting the area outside the building should be integral part of the project design and should be in place before project commissioning.
- < building bye-laws requirement, whichever is higher. generation equivalent to 1% of the demand load or as per the state level/ local wind or other Renewable Energy shall be installed to meet electricity
- ≰. Solar power shall be used for lighting in the apartment to reduce the power load on shall be provided to meet 20% of the hot water institutional building water demand from solar water heaters, as far as possible. Separate electric meter shall be higher. Residential buildings are also recommended to meet its hot or as per the requirement of the local building bye-laws, installed for solar power. Solar water heating demand of the commercial and
- ¥i: requirement and submit quantification saving report for each component. PP will submit report indicating compliance of each parameter of ECBC

< Waste Management

- ٠. indicating the existing civic capacities of handling and their adequacy to cater to the M.S.W. generated from project shall be obtained from the competent authority handling municipal solid wastes,
- Ξ: neighboring communities and be disposed taking the necessary precautions for general safety and health aspects of people, only in approved sites with the approval Disposal of muck during construction phase shall not create any adverse effect on the of competent authority
- Ξ: facilitating segregation of waste. Solid waste shall be segregated into wet garbage and Separate wet and dry bins must be provided in each unit and at the ground level for
- iv. Organic Waste Converter within the premises with a minimum capacity of 0.5 kg into compost to be used as manure /person/day must be installed. Leaves to be put in earmarked pits for converting them
- < All non-biodegradable waste shall be handed over to authorized recyclers for which a written tie up must be done with the authorized recyclers.
- Ճ. applicable rules and norms with necessary approvals of the State Pollution Control Any hazardous waste generated during construction phase, shall be disposed of as per
- VII. Compressed earth blocks, and other environment friendly materials These include Fly Ash bricks, hollow bricks, AACs, Fly Ash Lime Gypsum blocks, of environment friendly materials shall be required for at least 20% of the construction material quantity. in bricks, blocks and other construction
- Fly ash should be used as building material in the construction as per the provision of 25th January, 2016. Ready mixed concrete must be used in building construction Fly Ash Notification of September, 1999 and amended as on 27th August, 2003 and

- X. managed so as to strictly conform to the Construction and Demolition Rules, 2016. from construction and demolition activities related thereto shall be
- × as per the prevailing guidelines/ rules of the regulatory authority to avoid mercury Used CFLs and TFLs should be properly collected and disposed off/sent for recycling

VI. Green Cover

- species (planted) prescribed by the Forest Department. Plantations to be ensured species (cut) necessary, tree felling shall be with prior permission from the concerned regulatory authority. Old trees should be retained based on girth and age regulations as may be can be felled/transplant unless exigencies demand. Where absolutely
- Ξ: planning should include plantation of native species. The species with heavy foliage, A minimum of 1 tree (5' tall) for every 80 sqm of land should be planted and species should not be used for landscaping. broad leaves and wide canopy cover are desirable. The existing trees will be counted for this purpose. Water intensive and/or invasive The landscape
- Ξ: species (cut) to species (planted). Area for green belt development shall be provided Where the trees need to be cut with prior permission from the concerned local Authority, compensatory plantation in the ratio of 1:10 (i.e. planting of 10 trees for every 1 tree that is cut) shall be done and maintained. Plantations to be ensured as per the details provided in the project document.
- ĬV. designated areas and reapplied during plantation of the proposed vegetation on site. Topsoil should be stripped to a depth of 20 cm from the areas proposed for buildings. roads, paved areas, and external services. It should be stockpiled appropriately in

VII. Transport

- shall be prepared to include motorized, non-motorized, public, and private networks The road system can be designed with these basic criteria Road should be designed with due consideration for environment, and safety of users comprehensive mobility plan, as per MoUD best practices guidelines (URDPFI).
- <u>a</u> Hierarchy of roads with proper segregation of vehicular and pedestrian traffic
- b) Traffic calming measures
- c) Proper design of entry and exit points.
- d) Parking norms as per local regulation.
- Ξ: applicable air and noise emission standards be operated only during non-peak hours. condition and should have a pollution check certificate Vehicles hired for bringing construction material to the site and should conform to should
- **=**: habitation being carried out or proposed to be carried out by the project or other agencies in this 05 Kms radius of the site in different scenarios of space and time and project is maintained and improved upon after the implementation of the project. This ensure that the current level of service of the roads within a 05 kms radius of the plan should be and shall also have their consent to the implementation of components of the plan Development department and the P.W.D./ competent authority for road augmentation the traffic management plan shall be duly validated and certified by the State Urban which involve the participation of these departments detailed traffic management and traffic decongestion plan shall be based on cumulative impact of all development and increased drawn up to

VIII. Human Health Issues

- ٠ --carriage of construction material and construction debris or working in any area with All workers working at the construction size and involved in loading, unloading, dust pollution shall be provided with dust mask.
- **二**: indoor air quality the ventilation provisions as per National Building Code of
- Ξ : Assessment (HIRA) and Disaster Management Plan shall be implemented. Emergency preparedness plan based on the Hazard identification and

Ņ. necessary infrastructure and facilities such as fuel for cooking, mobile toilets, mobile Provision shall be made for the housing of construction labour within the site with all form of temporary structures to be removed after the completion of the project. STP, safe drinking water, medical health care, crèche etc. The housing may be in the

Occupational health surveillance of the workers shall be done on a regular basis

<u>%</u>. .< operations of the project A First Aid Room shall be provided in the project both during construction and

IX. Corporate Environment Responsibility

;-•• The project proponent shall comply with the provisions contained in this Ministry's OM vide F.No. 22-65/2017-IA.III dated 1st May 2018, as applicable, regarding Corporate Environment Responsibility for the exiting part and shall comply with the as applicable, regarding Corporate Environment Responsibility

፰: The company shall have a well laid down environmental policy duly approved by the Board of Directors. The environmental policy should prescribe for standard operating procedures to submitted to the MoEF&CC as a part of six-monthly report. shareholders/ stake holders. The copy of the board resolution in this regard shall be conditions. The company shall have defined system of reporting infringements/deviation/violation of the environmental/forest/wildlife norms/conditions and/or infringements/ deviation/ have proper checks and balances and to violation of the environmental/ shall have defined system of reporting infringements/ forest/ wildlife norms/ bring into

Ħ: A separate Environmental Cell both at the project and company head quarter level, with qualified personnel shall be set up under the control of senior Executive, who

will directly to the head of the organization.

<u>1</u>V. measures shall be kept in separate account and not to be responsibility matrix of the company shall be prepared and shall be duly approved by competent authority. The year wise Ministry/Regional Office along with the Six Monthly Compliance Report Year wise progress of implementation of action plan shall be reported to the for implementing EMP funds earmarked for environmental protection account and not to be diverted for any other and environmental conditions along with

Chartered Accountant showing the dispersal of funds in said schemes along with the PP must submit the Balance sheet/Account statement duly attested & signed by the

۷.

"Six Monthly Compliance Report" positively

× Miscellaneous

<u>...</u>. days indicating that the project has been accorded environment clearance and the of the District or State, of which one shall be in the vernacular language within seven The project proponent shall prominently advertise it at least in two local newspapers details of MoEFCC/SEIAA website where it is displayed.

Ξ: proponents to the Heads of local bodies, Panchayats and Municipal Bodies in addition to the relevant offices of the Government who in turn has to display the same for 30 copies of the environmental clearance shall be submitted by the

days from the date of receipt

11: The project proponent shall upload the status of compliance of environment clearance conditions, including results of monitored website and update the same on half-yearly basis. conditions, including results of monitored data on their the stipulated

7. of Environment, Forest and Climate Change at environment clearance portal and soft copy of the same to SEIAA, Haryana. compliance of the stipulated environmental conditions on the website of the ministry project proponent shall submit six-monthly reports on the of the

< the Environment (Protection) Rules, 1986, as amended subsequently and put on the year in Form-V to the concerned State Pollution Control Board as prescribed under project proponent shall submit the environmental statement for each financial

website of the company.

Ճ. authorities, commencing the land development work and start of production operation The project proponent shall inform the Regional Office as well as the Ministry, the by the project financial closure and final approval of the project by

- VII. The project authorities must strictly adhere to the stipulations made by the State
- V111. made in the form-IA, Conceptual Plan and also that during their presentation to the Pollution Control Board and the State Government.

 The project proponent shall abide by all the commitments and recommendations **Expert Appraisal Committee**
- X. No further expansion or modifications in the plan shall be carried out without prior project. clearance under EIA notification 2006 if at any stage there is change of area of this (MoEF&CC)/SEIAA, Haryana. The project proponent shall seek fresh environmental of the Ministry of. Environment, Forests and Climate
- × Any change in planning of the approved plan will leads to Environment Clearance void-ab-initio and PP will have to seek fresh Environment Clearance
- XI. your ownership The PP should give unambiguous affidavit giving land promoters in accordance with Clearance to SEIAA and possession of land legal the case referred for Environment
- XI: revocation of this environmental clearance and attract action under the provisions of Concealing Environment (Protection) Act, 1986. factual data or submission of false/fabricated data may
- XIII. of the above conditions is not satisfactory. The Ministry/SEIAA may revoke or suspend the clearance, if implementation of any
- XIV. The Ministry/SEIAA reserves the right to stipulate additional conditions if found
- ΛX necessary. The Company in a time bound manner shall implement these conditions. The Regional Office of this Ministry shall monitor compliance of the stipulated the Regional Office by furnishing the requisite data / information/monitoring reports. conditions. The project authorities should extend full cooperation to the officer (s) of
- The above conditions shall be enforced, inter-alia under the provisions of the Water Court of Law relating to the subject matter. orders passed by the Hon'ble Supreme Court of India / High Courts and any other Liability Insurance Act, 1991 along with their amendments and Rules and any other Wastes (Management and Transboundary Movement) Rules, Pollution) Act, 1981, the Environment (Protection) Act, 1986, Hazardous and Other (Prevention & Control of Pollution) Act, 1974, the Air (Prevention & Control of 2016 and the Public
- environmentally friendly commitment on the point shall be taken as commitment by spirit. In case of contradiction between two or more documents on any point, the most environment and proposed environmental safeguards are complied with in letter and EIA/EMP and other documents submitted project proponent. Project Proponent shall ensure the commitments made in Form-1, Form-1A, to the SEIAA for the protection of
- XVIII. Under the provisions of Environment (Protection) Act, 1986, legal action shall be initiated against the Project Proponent if it was found that construction of the project has been started before obtaining prior Environmental Clearance.
- XiX. Any appeal against the this Environmental Clearance shall lie with the National 16 of the National Green Tribunal Act, 2010. Green Tribunal, if preferred, within a period of 30 days as prescribed under Section
- XX. The project proponent shall ensure the compliance of Forest Department, Haryana Notification no. S.O.121/PA2/1900/S.4/97 dated 28.11.1997.
- XXI. of the responsibility by shifting it to any contractor engaged by project proponent Environmental Clearance letter and project proponent can not absolve himself /herself been granted by the Town & Country Planning Department, Haryana. shall also lie on the licensee/licensees in whose name/names the license/CLU has Besides the developer/applicant, the responsibility to ensure the compliance of Environmental Safeguards/ conditions imposed in the Environmental Clearance letter project proponent is: responsible for compliance of all compliance of conditions in
- above the level of the approach road to the Project. Levels of the other areas in the The Project Proponent shall keep the plinth level of the building blocks sufficiently Projects shall also be kept suitably so as to avoid flooding.
- XXIII. project site to trap pollutant and other wastes during rains. project proponent shall construct a sedimentation basin in the lower level of the
- xxiv. for the project before the start of construction. project proponent shall provide proper rasta of proper width and proper strength
- Plotted colony including internal roads, green belt development, sewerage line, The project proponent shall develop complete civic infrastructure of the Residential Rain

site and provision for treatment of bio-degradable waste, STP, water supply line, dual plumbing line, electric supply lines etc. and shall offer possession of the units/flats Water recharge arrangements, Storm water drainage system, Solid waste management

XXVI.

The project proponent shall provide fire control room and fire officer for building

above 30 meter as per National Building Code.

XXVIII. XXVII. The project proponent shall ensure that the stack height is 6 meter more than the The project proponent shall maintain the distance between STP and water supply line highest tower.

XXIX. For disinfection of the treated wastewater ultra-violet radiation or ozonization process

should be used

XXX. The project proponent shall strive to minimize water in irrigation of landscape by transpiration data. efficient irrigation system, minimizing grass area, using native variety, xeriscaping scheduling irrigation only after and mulching, utilizing checking

refrigeration, air-conditioning and adhesive. The Project Proponent shall use zero ozone depleting potential material in insulation, Project Proponent shall also provide

Halon free fire suppression system.

of rule 3 of Environment Protection Rule 1986 shall be strictly complied with. Standards for discharge of environmental pollutants as enshrined in various schedules

XXXIII. All electric supply exceeding 100 amp, 3 phase shall maintain the power

XXXIV. between 0.98 lag to 1 at the point of connection.

The project proponent shall ensure that the transformer is constructed with high quality grain oriented, low loss silicon steel and virgin electrolyte grade copper. The project

sufficiently high. Stack shall be designed in such a way that there is no stack downproponent shall obtain manufacturer's certificate also for that.

The project proponent shall ensure that exit velocity from the stack should be project proponent

wash under any meteorological conditions.

issuance of EC letter. The environment clearance conditions applicable till life space project in case of Residential project will continue to apply. The resident welfare The validity of this environment clearance letter is valid up to 7 years from the date of down in EC. In case of violation the action would be taken as per the laid down law of land. Compliance report should be sent to this office till life of the project. association/Housing co-operative societies shall responsible to comply conditions laid

submit the application for extension of validity within one month before the lapse of If project is not completed within the validity period then the project proponent shall

validity period of Environment Clearance i.e. 7 years.

xxxviii. address of communication The project proponent should intimate to the Authority well before shifting their

Chairman,

Assessment Authority, Haryana, Panchkula

Dated:

/01/2021

State Level-Environment Impact

Endst. No. SEIAA(126)/HR/2021/

A copy of the above is forwarded to the following:

Director (IA Division), MoEF & CC, GoI, Indra Paryavaran Bhavan, New Delhi-110003 Zor bagh Roadof India.

2 Regional office, Ministry of Environment, Forests & Climate Change, Govt. Bay's no. 24-25, Sector 31-A, Dakshin Marg, Chandigarh-160018.

S Chairman, Haryana State Pollution Control Board, C-11, Sector-6, Panchkula

4 Madhya Marg, Chandigarh- 160018. Concerned File/ Office Copy General, Town & Country Planning Haryana, Plot No. ر. د ر. Sector

Chairman,

Assessment Authority, Haryana, Panchkula. State Level Environment Impact