

Downloaded from <http://ajphaphapublications.sagepub.com/> at 11:00 11 November 2014

...subject to comments
in forwarding letter No. 1204C
Dr. 28/11/15... and notes
attached with the estimate

[Signature]
Executive Engineer
for Chief Engineer
Hydro-Electricity
Gandhinagar

28/11/15

NUR. SCHOOL
810,000 sq.m
2 acres



PRIMARY SCHOOL
4047.246 SQ.M

FLUORIDE FOR PRIMARY SCHOOL			
SEX/AGE			
I	1	50.58	25.100004
II	2	67.77	34.100004
III	3	84.10	42.100004
IV	4	91.10	45.100004
V	5	95.10	47.100004
VI	6	97.10	48.100004
VII	7	98.10	49.100004
VIII	8	99.10	50.100004
IX	9	100.10	51.100004
X	10	101.10	52.100004
XI	11	102.10	53.100004
XII	12	103.10	54.100004
XIII	13	104.10	55.100004
XIV	14	105.10	56.100004
XV	15	106.10	57.100004
XVI	16	107.10	58.100004
XVII	17	108.10	59.100004
XVIII	18	109.10	60.100004
XIX	19	110.10	61.100004
XX	20	111.10	62.100004
XXI	21	112.10	63.100004
XXII	22	113.10	64.100004
XXIII	23	114.10	65.100004
XXIV	24	115.10	66.100004
XXV	25	116.10	67.100004
XXVI	26	117.10	68.100004
XXVII	27	118.10	69.100004
XXVIII	28	119.10	70.100004
XXIX	29	120.10	71.100004
XXXX	40	131.10	82.100004
XXXXI	41	132.10	83.100004
XXXXII	42	133.10	84.100004
XXXXIII	43	134.10	85.100004
XXXXIV	44	135.10	86.100004
XXXXV	45	136.10	87.100004
XXXXVI	46	137.10	88.100004
XXXXVII	47	138.10	89.100004
XXXXVIII	48	139.10	90.100004
XXXXIX	49	140.10	91.100004
XXXXX	50	141.10	92.100004
XXXXXI	51	142.10	93.100004
XXXXXII	52	143.10	94.100004
XXXXXIII	53	144.10	95.100004
XXXXXIV	54	145.10	96.100004
XXXXXV	55	146.10	97.100004
XXXXXVI	56	147.10	98.100004
XXXXXVII	57	148.10	99.100004
XXXXXVIII	58	149.10	100.100004
XXXXXIX	59	150.10	101.100004
XXXXXX	60	151.10	102.100004
XXXXXXI	61	152.10	103.100004
XXXXXXII	62	153.10	104.100004
XXXXXXIII	63	154.10	105.100004
XXXXXXIV	64	155.10	106.100004
XXXXXXV	65	156.10	107.100004
XXXXXXVI	66	157.10	108.100004
XXXXXXVII	67	158.10	109.100004
XXXXXXVIII	68	159.10	110.100004
XXXXXXIX	69	160.10	111.100004
XXXXXXX	70	161.10	112.100004
XXXXXXXI	71	162.10	113.100004
XXXXXXXII	72	163.10	114.100004
XXXXXXXIII	73	164.10	115.100004
XXXXXXXIV	74	165.10	116.100004
XXXXXXXV	75	166.10	117.100004
XXXXXXXVI	76	167.10	118.100004
XXXXXXXVII	77	168.10	119.100004
XXXXXXXVIII	78	169.10	120.100004
XXXXXXXIX	79	170.10	121.100004
XXXXXXXI	80	171.10	122.100004
XXXXXXXII	81	172.10	123.100004
XXXXXXXIII	82	173.10	124.100004
XXXXXXXIV	83	174.10	125.100004
XXXXXXXV	84	175.10	126.100004
XXXXXXXVI	85	176.10	127.100004
XXXXXXXVII	86	177.10	128.100004
XXXXXXXVIII	87	178.10	129.100004
XXXXXXXIX	88	179.10	130.100004
XXXXXXXI	89	180.10	131.100004
XXXXXXXII	90	181.10	132.100004
XXXXXXXIII	91	182.10	133.100004
XXXXXXXIV	92	183.10	134.100004
XXXXXXXV	93	184.10	135.100004
XXXXXXXVI	94	185.10	136.100004
XXXXXXXVII	95	186.10	137.100004
XXXXXXXVIII	96	187.10	138.100004
XXXXXXXIX	97	188.10	139.100004
XXXXXXXI	98	189.10	140.100004
XXXXXXXII	99	190.10	141.100004
XXXXXXXIII	100	191.10	142.100004
XXXXXXXIV	101	192.10	143.100004
XXXXXXXV	102	193.10	144.100004
XXXXXXXVI	103	194.10	145.100004
XXXXXXXVII	104	195.10	146.100004
XXXXXXXVIII	105	196.10	147.100004
XXXXXXXIX	106	197.10	148.100004
XXXXXXXI	107	198.10	149.100004
XXXXXXXII	108	199.10	150.100004
XXXXXXXIII	109	200.10	151.100004
XXXXXXXIV	110	201.10	152.100004
XXXXXXXV	111	202.10	153.100004
XXXXXXXVI	112	203.10	154.100004
XXXXXXXVII	113	204.10	155.100004
XXXXXXXVIII	114	205.10	156.100004
XXXXXXXIX	115	206.10	157.100004
XXXXXXXI	116	207.10	158.100004
XXXXXXXII	117	208.10	159.100004
XXXXXXXIII	118	209.10	160.100004
XXXXXXXIV	119	210.10	161.100004
XXXXXXXV	120	211.10	162.100004
XXXXXXXVI	121	212.10	163.100004
XXXXXXXVII	122	213.10	164.100004
XXXXXXXVIII	123	214.10	165.100004
XXXXXXXIX	124	215.10	166.100004
XXXXXXXI	125	216.10	167.100004
XXXXXXXII	126	217.10	168.100004
XXXXXXXIII	127	218.10	169.100004
XXXXXXXIV	128	219.10	170.100004
XXXXXXXV	129	220.10	171.100004
XXXXXXXVI	130	221.10	172.100004
XXXXXXXVII	131	222.10	173.100004
XXXXXXXVIII	132	223.10	174.100004
XXXXXXXIX	133	224.10	175.100004
XXXXXXXI	134	225.10	176.100004
XXXXXXXII	135	226.10	177.100004
XXXXXXXIII	136	227.10	178.100004
XXXXXXXIV	137	228.10	179.100004
XXXXXXXV	138	229.10	180.100004
XXXXXXXVI	139	230.10	181.100004
XXXXXXXVII	140	231.10	182.100004
XXXXXXXVIII	141	232.10	183.100004
XXXXXXXIX	142	233.10	184.100004
XXXXXXXI	143	234.10	185.100004
XXXXXXXII	144	235.10	186.100004
XXXXXXXIII	145	236.10	187.100004
XXXXXXXIV	146	237.10	188.100004
XXXXXXXV	147	238.10	189.100004
XXXXXXXVI	148	239.10	190.100004
XXXXXXXVII	149	240.10	191.100004
XXXXXXXVIII	150	241.10	192.100004
XXXXXXXIX	151	242.10	193.100004
XXXXXXXI	152	243.10	194.100004
XXXXXXXII	153	244.10	195.100004
XXXXXXXIII	154	245.10	196.100004
XXXXXXXIV	155	246.10	197.100004
XXXXXXXV	156	247.10	198.100004
XXXXXXXVI	157	248.10	199.100004
XXXXXXXVII	158	249.10	200.100004
XXXXXXXVIII	159	250.10	201.100004
XXXXXXXIX	160	251.10	202.100004
XXXXXXXI	161	252.10	203.100004
XXXXXXXII	162	253.10	204.100004
XXXXXXXIII	163	254.10	205.100004
XXXXXXXIV	164	255.10	206.100004
XXXXXXXV	165	256.10	207.100004
XXXXXXXVI	166	257.10	208.100004
XXXXXXXVII	167	258.10	209.100004
XXXXXXXVIII	168	259.10	210.100004
XXXXXXXIX	169	260.10	211.100004
XXXXXXXI	170	261.10	212.100004
XXXXXXXII	171	262.10	213.100004
XXXXXXXIII	172	263.10	214.100004
XXXXXXXIV	173	264.10	215.100004
XXXXXXXV	174	265.10	216.100004
XXXXXXXVI	175	266.10	217.100004
XXXXXXXVII	176	267.10	218.100004
XXXXXXXVIII	177	268.10	219.100004
XXXXXXXIX	178	269.10	220.100004
XXXXXXXI	179	270.10	221.100004
XXXXXXXII	180	271.10	222.100004
XXXXXXXIII	181	272.10	223.100004
XXXXXXXIV	182	273.10	224.100004
XXXXXXXV	183	274.10	225.100004
XXXXXXXVI	184	275.10	226.100004
XXXXXXXVII	185	276.10	227.100004
XXXXXXXVIII	186	277.10	228.100004
XXXXXXXIX	187	278.10	229.100004
XXXXXXXI	188	279.10	230.100004
XXXXXXXII	189	280.10	231.100004
XXXXXXXIII	190	281.10	232.100004
XXXXXXXIV	191	282.10	233.100004
XXXXXXXV	192	283.10	234.100004
XXXXXXXVI	193	284.10	235.100004
XXXXXXXVII	194	285.10	236.100004
XXXXXXXVIII	195	286.10	237.100004
XXXXXXXIX	196	287.10	238.100004
XXXXXXXI	197	288.10	239.100004
XXXXXXXII	198	289.10	240.100004
XXXXXXXIII	199	290.10	241.100004
XXXXXXXIV	200	291.10	242.100004
XXXXXXXV	201	292.10	243.100004
XXXXXXXVI	202	293.10	244.100004
XXXXXXXVII	203	294.10	245.100004
XXXXXXXVIII	204	295.10	246.100004
XXXXXXXIX	205	296.10	247.100004
XXXXXXXI	206	297.10	248.100004
XXXXXXXII	207	298.10	249.100004
XXXXXXXIII	208	299.10	250.100004
XXXXXXXIV	209	300.10	251.100004
XXXXXXXV	210	301.10	252.100004
XXXXXXXVI	211	302.10	253.100004
XXXXXXXVII	212	303.10	254.100004
XXXXXXXVIII	213	304.10	255.100004
XXXXXXXIX	214	305.10	256.100004
XXXXXXXI	215	306.10	257.100004
XXXXXXXII	216	307.10	258.100004
XXXXXXXIII	217	308.10	259.100004
XXXXXXXIV	218	309.10	260.100004
XXXXXXXV	219	310.10	261.100004
XXXXXXXVI	220	311.10	262.100004
XXXXXXXVII	221	312.10	263.100004
XXXXXXXVIII	222	313.10	264.100004
XXXXXXXIX	223	314.10	265.100004
XXXXXXXI	224	315.10	266.100004
XXXXXXXII	225	316.10	267.100004
XXXXXXXIII	226	317.10	268.100004
XXXXXXXIV	227	318.10	269.100004
XXXXXXXV	228	319.10	270.100004
XXXXXXXVI	229	320.10	271.100004
XXXXXXXVII	230	321.10	272.100004
XXXXXXXVIII	231	322.10	273.100004
XXXXXXXIX	232	323.10	274.100004
XXXXXXXI	233	324.10	275.100004
XXXXXXXII	234	325.10	276.100004
XXXXXXXIII	235	326.10	277.100004
XXXXXXXIV	236	327.10	278.100004
XXXXXXXV	237	328.10	279.100004
XXXXXXXVI	238	329.10	280.100004
XXXXXXXVII	239	330.10	281.100004
XXXXXXXVIII	240	331.10	282.100004
XXXXXXXIX	241	332.10	283.100004
XXXXXXXI	242	333.10	284.100004
XXXXXXXII	243	334.10	285.100004
XXXXXXXIII	244	335.10	286.100004
XXXXXXXIV	245	336.10	287.100004
XXXXXXXV	246	337.10	288.100004
XXXXXXXVI	247	338.10	289.100004
XXXXXXXVII	248	339.10	290.100004
XXXXXXXVIII	249	340.10	291.100004
XXXXXXXIX	250	341.10	292.100004
XXXXXXXI	251	342.10	293.100004
XXXXXXXII	252	343.10	294.100004
XXXXXXXIII	253	344.10	295.100004
XXXXXXXIV	254	345.10	296.100004
XXXXXXXV	255	346.10	297.100004
XXXXXXXVI	256	347.10	298.100004
XXXXXXXVII	257	348.10	299.100004
XXXXXXXVIII	258	349.10	300.100004
XXXXXXXIX	259	350.10	301.100004
XXXXXXXI	260	351.10	302.100004
XXXXXXXII	261	352.10	303.100004
XXXXXXXIII	262	353.10	304.100004
XXXXXXXIV	263	354.10	305.100004
XXXXXXXV	264	355.10	306.100004
XXXXXXXVI	265	356.10	307.100004
XXXXXXXVII	266	357.10	308.100004
XXXXXXXVIII	267	358.10	309.100004
XXXXXXXIX	268	359.10	310.100004
XXXXXXXI	269	360.10	311.100004
XXXXXXXII	270	361.10	312.100004
XXXXXXXIII	271	362.10	313.100004
XXXXXXXIV	272	363.10	314.100004
XXXXXXXV	273	364.10	315.100004
XXXXXXXVI	274	365.10	316.100004
XXXXXXXVII	275	366.10	317.100004
XXXXXXXVIII	276	367.10	318.100004
XXXXXXXIX	277	368.10	319.100004
XXXXXXXI	278	369.10	320.100004
XXXXXXXII	279	370.10	321.100004
XXXXXXXIII	280	371.10	322.100004
XXXXXXXIV	281	372.10	323.100004
XXXXXXXV	282	373.10	324.100004
XXXXXXXVI	283	374.10	325.100004

[illegible]

LOCATION OF REBAPTIZING (Home Code)	BUILDING NUMBER AND/OR ADDRESS	TOTAL NO. OF BLOODS	COUNTY	CITY
DIVISION 3	1	10	968	MAY 25, 1970 TO 05, 1971
TOTAL			108	

W-1-64 (Rev. 1-64) (10)

[illegible]

Location of sample (m)		Flow (m ³ /s)	Time (s)
1	250	1	1
2	250	2	2
3	250	3	3
4	250	4	4
5	250	5	5
6	250	6	6
7	250	7	7
8	250	8	8
9	250	9	9
10	250	10	10
11	250	11	11
12	250	12	12
13	250	13	13
14	250	14	14
15	250	15	15
16	250	16	16
17	250	17	17
18	250	18	18
19	250	19	19
20	250	20	20
21	250	21	21
22	250	22	22
23	250	23	23
24	250	24	24
25	250	25	25
26	250	26	26
27	250	27	27
28	250	28	28
29	250	29	29
30	250	30	30
31	250	31	31
32	250	32	32
33	250	33	33
34	250	34	34
35	250	35	35
36	250	36	36
37	250	37	37
38	250	38	38
39	250	39	39
40	250	40	40
41	250	41	41
42	250	42	42
43	250	43	43
44	250	44	44
45	250	45	45
46	250	46	46
47	250	47	47
48	250	48	48
49	250	49	49
50	250	50	50
51	250	51	51
52	250	52	52
53	250	53	53
54	250	54	54
55	250	55	55
56	250	56	56
57	250	57	57
58	250	58	58
59	250	59	59
60	250	60	60
61	250	61	61
62	250	62	62
63	250	63	63
64	250	64	64
65	250	65	65
66	250	66	66
67	250	67	67
68	250	68	68
69	250	69	69
70	250	70	70
71	250	71	71
72	250	72	72
73	250	73	73
74	250	74	74
75	250	75	75
76	250	76	76
77	250	77	77
78	250	78	78
79	250	79	79
80	250	80	80
81	250	81	81
82	250	82	82
83	250	83	83
84	250	84	84
85	250	85	85
86	250	86	86
87	250	87	87
88	250	88	88
89	250	89	89
90	250	90	90
91	250	91	91
92	250	92	92
93	250	93	93
94	250	94	94
95	250	95	95
96	250	96	96
97	250	97	97
98	250	98	98
99	250	99	99
100	250	100	100



*Ex-Engineer
HDDA Division No. V
Gurgaon*

*Adm. Chief Engineer
HDDA Div. V
Gurgaon*

*Superintending Engineer
HDDA Circle No. I,
Gurgaon*

For Extraordinary.

Owners' Signature _____

For further information, contact:
 Dr. J. Robert Smith, President
 1441 West 42nd Street, Suite 100
 Denver, CO 80202
 Tel: 303.733.1100 Fax: 303.733.1101
 E-mail: jrs@hurd.com

3623
 PENDING CONFIDENTIAL
 3-760, 310-666-5057, 404-266-1600
 KATHY@C... New Delhi, INDIA
 T: 011-23543501, 24328427
 Email: kpendo@comcast.net

SITE PLAN (PHASE-2)
SEWER LAYOUT