

ZONING PLAN OF GROUP HOUSING SCHEME MEASURING 27,4713 ACRES (LICENCE No.16 OF 2009) DATED 29.5.2009) IN SECTOR 70A, GURGAON MANESAR URBAN COMPLEX BEING DEVELOPED BY M/s VIBHOR HOME DEVELOPERS PVT. LTD. AND OTHERS IN COLLABORATION WITH M/s NEW GURGAON HOME DEVELOPERS PVI, Ltd.

FOR THE PURPOSE OF RULE 38(xIII) AND 48 (2) OF THE PUNJAB SCHEDULED ROADS AND CONTROLLED AREAS RESTRICTION OF UNREGULATED DEVELOPMENT RULES, 1965.

1. SHAPE A SIZE OF SITE:

The shape and size of the Group Housing Colony is in accordance with the approved demandation plan shown as (A1 To A59) as confirmed by DTP Gurgson vide Endet Nos. 804 Dated 29.01.2010.

The type of building permitted on this alte shall be buildings deelgnated in the form of flatted development for residential purpose or any socillary or appurtenant building including community inclidities, public amenities and public utility as may be prescribed and approved by the Director, Town and Country Planning, Heyrota.

- b) The medimum coverage on ground floor shall be 35% and that on subsequent floors shall be 30% on the area of 27.2263 acres.
- c) The meximum FAR shall not exceed 175 on the area of 27.2263 acres. However, it shall not include community buildings which shall be as per the prescribed norms, the building plan of which shall have to be got approved from the Director, Town and Country Planning, Haryans.

The height of the building block, subject of course to the provisions of the site coverage and FAR, shall be governed by the following:-

- a) The medimum height of the buildings shall not be more than as allowed by Nelsonal Airport Authority and shall not second 1.8 times (the width of the road abuilting) plus the front open
- b) If a building abute on two or more streets of different widths, the buildings shall be deemed to fine: upon the street that has the greater width and the helpft of the buildings shall be regulated by the width of that street and may be continued to this height to a depth of 2AM, along the narrow street.
- Building/Structures which rise to 30 meters or more in height shall be constructed if no objection certificate has been obtained from the Netional Alport Authority.
- All building block(s) shall be constructed so as to maintain an interse distance not less the set back required for each building according to the table below:

8.No.	HEIGHT OF BUILDING	SET BACK / OPEN SPACE TO BE LEFT AROUND BUILDINGS. (In melons)
1	10	3
2	18	5
3	16	8
4	21	7
8	24	8
6	27	9
7	30	10
8	38	11
9	40	12
10	45	13
11	50	14
12	55 & above	16

- a) To ensure fire safety and structural stability of the buildings of more than 60 meters in height, the developer shall submit the structural drawings duly vetted from reputed institute like IIT Delti, IIT Roorkee, PEG Chandigarh or NIT Kurukabetra etc.Pira safety plans needs to be vetted by the Institute of Fira Engineers at Negour,These certifications are to be obtained prior to starting the construction work at also.
- pror to stating the construction with a see.

 If such history or exterior open space is intended to be used for the benefit of more than one
 building belonging to the same owner, then the width of such open air space shall be the one
 specified for the talleed building as specified above.

5. SUB-DIVISION OF SITE:

- The elte of the Group Housing Colony shall be governed by the Heryana Apartment Ownership Act.
- b) The site shall not be sub divided or fragmented in any manner whatsoever.

6. GATE POST AND BOUNDARY WALL.

Such Boundary well, rallings or their combination, hedges or fences along with gates and gells posts shall be constructed as per design approved by DTCP Heryens. In addition to the gate/pates an additional victor gate not exceeding 1.25 metres width may be allowed in the front and also boundary wall provided that no main gets shall be allowed to open on the sector road/public open space.

The minimum density of the population provided in the colony shell be 100 PPA and the maximum be 250 PPA on the area of 27.2283 acres

For computing the density, the occupancy per main dwelling unit shall be taken as five persons and for service dwelling unit two persons per room or one person per 80 sq. feet of living area,

8. ACCOMMODATION FOR SERVICE POPULATION,

Adequate accommodation shall be provided for domestic servants and other service population of EWS. The number of such dwelling units for domestic servants shall not be less then 10% of the number of main dwelling units and the carpet area of such a unit if attached to the mein units shall not be less than 140 act.t. In addition 15% of the total number of dwelling units having a minimum area of 200 eq.ft shall be earmarked for E.W.S category

Parking space shall be provided @ 1.5 Equivalent Car Space for each dwelling unit. These perking spaces shall be allotted only to the flet holders and shall not be allotted, leased, sold or transferred in any manner to the third party. The area for parking per car shall be as under-Basement. 35 egm.

- The covered parking in the basement or in the form of multi-level parking above ground level shall not be counted towards FAR. However, in case of multi-level parking above the ground level the foot print of separate parking building block shall be counted towards ground coverage, in case of provision of michaetical parking in the basement floorl upper slotles, the floor to celling height of the basement / upper floor may be miximum of 4.6 mt. Other than the mechanical parking the floor to celling height in upper floor shall not be more than 2.4 mtr. below the hanging beam.

Rampa would be optional in Group Housing bullding in case of 100% stand by generators along with automatic awtichover are provided for running of little along with stairs. However, in case of buildings having more than few developes have the 100% stated by generators along with submatic switchover would be sesserial. Attend on a fit shall be provided with minimum size of 1,00 M X 3,00 M. The clear width of the ramp leading to the basement shall be 4,00 mm, with an adequate along not steeper than 1110. The entry and set that libe separate preferably at opposite ends.

While all the open species including those between the blocks and wings of buildings shall be developed, equipped and land scaped according to the plan approved by the D.T.O.P. Haryana. At least 15% of the total sits area shall be developed as organized open spacia is tot lots and play

12. APPROVAL OF BUILDING PLANS:

The building plans of the buildings to be constructed at alte shall have to be got approved from the DTCP, Haryana (under section 8(2) of the Act No.41 of 1983), before taking up the construction.

The construction of the building-buildings shall be governed by the building rules provided in the part VII of the Punjab Scheduled Roads and Controlled Areas, Restriction of Unregulated Development Rules, 1968. On the points where such rules are altert and stipulate no condition or norm, the model building by-lates leaved by the ISI, and as given in the NBC shall be followed as may be approved by DTCP, Haryana.

14. CONVENIENT SHOPPING.

0.5% of the total area shell be received to cater for essential convenient shopping with the following conditions.

- a) The ground coverage of 100% with FAR of 100 will be permiseible, However this will be a part of the permiseible ground coverage and FAR of the Group Housing Colony.
- b) The size of Klosk/Shops shall not be more than 2.75 m x 2.75 m and 2.75 m x 8.25 m.
- The height of Kicalt/Shops/Departmental Store shall not exceed 4.00 meters

15. PROVISION OF COMMUNITY BUILDINGS.

The community buildings shall be provided as per the composite norms in the Group Housing Scheme.

18. BASEMENT:

9. MASEMENT:
Four level basements within the building zone of the afte provided it flushes with the ground and is properly lendeceped may be allowed. The basement may in addition to perking could be utilized for generator room, lift from, fire fighting purps, water reservoir, sletchis sub-station, alronditioning plants and bleafs utilities, if they satisfy the public health requirements and for no other purposes. Aves under salfs (only for portria); and becames at add not the counted between EARL Basement shall not be used for storage/commercial purposes but will be used only for perking and ancillary services of the main building and it is further adjudented that no other pertitions of basement will be permissible for uses other than those specified above.

The vehicular approach to the site and parking lots shall be planned and provided giving due consideration to the junctions of and the junctions with the surrounding needs to the satisfaction of the DTCP, Haryans.

- a) The owner will ensure the provision of proper fire safety measures in the multi storayed buildings conforming to the provisions of Rules 1986/ NBC and the same should be got certified from the competent suthority.
- b) Electric Sub Station / generator room if provided should be on solid ground near DG/LT. Control penel on ground floor or in upper besement and it should be located on outer periphery of the building, the same should be got approved from the Chief Electrical Inspector Haryana.

9. SOLAR WATER HEATING SYSTEM

The provision of solar water heating system shall be as per norms specified by HAREDA and shall be made operational in each building block before applying for an occupation certificate,

RAIN WATER HARVESTING SYSTEM.
The rain water harvesting system shall be provided as per Central Ground Weter Authority normal-flayene Govt notification as applicable.

- 21. The colonises shall obtain the clearance/NOC as per the provisions of the Notificetion No. 8,0, 1633 (E) Dated 14,9,2008 issued by Ministry of Enriconment and Forest, Government of India before starting the construction/ execution of development works at all and the provision of the contract of
- The coloniser/owner shall use only Compact Fluorescent Lamps fittings for internal lighting as well as campus lighting.
- 23. The colonizer/owner shall convey the ultimate power load requirement of the project to the concerned power utility to enable the provision of alte for transformera/switching stationa/electric sub-station as per the norms prescribed by the power utility in the project alte within 2 months from the issuance of senction of building plans.

DRG. NO. D.T.C.P. 2081 DATED 19/04/2010

