Tele-Fax: 0172-2548475; Tel.: 0172-2549851, E-mail: tcphry@gmail.com DIRECTORATE OF TOWN & COUNTRY PLANNING, HARYANA Website www.tcpharyana.gov.in SCO-71-75, SECTOR-17-C, CHANDIGARH. (See Rule 44) BR-III

5
2
9
÷
Jate
5
5
0
0
14/_
/20
Ā
ND(R.
11/P
76-0
0. Zł
O NC
emo
Σ

Dale Developers Pvt. Ltd. C/o Vatika Ltd.

10

C/o Vatika Ltd. Plot No. 16, Sector-135, Noida-201301. Approval of building plans of Group Housing Colony measuring 11.125 acres in Sector-89-A Gurgaon Manesar Ltd. and others in Urban Complex being developed by Dale Developers Pvt. (Licence No. 87 of 2013 dated 11.10.2013) collaboration with Vatika Ltd. Subject:-

the buildings in Group Housing Colony measuring 11.125 acres (Licence No. 87 of 2013 dated 11.10.2013) in Sector-89-A, Gurgaon Manesar Urban Complex, in accordance with the plans Reference your application dated 18.11.2013 for permission to re-erect submitted with it.

the Development Act, 1963, its rules and the zoning plan framed there under along with special provisions of the Punjab Scheduled Roads & Controlled Areas Restriction of Unregulated subject to Permission is hereby granted for the aforesaid construction reference to following conditions:-

- 1. The plans are valid for a period of 2 years of the buildings less than 15.00 meters in height and 5 years for the multistoried buildings from the date of issuance of sanction, subject to validity of licenses granted for this scheme.
- of the owner/ The structural responsibility of the construction shall be entirely supervising architect/ Engineer of the scheme. 5

Further that: -

- The building shall be constructed as per the structure design submitted by you and as certified by your structure engineer that the same has been designed as per the all dead and live loads wind pressure and structural safely from earthquake of the intensity expected provisions of NBC and relevant IS code for all seismic load, under Zone-IV. a)
- All material to be used for erection of building shall conform to I.S.I. and N.B.C. standards. q
- staircases No walls/ceiling shall be constructed of easily inflammable material and shall be built of the fire resisting material as per standard specification. 0
 - The roof slab of the basement external to the buildings if any shall be designed/ constructed to take the load of fire tender up to 45 tones. (p

3. FIRE SAFETY:

-2-

abide by all fire safety bye laws. responsible for making provisions of fire safety and fire fighting measures and shall The colonizer firm and the Supervising Architect of the project shall be entirely

building with suitable legend and standard signs. complete fire protection arrangements and means of escape/ access for the proposed Commissioner, Municipal Corporation, Further, the colonizer firm shall also prepare and submit the plans in triplicate to Gurgaon, clearly marked and indicating the

the the NOC from Fire Safety and means of escape/access point of view. This clearance/ NOC occupation certificate by the Director General. obtained from the Commissioner, Municipal Corporation, Gurgaon before grant of at been installed by you and suitable external fire fighting infrastructure has been created Corporation, Gurgaon unless he is satisfied that adequate fire fighting measures have permission for occupancy of the building shall be issued by Commissioner, Municipal by the Commissioner, Municipal Corporation, Gurgaon within a period of 90 days from from Fire Authority shall be submitted in this office alongwith a set of plans duly signed Gurgaon after satisfying himself that the entire fire protection measures proposed for Gurgaon, by Municipal Corporation, Gurgaon. A clearance to this effect shall be above buildings are as per NBC and other Fire Safety Bye Laws, and would issue a date of issuance of sanction of building plans. Further, it is also made clear that no receipt of the above request the Commissioner, Municipal Corporation,

- 4 each building. The provision of letter boxes for each dwelling unit shall be made at the ground floor of
- б No addition and alteration in the building plans/ layout plan shall be made without the of any variation in the plans, prior approval of DG, TCP shall be pre-requisite. prior approval of DG, TCP. Further only figured dimensions shall be followed and in case
- 6 approved building plans within 60 days from the date of issue of this letter. That you shall furnish the service plan/ estimate of this scheme in accordance with
- 7. service plans. you shall furnish additional bank guarantee if required within 60 days of approval of the Based on the actual estimated cost of internal development of the group housing colony
- 8 The revenue Rasta if any passing through the site shall be kept unobstructed.
- 9 If any infringement of byelaws remains unnoticed, the department reserves the right to claim on this account. amend the plan as and when any such infringement comes to its notice after giving an opportunity of being heard and the department shall stand indemnified against any
- 10. Chief Electrical Inspector, Haryana before execution of work at site. The layout showing the electric installation shall have to be got approved from the
- 11. No person shall occupy or allow any other person to occupy any new building or part of the same for any purpose what so ever until such building or part thereof has been certified by the Director General or any person authorized by him in this behalf as having

- occupation completed in accordance with the permission granted and an certificate in prescribed form has been duly issued in your favour. been
- C completion of the building in form BR-IV alongwith BR-V regarding completion of works of notice submit a 12. Before grant of occupation certificate, you shall have to described in the plans and it shall be accompanied by:
- Structural stability certificate duly signed by the recognized Structural Engineer. (E)
- A clearance from Fire Safety point of view from the Commissioner, Municipal Corporation, Gurgaon. (!!)
- The 13. The basements shall be used for parking and services as prescribed in the approved zoning plan and building plans. The parking lots proposed in the scheme shall be parking lot shall not be leased out /transferred to any person who is not a flat owners exclusively for the use of flat owners/residents of the group housing scheme. /residents of the group housing complex.
 - 14. WATER SUPPLY:
- The down take system shall be provided by you by providing clear water storage tank of not less than half day storage of water for domestic usage on top of the building block. The capacity of the tank as shown on the plan and down take system thereof is as under: -(i)

Sr. No.	Name of Building	Capacity of Tank	Up Pipe	Down Pipe in mm.
		מו המוובאוור חצב	IN INT.	
1.	Tower-1 (Dom)	1x24000 Ltrs.	80mm	100/80/65/50/40/32/25/20mm
No.	Flushing	1x13000 Ltrs.	65mm	80/65/50/40/32/25/20mm
5.	Tower-2 & 4 (Dom)	2x23000 Ltrs.	80mm	100/80/65/50/40/32/25/20mm
	Flushing	2×12000 Ltrs.	65mm	80/65/50/40/32/25/20mm
m.	Tower-3 (Dom)	1x18000 Ltrs.	80mm	100/80/65/50/40/32/25/20mm
1	Flushing	1×10000 Ltrs.	65mm	80/65/50/40/32/25/20mm
4	Tower-5 (Dom)	1x24000 Ltrs.	80mm	100/80/65/50/40/32/25/20mm
	Flushing	1×13000 Ltrs.	.65mm	80/65/50/40/32/25/20mm
5.	Tower-6 (Dom)	1x14000 Ltrs.	80mm	100/80/65/50/40/32/25/20mm
	Flushing	1×7500 Ltrs.	65mm	80/65/50/40/32/25/20mm
6.	Row Houses (Dom)	6x500 Ltrs	40mm	50/40/32/25/20mm
	Flushing	6x250 Ltrs.	32mm	40/32/25/20mm
7.	Convenient Shopping (Dom)	1x1000 Ltrs	40mm	32/25/20mm
1	Flushing	1x750 Ltrs.	32mm	25/20mm
<u>∞</u> .	EWS (Dom)	1x22000 Ltrs.	32mm	25/20mm
	Flushing	1x12000 Ltrs.	32mm	hore lists were allowed
<i>.</i> б	Community building (Dom)	1x5000 Ltrs.		
	Flushing	1x3000 Ltrs.		
	RCC UGT Tank (Dom)	320 KL	A STREET	

(ii) Inlet pipes from down take to toilet shall be 25/20/15 mm dia as shown on the plans and connection to each individual fixture shall be 15 mm dia.

(iii) The adequate booster pumps to boost the water in the water tanks with 100% be solely responsible for boosting arrangement all the time. standby arrangement shall also be provided by you. It is made clear that you shall

4-

- (iv) The alternative arrangement of power supply, such as Gen. Set etc. of suitable capacity shall also be provided by you during failure of electricity.
- 15. SEWERAGE:
- (i) All external sewerage lines should not be less than 200 mm. dia Pipes.
- (11) All soil pipe connection W.C. to soil stack / manhole shall be 100 mm dia as shown on the plans.
- (111) Waste water stack shall be 100/75 mm dia as shown on the plans and soil stack shall be 100 mm dia.
- (iv) All F.T. shall be 75 mm dia.
- < capacity of flushing cistern shall be of 8 Ltrs. All W.C. shall be provided with high / low level flushing cistern. The
- (vi) All pipes from waste water stack to I.C. and I.C. to manhole shall be 100 mm dia as shown on the plans.
- (vii) providing inspection window/ duct etc. for repairing of piping system. Suitable approach/ ventilation arrangement shall be provided by you by
- 16. STORM WATER DRAINAGE:
- (ii) (i) also be provided by you during the failure of electricity/ breakdown. time and 100% standby pumps alternate power supply arrangement shall sole responsible for pumping out of rain water/ wash water etc. all the 12.00 and 15.00 meters head. Thus it is made clear to you that you shall be been proposed by the you by providing pumps of 300 LPM capacity at mm wide to the sumps at different places and from where the pumping has in the lower basement shall be collected through covered channel of 300 and parking only. For draining out the wash water/rain water accumulated You have provided single level basement except below EWS for services
- disposal of rainwater in to the existing system of the colony. All external storm water drainage shall be provided suitably so as to
- (iii) plans All rainwater stack pipe shall be 100/150 mm dia pipes as shown on the
- (iv) provided by you and shall be kept operational all the time. ī is made clear to you that roof top rain harvesting system shall be
- 17. GENERAL: -
- (ii) (i) supply, sewerage and storm water drainage scheme by providing Gen. set of required capacity. You shall provide alternative source of electricity for functioning of water
- All pipes, fixtures, fitting, pumps, Gen. set and filtration plan etc. shall be conforming to relevant IS specification and ISI marked.

- area of the habitable room and in case of kitchen the area of opening shall of the floor You shall provide the minimum open able aperture of $1/8^{\mathrm{th}}$ be increased by 25%. (!!!)
 - of the Notification No. S.O. 1533 (E) Dated 14.09.2006 issued by Ministry of before starting the That the colonizer shall obtain the clearance/NOC as per the provisions construction/execution of development works at site. Forest, Government of India Environment and (iv)
 - That the rain water harvesting system shall be provided as per Central That the provision of solar water heating system shall be as per norms Ground Water Authority norms/Haryana Govt. notification as applicable. (vi) 5
 - specified by HAREDA and shall be made operational in the each building block before applying for an occupation certificate.
 - That the colonizer/owner shall use only Compact Fluorescent Lamps fitting for internal lighting as well as Campus lighting. (vii)
- That you shall submit the scanned copy of the approved building plans of this scheme in CD format within one week to this office from the issuance of this letter. (viii)
 - That you shall deposit the labour cess in future, time to time as per construction of work done at site. (ix)
- That if any, site for Electric Sub Station is required same will be provided by you in the group housing colony. ×
- Recycled water is proposed to be utilized for flushing purpose. The firm has pumping system and plumbing. It is clarified to you that no tap or outlet of made provision of separate flushing line, storage tank, metering system, recycled water except for connection to the cistern of flushing tanks and any kind will be provided from the flushing lines/plumbing lines for any scouring arrangement. Even ablution taps should be avoided (xi)
- No cross connection between recycled water system and potable water system shall be made. (xii)
- case of embedded pipes. Marker taps of red colour at suitable intervals All plumbing pipes fittings, valves will be of red colour or painted red. In shall be fixed. The underground and over head tanks should have. Recycle water not fit for drinking and other warning signs embossed/marked on them. (xiii)
- Recycled water pipes and potable water pipes will be fixed in separate a minimum horizontal distance of 6" (150mm) will be mentioned between them. In case of cross suitably coloured / taped sleeve shall be used. chases and (xiv)
- Alternative source of electricity shall be provided by you for functioning of water supply, sewerage, SWD, Scheme by providing Gen. set of required capacity. (xv)

(xvi) solar water heating system. The colonizer/firm will provide appropriate pipes (both up and down) for

(xvii) That no separate zoning plan is approved for community sites earmarked Development and Regulation of Urban Areas (Amendment and Validation) constructed by the colonizer/owner as per provision of The within a Group Housing Colony. The community building/buildings shall be Act No. 4 of 2012, failing which the said site shall vest in the Government. Haryana

(xviii) That you shall abide by the policies issued by the Department regarding allotment of EWS flats.

(xix) park outside the premises. That provision of parking shall be /designated for parking in the colony and no vehicle shall be allowed to made within the area earmarked

(XX) submitted in the office of Administrator, HUDA, Gurgaon in compliance of You shall abide the terms and conditions of the Undertaking/Affidavit groundwater for construction purposes Order dated 16.07.2012 of the Hon'ble High Court and shall not extract

(xxi) That you shall not construct the building more than 30.00 Meters without obtaining the NOC from AAI.

complied with. This sanction will be void abnitio, if any of the conditions mentioned above are not

DA/One set of Building Plans

(Karamveer Singh)

For: Chief Town Planner, Haryana-cum- Chairman, Building Plan Approval Committee. District Town Planner (HQ), Member Secretary,

Memo No. ZP-941/AD (RA) /2014/

Dated:-

1 A copy is forwarded to the following for information: -Administrator, HUDA, Gurgaon w.r.t. his office Memo. No. 136 dated 18.02.2014. Senior Town Planner, Gurgaon, along with one set of building plans.

N

ω Superintending Engineer (HQ) HUDA, Panchkula. District Town Planner, Gurgaon. District Town Planner (Enf.), Gurgaon.

4

S

Encl: as above

For: Chief Town Planner, Haryana-cum- Chairman,

District Town Planner (HQ),

(Karamveer Singh)

Member Secretary,

Building Plan Approval Committee

6-



Vatika Limited Vatika Triangle, 7th Floor Sushant Lok,Phase I,Block A Mehrauli-Gurgaon Road Gurgaon 122002, Haryana INDIA

T 91,1244177777 F 91,1244177700 E info@vatikagroup.com

www.vatikagroup.com

Date: 21.08.2019

To The Director, Town and Country Planning Haryana, Chandigarh.

Subject: Application for revalidation of building plan of Group Housing Colony measuring 11.125 (License no. 87 of 2013 dated 11.10.2013) acres in Village Harsaru, Sector – 89A, Gurugram Manesar Urban Complex being developed by Dale Developers Pvt. Ltd. and Others in collaboration with Vatika Ltd.

Ref.: Building Plan approved vide Memo No. ZP-941/AD(RA)/2014/12044 Dated 06.06.2014

Respected sir,

This is with reference to above captioned subject we would like to inform you that we are developing a group housing colony situated at sector 89A Gurugram. Your good office had approved the building plan of said colony vide Memo No. ZP-941/AD(RA)/2014/12044 Dated 06.06.2014 which is valid up to 05.06.2019.

Farther we had deposited an amount of Rs. 11,00,000/- (Eleven Lakh only) as revalidation fee through online E-payment vide GRN No. 56337424 Dated 16.08.2019.

Therefore, you are requested to kindly revalidate the above said building plan for farther Five years. Your early action in this regards will be highly appreciated.

Thanking you

Yours faithfully

For Vatika Ltd. (Authorized Signatory) Encl:

1. Revalidation Fee Receipt

2. Form – BR-I & BR-II

Registerred Office Vatika Limited Flat No.621-A, 6th Floor Devika Towers,6, Nehru Place New Delhi 110019 INDIA

FORM BR-I [See Code 2.1(1)] FORM OF APPLICATION

Class of Building -**Residential** Educational Warehousing Any other

From

M/s Vatika Ltd. Vatika Triangle, 7th floor, Block-A, Sushant Lok-1, M. G. Road, Gurugram

То

Director General Town and Country Planning, Haryana Chandigarh.

Sir,

I/We apply for permission to erect/re-erect/add/alter a building/wall in accordance with the plans submitted herewith on **Residential Group Housing Colony on the land measuring 1.12 acres (Licence no. 87 of 2013 dated 11.10.2013) in village Harsaru, Sector-89A, Gurugram** (strike out whichever is not applicable)

- 2. I/We attach :
 - a) A site plan (in triplicate) showing the position of the site proposed to be built upon as required by the Code along with an un-editable Compact Disc/DVD or any other electronic medium permissible by competent authority from time to time containing the drawings so submitted;
 - b) Plans, elevations and sections in (in triplicate) as required by the Code along with an un-editable Compact Disc/DVD or any other electronic medium permissible by Director from time to time containing the drawings so submitted;
 - c) Drainage plans (in triplicate), as required by Code along whit an un-editable Compact Disc/DVD or any other electronic medium permissible by Director from time to time containing the drawings so submitted;
 - d) Structural drawings (for record) as per Form BR-V(A1)/BR-V(A2), as may be applicable;
 - e) Specifications of the proposed building (in triplicate) in Form BR-II;
 - f) Certificate of conformity to regulation and structural safety for the relevant buildings (depending upon type and height) in Form BR-V(A1) or BR-IV(A2); and
 - g) Scrutiny fee @ Rs. 10 per square meter deposited as per prescribed mode
- 3. The construction of the building will be undertaken as per the approved building plans, structural design given by the Structural Engineer, and got supervised through the following Architect/ Engineer:

Commercial Institutional Industrial

Α Architect :

- i)
- Name of Architect : Manish Kumar Gupta Council of Architect Registration NoCA/2005/35549., valid upto. 3! (12/2016 ii)
- Complete Address: ATS Tower Plot No. 16, Sec 135, Noida 201 301 iii)
- iv) E-mail: Manish gupter @ atsgreens.com Mobile no.: 9999597406
- v)
- **B**. **Engineer**:
 - Name of Engineer: Govinal Madhar Sharma Qualification: Civil Engineon i)
 - ii)
 - Complete Address: ATS TOWER PLOT NO. 16, Sec. 135, Norda 20130 iii)
 - E-mail: govind @ atzgrans.com iv)
 - v) Mobile no. 9356604101

Dated

Enclosures

4

Signature of applicant (No digital signatures are required) i) Complete Address ii) Phone no. iii) E-mail

FORM BR - II [See Code 2.1(1)(iv)]

Specifications

The materials to be used in the construction to be clearly specified under the following heads :-

	Item	Specifications
(a)	Foundations	Raft foundation/Brickwork.
(b)	Walls	RCC/Columns/Brick Masonry.
(c)	Damp-proof course	40mm P.C.C with waterproofing compound.
(d)	Roof	RCC slab.
(e)	Floors	Marble/Terrazo/IPS/Granite.
(f)	Windows and Doors and other wood-work	Wooden/Aluminium/MS door frames & shutters.
(g)	Steel work	Railings, gates etc. in mild steel/wrought iron.
6 (h)	Internal finish	Cement plaster with paint.
(i)	External finish	Cement plaster & paint.

Signature of applicant.

(No digital signatures are required)

MANISH KUMAR GUF TA MANISH COM 35549 CA/2005/35549 Signature of Architect/Engineer

i) Complete Address

ii) E-mail

iii) Mobile no.