





TOWER-5A
1ST LVL LAYOUT



TOWER-5A
1ST LVL AREA DIAGRAM

This is a "PROVISIONAL BUILDING PLAN" approved only for the purpose of inviting objections from the general public.

SAHAY NARANG ATP (HQ)
MEMBER BPAC

TO BE READ WITH THIS OFFICE
MEMO NO.: 19613
DATED: 8/7/2022.

DDT (HQ)
MEMBER BPAC

FAR AREA AT 1ST LVL - TOWER-5A (All Distances are in Meter & Areas in Sqm)				
ADDITIONS (A)		ITEM NO.S		
ITEM	NO.S	WIDTH (MTR.)	LENGTH (MTR.)	AREA(SQ.MT.) = NO. X LENGTH X WIDTH
A	1	35.970	18.965	682.171
TOTAL(A) =				682.171
DEDUCTION (B)		ITEM NO.S		
ITEM	NO.S	WIDTH (MTR.)	LENGTH (MTR.)	AREA(SQ.MT.) = NO. X LENGTH X WIDTH
1	2	0.100	1.955	0.391
2	2	1.390	2.150	5.977
3	2	5.870	4.035	47.371
3A	2	0.140	1.625	0.455
4	2	3.670	0.700	5.138
5	2	3.370	1.345	9.065
6	2	3.670	0.850	6.239
6A	2	3.210	0.140	0.899
7	2	1.535	8.410	25.819
7A	2	0.775	0.760	1.178
8	2	5.375	9.170	98.578
9	2	3.030	6.105	36.996
9A	2	2.630	0.140	0.738
10	2	4.745	1.800	17.082
11	1	11.200	4.180	46.816
11A	2	5.350	0.140	1.498
TOTAL				304.238
SERVICE SHAFT & LIFT (C)		ITEM NO.S		
ITEM	NO.S	WIDTH (MTR.)	LENGTH (MTR.)	AREA(SQ.MT.) = NO. X LENGTH X WIDTH
L1	2	2.250	2.150	9.675
L2	1	2.150	3.000	6.450
S1	1	1.250	1.480	1.850
S2	1	1.250	0.850	1.063
S3	1	4.240	0.750	3.180
S4	2	0.840	1.500	2.520
S5	2	0.250	1.145	0.573
S6	2	0.500	0.660	0.660
S7	4	0.390	1.560	2.434
TOTAL SERVICES AREA				28.404
NON FAR STAIRCASE (D)		ITEM NO.S		
ITEM	NO.S	WIDTH (MTR.)	LENGTH (MTR.)	AREA(SQ.MT.) = NO. X LENGTH X WIDTH
FS1	2	2.750	3.750	20.625
TOTAL NON FAR AREA				20.625
DEDUCTION (E)		ITEM NO.S		
ITEM	NO.S	WIDTH (MTR.)	LENGTH (MTR.)	AREA(SQ.MT.) = NO. X LENGTH X WIDTH
SW1	2	0.250	2.500	1.250
TOTAL				1.250
TOTAL NON FAR AREA (F) = (D-E)				19.375
TOTAL FAR AREA AT 1ST LVL. = ADDITION(A) - DEDUCTION (B+C+D+E)				28.404
GROUND COVERAGE				377.933
				SQ.MT

Checked and found ok for Public Health
(Internal) Service only subject to comments in
in forwarding letter No. SEP(HQ) / 2022 / 1000

Superintending Engineer: P.H.
for Chief Engineer: P.H.
SDE/UPD

LEGEND:-	
	AREA FAR
	AREA NON FAR
	SERVICE SHAFT (CUTOUT)
	2 HRS. FIRE RATED FULL HEIGHT WALL

Key Plan

DOOR WINDOW SCHEDULE

TYPE	WIDTH	HEIGHT	CELL LVL	UNIT LVL	REMARKS
D1	1050	2400	+00	2400	ENTRANCE (ONE HOUR FIRE RATED DOOR)
D2	900	2200	+00	2200	BEDROOMS & MUMTY
D3	750	2200	+00	2200	TOILETS
D4	900	2100	+00	2100	MUMTY
D5	1200	2400	+00	2400	STYL LOBBY ENTRANCE

OWNER'S NAME :
Vibrant infratech Pvt. Ltd & Others
in Collaboration with Union Buildmart Pvt. Ltd

Architect:
GIAN P. MATHUR AND ASSOCIATES (P) LTD
C-55, East of Kailash, New Delhi-110055
T: 011-46599599 / F: 011-46599512
E: info@gpmindia.com / W: www.gpmindia.com

Project Title:
GROUP HOUSING COLONY
UNDER (MIX LAND USE) TOD ZONE FOR
(86% GH COMPONENT & 14% COMMERCIAL COMPONENT)
ON THE AREA MEASURING 15.0125 ACRES
(LICENCE NO:106 OF 2021, DATED 16.12.2021)
AT SECTOR -113, GURUGRAM

Status: SUBMISSION DRAWING

Sheet Title:
RESIDENTIAL BLOCK-TOWER-5A
1ST LVL LAYOUT &
AREA DETAILS

Owner's Sign

Union Buildmart Pvt. Ltd.

Architect's Sign


GIAN P. MATHUR
B. Arch., M.C.A.
CA No. 80789

SCALE: 1: 100


DATE:

DWG. No.


SD/AR/M3M-113/T-5A/102



TOWER-5A
2ND TO 4TH LVL LAYOUT



TOWER-5A
5TH(SERVICE) LVL LAYOUT



TOWER-5A
2ND TO 5TH LVL AREA DIAGRAM

FAR AREA AT 2ND TO 5TH LVL - TOWER-5A
(All Distances are in Meter & Areas in Sqm)

ADDITIONS (A)			
ITEM	NO.S	WIDTH (MTR.)	LENGTH (MTR.)
1	1	35.970	18.855
TOTAL(A) = 678.214			
DEDUCTION (B)			
ITEM	NO.S	WIDTH (MTR.)	LENGTH (MTR.)
1	2	0.100	1.840
2	2	1.390	2.040
3	2	5.870	3.925
3A	2	0.140	1.625
4	2	3.670	0.700
5	2	3.370	1.345
6	2	3.670	0.850
6A	2	3.210	0.140
7	2	1.535	8.300
7A	2	0.775	0.760
8	2	5.375	9.060
9	2	3.030	6.105
9A	2	2.630	0.140
10	2	4.745	1.800
11	1	11.200	4.180
11A	2	5.350	0.140
TOTAL = 301.098			
SERVICE SHAFT & LIFT (C)			
ITEM	NO.S	WIDTH (MTR.)	LENGTH (MTR.)
L1	2	2.250	2.150
L2	1	2.150	3.000
S1	1	1.250	1.480
S2	1	1.250	0.850
S3	1	4.240	0.750
S4	2	0.840	1.500
S5	2	0.250	1.145
S6	2	0.500	0.660
S7	4	0.390	1.560
TOTAL SERVICES AREA = 28.404			

NON FAR/ STAIRCASE (D)

ITEM	NO.S	WIDTH (MTR.)	LENGTH (MTR.)
FS1	2	2.750	3.500
TOTAL NON FAR AREA = 19.250			
DEDUCTION (E)			
ITEM	NO.S	WIDTH (MTR.)	LENGTH (MTR.)
SW2	2	0.250	2.250
TOTAL = 1.125			
TOTAL NON FAR AREA (F) = (D-E) = 18.125			
TOTAL FAR AREA AT 2ND TO 5TH LVL. = ADDITION(A) - DEDUCTION (B+C+D) = 678.214 - 301.098 - 18.125 = 359.000 SQ.MT			


This is a "PROVISIONAL BUILDING PLAN" approved only for the purpose of inviting objections from the general public.

Sanjay Narang
ATP (HQ)
Checked and found ok for Public Health (Internal) Service only subject to comments in forwarding letter No. SE/HQ/.../2021

Superintending Engineer (HQ)
for Chief Engineer
HWP, Punjab
SDE (V/S)
J.D.
P.A.
A.P.

LEGEND:-

[Pink Shaded Area]	AREA FAR
[Green Shaded Area]	AREA NON FAR
[Red Dashed Line]	SERVICE SHAFT (CUTOUT)
[Red Solid Line]	2 HRS. FIRE RATED FULL HEIGHT WALL



DOOR WINDOW SCHEDULE

TYPE	WIDTH	HEIGHT	SILL LVL.	UNTEL LVL.	REMARKS
D1	1250	2000	+00	2400	ENTRANCE (2ND HOUR FIRE RATED DOOR)
D2	900	2200	+00	2200	BEDROOMS & MUNITY
D3	750	2200	+00	2200	TOILETS
D4	900	2100	+00	2100	MUNITY
D5	1250	2400	+00	2400	STAIR LOBBY ENTRANCE
D6	2000	2400	+00	2400	BEDROOM
D7	2000	2400	+00	2400	BEDROOM
D8	2000	2400	+00	2400	BEDROOM
D9	2000	2400	+00	2400	BEDROOM
D10	2000	2400	+00	2400	BEDROOM
D11	2000	2400	+00	2400	BEDROOM
D12	2000	2400	+00	2400	BEDROOM
D13	2000	2400	+00	2400	BEDROOM
D14	2000	2400	+00	2400	BEDROOM
D15	2000	2400	+00	2400	BEDROOM
D16	2000	2400	+00	2400	BEDROOM
D17	2000	2400	+00	2400	BEDROOM
D18	2000	2400	+00	2400	BEDROOM
D19	2000	2400	+00	2400	BEDROOM
D20	2000	2400	+00	2400	BEDROOM
D21	2000	2400	+00	2400	BEDROOM
D22	2000	2400	+00	2400	BEDROOM
D23	2000	2400	+00	2400	BEDROOM
D24	2000	2400	+00	2400	BEDROOM
D25	2000	2400	+00	2400	BEDROOM
D26	2000	2400	+00	2400	BEDROOM
D27	2000	2400	+00	2400	BEDROOM
D28	2000	2400	+00	2400	BEDROOM
D29	2000	2400	+00	2400	BEDROOM
D30	2000	2400	+00	2400	BEDROOM
D31	2000	2400	+00	2400	BEDROOM
D32	2000	2400	+00	2400	BEDROOM
D33	2000	2400	+00	2400	BEDROOM
D34	2000	2400	+00	2400	BEDROOM
D35	2000	2400	+00	2400	BEDROOM
D36	2000	2400	+00	2400	BEDROOM
D37	2000	2400	+00	2400	BEDROOM
D38	2000	2400	+00	2400	BEDROOM
D39	2000	2400	+00	2400	BEDROOM
D40	2000	2400	+00	2400	BEDROOM
D41	2000	2400	+00	2400	BEDROOM
D42	2000	2400	+00	2400	BEDROOM
D43	2000	2400	+00	2400	BEDROOM
D44	2000	2400	+00	2400	BEDROOM
D45	2000	2400	+00	2400	BEDROOM
D46	2000	2400	+00	2400	BEDROOM
D47	2000	2400	+00	2400	BEDROOM
D48	2000	2400	+00	2400	BEDROOM
D49	2000	2400	+00	2400	BEDROOM
D50	2000	2400	+00	2400	BEDROOM
D51	2000	2400	+00	2400	BEDROOM
D52	2000	2400	+00	2400	BEDROOM
D53	2000	2400	+00	2400	BEDROOM
D54	2000	2400	+00	2400	BEDROOM
D55	2000	2400	+00	2400	BEDROOM
D56	2000	2400	+00	2400	BEDROOM
D57	2000	2400	+00	2400	BEDROOM
D58	2000	2400	+00	2400	BEDROOM
D59	2000	2400	+00	2400	BEDROOM
D60	2000	2400	+00	2400	BEDROOM
D61	2000	2400	+00	2400	BEDROOM
D62	2000	2400	+00	2400	BEDROOM
D63	2000	2400	+00	2400	BEDROOM
D64	2000	2400	+00	2400	BEDROOM
D65	2000	2400	+00	2400	BEDROOM
D66	2000	2400	+00	2400	BEDROOM
D67	2000	2400	+00	2400	BEDROOM
D68	2000	2400	+00	2400	BEDROOM
D69	2000	2400	+00	2400	BEDROOM
D70	2000	2400	+00	2400	BEDROOM
D71	2000	2400	+00	2400	BEDROOM
D72	2000	2400	+00	2400	BEDROOM
D73	2000	2400	+00	2400	BEDROOM
D74	2000	2400	+00	2400	BEDROOM
D75	2000	2400	+00	2400	BEDROOM
D76	2000	2400	+00	2400	BEDROOM
D77	2000	2400	+00	2400	BEDROOM
D78	2000	2400	+00	2400	BEDROOM
D79	2000	2400	+00	2400	BEDROOM
D80	2000	2400	+00	2400	BEDROOM
D81	2000	2400	+00	2400	BEDROOM
D82	2000	2400	+00	2400	BEDROOM
D83	2000	2400	+00	2400	BEDROOM
D84	2000	2400	+00	2400	BEDROOM
D85	2000	2400	+00	2400	BEDROOM
D86	2000	2400	+00	2400	BEDROOM
D87	2000	2400	+00	2400	BEDROOM
D88	2000	2400	+00	2400	BEDROOM
D89	2000	2400	+00	2400	BEDROOM
D90	2000	2400	+00	2400	BEDROOM
D91	2000	2400	+00	2400	BEDROOM
D92	2000	2400	+00	2400	BEDROOM
D93	2000	2400	+00	2400	BEDROOM
D94	2000	2400	+00	2400	BEDROOM
D95	2000	2400	+00	2400	BEDROOM
D96	2000	2400	+00	2400	BEDROOM
D97	2000	2400	+00	2400	BEDROOM
D98	2000	2400	+00	2400	BEDROOM
D99	2000	2400	+00	2400	BEDROOM
D100	2000	2400	+00	2400	BEDROOM

Owner's Name : Vibrant infretech Pvt. Ltd & Others in Collaboration with Union Buildmart Pvt. Ltd

Architect: GPM ARCHITECTS & PLANNERS

Project Title: GROUP HOUSING COLONY UNDER (MIX LAND USE) ZONE FOR (80% GH COMPONENT & 14% COMMERCIAL COMPONENT) ON THE AREA MEASURING 15.0125 ACRES (LICENCE NO.106 OF 2021, DATED 16.12.2021) AT SECTOR-113, GURUGRAM

Status: SUBMISSION DRAWING

Sheet Title: RESIDENTIAL BLOCK-TOWER-5A 2ND TO 5TH LVL LAYOUT & AREA DETAILS


Owner's Sign: [Signature]

Architect's Sign: [Signature]


Scale: 1:100

Date: 19/06/2021

DWG. No: SD/AR/M3M-113/T-5A/103



TOWER- 5A (REFUGE)
20TH & 30TH LVL LAYOUT (LVL= +61850 / +92350)



TOWER- 5A
20TH & 30TH LVL AREA DIAGRAM (REFUGE FLOOR)

FAR AREA AT 20TH/30TH LVL -TOWER -5A (All Distances are in Meter & Areas in Sqm)				
ITEM	NO.S	WIDTH (MTR.)	LENGTH (MTR.)	AREA(SQ.MT.) = NO.X LENGTH X WIDTH
A	1	35.970	28.545	1026.764
TOTAL(A) =				1026.764
ITEM	NO.S	WIDTH (MTR.)	LENGTH (MTR.)	AREA(SQ.MT.) = NO.X LENGTH X WIDTH
1	1	11.190	4.475	50.075
1A	2	5.345	0.140	1.497
2	2	4.445	1.800	16.002
3	2	3.335	6.100	40.687
3A	2	1.480	0.140	0.414
4	1	1.455	3.690	5.369
4A	1	1.575	3.690	5.812
5	2	3.555	1.800	12.798
6	2	1.840	1.200	4.416
7	2	1.820	1.800	6.552
8	2	1.350	0.750	2.025
9	2	1.800	1.785	6.426
9A	2	0.140	1.625	0.455
10	2	0.700	1.275	1.785
11	2	0.300	0.700	0.420
12	2	3.210	4.170	13.386
12A	2	3.370	4.170	14.051
14	2	1.535	5.650	8.651
14A	2	0.775	0.760	1.178
15	2	5.375	7.160	38.496
16	2	3.030	6.105	18.500
16A	2	2.630	0.140	0.736
17	2	4.745	1.800	17.082
18	1	5.000	4.320	21.600
19	1	4.175	1.380	5.762
20	1	2.025	4.320	8.748
TOTAL				370.665
ITEM	NO.S	WIDTH (MTR.)	LENGTH (MTR.)	AREA(SQ.MT.) = NO.X LENGTH X WIDTH
L1	2	2.250	2.150	9.675
L2	1	2.150	3.000	6.450
S1	1	1.250	1.480	1.850
S2	1	1.250	0.850	1.063
S3	1	4.240	0.750	3.180
S4	4	0.390	1.700	2.652
S5	2	0.300	0.605	0.363
S6	2	0.840	1.500	2.520
S7	2	0.250	1.145	0.573
S8	2	0.500	0.660	0.660
S9	4	0.390	1.560	2.434
TOTAL SERVICES AREA				31.419
ITEM	NO.S	WIDTH (MTR.)	LENGTH (MTR.)	AREA(SQ.MT.) = NO.X LENGTH X WIDTH
FS1	2	2.750	3.500	19.250
N1	1	3.475	1.600	5.560
N2	1	3.375	3.625	12.234
N3	1	3.325	0.140	0.466
N4	1	4.175	2.800	11.690
N5	1	0.350	0.140	0.049
TOTAL NON FAR				49.249
ITEM	NO.S	WIDTH (MTR.)	LENGTH (MTR.)	AREA(SQ.MT.) = NO.X LENGTH X WIDTH
SW2	2	0.250	2.250	1.125
TOTAL				1.125
TOTAL NON FAR AREA (F) = (D-E)				48.124
TOTAL FAR AREA AT 20TH & 30TH LVL = ADDITION(A) - DEDUCTION (B+C+D)				575.431
TOTAL REFUGE AREA AT 20TH / 30TH LVL				31.419
ITEM	NO.S	WIDTH (MTR.)	LENGTH (MTR.)	AREA(SQ.MT.) = NO.X LENGTH X WIDTH
N1	1	3.475	1.600	5.560
N2	1	3.375	3.625	12.234
N3	1	3.325	0.140	0.466
N4	1	4.175	2.800	11.690
N5	1	0.350	0.140	0.049
TOTAL REFUGE AREA				29.999
GROSS AREA AT 20TH / 30TH (FAR+FS1)				594.681
GROSS AREA AT 21ST / 31 ST (FAR+NON FAR)				611.350
TOTAL GROSS AREA=(A+B)				1206.031
NO. OF PERSONS (TOTAL)				96.482
REFUGE AREA REQUIRED				28.945
AREA ADDITIONAL FOR				0.9
REFUGE AREA REQUIRED				29.845
REFUGE AREA PROVIDED				29.999

This is a "PROVISIONAL BUILDING PLAN" approved only for the purpose of inviting objections from the general public

TO BE READ WITH THIS OFFICE
MEMO NO.: 196/13
DATED: 8/7/2022

Key Plan				
DOOR WINDOW SCHEDULE				
TYPE	WIDTH	HEIGHT	NO. OF	REMARKS
D1	1500	2400	4.00	ENTRANCE
D2	1500	2250	2.00	ONE SIDEWALK DOOR
D3	1500	2250	2.00	TOILETS
D4	1500	2100	2.00	MUMTY
D5	1200	2400	2.00	STYL LOBBY ENTRANCE
D6	1500	2400	2.00	TOILETS
D7	1500	2400	2.00	TOILETS
D8	1500	2400	2.00	TOILETS
D9	1500	2400	2.00	TOILETS
D10	1500	2400	2.00	TOILETS
D11	1500	2400	2.00	TOILETS
D12	1500	2400	2.00	TOILETS
D13	1500	2400	2.00	TOILETS
D14	1500	2400	2.00	TOILETS
D15	1500	2400	2.00	TOILETS
D16	1500	2400	2.00	TOILETS
D17	1500	2400	2.00	TOILETS
D18	1500	2400	2.00	TOILETS
D19	1500	2400	2.00	TOILETS
D20	1500	2400	2.00	TOILETS
D21	1500	2400	2.00	TOILETS
D22	1500	2400	2.00	TOILETS
D23	1500	2400	2.00	TOILETS
D24	1500	2400	2.00	TOILETS
D25	1500	2400	2.00	TOILETS
D26	1500	2400	2.00	TOILETS
D27	1500	2400	2.00	TOILETS
D28	1500	2400	2.00	TOILETS
D29	1500	2400	2.00	TOILETS
D30	1500	2400	2.00	TOILETS
D31	1500	2400	2.00	TOILETS
D32	1500	2400	2.00	TOILETS
D33	1500	2400	2.00	TOILETS
D34	1500	2400	2.00	TOILETS
D35	1500	2400	2.00	TOILETS
D36	1500	2400	2.00	TOILETS
D37	1500	2400	2.00	TOILETS
D38	1500	2400	2.00	TOILETS
D39	1500	2400	2.00	TOILETS
D40	1500	2400	2.00	TOILETS
D41	1500	2400	2.00	TOILETS
D42	1500	2400	2.00	TOILETS
D43	1500	2400	2.00	TOILETS
D44	1500	2400	2.00	TOILETS
D45	1500	2400	2.00	TOILETS
D46	1500	2400	2.00	TOILETS
D47	1500	2400	2.00	TOILETS
D48	1500	2400	2.00	TOILETS
D49	1500	2400	2.00	TOILETS
D50	1500	2400	2.00	TOILETS
D51	1500	2400	2.00	TOILETS
D52	1500	2400	2.00	TOILETS
D53	1500	2400	2.00	TOILETS
D54	1500	2400	2.00	TOILETS
D55	1500	2400	2.00	TOILETS
D56	1500	2400	2.00	TOILETS
D57	1500	2400	2.00	TOILETS
D58	1500	2400	2.00	TOILETS
D59	1500	2400	2.00	TOILETS
D60	1500	2400	2.00	TOILETS
D61	1500	2400	2.00	TOILETS
D62	1500	2400	2.00	TOILETS
D63	1500	2400	2.00	TOILETS
D64	1500	2400	2.00	TOILETS
D65	1500	2400	2.00	TOILETS
D66	1500	2400	2.00	TOILETS
D67	1500	2400	2.00	TOILETS
D68	1500	2400	2.00	TOILETS
D69	1500	2400	2.00	TOILETS
D70	1500	2400	2.00	TOILETS
D71	1500	2400	2.00	TOILETS
D72	1500	2400	2.00	TOILETS
D73	1500	2400	2.00	TOILETS
D74	1500	2400	2.00	TOILETS
D75	1500	2400	2.00	TOILETS
D76	1500	2400	2.00	TOILETS
D77	1500	2400	2.00	TOILETS
D78	1500	2400	2.00	TOILETS
D79	1500	2400	2.00	TOILETS
D80	1500	2400	2.00	TOILETS
D81	1500	2400	2.00	TOILETS
D82	1500	2400	2.00	TOILETS
D83	1500	2400	2.00	TOILETS
D84	1500	2400	2.00	TOILETS
D85	1500	2400	2.00	TOILETS
D86	1500	2400	2.00	TOILETS
D87	1500	2400	2.00	TOILETS
D88	1500	2400	2.00	TOILETS
D89	1500	2400	2.00	TOILETS
D90	1500	2400	2.00	TOILETS
D91	1500	2400	2.00	TOILETS
D92	1500	2400	2.00	TOILETS
D93	1500	2400	2.00	TOILETS
D94	1500	2400	2.00	TOILETS
D95	1500	2400	2.00	TOILETS
D96	1500	2400	2.00	TOILETS
D97	1500	2400	2.00	TOILETS
D98	1500	2400	2.00	TOILETS
D99	1500	2400	2.00	TOILETS
D100	1500	2400	2.00	TOILETS

Owner:
OWNER'S NAME :
Vibrant infratech Pvt. Ltd & Others
in Collaboration with Union Buildmart Pvt. Ltd

Architect:
GIAN P. MATHUR AND ASSOCIATES (P) LTD
C - 55, East Of Kailash, New Delhi-110065
T : 011-46595959 / F : 011-46595912
E : info@gpmindia.com / www.gpmindia.com

Project Title:
GROUP HOUSING COLONY
UNDER (MIX LAND USE) TOD ZONE FOR
(80% GH COMPONENT & 14% COMMERCIAL COMPONENT)
ON THE AREA MEASURING 15.03125 ACRES
(LICENCE NO-106 OF 2021, DATED 16.12.2021)
AT SECTOR -113, GURUGRAM


Status SUBMISSION DRAWING

Sheet Title
RESIDENTIAL BLOCK-TOWER-5A
20TH & 30TH (REFUGE)
LVL LAYOUT & AREA DETAILS


Owner's Sign
Union Buildmart Pvt. Ltd.
Authorized Signatory
Architect's Sign
GIAN P. MATHUR
B. Arch., M.A., I.I.A
CA No. 87/1769

SCALE: 1: 100
DATE:
DWG. No.
SD/AR/M3M-113/T-5A/105

LEGEND:-
AREA FAR
AREA NON FAR
SERVICE SHAFT (CUTOUT)
2 HRS. FIRE RATED FULL HEIGHT WALL



TOWER-5A
STILT LVL LAYOUT



TOWER-5A
STILT LVL AREA DIAGRAM

This is a "PROVISIONAL BUILDING PLAN"
approved only for the purpose of inviting
objections from the general public

Sanjay Narang
ATP (HQ)

ST/IND
Member Secretary
BAC

DDA (HQ)
Member
BAC

TO BE READ WITH THIS OFFICE
MEMO NO.: 19613
DATED: 8/7/2022

J.D.

FAR AREA AT STILT LVL-TOWER-5A
(All Distances are in Meter & Areas in Sqm)

ITEM	NO. S	WIDTH (MTR.)	LENGTH (MTR.)	AREA(SQ.MT.) = NO. X LENGTH X WIDTH
A	1	35.970	19.425	698.717
TOTAL(A) =				698.717

DEDUCTION (B)

ITEM	NO. S	WIDTH (MTR.)	LENGTH (MTR.)	AREA(SQ.MT.) = NO. X LENGTH X WIDTH
1	1	11.200	4.180	46.816
2	2	4.745	1.660	15.753
3	2	3.030	6.105	36.996
4	2	5.375	9.630	103.523
5	2	1.535	8.930	27.415
6	2	3.610	0.850	6.137
7	2	3.370	1.345	9.055
8	2	3.670	0.700	5.138
9	2	5.870	2.025	23.774
10	2	7.260	2.470	35.864
11	1	0.100	2.410	0.241
12	1	0.100	1.955	0.196
13	1	3.695	0.460	1.700
TOTAL				312.618

NON FAR (C)

ITEM	NO. S	WIDTH (MTR.)	LENGTH (MTR.)	AREA(SQ.MT.) = NO. X LENGTH X WIDTH
N1	4	2.305	1.660	15.305
N2	2	9.355	2.520	47.149
N3	1	29.905	1.925	57.567
N4	2	5.375	3.690	39.668
N5	2	1.535	4.390	13.477
N6	1	3.610	5.930	21.407
N7	1	3.670	5.930	21.763
N8	1	3.750	6.820	25.575
N9	1	4.640	4.290	19.906
N10	1	2.690	3.440	9.254
N11	1	3.790	3.440	13.038
N12	1	0.060	1.305	0.078
N13	1	0.240	1.345	0.323
N14	1	1.270	2.905	2.546
N15	1	1.070	0.305	0.326
N16	2	0.140	1.885	0.528
N17	2	1.390	0.140	0.389
N18	2	0.100	0.195	0.039
N19	1	3.595	0.080	0.288
N20	1	1.270	0.700	0.889
N21	1	1.570	0.900	1.413
N22	1	0.300	0.445	0.134
N23	1	0.060	0.850	0.051
N24	1	9.930	2.100	20.853
N25	1	1.270	0.425	0.540
N26	1	1.070	0.325	0.348
N27	1	3.690	3.360	12.398
TOTAL NON FAR				325.251


TOTAL FAR AREA AT STILT LVL. = ADDITION(A) - DEDUCTION (B+C)			
698.717	-	312.618	-
			325.251
			60.848
			SQ.MT

Checked and found ok for Public Health
(Internal) Service only subject to comments in
in forwarding letter No. SE/HQ/... (DV...)

Superintending Engineer (I)
for Chief Engineer-I
V.P. Parthiv
SDE (V/S)

LEGEND:-
AREA FAR
AREA NON FAR
SERVICE SHAFT (CUTOUT)
2 HRS. FIRE RATED FULL HEIGHT WALL

Key Plan



TYPE	WIDTH	HEIGHT	SEL. LVL.	LEVEL LVL.	REMARKS
D1	1050	2400	+00	2400	ENTRANCE (ONE HOUR FIRE RATED DOOR)
D2	900	2250	+00	2250	BEDROOMS & M.M.TY
D3	750	2250	+00	2250	TOILETS
D4	900	2100	+00	2100	M.M.TY
D5	1550	2400	+00	2400	STILL LOBBY ENTRANCE
S01	2400	2400	+00	2400	BEDROOM
S02	2400	2400	+00	2400	BEDROOM
S03	2400	2400	+00	2400	BEDROOM
S04	2400	2400	+00	2400	BEDROOM
S05	1800	2400	+00	2400	BEDROOM
S06	1400	2400	+00	2400	BEDROOM
DW1	1800	1200	+00	2400	KITCHEN
DW2	1200	2400	+00	2400	BED ROOM
DW3	1100	1200	+00	2400	KITCHEN
DW4	1075	2400	+00	2400	BED ROOM
V1	800	1300	+00	2400	TOILETS
V2	400	1200	+00	2400	TOILETS
W1	1200	LIFT & STAIR	+00	2400	STAIRCASE
W2	900	2100	+00	2100	MACHINE ROOM
W3	1200	2100	+00	2100	BED ROOM
FMC	1200	2000	+00	2100	FMC
F01	1400	2100	+00	2100	FIRE DOOR
F02	1200	2100	+00	2100	FIRE DOOR
F03	1000	2100	+00	2100	FIRE DOOR

Owner:

OWNER'S NAME :
Vibrant infratech Pvt. Ltd & Others
in Collaboration with Union Buildmart Pvt. Ltd

Architect:

Gyan P. Mathur and Associates (P) LTD
C-55, East Of Kirti, New Delhi-110055
T: 011-46599599 / F: 011-46599512
E: info@gyanmathur.com / W: www.gyanmathur.com

Project Title:


GROUP HOUSING COLONY
UNDER (MIX LAND USE) TOD ZONE FOR
(86% GH COMPONENT & 14% COMMERCIAL COMPONENT)
ON THE AREA MEASURING 15.03125 ACRES
(LICENCE NO:106 OF 2021, DATED 16.12.2021)
AT SECTOR-113, GURUGRAM

Status SUBMISSION DRAWING


Sheet Title
RESIDENTIAL BLOCK-TOWER-5A
STILT LVL LAYOUT &
AREA DETAILS

Owner's Sign
Union Buildmart Pvt. Ltd
Authorized Signatory
Architect's Sign
GIAN P. MATHUR
B. Archt., M.A. I.I.A.
CA No. 9115769

SCALE: 1: 100
DATE: DWG. No.
SD/AR/M3M-113/T-5A/101



TOWER- 5A TYPICAL LVL LAYOUT
(LEVEL - 6th to 19th, 21st to 29th & 31st to 36th)



TOWER- 5A TYPICAL LVL AREA DIAGRAM
(LEVEL - 6th to 19th, 21st to 29th & 31st to 36th)

FAR AREA AT TYPICAL LVL - TOWER- 5A (All Distances are in Meter & Areas in Sqm)				
ITEM	NO.S	WIDTH (MTR.)	LENGTH (MTR.)	AREA(SQ.MT.) = NO. X LENGTH X WIDTH
1	1	11.190	4.475	50.075
2	1	5.325	0.180	0.958
3	2	4.445	1.800	16.002
4	1	3.335	6.100	20.343
5	2	1.400	6.140	17.144
6	1	1.455	3.660	5.304
7	1	1.075	3.880	4.172
8	2	3.555	1.800	12.598
9	2	1.840	1.200	4.416
10	2	1.500	1.800	5.400
11	2	1.200	6.750	16.200
12	1	1.800	1.785	3.213
13	2	0.300	1.275	0.765
14	2	0.300	0.700	0.420
15	2	0.300	0.400	0.240
16	2	3.210	0.140	0.896
17	2	3.210	4.170	26.786
18	2	1.515	1.620	2.454
19	2	0.775	0.760	1.178
20	2	0.315	0.760	0.480
21	2	3.200	6.100	39.040
22	2	2.830	0.140	0.792
23	2	8.145	1.800	29.321
24	1	11.200	4.180	46.816
25	2	0.350	0.140	0.098
TOTAL				312.870

SERVICE SHAFT & LIFT (C)				
ITEM	NO.S	WIDTH (MTR.)	LENGTH (MTR.)	AREA(SQ.MT.) = NO. X LENGTH X WIDTH
1	1	2.250	2.190	4.928
2	1	2.250	1.440	3.240
3	1	1.250	0.850	1.063
4	1	4.440	0.750	3.330
5	1	0.300	1.700	0.510
6	1	0.300	0.850	0.255
7	1	0.300	1.500	0.450
8	1	0.300	1.145	0.344
9	1	0.300	1.980	0.594
10	1	0.300	1.560	0.468
TOTAL				21.418



NON FAR STAIRCASE (D)				
ITEM	NO.S	WIDTH (MTR.)	LENGTH (MTR.)	AREA(SQ.MT.) = NO. X LENGTH X WIDTH
1	1	0.750	3.500	2.625
TOTAL				2.625

TOTAL NON FAR AREA (D-E)				
ITEM	NO.S	WIDTH (MTR.)	LENGTH (MTR.)	AREA(SQ.MT.) = NO. X LENGTH X WIDTH
1	1	0.750	3.500	2.625
TOTAL				2.625

TOTAL FAR AREA AT TYPICAL LVL = ADDITION(A) - REDUCTION(B) + C + D				
ITEM	NO.S	WIDTH (MTR.)	LENGTH (MTR.)	AREA(SQ.MT.) = NO. X LENGTH X WIDTH
1	1	11.190	4.475	50.075
2	1	5.325	0.180	0.958
3	2	4.445	1.800	16.002
4	1	3.335	6.100	20.343
5	2	1.400	6.140	17.144
6	1	1.455	3.660	5.304
7	1	1.075	3.880	4.172
8	2	3.555	1.800	12.598
9	2	1.840	1.200	4.416
10	2	1.500	1.800	5.400
11	2	1.200	6.750	16.200
12	1	1.800	1.785	3.213
13	2	0.300	1.275	0.765
14	2	0.300	0.700	0.420
15	2	0.300	0.400	0.240
16	2	3.210	0.140	0.896
17	2	3.210	4.170	26.786
18	2	1.515	1.620	2.454
19	2	0.775	0.760	1.178
20	2	0.315	0.760	0.480
21	2	3.200	6.100	39.040
22	2	2.830	0.140	0.792
23	2	8.145	1.800	29.321
24	1	11.200	4.180	46.816
25	2	0.350	0.140	0.098
TOTAL				312.870

TOTAL FAR AREA AT TYPICAL LVL = ADDITION(A) - REDUCTION(B) + C + D				
ITEM	NO.S	WIDTH (MTR.)	LENGTH (MTR.)	AREA(SQ.MT.) = NO. X LENGTH X WIDTH
1	1	11.190	4.475	50.075
2	1	5.325	0.180	0.958
3	2	4.445	1.800	16.002
4	1	3.335	6.100	20.343
5	2	1.400	6.140	17.144
6	1	1.455	3.660	5.304
7	1	1.075	3.880	4.172
8	2	3.555	1.800	12.598
9	2	1.840	1.200	4.416
10	2	1.500	1.800	5.400
11	2	1.200	6.750	16.200
12	1	1.800	1.785	3.213
13	2	0.300	1.275	0.765
14	2	0.300	0.700	0.420
15	2	0.300	0.400	0.240
16	2	3.210	0.140	0.896
17	2	3.210	4.170	26.786
18	2	1.515	1.620	2.454
19	2	0.775	0.760	1.178
20	2	0.315	0.760	0.480
21	2	3.200	6.100	39.040
22	2	2.830	0.140	0.792
23	2	8.145	1.800	29.321
24	1	11.200	4.180	46.816
25	2	0.350	0.140	0.098
TOTAL				312.870

TOWER- 5B TYPICAL LVL LAYOUT
(LEVEL - 6th to 19th, 21st to 29th & 31st to 36th)



CARPET AREA (4BHK+STUDY+UTILITY) (All Distances are in Meter & Areas in Sqm)				
ITEM	NO.S	WIDTH (MTR.)	LENGTH (MTR.)	AREA(SQ.MT.) = NO. X LENGTH X WIDTH
1	1	11.190	4.475	50.075
2	1	5.325	0.180	0.958
3	2	4.445	1.800	16.002
4	1	3.335	6.100	20.343
5	2	1.400	6.140	17.144
6	1	1.455	3.660	5.304
7	1	1.075	3.880	4.172
8	2	3.555	1.800	12.598
9	2	1.840	1.200	4.416
10	2	1.500	1.800	5.400
11	2	1.200	6.750	16.200
12	1	1.800	1.785	3.213
13	2	0.300	1.275	0.765
14	2	0.300	0.700	0.420
15	2	0.300	0.400	0.240
16	2	3.210	0.140	0.896
17	2	3.210	4.170	26.786
18	2	1.515	1.620	2.454
19	2	0.775	0.760	1.178
20	2	0.315	0.760	0.480
21	2	3.200	6.100	39.040
22	2	2.830	0.140	0.792
23	2	8.145	1.800	29.321
24	1	11.200	4.180	46.816
25	2	0.350	0.140	0.098
TOTAL				312.870


CARPET AREA (4BHK+STUDY) (All Distances are in Meter & Areas in Sqm)				
ITEM	NO.S	WIDTH (MTR.)	LENGTH (MTR.)	AREA(SQ.MT.) = NO. X LENGTH X WIDTH
1	1	11.190	4.475	50.075
2	1	5.325	0.180	0.958
3	2	4.445	1.800	16.002
4	1	3.335	6.100	20.343
5	2	1.400	6.140	17.144
6	1	1.455	3.660	5.304
7	1	1.075	3.880	4.172
8	2	3.555	1.800	12.598
9	2	1.840	1.200	4.416
10	2	1.500	1.800	5.400
11	2	1.200	6.750	16.200
12	1	1.800	1.785	3.213
13	2	0.300	1.275	0.765
14	2	0.300	0.700	0.420
15	2	0.300	0.400	0.240
16	2	3.210	0.140	0.896
17	2	3.210	4.170	26.786
18	2	1.515	1.620	2.454
19	2	0.775	0.760	1.178
20	2	0.315	0.760	0.480
21	2	3.200	6.100	39.040
22	2	2.830	0.140	0.792
23	2	8.145	1.800	29.321
24	1	11.200	4.180	46.816
25	2	0.350	0.140	0.098
TOTAL				312.870

CARPET AREA (3BHK+STUDY+UTILITY) (All Distances are in Meter & Areas in Sqm)				
ITEM	NO.S	WIDTH (MTR.)	LENGTH (MTR.)	AREA(SQ.MT.) = NO. X LENGTH X WIDTH
1	1	11.190	4.475	50.075
2	1	5.325	0.180	0.958
3	2	4.445	1.800	16.002
4	1	3.335	6.100	20.343
5	2	1.400	6.140	17.144
6	1	1.455	3.660	5.304
7	1	1.075	3.880	4.172
8	2	3.555	1.800	12.598
9	2	1.840	1.200	4.416
10	2	1.500	1.800	5.400
11	2	1.200	6.750	16.200
12	1	1.800	1.785	3.213
13	2	0.300	1.275	0.765
14	2	0.300	0.700	0.420
15	2	0.300	0.400	0.240
16	2	3.210	0.140	0.896
17	2	3.210	4.170	26.786
18	2	1.515	1.620	2.454
19	2	0.775	0.760	1.178
20	2	0.315	0.760	0.480
21	2	3.200	6.100	39.040
22	2	2.830	0.140	0.792
23	2	8.145	1.800	29.321
24	1	11.200	4.180	46.816
25	2	0.350	0.140	0.098
TOTAL				312.870


TOTAL CARPET AREA CALCULATION = ADDITION(A) - REDUCTION(B) + C + D				
ITEM	NO.S	WIDTH (MTR.)	LENGTH (MTR.)	AREA(SQ.MT.) = NO. X LENGTH X WIDTH
1	1	11.190	4.475	50.075
2	1	5.325	0.180	0.958
3	2	4.445	1.800	16.002
4	1	3.335	6.100	20.343
5	2	1.400	6.140	17.144
6	1	1.455	3.660	5.304
7	1	1.075	3.880	4.172
8	2	3.555	1.800	12.598
9	2	1.840	1.200	4.416
10	2	1.500	1.800	5.400
11	2	1.200	6.750	16.200
12	1	1.800	1.785	3.213
13	2	0.300	1.275	0.765
14	2	0.300	0.700	0.420
15	2	0.300	0.400	0.240
16	2	3.210	0.140	0.896
17	2	3.210	4.170	26.786
18	2	1.515	1.620	2.454
19	2	0.775	0.760	1.178
20	2	0.315	0.760	0.480
21	2	3.200	6.100	39.040
22	2	2.830	0.140	0.792
23	2	8.145	1.800	29.321
24	1	11.200	4.180	46.816
25	2	0.350	0.140	0.098
TOTAL				312.870

Key Plan

TYPE	WIDTH	HEIGHT	SILL LVL	LINTEL LVL	REMARKS
D1	1200	2400	+0.00	+2.400	ENTRANCE TO 1ST FLOOR
D2	1200	2400	+0.00	+2.400	ENTRANCE TO 2ND FLOOR
D3	1200	2400	+0.00	+2.400	ENTRANCE TO 3RD FLOOR
D4	1200	2400	+0.00	+2.400	ENTRANCE TO 4TH FLOOR
D5	1200	2400	+0.00	+2.400	ENTRANCE TO 5TH FLOOR
D6	1200	2400	+0.00	+2.400	ENTRANCE TO



TOWER- 5B
1ST LVL LAYOUT



TOWER- 5B
1ST LVL AREA DIAGRAM

TO BE READ WITH THIS OFFICE
MEMO NO: 196/13
DATED: 8/7/2022.

TOWER-5C
1ST LVL LAYOUT

This is a "PROVISIONAL BUILDING PLAN"
approved only for the purpose of inviting
objections from the general public.

Sanjay RANG
P.2 (HQ)
Member Secretary
BPAC

DDP (HQ)
Member
BPAC

J.D.
P.A.

FAR AREA AT 1ST LVL -TOWER-5B
(All Distances are in Meter & Areas in Sqm)

ITEM	NO.S	WIDTH (MTR.)	LENGTH (MTR.)	AREA(SQ.MT.) = NO.X LENGTH X WIDTH
A	1	24.120	18.965	457.436
TOTAL(A) =				457.436

ITEM	NO.S	WIDTH (MTR.)	LENGTH (MTR.)	AREA(SQ.MT.) = NO.X LENGTH X WIDTH
1	1	5.375	9.170	49.289
2	1	1.535	8.410	12.909
2A	1	0.775	0.780	0.599
3	1	3.670	0.850	3.120
3A	1	3.210	0.140	0.449
4	1	3.370	1.345	4.533
5	1	3.670	0.700	2.569
6	1	5.870	2.025	11.887
6A	1	0.140	1.625	0.228
7	1	7.380	2.010	14.794
8	1	2.420	2.010	4.864
9	1	0.930	2.330	2.167
9A	1	0.140	1.930	0.270
10	1	2.420	2.530	6.123
11	1	1.005	0.750	0.754
11A	1	0.080	3.965	0.317
12	1	6.055	6.215	37.632
12A	1	5.310	0.140	0.743
13	1	11.735	4.180	49.052
14	1	4.745	1.800	8.541
15	1	3.030	6.105	18.498
15A	1	2.630	0.140	0.368
TOTAL				229.695

ITEM	NO.S	WIDTH (MTR.)	LENGTH (MTR.)	AREA(SQ.MT.) = NO.X LENGTH X WIDTH
L1	2	2.250	2.150	9.675
L2	1	2.150	3.000	6.450
S1	1	1.250	1.480	1.850
S2	1	1.250	0.850	1.063
S3	2	0.840	1.500	2.520
S4	1	0.250	1.145	0.286
S5	1	0.500	0.660	0.330
S6	2	0.390	1.560	1.217
TOTAL SERVICES AREA				23.391

ITEM	NO.S	WIDTH (MTR.)	LENGTH (MTR.)	AREA(SQ.MT.) = NO.X LENGTH X WIDTH
FS1	2	2.750	3.750	20.625
TOTAL NON FAR AREA				20.625

ITEM	NO.S	WIDTH (MTR.)	LENGTH (MTR.)	AREA(SQ.MT.) = NO.X LENGTH X WIDTH
FS1	2	2.750	3.750	20.625
TOTAL NON FAR AREA				20.625

ITEM	NO.S	WIDTH (MTR.)	LENGTH (MTR.)	AREA(SQ.MT.) = NO.X LENGTH X WIDTH
SW1	2	0.250	2.500	1.250
TOTAL				1.250
TOTAL NON FAR AREA (F) = (D-E)				19.375

ITEM	NO.S	WIDTH (MTR.)	LENGTH (MTR.)	AREA(SQ.MT.) = NO.X LENGTH X WIDTH
457.436	-	229.695	-	23.391
-	20.625	=	183.725	SQ.MT
GROUND COVERAGE				= 227.741 SQ.MT

Checked and found ok for T. J. Mathur
(Informal) Service only subject to comments in
in forwarding letter No. SE/12/2022.

Superintending Engineer (HQ)
for Chief Engineer-I
RVP, Punjab
SDE/US

LEGEND-	
	AREA FAR
	AREA NON FAR
	SERVICE SHAFT (CUTOUT)
	2 HRS. FIRE RATED FULL HEIGHT WALL

Key Plan



TYPE	WIDTH	HEIGHT	BALL LVL	UNTEL LVL	REMARKS
D1	1000	2000	+00	2000	ENTRANCE (ONE HOUR FIRE RATED DOOR)
D2	800	2200	+00	2200	BEDROOMS & MUMTY
D3	750	2200	+00	2200	TOILETS
D4	900	2100	+00	2100	MUMTY
D5	1200	2400	+00	2400	STILT LOBBY ENTRANCE
D6	2000	2400	+00	2400	BEDROOM
D7	2000	2400	+00	2400	BEDROOM
D8	2000	2400	+00	2400	BEDROOM
D9	2000	2400	+00	2400	BEDROOM
D10	2000	2400	+00	2400	BEDROOM
D11	2000	2400	+00	2400	BEDROOM
D12	2000	2400	+00	2400	BEDROOM
D13	2000	2400	+00	2400	BEDROOM
D14	2000	2400	+00	2400	BEDROOM
D15	2000	2400	+00	2400	BEDROOM
D16	2000	2400	+00	2400	BEDROOM
D17	2000	2400	+00	2400	BEDROOM
D18	2000	2400	+00	2400	BEDROOM
D19	2000	2400	+00	2400	BEDROOM
D20	2000	2400	+00	2400	BEDROOM
D21	2000	2400	+00	2400	BEDROOM
D22	2000	2400	+00	2400	BEDROOM
D23	2000	2400	+00	2400	BEDROOM
D24	2000	2400	+00	2400	BEDROOM
D25	2000	2400	+00	2400	BEDROOM
D26	2000	2400	+00	2400	BEDROOM
D27	2000	2400	+00	2400	BEDROOM
D28	2000	2400	+00	2400	BEDROOM
D29	2000	2400	+00	2400	BEDROOM
D30	2000	2400	+00	2400	BEDROOM
D31	2000	2400	+00	2400	BEDROOM
D32	2000	2400	+00	2400	BEDROOM
D33	2000	2400	+00	2400	BEDROOM
D34	2000	2400	+00	2400	BEDROOM
D35	2000	2400	+00	2400	BEDROOM
D36	2000	2400	+00	2400	BEDROOM
D37	2000	2400	+00	2400	BEDROOM
D38	2000	2400	+00	2400	BEDROOM
D39	2000	2400	+00	2400	BEDROOM
D40	2000	2400	+00	2400	BEDROOM
D41	2000	2400	+00	2400	BEDROOM
D42	2000	2400	+00	2400	BEDROOM
D43	2000	2400	+00	2400	BEDROOM
D44	2000	2400	+00	2400	BEDROOM
D45	2000	2400	+00	2400	BEDROOM
D46	2000	2400	+00	2400	BEDROOM
D47	2000	2400	+00	2400	BEDROOM
D48	2000	2400	+00	2400	BEDROOM
D49	2000	2400	+00	2400	BEDROOM
D50	2000	2400	+00	2400	BEDROOM
D51	2000	2400	+00	2400	BEDROOM
D52	2000	2400	+00	2400	BEDROOM
D53	2000	2400	+00	2400	BEDROOM
D54	2000	2400	+00	2400	BEDROOM
D55	2000	2400	+00	2400	BEDROOM
D56	2000	2400	+00	2400	BEDROOM
D57	2000	2400	+00	2400	BEDROOM
D58	2000	2400	+00	2400	BEDROOM
D59	2000	2400	+00	2400	BEDROOM
D60	2000	2400	+00	2400	BEDROOM
D61	2000	2400	+00	2400	BEDROOM
D62	2000	2400	+00	2400	BEDROOM
D63	2000	2400	+00	2400	BEDROOM
D64	2000	2400	+00	2400	BEDROOM
D65	2000	2400	+00	2400	BEDROOM
D66	2000	2400	+00	2400	BEDROOM
D67	2000	2400	+00	2400	BEDROOM
D68	2000	2400	+00	2400	BEDROOM
D69	2000	2400	+00	2400	BEDROOM
D70	2000	2400	+00	2400	BEDROOM
D71	2000	2400	+00	2400	BEDROOM
D72	2000	2400	+00	2400	BEDROOM
D73	2000	2400	+00	2400	BEDROOM
D74	2000	2400	+00	2400	BEDROOM
D75	2000	2400	+00	2400	BEDROOM
D76	2000	2400	+00	2400	BEDROOM
D77	2000	2400	+00	2400	BEDROOM
D78	2000	2400	+00	2400	BEDROOM
D79	2000	2400	+00	2400	BEDROOM
D80	2000	2400	+00	2400	BEDROOM
D81	2000	2400	+00	2400	BEDROOM
D82	2000	2400	+00	2400	BEDROOM
D83	2000	2400	+00	2400	BEDROOM
D84	2000	2400	+00	2400	BEDROOM
D85	2000	2400	+00	2400	BEDROOM
D86	2000	2400	+00	2400	BEDROOM
D87	2000	2400	+00	2400	BEDROOM
D88	2000	2400	+00	2400	BEDROOM
D89	2000	2400	+00	2400	BEDROOM
D90	2000	2400	+00	2400	BEDROOM
D91	2000	2400	+00	2400	BEDROOM
D92	2000	2400	+00	2400	BEDROOM
D93	2000	2400	+00	2400	BEDROOM
D94	2000	2400	+00	2400	BEDROOM
D95	2000	2400	+00	2400	BEDROOM
D96	2000	2400	+00	2400	BEDROOM
D97	2000	2400	+00	2400	BEDROOM
D98	2000	2400	+00	2400	BEDROOM
D99	2000	2400	+00	2400	BEDROOM
D100	2000	2400	+00	2400	BEDROOM

LEGEND FOR PLUMBING

110 OD SWR PVC SOL & VENT PIPE

110 OD SWR PVC WASTE & VENT PIPE

90 OD SWR PVC ANTI-SIPHONAGE PIPE

2 HRS. DOWN TAKE

2 HRS. DOWN TAKE

2 HRS. DOWN TAKE

2 HRS. DOWN TAKE

2 HRS. DOWN TAKE

2 HRS. DOWN TAKE

2 HRS. DOWN TAKE

2 HRS. DOWN TAKE

2 HRS. DOWN TAKE

2 HRS. DOWN TAKE

2 HRS. DOWN TAKE

2 HRS. DOWN TAKE

2 HRS. DOWN TAKE

2 HRS. DOWN TAKE

2 HRS. DOWN TAKE

2 HRS. DOWN TAKE

2 HRS. DOWN TAKE

2 HRS. DOWN TAKE

2 HRS. DOWN TAKE

2 HRS. DOWN TAKE

2 HRS. DOWN TAKE

2 HRS. DOWN TAKE

2 HRS. DOWN TAKE

2 HRS. DOWN TAKE

2 HRS. DOWN TAKE

2 HRS. DOWN TAKE

2 HRS. DOWN TAKE

2 HRS. DOWN TAKE

2 HRS. DOWN TAKE

2 HRS. DOWN TAKE

2 HRS. DOWN TAKE

2 HRS. DOWN TAKE

2 HRS. DOWN TAKE

2 HRS. DOWN TAKE

2 HRS. DOWN TAKE

2 HRS. DOWN TAKE

2 HRS. DOWN TAKE

2 HRS. DOWN TAKE

2 HRS. DOWN TAKE

2 HRS. DOWN TAKE

2 HRS. DOWN TAKE



2 HRS. DOWN TAKE

2 HRS. DOWN TAKE

2 HRS. DOWN TAKE

2 HRS. DOWN TAKE


2 HRS. DOWN TAKE

TOWER-5A
2ND TO 5TH LVL LAYOUTTOWER-5B
2ND TO 4TH LVL LAYOUTTOWER-5B
5TH (SERVICE) LVL LAYOUTTOWER-5C
2ND TO 5TH LVL LAYOUTTOWER-5C
2ND TO 5TH LVL LAYOUT

FAR AREA AT 2ND TO 5TH LVL-TOWER-5B (All Distances are in Meter & Areas in Sqm)				
ADDITIONS (A)				
ITEM	NO.S	WIDTH (MTR.)	LENGTH (MTR.)	AREA(SQ.MT.) = NO.X LENGTH X WIDTH
A	1	24.120	18.855	454.783
TOTAL(A) =				454.783
DEDUCTION (B)				
ITEM	NO.S	WIDTH (MTR.)	LENGTH (MTR.)	AREA(SQ.MT.) = NO.X LENGTH X WIDTH
1	1	5.375	9.080	48.698
2	1	1.535	8.300	12.741
2A	1	0.775	0.760	0.589
3	1	3.670	0.850	3.120
3A	1	3.210	0.140	0.449
4	1	3.370	1.345	4.533
5	1	3.670	0.700	2.569
6	1	5.870	2.025	11.887
6A	1	0.140	1.625	0.228
7	1	7.360	1.900	13.984
8	1	2.420	1.900	4.598
9	1	0.930	2.330	2.167
9A	1	0.140	1.930	0.270
10	1	2.420	2.530	6.123
11	1	1.005	0.750	0.754
11A	1	0.080	3.965	0.317
12	1	6.055	6.215	37.632
12A	1	5.310	0.140	0.743
13	1	11.735	4.180	49.052
14	1	4.745	1.660	7.877
15	1	3.030	6.105	18.498
15A	1	6.630	0.140	0.928
16	1	2.630	0.140	0.368
TOTAL				228.123
SERVICE SHAFT & LIFT (C)				
ITEM	NO.S	WIDTH (MTR.)	LENGTH (MTR.)	AREA(SQ.MT.) = NO.X LENGTH X WIDTH
L1	2	2.250	2.150	9.675
L2	1	2.150	3.000	6.450
S1	1	1.250	1.480	1.850
S2	1	1.250	0.850	1.063
S3	2	0.840	1.500	2.520
S4	1	0.250	1.145	0.286
S5	1	0.500	0.660	0.330
S6	2	0.360	1.560	1.117
TOTAL SERVICES AREA				23.391

TO BE READ WITH THIS OFFICE
MEMO NO.: 19613
DATED: 8/7/2022.

TO BE READ WITH THIS OFFICE
MEMO NO.: 19613
DATED: 8/7/2022.

TOWER-5B
2ND TO 5TH LVL LAYOUT

NON FAR/ STAIRCASE (D)				
ITEM	NO.S	WIDTH (MTR.)	LENGTH (MTR.)	AREA(SQ.MT.) = NO.X LENGTH X WIDTH
FS1	2	2.750	3.500	19.250
TOTAL NON FAR AREA				19.250
DEDUCTION (E)				
ITEM	NO.S	WIDTH (MTR.)	LENGTH (MTR.)	AREA(SQ.MT.) = NO.X LENGTH X WIDTH
SW2	2	0.250	2.250	1.125
TOTAL =				1.125
TOTAL NON FAR AREA (F) = (D-E)				18.125
TOTAL FAR AREA AT 2ND TO 5TH LVL. = ADDITION(A) - DEDUCTION (B+C+D) =				
454.783	-	228.123	-	23.391
-	-	19.250	=	184.019
				SQ.MT

Check for Public Health
(Refer to the only subject to comments in
in forwarding letter No. SE/HQV...DW...)

Superintendent Engineer (HQ)
for Chief Engineer
H.V.P.
SDE/US/1


LEGEND -	
	AREA FAR
	AREA NON FAR
	SERVICE SHAFT (CUTOUT)
	2 HRS. FIRE RATED FULL HEIGHT WALL

Key Plan




DOOR WINDOW SCHEDULE					
TYPE	WIDTH	HEIGHT	BALL. LVL.	INTEL. LVL.	REMARKS
D1	1000	2400	+00	2400	ENTRANCE (ONE HOUR FIRE RATED DOOR)
D2	800	2250	+00	2250	BEDROOM & MUMTY
D3	750	2250	+00	2250	TOILETS
D4	900	2100	+00	2100	MUMTY
D5	1200	2400	+00	2400	STLT LOBBY ENTRANCE
D6	1400	2400	+00	2400	STLT LOBBY ENTRANCE
D7	1600	2400	+00	2400	STLT LOBBY ENTRANCE
D8	1800	2400	+00	2400	STLT LOBBY ENTRANCE
D9	2000	2400	+00	2400	STLT LOBBY ENTRANCE
D10	2200	2400	+00	2400	STLT LOBBY ENTRANCE
D11	2400	2400	+00	2400	STLT LOBBY ENTRANCE
D12	2600	2400	+00	2400	STLT LOBBY ENTRANCE
D13	2800	2400	+00	2400	STLT LOBBY ENTRANCE
D14	3000	2400	+00	2400	STLT LOBBY ENTRANCE
D15	3200	2400	+00	2400	STLT LOBBY ENTRANCE
D16	3400	2400	+00	2400	STLT LOBBY ENTRANCE
D17	3600	2400	+00	2400	STLT LOBBY ENTRANCE
D18	3800	2400	+00	2400	STLT LOBBY ENTRANCE
D19	4000	2400	+00	2400	STLT LOBBY ENTRANCE
D20	4200	2400	+00	2400	STLT LOBBY ENTRANCE
D21	4400	2400	+00	2400	STLT LOBBY ENTRANCE
D22	4600	2400	+00	2400	STLT LOBBY ENTRANCE
D23	4800	2400	+00	2400	STLT LOBBY ENTRANCE
D24	5000	2400	+00	2400	STLT LOBBY ENTRANCE
D25	5200	2400	+00	2400	STLT LOBBY ENTRANCE
D26	5400	2400	+00	2400	STLT LOBBY ENTRANCE
D27	5600	2400	+00	2400	STLT LOBBY ENTRANCE
D28	5800	2400	+00	2400	STLT LOBBY ENTRANCE
D29	6000	2400	+00	2400	STLT LOBBY ENTRANCE
D30	6200	2400	+00	2400	STLT LOBBY ENTRANCE
D31	6400	2400	+00	2400	STLT LOBBY ENTRANCE
D32	6600	2400	+00	2400	STLT LOBBY ENTRANCE
D33	6800	2400	+00	2400	STLT LOBBY ENTRANCE
D34	7000	2400	+00	2400	STLT LOBBY ENTRANCE
D35	7200	2400	+00	2400	STLT LOBBY ENTRANCE
D36	7400	2400	+00	2400	STLT LOBBY ENTRANCE
D37	7600	2400	+00	2400	STLT LOBBY ENTRANCE
D38	7800	2400	+00	2400	STLT LOBBY ENTRANCE
D39	8000	2400	+00	2400	STLT LOBBY ENTRANCE
D40	8200	2400	+00	2400	STLT LOBBY ENTRANCE
D41	8400	2400	+00	2400	STLT LOBBY ENTRANCE
D42	8600	2400	+00	2400	STLT LOBBY ENTRANCE
D43	8800	2400	+00	2400	STLT LOBBY ENTRANCE
D44	9000	2400	+00	2400	STLT LOBBY ENTRANCE
D45	9200	2400	+00	2400	STLT LOBBY ENTRANCE
D46	9400	2400	+00	2400	STLT LOBBY ENTRANCE
D47	9600	2400	+00	2400	STLT LOBBY ENTRANCE
D48	9800	2400	+00	2400	STLT LOBBY ENTRANCE
D49	10000	2400	+00	2400	STLT LOBBY ENTRANCE
D50	10200	2400	+00	2400	STLT LOBBY ENTRANCE
D51	10400	2400	+00	2400	STLT LOBBY ENTRANCE
D52	10600	2400	+00	2400	STLT LOBBY ENTRANCE
D53	10800	2400	+00	2400	STLT LOBBY ENTRANCE
D54	11000	2400	+00	2400	STLT LOBBY ENTRANCE
D55	11200	2400	+00	2400	STLT LOBBY ENTRANCE
D56	11400	2400	+00	2400	STLT LOBBY ENTRANCE
D57	11600	2400	+00	2400	STLT LOBBY ENTRANCE
D58	11800	2400	+00	2400	STLT LOBBY ENTRANCE
D59	12000	2400	+00	2400	STLT LOBBY ENTRANCE
D60	12200	2400	+00	2400	STLT LOBBY ENTRANCE
D61	12400	2400	+00	2400	STLT LOBBY ENTRANCE
D62	12600	2400	+00	2400	STLT LOBBY ENTRANCE
D63	12800	2400	+00	2400	STLT LOBBY ENTRANCE
D64	13000	2400	+00	2400	STLT LOBBY ENTRANCE
D65	13200	2400	+00	2400	STLT LOBBY ENTRANCE
D66	13400	2400	+00	2400	STLT LOBBY ENTRANCE
D67	13600	2400	+00	2400	STLT LOBBY ENTRANCE
D68	13800	2400	+00	2400	STLT LOBBY ENTRANCE
D69	14000	2400	+00	2400	STLT LOBBY ENTRANCE
D70	14200	2400	+00	2400	STLT LOBBY ENTRANCE
D71	14400	2400	+00	2400	STLT LOBBY ENTRANCE
D72	14600	2400	+00	2400	STLT LOBBY ENTRANCE
D73	14800	2400	+00	2400	STLT LOBBY ENTRANCE
D74	15000	2400	+00	2400	STLT LOBBY ENTRANCE
D75	15200	2400	+00	2400	STLT LOBBY ENTRANCE
D76	15400	2400	+00	2400	STLT LOBBY ENTRANCE
D77	15600	2400	+00	2400	STLT LOBBY ENTRANCE
D78	15800	2400	+00	2400	STLT LOBBY ENTRANCE
D79	16000	2400	+00	2400	STLT LOBBY ENTRANCE
D80	16200	2400	+00	2400	STLT LOBBY ENTRANCE
D81	16400	2400	+00	2400	STLT LOBBY ENTRANCE
D82	16600	2400	+00	2400	STLT LOBBY ENTRANCE
D83	16800	2400	+00	2400	STLT LOBBY ENTRANCE
D84	17000	2400	+00	2400	STLT LOBBY ENTRANCE
D85	17200	2400	+00	2400	STLT LOBBY ENTRANCE
D86	17400	2400	+00	2400	STLT LOBBY ENTRANCE
D87	17600	2400	+00	2400	STLT LOBBY ENTRANCE
D88	17800	2400	+00	2400	STLT LOBBY ENTRANCE
D89	18000	2400	+00	2400	STLT LOBBY ENTRANCE
D90	18200	2400	+00	2400	STLT LOBBY ENTRANCE
D91	18400	2400	+00	2400	STLT LOBBY ENTRANCE
D92	18600	2400	+00	2400	STLT LOBBY ENTRANCE
D93	18800	2400	+00	2400	STLT LOBBY ENTRANCE
D94	19000	2400	+00	2400	STLT LOBBY ENTRANCE
D95	19200	2400	+00	2400	STLT LOBBY ENTRANCE
D96	19400	2400	+00	2400	STLT LOBBY ENTRANCE
D97	19600	2400	+00	2400	STLT LOBBY ENTRANCE
D98	19800	2400	+00	2400	STLT LOBBY ENTRANCE
D99	20000	2400	+00	2400	STLT LOBBY ENTRANCE
D100	20200	2400	+00	2400	STLT LOBBY ENTRANCE
D101	20400	2400	+00	2400	STLT LOBBY ENTRANCE
D102	20600	2400	+00	2400	STLT LOBBY ENTRANCE
D103	20800	2400	+00	2400	STLT LOBBY ENTRANCE
D104	21000	2400	+00	2400	STLT LOBBY ENTRANCE
D105	21200	2400	+00	2400	STLT LOBBY ENTRANCE
D106	21400	2400	+00	2400	STLT LOBBY ENTRANCE
D107	21600	2400	+00	2400	STLT LOBBY ENTRANCE
D108	21800	2400	+00	2400	STLT LOBBY ENTRANCE
D109	22000	2400	+00	2400	STLT LOBBY ENTRANCE
D110	22200	2400	+00	2400	STLT LOBBY ENTRANCE
D111	22400	2400	+00	2400	STLT LOBBY ENTRANCE
D112	22600	2400	+00	2400	STLT LOBBY ENTRANCE
D113	22800	2400	+00	2400	STLT LOBBY ENTRANCE
D114	23000	2400	+00	2400	STLT LOBBY ENTRANCE
D115	23200	2400	+00	2400	STLT LOBBY ENTRANCE
D116	23400	2400	+00	2400	STLT LOBBY ENTRANCE
D117	23600	2400	+00	2400	STLT LOBBY ENTRANCE
D118	23800	2400	+00	2400	STLT LOBBY ENTRANCE
D119	24000	2400	+00	2400	STLT LOBBY ENTRANCE
D120	24200	2400	+00	2400	STLT LOBBY ENTRANCE
D121	24400	2400	+00	2400	STLT LOBBY ENTRANCE
D122	24600	2400	+00	2400	STLT LOBBY ENTRANCE
D123	24800	2400	+00	2400	STLT LOBBY ENTRANCE
D124	25000	2400	+00	2400	STLT LOBBY ENTRANCE
D125	25200	2400	+00	2400	STLT LOBBY ENTRANCE
D126	25400	2400	+00	2400	STLT LOBBY ENTRANCE
D127	25600	2400	+00	2400	STLT LOBBY ENTRANCE
D128	25800	2400	+00	2400	STLT LOBBY ENTRANCE
D129	26000	2400	+00	2400	STLT LOBBY ENTRANCE
D130	26200	2400	+00	2400	STLT LOBBY ENTRANCE
D131	26400	2400	+00	2400	STLT LOBBY ENTRANCE
D132	26600	2400	+00	2400	STLT LOBBY ENTRANCE
D133	26800	2400	+00	2400	STLT LOBBY ENTRANCE
D134	27000	2400	+00	2400	STLT LOBBY ENTRANCE
D135	27200	2400	+00	2400	STLT LOBBY ENTRANCE
D136	27400	2400	+00	2400	STLT LOBBY ENTRANCE
D137	27600	2400	+00	2400	STLT LOBBY ENTRANCE
D138	27800	2400	+00	2400	STLT LOBBY ENTRANCE
D139	28000	2400	+00	2400	STLT LOBBY ENTRANCE
D140	28200	2400	+00	2400	STLT LOBBY ENTRANCE
D141	28400	2400	+00	2400	STLT LOBBY ENTRANCE
D142	28600	2400	+00	2400	STLT LOBBY ENTRANCE
D143	28800	2400	+00	2400	STLT LOBBY ENTRANCE
D144	29000	2400	+00	2400	STLT LOBBY ENTRANCE
D145	29200	2400	+00	2400	STLT LOBBY ENTRANCE
D146	29400	2400	+00	2400	STLT LOBBY ENTRANCE
D147	29600	2400	+00	2400	STLT LOBBY ENTRANCE
D148	29800	2400	+00	2400	STLT LOBBY ENTRANCE
D149	30000	2400	+00	2400	STLT LOBBY ENTRANCE
D150	30200	2400	+00	2400	STLT LOBBY ENTRANCE
D151	30400	2400	+00	2400	STLT LOBBY ENTRANCE
D152	30600	2400	+00	2400	STLT LOBBY ENTRANCE
D153	30800	2400	+00	2400	STLT LOBBY ENTRANCE
D154	31000	2400	+00	2400	STLT LOBBY ENTRANCE
D155	31200	2400	+00	2400	STLT LOBBY ENTRANCE
D156	31400	2400	+00	2400	STLT LOBBY ENTRANCE
D157	31600	2400	+00	2400	STLT LOBBY ENTRANCE
D158	31800	2400	+00	2400	STLT LOBBY ENTRANCE
D159	32000	2400	+00	2400	STLT LOBBY ENTRANCE
D160	32200	2400	+00	2400	STLT LOBBY ENTRANCE
D161	32400	2400	+00	2400	STLT LOBBY ENTRANCE
D162	32600	2400	+00	2400	STLT LOBBY ENTRANCE
D163	32800	2400	+00	2400	STLT LOBBY ENTRANCE
D164	33000	2400	+00	2400	STLT LOBBY ENTRANCE
D165	33200	2400	+00	2400	STLT LOBBY ENTRANCE
D166	33400	2400	+00	2400	STLT LOBBY ENTRANCE
D167	33600	2400	+00	2400	STLT LOBBY ENTRANCE
D168	33800	2400	+00	2400	STLT LOBBY ENTRANCE
D169	34000	2400	+00	2400	STLT LOBBY ENTRANCE
D170	34200	2400	+00	2400	STLT LOBBY ENTRANCE
D171	34400	2400	+00	2400	STLT LOBBY ENTRANCE
D172	34600	2400	+00	2400	STLT LOBBY ENTRANCE
D173	34800	2400	+00	2400	STLT LOBBY ENTRANCE
D174	35000	2400	+00	2400	STLT LOBBY ENTRANCE
D175	35200	2400	+00	2400	STLT LOBBY ENTRANCE
D176	35400	2400	+00	2400	STLT LOBBY ENTRANCE
D177	35600	2400	+00	2400	STLT LOBBY ENTRANCE
D178	35800	2400	+00	2400	STLT LOBBY ENTRANCE
D179	36000	2400	+00	2400	STLT LOBBY ENTRANCE
D180	36200	2400	+00	2400	STLT LOBBY ENTRANCE
D181	36400	2400	+00	2400	STLT LOBBY ENTRANCE
D182	36600	2400	+00	2400	STLT LOBBY ENTRANCE
D183	36800	2400	+00	2400	STLT LOBBY ENTRANCE
D184	37000	2400	+00	2400	STLT LOBBY ENTRANCE
D185	37200	2400	+00	2400	STLT LOBBY ENTRANCE
D186	37400	2400	+00	2400	STLT LOBBY ENTRANCE
D187	37600	2400	+00	2400	STLT LOBBY ENTRANCE
D188	37800	2400	+00	2400	STLT LOBBY ENTRANCE
D189	38000	2400	+00	2400	STLT LOBBY ENTRANCE
D190	38200	2400	+00	2400	STLT LOBBY ENTRANCE
D191	38400	2400	+00	2400	STLT LOBBY ENTRANCE
D192	38600	2400	+00	2400	STLT LOBBY ENTRANCE
D193	38800	2400	+00	2400	STLT LOBBY ENTRANCE
D194	39000	2400	+00	2400	STLT LOBBY ENTRANCE
D195	39200	2400	+00	2400	STLT LOBBY ENTRANCE
D196	39400	2400	+00	2400	STLT LOBBY ENTRANCE
D197	39600	2400	+00	2400	STLT LOBBY ENTRANCE
D198	39800	2400	+00	2400	STLT LOBBY ENTRANCE
D199	40000	2400	+00	2400	STLT LOBBY ENTRANCE
D200	40200	2400	+00	2400	STLT LOBBY ENTRANCE
D201	40400	2400	+00	2400	STLT LOBBY ENTRANCE
D202	40600	2400	+00	2400	STLT LOBBY ENTRANCE
D203	40800	2400	+00	2400	STLT LOBBY ENTRANCE
D204	41000	2400	+00	2400	STLT LOBBY ENTRANCE
D205	41200	2400	+00	2400	STLT LOBBY ENTRANCE
D206	41400	2400	+00	2400	STLT LOBBY ENTRANCE
D207	41600	2400	+00	2400	STLT LOBBY ENTRANCE
D208	41800	2400	+00	2400	STLT LOBBY ENTRANCE
D209	42000	2400	+00	2400	STLT LOBBY ENTRANCE
D210	42200	2400	+00	2400	STLT LOBBY ENTRANCE
D211	42400	2400	+00	2400	STLT LOBBY ENTRANCE
D212	42600	2400			


TOWER- 5A (REFUGE)
20TH & 30TH LVL LAYOUT (LVL= +61850 / +92350)



TOWER- 5B (REFUGE)
20TH & 30TH LVL LAYOUT (LVL= +61850 / +92350)



TOWER- 5B
REFUG LVL PLAN



TOWER- 5B REFUG LVL AREA DIAGRAM

TOTAL REFUG AREA AT 20TH / 30TH LVL				
ITEM	NO.S	WIDTH (MTR.)	LENGTH (MTR.)	AREA(SQ.MT.) = NO. X LENGTH X WIDTH
N1	1	3.725	2.530	9.424
N2	0.5	1.435	1.435	1.030
N3	1	1.435	1.095	1.571
N4	1	2.740	1.700	4.658
N5	1	1.870	1.580	2.955
N6	1	1.800	2.090	3.762
TOTAL REFUG AREA				23.400
GROSS AREA AT 20TH / 30TH (FAR+NON FAR)				467.517 (A)
GROSS AREA AT 21ST / 31 ST (FAR+NON FAR)				467.517 (B)
TOTAL GROSS AREA=(A+B)				935.034
GROSS AREA/12.5)				74.803
REFUG AREA REQUIRED				22.441 (C)
AREA ADDITIONAL FOR				0.9 (D)
REFUG AREA REQUIRED				23.341 (C+D)
REFUG AREA PROVIDED				23.400

Checked and found ok for Public Health (Internal) Service only subject to comments in forwarding letter No. SEP/12/...../2021

Superintending Engineer (HQ)
for Chief Engineer-I
H.O.P.R. Panchsila
SDE/VI/8

LEGEND -	
	AREA FAR
	AREA NON FAR
	SERVICE SHAFT (CUTOUT)
	2 HRS. FIRE RATED FULL HEIGHT WALL

TO BE READ WITH THIS OFFICE
MEMO NO.: 19613
DATED: 8/7/2021

TOWER- 5C (REFUGE)
20TH & 30TH LVL LAYOUT (LVL= +61850 / +92350)

Key Plan



DOOR WINDOW SCHEDULE					
TYPE	WIDTH	HEIGHT	SALL LVL	UNTEL LVL	REMARKS
D1	1050	2400	+00	2400	ENTRANCE
D2	900	2250	+00	2250	ENTRANCE
D3	750	2250	+00	2250	ENTRANCE
D4	900	2100	+00	2100	ENTRANCE
D5	1050	2400	+00	2400	ENTRANCE
D6	1050	2400	+00	2400	ENTRANCE
D7	1050	2400	+00	2400	ENTRANCE
D8	1050	2400	+00	2400	ENTRANCE
D9	1050	2400	+00	2400	ENTRANCE
D10	1050	2400	+00	2400	ENTRANCE
D11	1050	2400	+00	2400	ENTRANCE
D12	1050	2400	+00	2400	ENTRANCE
D13	1050	2400	+00	2400	ENTRANCE
D14	1050	2400	+00	2400	ENTRANCE
D15	1050	2400	+00	2400	ENTRANCE
D16	1050	2400	+00	2400	ENTRANCE
D17	1050	2400	+00	2400	ENTRANCE
D18	1050	2400	+00	2400	ENTRANCE
D19	1050	2400	+00	2400	ENTRANCE
D20	1050	2400	+00	2400	ENTRANCE
D21	1050	2400	+00	2400	ENTRANCE
D22	1050	2400	+00	2400	ENTRANCE
D23	1050	2400	+00	2400	ENTRANCE
D24	1050	2400	+00	2400	ENTRANCE
D25	1050	2400	+00	2400	ENTRANCE
D26	1050	2400	+00	2400	ENTRANCE
D27	1050	2400	+00	2400	ENTRANCE
D28	1050	2400	+00	2400	ENTRANCE
D29	1050	2400	+00	2400	ENTRANCE
D30	1050	2400	+00	2400	ENTRANCE
D31	1050	2400	+00	2400	ENTRANCE
D32	1050	2400	+00	2400	ENTRANCE
D33	1050	2400	+00	2400	ENTRANCE
D34	1050	2400	+00	2400	ENTRANCE
D35	1050	2400	+00	2400	ENTRANCE
D36	1050	2400	+00	2400	ENTRANCE
D37	1050	2400	+00	2400	ENTRANCE
D38	1050	2400	+00	2400	ENTRANCE
D39	1050	2400	+00	2400	ENTRANCE
D40	1050	2400	+00	2400	ENTRANCE
D41	1050	2400	+00	2400	ENTRANCE
D42	1050	2400	+00	2400	ENTRANCE
D43	1050	2400	+00	2400	ENTRANCE
D44	1050	2400	+00	2400	ENTRANCE
D45	1050	2400	+00	2400	ENTRANCE
D46	1050	2400	+00	2400	ENTRANCE
D47	1050	2400	+00	2400	ENTRANCE
D48	1050	2400	+00	2400	ENTRANCE
D49	1050	2400	+00	2400	ENTRANCE
D50	1050	2400	+00	2400	ENTRANCE
D51	1050	2400	+00	2400	ENTRANCE
D52	1050	2400	+00	2400	ENTRANCE
D53	1050	2400	+00	2400	ENTRANCE
D54	1050	2400	+00	2400	ENTRANCE
D55	1050	2400	+00	2400	ENTRANCE
D56	1050	2400	+00	2400	ENTRANCE
D57	1050	2400	+00	2400	ENTRANCE
D58	1050	2400	+00	2400	ENTRANCE
D59	1050	2400	+00	2400	ENTRANCE
D60	1050	2400	+00	2400	ENTRANCE
D61	1050	2400	+00	2400	ENTRANCE
D62	1050	2400	+00	2400	ENTRANCE
D63	1050	2400	+00	2400	ENTRANCE
D64	1050	2400	+00	2400	ENTRANCE
D65	1050	2400	+00	2400	ENTRANCE
D66	1050	2400	+00	2400	ENTRANCE
D67	1050	2400	+00	2400	ENTRANCE
D68	1050	2400	+00	2400	ENTRANCE
D69	1050	2400	+00	2400	ENTRANCE
D70	1050	2400	+00	2400	ENTRANCE
D71	1050	2400	+00	2400	ENTRANCE
D72	1050	2400	+00	2400	ENTRANCE
D73	1050	2400	+00	2400	ENTRANCE
D74	1050	2400	+00	2400	ENTRANCE
D75	1050	2400	+00	2400	ENTRANCE
D76	1050	2400	+00	2400	ENTRANCE
D77	1050	2400	+00	2400	ENTRANCE
D78	1050	2400	+00	2400	ENTRANCE
D79	1050	2400	+00	2400	ENTRANCE
D80	1050	2400	+00	2400	ENTRANCE
D81	1050	2400	+00	2400	ENTRANCE
D82	1050	2400	+00	2400	ENTRANCE
D83	1050	2400	+00	2400	ENTRANCE
D84	1050	2400	+00	2400	ENTRANCE
D85	1050	2400	+00	2400	ENTRANCE
D86	1050	2400	+00	2400	ENTRANCE
D87	1050	2400	+00	2400	ENTRANCE
D88	1050	2400	+00	2400	ENTRANCE
D89	1050	2400	+00	2400	ENTRANCE
D90	1050	2400	+00	2400	ENTRANCE
D91	1050	2400	+00	2400	ENTRANCE
D92	1050	2400	+00	2400	ENTRANCE
D93	1050	2400	+00	2400	ENTRANCE
D94	1050	2400	+00	2400	ENTRANCE
D95	1050	2400	+00	2400	ENTRANCE
D96	1050	2400	+00	2400	ENTRANCE
D97	1050	2400	+00	2400	ENTRANCE
D98	1050	2400	+00	2400	ENTRANCE
D99	1050	2400	+00	2400	ENTRANCE
D100	1050	2400	+00	2400	ENTRANCE

LEGEND FOR PLUMBING	
1	1" CO. SWP PVC SOIL & VENT PIPE
2	1" CO. SWP PVC WASTE & VENT PIPE
3	3/4" CO. SWP PVC AIR-EXHAUST PIPE
4	1" CO. SWP PVC
5	1" CO. SWP PVC
6	1" CO. SWP PVC
7	1" CO. SWP PVC
8	1" CO. SWP PVC
9	1" CO. SWP PVC
10	1" CO. SWP PVC
11	1" CO. SWP PVC
12	1" CO. SWP PVC
13	1" CO. SWP PVC
14	1" CO. SWP PVC
15	1" CO. SWP PVC
16	1" CO. SWP PVC
17	1" CO. SWP PVC
18	1" CO. SWP PVC
19	1" CO. SWP PVC
20	1" CO. SWP PVC
21	1" CO. SWP PVC
22	1" CO. SWP PVC
23	1" CO. SWP PVC
24	1" CO. SWP PVC
25	1" CO. SWP PVC
26	1" CO. SWP PVC
27	1" CO. SWP PVC
28	1" CO. SWP PVC
29	1" CO. SWP PVC
30	1" CO. SWP PVC
31	1" CO. SWP PVC
32	1" CO. SWP PVC
33	1" CO. SWP PVC
34	1" CO. SWP PVC
35	1" CO. SWP PVC
36	1" CO. SWP PVC
37	1" CO. SWP PVC
38	1" CO. SWP PVC
39	1" CO. SWP PVC
40	1" CO. SWP PVC
41	1" CO. SWP PVC
42	1" CO. SWP PVC
43	1" CO. SWP PVC
44	1" CO. SWP PVC
45	1" CO. SWP PVC
46	1" CO. SWP PVC
47	1" CO. SWP PVC
48	1" CO. SWP PVC
49	1" CO. SWP PVC
50	1" CO. SWP PVC
51	1" CO. SWP PVC
52	1" CO. SWP PVC
53	1" CO. SWP PVC
54	1" CO. SWP PVC
55	1" CO. SWP PVC
56	1" CO. SWP PVC
57	1" CO. SWP PVC
58	1" CO. SWP PVC
59	1" CO. SWP PVC
60	1" CO. SWP PVC
61	1" CO. SWP PVC
62	1" CO. SWP PVC
63	1" CO. SWP PVC
64	1" CO. SWP PVC
65	1" CO. SWP PVC
66	1" CO. SWP PVC
67	1" CO. SWP PVC
68	1" CO. SWP PVC
69	1" CO. SWP PVC
70	1" CO. SWP PVC
71	1" CO. SWP PVC
72	1" CO. SWP PVC
73	1" CO. SWP PVC
74	1" CO. SWP PVC
75	1" CO. SWP PVC
76	1" CO. SWP PVC
77	1" CO. SWP PVC
78	1" CO. SWP PVC
79	1" CO. SWP PVC
80	1" CO. SWP PVC
81	1" CO. SWP PVC
82	1" CO. SWP PVC
83	1" CO. SWP PVC
84	1" CO. SWP PVC
85	1" CO. SWP PVC
86	1" CO. SWP PVC
87	1" CO. SWP PVC
88	1" CO. SWP PVC
89	1" CO. SWP PVC
90	1" CO. SWP PVC
91	1" CO. SWP PVC
92	1" CO. SWP PVC
93	1" CO. SWP PVC
94	1" CO. SWP PVC
95	1" CO. SWP PVC
96	1" CO. SWP PVC
97	1" CO. SWP PVC
98	1" CO. SWP PVC
99	1" CO. SWP PVC
100	1" CO. SWP PVC

PLUMBING NOTE:-
* WASH BASIN TO FLOOR TRAP 1/2" CO. SWP WASTE PIPE
* FLOOR DRAIN TO FLOOR TRAP 1/2" CO. SWP WASTE PIPE
* FLOOR TRAP TO VERTICAL WASTE STACK 1/2" CO. SWP WASTE PIPE
* 1/2" CO. SWP WASTE STACK TO 1/2" CO. SWP WASTE PIPE

Owner:
OWNER'S NAME :
Vibrant infratech Pvt. Ltd & Others
in Collaboration with Union Buildmart Pvt. Ltd

Architect:
GIAN P. MATHUR AND ASSOCIATES (P) LTD.
C-55, East Of Kailash, New Delhi-110055
T: 011-46599556 / F: 011-46599512
E: info@gpmindia.com / W: www.gpmindia.com

Project Title:
GROUP HOUSING COLONY
UNDER (MIX LAND USE) TOD ZONE FOR
(86% GH COMPONENT & 14% COMMERCIAL COMPONENT)
ON THE AREA MEASURING 15.03125 ACRES
(LICENCE NO.:106 OF 2021, DATED 16.12.2021)
AT SECTOR -113, GURUGRAM

Status SUBMISSION DRAWING


Sheet Title
RESIDENTIAL BLOCK-TOWER-5B
20TH & 30TH (REFUGE)
LVL LAYOUT & AREA DETAILS

Owner's Sign
Union Buildmart Pvt. Ltd.
Authorized Signatory
Architect's Sign
GIAN P. MATHUR
Architect
CA No. 13769


SCALE: 1:100
DATE:
DWG. No.
SD/AR/M3M-113T-5B/105

1

TOWER-5A
STILT LVL LAYOUT



TOWER-5B
STILT LVL LAYOUT



TOWER-5B
STILT LVL LAYOUT

This is a "PROVISIONAL BUILDING PLAN"
approved only for the purpose of inviting
objections from the general public

SANJAY NIKHANG
ATP (HQ)

Member Secretary
BAC

Member
BAC

Member
BAC

TO BE READ WITH THIS OFFICE
MEMO NO.: 19613
DATED: 8/7/2022

J.D.

P.A.

A.T.P.

FAR AREA AT STILT LVL - TOWER -5B (All Distances are in Meter & Areas in Sqm)				
ADDITIONS (A)				
ITEM	NO.S	WIDTH (MTR.)	LENGTH (MTR.)	AREA(SQ.MT.) = NO. X LENGTH X WIDTH
A	1	24.120	19.425	468.531
TOTAL(A) =				468.531
DEDUCTION (B)				
ITEM	NO.S	WIDTH (MTR.)	LENGTH (MTR.)	AREA(SQ.MT.) = NO. X LENGTH X WIDTH
1	1	5.375	9.630	51.781
2	1	1.535	1.540	2.364
3	1	3.210	0.140	0.449
4	1	5.205	0.850	4.424
5	1	4.905	1.345	6.597
6	1	5.205	5.195	27.040
7	1	2.340	1.625	3.803
8	1	2.200	0.400	0.880
9	1	3.690	2.470	9.114
10	1	3.595	0.460	1.654
11	1	2.420	2.470	5.977
12	1	0.930	0.400	0.372
13	1	1.070	1.930	2.065
14	1	2.420	3.280	7.938
15	1	4.640	0.750	3.480
16	1	6.135	3.965	24.325
17	1	6.055	1.500	9.083
18	1	6.425	4.180	26.857
19	1	5.310	4.320	22.939
20	1	4.745	1.800	8.541
21	1	3.030	6.105	18.498
22	1	2.630	0.140	0.368
TOTAL				238.529
NON FAR (C)				
ITEM	NO.S	WIDTH (MTR.)	LENGTH (MTR.)	AREA(SQ.MT.) = NO. X LENGTH X WIDTH
N1	2	2.305	1.800	8.298
N2	1	0.370	1.500	0.555
N3	1	5.310	1.360	7.222
N4	1	0.925	3.965	3.688
N5	1	2.790	1.415	3.948
N6	1	4.675	2.450	11.454
N7	1	9.355	6.330	59.217
N8	1	0.400	3.690	1.478
N9	1	2.630	3.550	9.337
N10	1	2.345	1.665	3.904
N11	1	1.535	2.365	3.630
N12	1	0.400	3.905	1.562
N13	1	3.270	3.765	12.312
N14	1	0.300	0.445	0.134
N15	1	1.570	0.900	1.413
N16	1	1.270	0.700	0.889
N17	2	0.140	0.400	0.112
N18	1	3.595	0.080	0.288
N19	1	9.930	2.100	20.853
N20	1	3.690	4.780	17.638
N21	1	1.070	0.325	0.348
N22	1	1.270	0.425	0.540
TOTAL NON FAR				168.796
TOTAL FAR AREA AT STILT LVL. = ADDITION(A) - DEDUCTION (B+C) =				
468.531	-	238.529	-	168.796
				61.206
				SQ.MT

Checked and found ok for Public Health
(Internal) Service or subject to comments in
in forwarding letter to the H.C. (H.C. No. 10/2022)

Superintendent
for Chief Engineer
HSVP, P. (H.C. No. 10/2022)

SPE/US

LEGEND:-

- AREA FAR
- AREA NON FAR
- SERVICE SHAFT (CUTOUT)
- 2 HRS. FIRE RATED FULL HEIGHT WALL

Key Plan



DOOR WINDOW SCHEDULE					
TYPE	WIDTH	HEIGHT	SILL LVL.	UNIT LVL.	REMARKS
D1	1800	2400	+00	+00	ENTRANCE (ONE HOUR FIRE RATED DOOR)
D2	900	2200	+00	+00	BEDROOMS & MURPHY
D3	750	2200	+00	+00	TOILETS
D4	900	2100	+00	+00	MURPHY
D5	1200	2400	+00	+00	STILT LOBBY ENTRANCE
D61	2400	2400	+00	+00	BEDROOM
D62	2400	2400	+00	+00	BEDROOM
D63	2400	2400	+00	+00	BEDROOM
D64	2400	2400	+00	+00	BEDROOM
D65	2400	2400	+00	+00	BEDROOM
D66	2400	2400	+00	+00	BEDROOM
D67	2400	2400	+00	+00	BEDROOM
D68	2400	2400	+00	+00	BEDROOM
D69	2400	2400	+00	+00	BEDROOM
D70	2400	2400	+00	+00	BEDROOM
D71	2400	2400	+00	+00	BEDROOM
D72	2400	2400	+00	+00	BEDROOM
D73	2400	2400	+00	+00	BEDROOM
D74	2400	2400	+00	+00	BEDROOM
D75	2400	2400	+00	+00	BEDROOM
D76	2400	2400	+00	+00	BEDROOM
D77	2400	2400	+00	+00	BEDROOM
D78	2400	2400	+00	+00	BEDROOM
D79	2400	2400	+00	+00	BEDROOM
D80	2400	2400	+00	+00	BEDROOM
D81	2400	2400	+00	+00	BEDROOM
D82	2400	2400	+00	+00	BEDROOM
D83	2400	2400	+00	+00	BEDROOM
D84	2400	2400	+00	+00	BEDROOM
D85	2400	2400	+00	+00	BEDROOM
D86	2400	2400	+00	+00	BEDROOM
D87	2400	2400	+00	+00	BEDROOM
D88	2400	2400	+00	+00	BEDROOM
D89	2400	2400	+00	+00	BEDROOM
D90	2400	2400	+00	+00	BEDROOM
D91	2400	2400	+00	+00	BEDROOM
D92	2400	2400	+00	+00	BEDROOM
D93	2400	2400	+00	+00	BEDROOM
D94	2400	2400	+00	+00	BEDROOM
D95	2400	2400	+00	+00	BEDROOM
D96	2400	2400	+00	+00	BEDROOM
D97	2400	2400	+00	+00	BEDROOM
D98	2400	2400	+00	+00	BEDROOM
D99	2400	2400	+00	+00	BEDROOM
D100	2400	2400	+00	+00	BEDROOM
D101	2400	2400	+00	+00	BEDROOM
D102	2400	2400	+00	+00	BEDROOM
D103	2400	2400	+00	+00	BEDROOM
D104	2400	2400	+00	+00	BEDROOM
D105	2400	2400	+00	+00	BEDROOM
D106	2400	2400	+00	+00	BEDROOM
D107	2400	2400	+00	+00	BEDROOM
D108	2400	2400	+00	+00	BEDROOM
D109	2400	2400	+00	+00	BEDROOM
D110	2400	2400	+00	+00	BEDROOM
D111	2400	2400	+00	+00	BEDROOM
D112	2400	2400	+00	+00	BEDROOM
D113	2400	2400	+00	+00	BEDROOM
D114	2400	2400	+00	+00	BEDROOM
D115	2400	2400	+00	+00	BEDROOM
D116	2400	2400	+00	+00	BEDROOM
D117	2400	2400	+00	+00	BEDROOM
D118	2400	2400	+00	+00	BEDROOM
D119	2400	2400	+00	+00	BEDROOM
D120	2400	2400	+00	+00	BEDROOM
D121	2400	2400	+00	+00	BEDROOM
D122	2400	2400	+00	+00	BEDROOM
D123	2400	2400	+00	+00	BEDROOM
D124	2400	2400	+00	+00	BEDROOM
D125	2400	2400	+00	+00	BEDROOM
D126	2400	2400	+00	+00	BEDROOM
D127	2400	2400	+00	+00	BEDROOM
D128	2400	2400	+00	+00	BEDROOM
D129	2400	2400	+00	+00	BEDROOM
D130	2400	2400	+00	+00	BEDROOM
D131	2400	2400	+00	+00	BEDROOM
D132	2400	2400	+00	+00	BEDROOM
D133	2400	2400	+00	+00	BEDROOM
D134	2400	2400	+00	+00	BEDROOM
D135	2400	2400	+00	+00	BEDROOM
D136	2400	2400	+00	+00	BEDROOM
D137	2400	2400	+00	+00	BEDROOM
D138	2400	2400	+00	+00	BEDROOM
D139	2400	2400	+00	+00	BEDROOM
D140	2400	2400	+00	+00	BEDROOM
D141	2400	2400	+00	+00	BEDROOM
D142	2400	2400	+00	+00	BEDROOM
D143	2400	2400	+00	+00	BEDROOM
D144	2400	2400	+00	+00	BEDROOM
D145	2400	2400	+00	+00	BEDROOM
D146	2400	2400	+00	+00	BEDROOM
D147	2400	2400	+00	+00	BEDROOM
D148	2400	2400	+00	+00	BEDROOM
D149	2400	2400	+00	+00	BEDROOM
D150	2400	2400	+00	+00	BEDROOM
D151	2400	2400	+00	+00	BEDROOM
D152	2400	2400	+00	+00	BEDROOM
D153	2400	2400	+00	+00	BEDROOM
D154	2400	2400	+00	+00	BEDROOM
D155	2400	2400	+00	+00	BEDROOM
D156	2400	2400	+00	+00	BEDROOM
D157	2400	2400	+00	+00	BEDROOM
D158	2400	2400	+00	+00	BEDROOM
D159	2400	2400	+00	+00	BEDROOM
D160	2400	2400	+00	+00	BEDROOM
D161	2400	2400	+00	+00	BEDROOM
D162	2400	2400	+00	+00	BEDROOM
D163	2400	2400	+00	+00	BEDROOM
D164	2400	2400	+00	+00	BEDROOM
D165	2400	2400	+00	+00	BEDROOM
D166	2400	2400	+00	+00	BEDROOM
D167	2400	2400	+00	+00	BEDROOM
D168	2400	2400	+00	+00	BEDROOM
D169	2400	2400	+00	+00	BEDROOM
D170	2400	2400	+00	+00	BEDROOM
D171	2400	2400	+00	+00	BEDROOM
D172	2400	2400	+00	+00	BEDROOM
D173	2400	2400	+00	+00	BEDROOM
D174	2400	2400	+00	+00	BEDROOM
D175	2400	2400	+00	+00	BEDROOM
D176	2400	2400	+00	+00	BEDROOM
D177	2400	2400	+00	+00	BEDROOM
D178	2400	2400	+00	+00	BEDROOM
D179	2400	2400	+00	+00	BEDROOM
D180	2400	2400	+00	+00	BEDROOM
D181	2400	2400	+00	+00	BEDROOM
D182	2400	2400	+00	+00	BEDROOM
D183	2400	2400	+00	+00	BEDROOM
D184	2400	2400	+00	+00	BEDROOM
D185	2400	2400	+00	+00	BEDROOM
D186	2400	2400	+00	+00	BEDROOM
D187	2400	2400	+00	+00	BEDROOM
D188	2400	2400	+00	+00	BEDROOM
D189	2400	2400	+00	+00	BEDROOM
D190	2400	2400	+00	+00	BEDROOM
D191	2400	2400	+00	+00	BEDROOM
D192	2400	2400	+00	+00	BEDROOM
D193	2400	2400	+00	+00	BEDROOM
D194	2400	2400	+00	+00	BEDROOM
D195	2400	2400	+00	+00	BEDROOM
D196	2400	2400	+00	+00	BEDROOM
D197	2400	2400	+00	+00	BEDROOM
D198	2400	2400	+00	+00	BEDROOM
D199	2400	2400	+00	+00	BEDROOM
D200	2400	2400	+00	+00	BEDROOM

- PLUMBING NOTE:-
1. 100mm DIA. PVC. WASTE PIPE
 2. 100mm DIA. PVC. WASTE PIPE
 3. 100mm DIA. PVC. WASTE PIPE
 4. 100mm DIA. PVC. WASTE PIPE
 5. 100mm DIA. PVC. WASTE PIPE
 6. 100mm DIA. PVC. WASTE PIPE
 7. 100mm DIA. PVC. WASTE PIPE
 8. 100mm DIA. PVC. WASTE PIPE
 9. 100mm DIA. PVC. WASTE PIPE
 10. 100mm DIA. PVC. WASTE PIPE
 11. 100mm DIA. PVC. WASTE PIPE
 12. 100mm DIA. PVC. WASTE PIPE
 13. 100mm DIA. PVC. WASTE PIPE
 14. 100mm DIA. PVC. WASTE PIPE
 15. 100mm DIA. PVC. WASTE PIPE
 16. 100mm DIA. PVC. WASTE PIPE
 17. 100mm DIA. PVC. WASTE PIPE
 18. 100mm DIA. PVC. WASTE PIPE
 19. 100mm DIA. PVC. WASTE PIPE
 20. 100mm DIA. PVC. WASTE PIPE
 21. 100mm DIA. PVC. WASTE PIPE
 22. 100mm DIA. PVC. WASTE PIPE

Owner:

OWNER'S NAME :
Vibrant infratech Pvt. Ltd & Others
in Collaboration with Union Buildmart Pvt. Ltd

Architect:

gpm
ARCHITECTS
& PLANNERS

DR. P. MATHUR AND ASSOCIATES (P) LTD
C-55, East Of Kailash, New Delhi-110055
011-46595959 / F: 011-46595912
E: info@gpmindia.com / W: www.gpmindia.com

Project Title:

GROUP HOUSING COLONY
UNDER (MIX LAND USE) TOD ZONE FOR
(86% GH COMPONENT & 14% COMMERCIAL COMPONENT)
ON THE AREA MEASURING 15.0125 ACRES
(LICENCE NO-106/01/2021, DATED 16.12.2021)
AT SECTOR-113, GURUGRAM

Status: SUBMISSION DRAWING

Sheet Title

RESIDENTIAL BLOCK-TOWER-5B
STILT LVL LAYOUT &
AREA DETAILS


Owner's Sign

Union Buildmart Pvt. Ltd.


Architect's Sign

DR. P. MATHUR
B. Arch., M.A., I.L.D

TOWER- 5A TYPICAL LVL LAYOUT
(LEVEL - 6th to 19th, 21st to 29th & 31st to 36th)



TOWER- 5B TYPICAL LVL LAYOUT
(LEVEL - 6th to 19th, 21st to 29th & 31st to 36th)



TOWER- 5B TYPICAL LVL AREA DIAGRAM
(LEVEL - 6th to 19th, 21st to 29th & 31st to 36th)

CARPET AREA (4BHK+STUDY)				
(All Distances are in Meter & Areas in Sqm)				
ADDITIONS (A)				
ITEM	NO.S	WIDTH (MTR.)	LENGTH (MTR.)	AREA(SQ.MT.) = NO.X LENGTH X WIDTH
A	1	16.190	12.140	198.547
TOTAL(A) =				198.547
DEDUCTION (B)				
ITEM	NO.S	WIDTH (MTR.)	LENGTH (MTR.)	AREA(SQ.MT.) = NO.X LENGTH X WIDTH
1	1	0.160	0.140	0.022
2	1	1.960	2.560	4.998
3	1	1.500	1.950	2.925
4	1	2.060	2.890	5.966
5	1	0.260	0.140	0.036
6	1	0.100	0.510	0.051
7	1	0.100	0.890	0.089
8	1	2.440	0.660	1.610
9	1	0.100	0.610	0.061
10	1	1.055	0.450	0.475
11	1	0.100	0.705	0.071
12	1	3.625	2.420	8.773
12A	1	0.850	0.050	0.043
13	1	0.400	0.140	0.056
14	1	0.100	0.140	0.014
15	1	0.500	0.100	0.050
16	1	0.715	0.100	0.072
17	2	0.240	0.100	0.048
18	1	5.765	2.835	16.344
19	1	5.695	1.700	9.682
19A	2	0.050	0.750	0.075
20	2	0.600	0.100	0.120
21	1	0.650	0.100	0.065
22	1	5.525	1.700	9.393
23	1	1.740	1.700	2.958
24	1	1.680	4.440	7.463
24A	1	0.160	0.630	0.101
25	1	0.160	0.100	0.016
TOTAL				72.088
TOTAL CARPET AREA CALCULATION = ADDITION(A) -				124.488 SQMT

CARPET AREA (4BHK+STUDY+UTILITY)				
(All Distances are in Meter & Areas in Sqm)				
ADDITIONS (A)				
ITEM	NO.S	WIDTH (MTR.)	LENGTH (MTR.)	AREA(SQ.MT.) = NO.X LENGTH X WIDTH
A	1	17.645	14.730	259.911
TOTAL(A) =				259.911
DEDUCTION (B)				
ITEM	NO.S	WIDTH (MTR.)	LENGTH (MTR.)	AREA(SQ.MT.) = NO.X LENGTH X WIDTH
1	1	2.890	1.560	4.508
1A	1	0.050	0.750	0.038
2	1	5.835	1.712	9.990
3	1	0.540	0.100	0.054
4	1	0.680	0.100	0.068
5	1	0.720	0.100	0.072
6	2	0.160	0.140	0.045
7	1	5.740	4.220	24.223
8	2	0.240	0.100	0.048
9	1	0.575	0.100	0.058
10	1	0.440	0.100	0.044
10A	1	0.080	1.360	0.109
11	1	3.865	5.285	19.408
11A	1	0.900	0.050	0.045
12	1	0.100	0.200	0.020
13	1	0.200	0.200	0.040
14	1	1.355	3.485	4.739
15	1	1.070	1.600	1.712
16	1	0.400	0.890	0.356
17	1	1.920	0.340	0.653
18	2	0.160	0.100	0.032
19	1	1.980	0.750	1.485
20	1	2.082	1.965	4.091
21	1	0.750	2.935	2.201
22	1	0.700	3.035	2.125
23	1	6.820	5.125	35.465
23A	1	0.400	0.140	0.056
24	1	3.030	4.585	13.893
TOTAL				128.570
TOTAL CARPET AREA CALCULATION = ADDITION(A) -				134.340 SQMT

Checked and found ok for Public Health
(Internal) Service only subject to comments in
in forwarding letter No. SE(HQ).....DV.....
Superintending Engineer (HQ)
for Chief Engineer,
HDPF, Panaji
SPE/UVJ

FAR AREA AT TYPICAL LVL - TOWER- 5B				
(All Distances are in Meter & Areas in Sqm)				
ADDITIONS (A)				
ITEM	NO.S	WIDTH (MTR.)	LENGTH (MTR.)	AREA(SQ.MT.) = NO.X LENGTH X WIDTH
A	1	34.395	28.545	981.805
TOTAL(A) =				981.805
DEDUCTION (B)				
ITEM	NO.S	WIDTH (MTR.)	LENGTH (MTR.)	AREA(SQ.MT.) = NO.X LENGTH X WIDTH
1	1	11.190	4.475	50.075
1A	2	5.345	0.140	1.497
2	2	4.445	1.800	16.002
3	1	3.335	6.100	20.344
3A	1	1.480	0.140	0.207
4	1	1.455	3.690	5.369
5	1	3.555	0.900	3.200
6	1	1.840	1.200	2.208
7	1	1.820	1.800	3.276
8	1	1.350	0.750	1.013
9	1	1.800	1.785	3.213
9A	1	0.140	1.625	0.228
10	1	0.700	1.275	0.893
11	1	0.300	0.700	0.210
12	1	0.300	0.850	0.255
12A	1	3.210	0.140	0.449
13	1	3.370	4.170	14.053
14	1	1.535	5.650	8.673
14A	1	0.775	0.760	0.589
15	1	5.375	7.160	38.485
16	1	4.640	6.105	28.458
16A	1	2.630	0.140	0.368
17	1	4.745	1.800	8.541
18	1	5.680	4.180	23.742
18A	1	5.310	0.140	0.743
19	1	16.330	9.645	157.503
19A	1	0.080	3.965	0.317
20	1	4.640	0.750	3.480
21	1	12.695	3.280	41.640
22	1	10.275	1.700	17.468
23	1	9.405	1.580	14.860
24	1	1.800	2.090	3.762
24A	1	0.140	1.930	0.270
25	1	1.330	0.750	0.998
26	1	1.825	0.890	1.625
27	1	1.840	1.950	3.588
28	1	1.980	2.550	5.049
29	1	1.760	6.100	10.736
29A	1	1.460	0.140	0.207
TOTAL				488.491
SERVICE SHAFT & LIFT (C)				
ITEM	NO.S	WIDTH (MTR.)	LENGTH (MTR.)	AREA(SQ.MT.) = NO.X LENGTH X WIDTH
L1	2	2.250	2.150	9.675
L2	1	2.150	3.000	6.450
S1	1	1.250	1.480	1.850
S2	1	1.250	0.850	1.063
S3	4	0.390	1.700	2.652
S4	2	0.300	0.605	0.363
S5	2	0.840	1.500	2.520
S6	1	0.250	1.145	0.286
S7	1	0.500	0.660	0.330
S8	0	0.390	1.560	0.608
TOTAL SERVICES AREA				26.797
NON FAR STAIRCASE (D)				
ITEM	NO.S	WIDTH (MTR.)	LENGTH (MTR.)	AREA(SQ.MT.) = NO.X LENGTH X WIDTH
FS1	2	2.750	3.500	19.250
TOTAL NON FAR AREA				19.250
DEDUCTION (E)				
ITEM	NO.S	WIDTH (MTR.)	LENGTH (MTR.)	AREA(SQ.MT.) = NO.X LENGTH X WIDTH
SW2	2	0.250	2.250	1.125
TOTAL DEDUCTION (E) =				1.125
TOTAL FAR AREA AT TYPICAL LVL = ADDITION(A) -				961.805
DEDUCTION (B+C+D+E) =				488.491
TOTAL FAR AREA AT TYPICAL LVL =				473.314 SQ.MT

LEGEND -
AREA FAR
AREA NON FAR
SERVICE SHAFT (CUTOUT)
2 HRS. FIRE RATED FULL HEIGHT WALL

DOOR WINDOW SCHEDULE				
TYPE	WIDTH	HEIGHT	SILL LVL.	UNTEL LVL.
REMARKS				
D1	1050	2400	+0	2400
ENTRANCE (ONE HOUR FIRE RATED DOOR)				
D2	900	2250	+0	2250
BEDROOM & MUMTY				
D3	180	2250	+0	2250
TOILETS				
D4	900	2100	+0	2100
MUMTY				
D5	1200	2400	+0	2400
STL7 LOBBY ENTRANCE				
S01	3000	2400	+0	2400
BEDROOM				
S02	3000	2400	+0	2400
BEDROOM				
S03	2400	2400	+0	2400
DRAWING				
S04	3000	2400	+0	2400
BEDROOM				
S05	1800	2400	+0	2400
BEDROOM				
S06	1400	2400	+0	2400
BEDROOM				
DW1	1600	1300	+0.00	3400
KITCHEN				
DW2	1200	2400	+0	2400
BED ROOM				
DW3	1100	1300	+0.00	3400
KITCHEN				
DNA	1075	2400	+0	2400
BED ROOM				
W	400	1900	+0	1900
TOILETS				
V2	425	1300	+0.00	2400
STAIRCASE				
W1	1250	LIFT & ELEVATOR FROM FRL LVL.		-
TOILETS				
D2	900	2100	000	2100
MACHINE ROOM				
M1	1200	2100	000	2100
BED ROOM				
D3	1200	2000	+0	2000
HALL				
F01	1000	2100	+0	2100
FIRE DOOR				
F02	1200	2100	+0	2100
FIRE DOOR				
F03	1000	2100	+0	2100
FIRE DOOR				