









LEGENDS FOR REINFORCEMENT IN SLAB :-

Bar No.	1	2	3	4	5	6	7	8	9	10	11	12
1	a1	a2	a3	a4	a5	a6	a7	a8	a9	a10	a11	a12
2	b1	b2	b3	b4	b5	b6	b7	b8	b9	b10	b11	b12
3	c1	c2	c3	c4	c5	c6	c7	c8	c9	c10	c11	c12
4	d1	d2	d3	d4	d5	d6	d7	d8	d9	d10	d11	d12
5	e1	e2	e3	e4	e5	e6	e7	e8	e9	e10	e11	e12
6	f1	f2	f3	f4	f5	f6	f7	f8	f9	f10	f11	f12
7	g1	g2	g3	g4	g5	g6	g7	g8	g9	g10	g11	g12
8	h1	h2	h3	h4	h5	h6	h7	h8	h9	h10	h11	h12
9	i1	i2	i3	i4	i5	i6	i7	i8	i9	i10	i11	i12
10	j1	j2	j3	j4	j5	j6	j7	j8	j9	j10	j11	j12
11	k1	k2	k3	k4	k5	k6	k7	k8	k9	k10	k11	k12
12	l1	l2	l3	l4	l5	l6	l7	l8	l9	l10	l11	l12

GUIDELINES FOR READING SLAB REINFORCEMENT :-

1. ALL DIMENSIONS SHOWN ARE IN MM (UNLESS MENTIONED).

2. FOLLOW WRITTEN DIMENSIONS ONLY. DO NOT MEASURE ANY DIMENSION.

3. PROVIDED 2-12T (7d8) IN SLABS WHEREIN WALLS WHEREIN NO BEAM IS PROVIDED.

4. FOR QUANTITY OF REINFORCEMENT, PLACEMENT BEAM NUMBERS & SLAB THICKNESS NOT SHOWN.

5. INDICATES TOP BARS.

6. INDICATES BOTTOM BARS.

7. CLEAR COVER TO SLAB REIN SHALL BE 20mm.

7th FLOOR SLAB REINF. PART PLAN

5th & 6th FLOOR SLAB REINF. PART PLAN

4th FLOOR TO 18th FLOOR TYPICAL SLAB REINF. PLAN (SCALE 1:125)

4th FLOOR SLAB REINF. PART PLAN

4th, 6th, 8th, 10th, 12th, 14th FLOOR SLAB REINF. PLAN (SCALE 1:125)

TERMINATION LVL. 5th FLOOR

CONCRETE GRADE M40	COL. NO.	TYPE	DIA	NUMBER
25T	4 NO.	○	16T	4 NO.

TERMINATION LVL. 8th FLOOR

CONCRETE GRADE M40	COL. NO.	TYPE	DIA	NUMBER
25T	4 NO.	○	20T	4 NO.

TERMINATION LVL. 10th FLOOR

CONCRETE GRADE M40	COL. NO.	TYPE	DIA	NUMBER
25T	4 NO.	○	25T	4 NO.

TERMINATION LVL. 12th FLOOR

CONCRETE GRADE M40	COL. NO.	TYPE	DIA	NUMBER
25T	4 NO.	○	25T	4 NO.

LEGEND FOR LATERAL TIES :-

11	12T@75c/c - ZONE A
11	8T@150c/c - ZONE B