

Tel : 2572449 Fax : 2564655

Website: www.hsvp.org.in Email

: cencrhsvp@ gmail.com

#### HARYANA SHEHRI VIKAS PRADHIKARAN

Address: C-3, HSVP, HQ Sector-6 Panchkula

From

The Engineer in Chief, HSVP, Panchkula.

To

The Director, Town and Country Planning, Haryana, Chandigarh.

Memo No: - EIC/SE(HQ)/SDE(W)/2020/ 153848

SUB:

Approval of service plan estimates of Affordable Residential Plotted Colony (Under Deen Dyal Jan Awas Yojna) measuring 5.00 acres area falling in the revenue estate of Village Jaundhi, Sec-29, Jhajjar (Haryana) being developed by Vijaylaxmi Infrabuild Pvt. Ltd. (License No. 27 of 2019 dated 24.02.2019).

\*\*\*\*\*\*

Ref:-

Please refer to your office memo no. ZP-1346/ AD(NA)/2019/368 dated 06.01.2020 vide which approved the revised layout cum demarcation plans of Affordable Residential Plotted Colony (Under Deen Dyal Jan Awas Yojna) cited in the subject above were approved by your office.

The rough cost estimate/service plans for providing Public Health/B&R services to be provided by the colonizer by M/S. Vijaylaxmi Infrabuild Pvt. Ltd. falling in Affordable Residential Plotted Colony (Under Deen Dyal Jan Awas Yojna) on the land measuring 5.00 acres area falling in the revenue estate of Village Jaundhi, Sector-29, Jhajjar(Haryana), have been received from Superintending Engineer, HSVP Circle-Ivide his memo no.149569 dated 21.09.2020. The same have been checked and corrected wherever necessary and are sent herewith for execution as well as for Bank Guarantee purpose, subject to the following comments:-

## 1. EXTERNAL DEVELOPMENT CHARGES:-

The colonizer will have to pay the proportionate cost of external development charges for setting up of Affordable Residential Plotted Colony for the services like water supply, sewerage, storm water drainage, roads, bridges, community building, street lighting horticulture and Mtc. thereof etc. on gross acreage basis as and when determined by HSVP. These charges will be modifiable as and when approved by the authority /State Govt. and will be binding upon the colonizer.

## 2. MAINTENANCE OF SERVICES:-

The mtc. charges for various services like water supply, sewerage, storm water drainage, roads, Hort., street lighting etc. etc. and resurfacing of roads has been included in the estimate as per detail given in the estimate and the total cost works out to Rs.155.44 lacs. As they are liable to maintain the estate developed by them as per HSVP norms for ten years.

### 3. DENSITY/AREA/POPULATION:-

The overall density of the Affordable Residential Plotted Colony works out to 241 PPA considering 13.5 person per plot. The category wise area as shown on the plans and proposed density of population thereof has been treated to be correct



: 2572449 Tel : 2564655 Fax

Website: www.hsvp.org.in : cencrhsvp@ gmail.com

**Email** Address: C-3, HSVP, HQ Sector-6

HARYANA SHEHRI VIKAS PRADHIKARAN Panchkula

for the purposes of services only. This may be checked and confirmed by your office that overall density of sector should be maintained according to the final development plan.

- 4. The title and name of the licence may be examined by your office.
- 5. All technical notes and comments incorporated in this estimate in two sheets will also apply. A copy of these are also appended as Annexure-'A'.
- 6. The colonizer will have to ensure that sewer/storm water laid by them will be connected with the proposed existing master services by gravity. If it is not possible to connect the services by gravity, it will be the responsibility of the colonizer to make the pumping arrangement and Mtc. thereof for all the time to come.
- 7. It may be made clear to the colonizer that he will not make the connection with the master services without prior approval of the competent authority, in writing.
- 8. The layout plan for setting up of Affordable Residential plotted colony (Under Deen Dyal Jan Awas Yojna) having an area 5.00 acres supplied by your office memo no. ZP-1346/AD(NA)/2019/368 dated 06.01.2020 have been considered to be correct for the purposes of estimation/services only.
- For disposal of sewage of the colony, the colonizer has proposed Sewage 9. Treatment Plant in their colony. It may be made clear to the colonizer that he will be sole responsible for disposal of sewage of their colony as per requirement of HSPCB/Environment Deptt. till such time the HSVP services are made available as per proposal of the Town. All the link connection with the HSVP services shall be made by the colonizer at his own cost.
- The estimate does not include the provision of electrification of the colony. 10. However, it may be made clear to the colonizer that the supervision charges O & M charges shall be paid by them directly to the HVPNL Deptt.
- Presently T/Wells based water supply is proposed. The potability of the water 11 before supply the water to residents be made ensured by the colonizer.
- For licenses at isolated places or at places where HSVP has to acquire and float 12. sector, Licensees will have to make their own arrangement by way of installation of T/Well after approval from CGWB, with in their respective colonies. HSVP can make available the water only after HSVP sector in which licensed area falls is development. It is also subject to:-
- 1) Availability of litigation and encroachment free land.
- Permission within reasonable period from CGWB forest and Environment ii) Deptt.
- Till the water supply and other services are made available by HSVP, the licenses 111) will have to make their own arrangement T/Wells can be bored with permission from Central Ground Water Board and other concerned authority for the purposes
- HSVP shall supply the drinking water only to the license granted in the IV) master plan area.



HARYANA SHEHRI VIKAS PRADHIKARAN Tel : 2572449 Fax : 2564655

Website : www.hsvp.org.ln Email : cencrhsvp@ gmail.com

Address: C-3, HSVP, HQ Sector-6 Panchkula

- 13. It may be made clear to the colonizer that there will be no pollution due to disposal of sewerage of their colony. The disposal of effluent should be in accordance to the standard norms, fixed by the Haryana State Pollution Control Board/Environment Deptt.
- 14. The colonizer will be responsible for the construction of various structures such as RCC,CWT and OHSR; water/sewage treatment plant etc. according to the standard specification, good quality workmanship, stability and water tightness of all the structures will be responsibility of the colonizer.
- 15. Recycled water is proposed to be utilized for flushing purposes. The firm has made provision of separate flushing line, storage tank, metering system, pumping system and plumbing. It may be clarified to developer that no tap or outlet of any kind will be provided from the flushing lines/plumbing lines for recycled water except for connection to the cistern of flushing tanks and any scouring arrangement. Even ablution taps should be avoided.
  - (i) Two separate distribution systems, independent to each other, will be adopted, one for potable water supply and second for recycled water. Home/Office/ business establishment will have access to two water pipe lines.
  - (ii) Potable water and recycled water supply lines will be laid on apposite berms of road. Recycled water lines will be above sewer lines. Wherever unavoidable and it all pipes are required to be laid on same side of road, these will be located from the ground surface in order of descending quality. Potable water shall be above recycled water which should be above sewer. Minimum clear vertical separation between a potable water line and a recycled water line shall be one foot it not possible then readily identifiable sleeve should be used.

# To avoid any accidental use of recycled water for potable purposes all:-

- (a) Recycle water pipes, fittings, Appurtenances, valves, taps, meters, hydrants will be of Red Color or painted red.
- (b) Sign and symbols signifying and clearly indicating "Recycle Water" "Not fit for Drinking" must invariably be stamped/fixed on outlets, Hydrants Valves both surface and subsurface, Covers and at all conspicuous places of recycle distribution system.
- (c) Detectable marker tapes of red color bearing words "Recycle Water" should be fixed at suitable interval on pipes.
- (d) Octagonal covers, red in color or painted Red and words "Recycle Water-Not fit for Drinking" embossed on them should be used for recycled water.
- In case it is decided by Govt. that HSVP/Govt. will construct 24 Mtrs. Wide road and will extended master services on 24 Mtrs. Internal circulation road then additional amount at rates as decided by the authority/Govt. will be recoverable over and above EDC.
- 17. Since the construction of master road is yet tobe take place. The developer will get the road level/formation level of his services fixed from the concerned Superintending Engineer, before execution.

SFI

SF(HQ)



: 2572449 Tel : 2564655 Fax

Website: www.hsvp.org.in : cencrhsvp@ gmail.com Email

Address: C-3, HSVP, HQ Sector-6

Panchkula

HARYANA SHEHRI VIKAS PRADHIKARAN

It may be made clear to the colonizer that the detailed technical proposal/scheme shall 18 be got approved from the concerned SE, before execution of work at site.

In case some additional structures are required to be constructed and decided by the 19. HSVP at a later stage, the same will be binding upon the colonizer .Flow control valves will be installed preferably of automatic type on water supply connection with HSVP water supply line.

#### NOTE(1):-

In order to implement the directions given by National Green Tribunal in O.A. No. 21 of 2014 and No. 95 of 2014 (in the matter of Vardhman Kaushik V/s. Union of India and Ors), instructions have been issued vide this office letter No. 2121-37 dated 23.2.2015, 2609-19 dated 5.3.2015, 4412-21 dated 22.4.2015, 4971-89 dated 30.4.2017, 5442-5457 dated 11.05.2015, 15622-43 dated 10.12.2015, 1-16 dated 1.1.2016 and No. 114152-154/1141160-114196 dated 21.1.2016 (copies of all these reference placed below). The same may be incorporated in the estimate and the developer must ensure implementation of these instructions at site.

The estimated cost of various services to be provided by the colonizer for the development of internal services has been checked and corrected for the purpose of bank guarantee and work out as under:-

Sr. No:	DESCRIPTION	AMOUNT IN LACS.
1.	Water Supply	Rs.112.65 Lacs.
2.	Sewerage	Rs. 59.55 Lacs.
3.	Storm Water Drainage	Rs. 39.90 Lacs.
4.	Roads and Footpath	Rs.121.33 Lacs.
5.	Street Lighting	Rs. 19.20 Lacs.
6.	Horticulture	Rs. 2.87 Lacs.
7.	Maintenance of services for ten years	
	including resurfacing of road after	
	Ist five years and IInd five years	
	of maintenance (as per HSVP norms) Rs.155.44 Lacs.	
	( ре, не	Rs.510.94 Lacs
		113.310.94 1 acc

Say Rs. 510.95 Lacs.

Dev. Cost per acre = Rs. 510.95 Lacs/Rs. 5.00 acres= Rs. 102.19 Lacs per gross

Two copies of the estimate along with **Four Plans** and proposal as received are returned herewith duly corrected and signed for further necessary action.

It is requested to get three copies of the estimate/service plan from the colonizer for distribution amongst the field station.

DA/-Estimate in duplicate along with Four Plans & Annexure-A.

> SuperIntending Engineer (HQ), For Engineer in Chief, HSVP, Panchkula

Dated:-

Endst. No: -

A copy of the above is forwarded to the Superintending Engineer, HSVP, Circle-I-Gurugram for information with reference to his memo no. 149569 dated 21.09.2020.

> Superintending Engineer (HQ), For Engineer in Chief, HSVP, Panchkula.



HARYANA SHEHRI VIKAS PRADHIKARAN Fax : 2564655

Website : <u>www.hsvp.org.in</u> Email : cencrhsvp@ gmail.com

Address: C-3, HSVP, HQ Sector-6

Panchkula

EIC No. Dated:

Annexure-A

SUB:- Approval of service plan estimates of Affordable Residential Plotted Colony (Under Deen Dyal Jan Awas Yojna) measuring 5.00 acres area falling in the revenue estate of Village Jaundhi, Sec-29, Jhajjar (Haryana) being developed by Vijaylaxmi Infrabuild Pvt. Ltd. (License No. 27 of 2019 dated 24.02.2019).

### Technical note and comments:-

- All detailed working drawings would have to be prepared by the colonizer for Integrating the internal services proposals with the master proposals of town.
- The correctness of the levels will be the sole, responsibility of the colonizer for the integration of Internal proposals, with the master proposals, of town and will be got confirmed before execution.
- 3. The material to be used shall the same specifications as are being adopted by HSVP and further shall also confirm to such directions, as issued by Chief Engineer, HSVP from time to time.
- 4. The work shall be carried out according to Haryana PWD specification or such specifications as are being followed by HSVP. Further it shall also confirm to such other directions, as are issued by Chief Engineer, HSVP from time to time.
- 5. The colonizer will be fully responsible to meet the demand of water supply and allied services till such time these are made available by State Government/ HSVP. All link connections with the State Government/ HSVP system and services will be done by the colonizer. If necessary extra tube-wells shall also be installed to meet extra demand of water beyond the provision according to EDC deposited.
- 6. Structural design & drawings of all the structures, such as pump chamber, boosting chamber, RCC OHSR underground tanks quarters, manholes chamber, sections of RCC pipes sewer and SW pipes, sewer, ventilating shafts for sewerage and Masonry Ventilation Chamber for Chamber for storm water drainage, temporary disposal/ arrangement etc. will be as per relevant I.S codes and PWD specifications; colonizer himself will be responsible for structural stability of all structures.

SFI

SE(HQ)



HARYANA SHEHRI VIKAS PRADHIKARAN

: 2564655 Fax

Website : www.hsvp.org.in

: cencrhsvp@ gmail.com Email

Address: C-3, HSVP, HQ Sector-6 Panchkula

EIC No:

Dated:

Potability of water will be checked and confirmed and the tube-wells will be 7. put into operation after getting chemical analysis of water tested.

Only C.I/D.I pipes will be used in water supply and flushing system, 8. UPVC/HDPE pipe for irrigation purposes.

A minimum 100 i/d C.I/D.I, 200mm i/d SW and 400mm id RCC NP-3 pipes 9. will be used for water supply, sewerage and storm water drainage respectively.

Standard X-section for S.W. pipes sewer, RCC pipes sewer etc. will be 10. followed as are being adopted in Haryana Public Health Engineering Deptt.or HSVP.

The X-section, width of roads, will be followed as approved by the Chief 11. Town Planner, Haryana, Chandigarh. The kerbs and channels will also be provided as per approved X-section and specifications.

The specifications for various roads will be followed as per IRC/MORTH 12. specifications.

The wiring system of street lighting and specifications of street lighting 13. fixture will be as per relevant standards.

This shall confirm to such other conditions as are incorporated in the 14. approved estimate and the letter of approval.

For

Superintending Engineer (HQ), Engineer in Chief, HSVP, Panchkula.