

Building plans have been checked and found in order as per Public Health Services point of view.

1. BUILDING WILL BE DESIGNED (STRUCTURES) AS PER RELEVANT IS CODES FOR EARTH QUAKE RESISTANCE.
2. THE BUILDING IS ARTIFICIALLY LIT AND MECHANICALLY VENTILATED.

LEGEND: -

PROJECT:

REVISED BUILDING PLANS OF GROUP HOUSING COLONY AREA MEASURING 25,087 ACRES (LICENSE NO. 123 OF 2012 DATED 20-12-2012 IN SECTOR-63, GURGAON BEING DEVELOPED BY ARLIE BUILDERS & DEVELOPERS PVT. LTD. AND OTHERS IN COLLABORATION WITH DLF HOME DEVELOPERS LTD (EARLIER KNOWN AS DLF NEW GURGAON HOME DEVELOPERS PVT LTD)

ARCHITECTURE:
ARCOP

ARCOP ASSOCIATES PVT LTD
Plot No. 36B, Sector-32, Institutional Area,
Gurgaon, Haryana. 122001. India
Tel.: 91-124-4595500
Fax: 91-124-4595550

TO BE READ WITH THIS OFFICE
MEMO NO. 2097
DATE: 20-01-2023

STP(HQ) STP(HQ) STP(G) CIP(H)
 Member BPAC BPAC BPAC
 STP(HQ) STP(HQ) STP(G) CIP(H)
 Member BPAC BPAC BPAC

TP(HQ)

②

ARCHITECT'S SEAL
& SIGNATURE

DATE: 04/04/2018

HAILEEN BHATTNAGARI
ARCHITECT
C4 A11A

Registration No.: CA/2003/32077
14795

JAN - 2023

DATE: 2020.	SCALE: 1:1000	Drawing No: -
Drawing Title: -		STREET LIGHTING & TR 04

STILT FLOOR AREA CALCULATION



1. BUILDING WILL BE DESIGNED (STRUCTURES) AS PER RELEVANT IS CODES FOR EARTH QUAKE RESISTANCE.
2. THE BUILDING IS ARTIFICIALLY LIT AND MECHANICALLY VENTILATED.

LEGEND: -

PROJECT :

REVISED BUILDING PLANS OF GROUP
HOUSING COLONY AREA MEASURING 25.087
ACRES (LICENCE NO. 123 OF 2012 DATED
20-12-2012 IN SECTOR-63, GURGAON, BEING
DEVELOPED BY ARLIE BUILDERS &
DEVELOPERS PVT. LTD. AND OTHERS IN
COLLABORATION WITH DLF HOME
DEVELOPERS LTD) EARLIER KNOWN AS DLF
NEW GURGAON HOME DEVELOPERS PVT.LTD)

1. BUILDING WILL BE DESIGNED (STRUCTURES) AS PER RELEVANT IS CODES FOR EARTH QUAKE RESISTANCE.
2. THE BUILDING IS ARTIFICIALLY LIT AND MECHANICALLY VENTILATED.

LEGEND:—

PROJECT:

REVISED BUILDING PLANS OF GROUP
HOUSING COLONY AREA MEASURING 25,087
ACRES (LICENCE NO. 123 OF 2012 DATED
20-12-2012 IN SECTOR-63, GURGAON, BEING
DEVELOPED BY ARTLE BUILDERS &
DEVELOPERS PVT. LTD. AND OTHERS IN
COLLABORATION WITH DLF HOME
DEVELOPERS LTD (EARLIER KNOWN AS DLF
NEW GURGAON HOME DEVELOPERS PVT.LTD)

ARCHITECTURE:
ARCOP

ARCOP ASSOCIATES PVT LTD
Plot No. 36B, Sector-32, Institutional Area
Gurugram, Haryana, 122001, India
Tel.: 91-124-4595500
91-124-4595550
Fax: 91-124-4595550

TO BE READ WITH THIS OFFICE
MEMO NO. 2097
DATED: 20-01-2023

William S. P. (HQ)
 S.T.P. (HQ)
 Member
 BPAC

Rain

ODD
MEMBER
EPAC


ARCHITECT'S SEAL & SIGNATURE	OWNER'S SEAL & SIGNATURE
---------------------------------	-----------------------------

Prateek
PRATEEK BHATNAGAR
ARCHITECT
M.C.A., A.J.I.A.,
Registration No. - CA/2001/13072

JAN. - 2023.	Scale : 1:100	Drawing No. - TB-03
Drawing Title: - TYPICAL FLOOR PLAN & AREA CALCULATION		

SCHEDULE OF GRASSING ON LAZOS					MATERIAL
SL. NO.	TYPE	WIDTH	HEIGHT	SL. OF 1:100	
1	DW	2875	5000	-	ALUMINIUM GL-55
2	DW	19300	5000	-	ALUMINIUM GL-55
3	3	30	2400	-	WOODEN GL-55
4	02	1095	2400	-	WOODEN GL-55
5	03	1200	2400	-	WOODEN GL-55
6	34	1200	2400	-	WOODEN GL-55
7	35	1000	2400	-	WOODEN GL-55
8	36	1800	2400	-	WOODEN GL-55
9	37	2000	2400	-	WOODEN GL-55
10	36	01	1500	4000	ALUMINIUM GL-52
11	34	1050	1800	-	ALUMINIUM GL-55
12	02	1275	5000	-	ALUMINIUM GL-55
13	03	1720	5000	-	ALUMINIUM GL-55
14	04	2400	5000	-	ALUMINIUM GL-55
15	05	2875	5000	-	ALUMINIUM GL-55
16	06	3050	5000	-	ALUMINIUM GL-55
17	07	4000	5000	-	ALUMINIUM GL-55
18	08	4400	5000	-	ALUMINIUM GL-55
19	08	5600	5000	-	ALUMINIUM GL-55
20	08	5475	5000	-	ALUMINIUM GL-55
21	04	750	2400	900	-
22	05	1050	2400	2 - 400	AS REQUIRED
23	06	1200	2400	2 - 400	AS REQUIRED
24	07	1350	2400	2 - 400	AS REQUIRED
25	08	1500	2400	2 - 400	AS REQUIRED
26	09	1650	2400	2 - 400	AS REQUIRED
27	10	1800	2400	2 - 400	AS REQUIRED
28	11	1950	2400	2 - 400	AS REQUIRED
29	12	2100	2400	2 - 400	AS REQUIRED
30	13	2250	2400	2 - 400	AS REQUIRED
31	14	2400	2400	2 - 400	AS REQUIRED
32	15	2550	2400	2 - 400	AS REQUIRED
33	16	2700	2400	2 - 400	AS REQUIRED
34	17	2850	2400	2 - 400	AS REQUIRED
35	18	3000	2400	2 - 400	AS REQUIRED
36	19	3150	2400	2 - 400	AS REQUIRED
37	20	3300	2400	2 - 400	AS REQUIRED
38	21	3450	2400	2 - 400	AS REQUIRED
39	22	3600	2400	2 - 400	AS REQUIRED
40	23	3750	2400	2 - 400	AS REQUIRED
41	24	3900	2400	2 - 400	AS REQUIRED
42	25	4050	2400	2 - 400	AS REQUIRED
43	26	4200	2400	2 - 400	AS REQUIRED
44	27	4350	2400	2 - 400	AS REQUIRED
45	28	4500	2400	2 - 400	AS REQUIRED
46	29	4650	2400	2 - 400	AS REQUIRED
47	30	4800	2400	2 - 400	AS REQUIRED
48	31	4950	2400	2 - 400	AS REQUIRED
49	32	5100	2400	2 - 400	AS REQUIRED
50	33	5250	2400	2 - 400	AS REQUIRED
51	34	5400	2400	2 - 400	AS REQUIRED
52	35	5550	2400	2 - 400	AS REQUIRED
53	36	5700	2400	2 - 400	AS REQUIRED
54	37	5850	2400	2 - 400	AS REQUIRED
55	38	6000	2400	2 - 400	AS REQUIRED
56	39	6150	2400	2 - 400	AS REQUIRED
57	40	6300	2400	2 - 400	AS REQUIRED
58	41	6450	2400	2 - 400	AS REQUIRED
59	42	6600	2400	2 - 400	AS REQUIRED
60	43	6750	2400	2 - 400	AS REQUIRED
61	44	6900	2400	2 - 400	AS REQUIRED
62	45	7050	2400	2 - 400	AS REQUIRED
63	46	7200	2400	2 - 400	AS REQUIRED
64	47	7350	2400	2 - 400	AS REQUIRED
65	48	7500	2400	2 - 400	AS REQUIRED
66	49	7650	2400	2 - 400	AS REQUIRED
67	50	7800	2400	2 - 400	AS REQUIRED
68	51	7950	2400	2 - 400	AS REQUIRED
69	52	8100	2400	2 - 400	AS REQUIRED
70	53	8250	2400	2 - 400	AS REQUIRED
71	54	8400	2400	2 - 400	AS REQUIRED
72	55	8550	2400	2 - 400	AS REQUIRED
73	56	8700	2400	2 - 400	AS REQUIRED
74	57	8850	2400	2 - 400	AS REQUIRED
75	58	9000	2400	2 - 400	AS REQUIRED
76	59	9150	2400	2 - 400	AS REQUIRED
77	60	9300	2400	2 - 400	AS REQUIRED
78	61	9450	2400	2 - 400	AS REQUIRED
79	62	9600	2400	2 - 400	AS REQUIRED
80	63	9750	2400	2 - 400	AS REQUIRED
81	64	9900	2400	2 - 400	AS REQUIRED
82	65	10050	2400	2 - 400	AS REQUIRED
83	66	10200	2400	2 - 400	AS REQUIRED
84	67	10350	2400	2 - 400	AS REQUIRED
85	68	10500	2400	2 - 400	AS REQUIRED
86	69	10650	2400	2 - 400	AS REQUIRED
87	70	10800	2400	2 - 400	AS REQUIRED
88	71	10950	2400	2 - 400	AS REQUIRED
89	72	11100	2400	2 - 400	AS REQUIRED
90	73	11250	2400	2 - 400	AS REQUIRED
91	74	11400	2400	2 - 400	AS REQUIRED
92	75	11550	2400	2 - 400	AS REQUIRED
93	76	11700	2400	2 - 400	AS REQUIRED
94	77	11850	2400	2 - 400	AS REQUIRED
95	78	12000	2400	2 - 400	AS REQUIRED
96	79	12150	2400	2 - 400	AS REQUIRED
97	80	12300	2400	2 - 400	AS REQUIRED
98	81	12450	2400	2 - 400	AS REQUIRED
99	82	12600	2400	2 - 400	AS REQUIRED
100	83	12750	2400	2 - 400	AS REQUIRED
101	84	12900	2400	2 - 400	AS REQUIRED
102	85	13050	2400	2 - 400	AS REQUIRED
103	86	13200	2400	2 - 400	AS REQUIRED
104	87	13350	2400	2 - 400	AS REQUIRED
105	88	13500	2400	2 - 400	AS REQUIRED
106	89	13650	2400	2 - 400	AS REQUIRED
107	90	13800	2400	2 - 400	AS REQUIRED
108	91	13950	2400	2 - 400	AS REQUIRED
109	92	14100	2400	2 - 400	AS REQUIRED
110	93	14250	2400	2 - 400	AS REQUIRED
111	94	14400	2400	2 - 400	AS REQUIRED
112	95	14550	2400	2 - 400	AS REQUIRED
113	96	14700	2400	2 - 400	AS REQUIRED
114	97	14850	2400	2 - 400	AS REQUIRED
115	98	15000	2400	2 - 400	AS REQUIRED
116	99	15150	2400	2 - 400	AS REQUIRED
117	100	15300	2400	2 - 400	AS REQUIRED
118	101	15450	2400	2 - 400	AS REQUIRED
119	102	15600	2400	2 - 400	AS REQUIRED
120	103	15750	2400	2 - 400	AS REQUIRED
121	104	15900	2400	2 - 400	AS REQUIRED
122	105	16050	2400	2 - 400	AS REQUIRED
123	106	16200	2400	2 - 400	AS REQUIRED
124	107	16350	2400	2 - 400	AS REQUIRED
125	108	16500	2400	2 - 400	AS REQUIRED
126	109	16650	2400	2 - 400	AS REQUIRED
127	110	16800	2400	2 - 400	AS REQUIRED
128	111	16950	2400	2 - 400	AS REQUIRED
129	112	17100	2400	2 - 400	AS REQUIRED
130	113	17250	2400	2 - 400	AS REQUIRED
131	114	17400	2400	2 - 400	AS REQUIRED
132	115	17550	2400	2 - 400	AS REQUIRED
133	116	17700	2400	2 - 400	AS REQUIRED
134	117	17850	2400	2 - 400	AS REQUIRED
135	118	18000	2400	2 - 400	AS REQUIRED
136	119	18150	2400	2 - 400	AS REQUIRED
137	120	18300	2400	2 - 400	AS REQUIRED
138	121	18450	2400	2 - 400	AS REQUIRED
139	122	18600	2400	2 - 400	AS REQUIRED
140	123	18750	2400	2 - 400	AS REQUIRED
141	124	18900	2400	2 - 400	AS REQUIRED
142	125	19050	2400	2 - 400	AS REQUIRED
143	126	19200	2400	2 - 400	AS REQUIRED
144	127	19350	2400	2 - 400	AS REQUIRED
145	128	19500	2400	2 - 400	AS REQUIRED
146	129	19650	2400	2 - 400	AS REQUIRED
147	130	19800	2400	2 - 400	AS REQUIRED
148	131	19950	2400	2 - 400	AS REQUIRED
149	132	20100	2400	2 - 400	AS REQUIRED
150	133	20250	2400	2 - 400	AS REQUIRED
151	134	20400	2400	2 - 400	AS REQUIRED
152	135	20550	2400	2 - 400	AS REQUIRED
153	136	20700	2400	2 - 400	AS REQUIRED
154	137	20850	2400	2 - 400	AS REQUIRED
155	138	21000	2400	2 - 400	AS REQUIRED
156	139	21150	2400	2 - 400	AS REQUIRED
157	140	21300	2400	2 - 400	AS REQUIRED
158	141	21450	2400	2 - 400	AS REQUIRED
159	142	21600	2400	2 - 400	AS REQUIRED
160	143	21750	2400	2 - 400	AS REQUIRED
161	144	21900	2400	2 - 400	AS REQUIRED
162	145	22050	2400	2 - 400	AS REQUIRED
163	146	22200	2400	2 - 400	AS REQUIRED
164	147	22350	2400	2 - 400	AS REQUIRED
165	148	22500	2400	2 - 400	AS REQUIRED
166	149	22650	2400	2 - 400	AS REQUIRED
167	150	22800	2400	2 - 400	AS REQUIRED
168	151	22950	2400	2 - 400	AS REQUIRED
169	152	23100	2400	2 - 400	AS REQUIRED
170	153	23250	2400	2 - 400	AS REQUIRED
171	154	23400	2400	2 - 400	AS REQUIRED
172	155	23550	2400	2 - 400	AS REQUIRED
173	156	23700	2400	2 - 400	AS REQUIRED
174	157	23850	2400	2 - 400	AS REQUIRED
175	158	24000	2400	2 - 400	AS REQUIRED
176	159	24150	2400	2 - 400	AS REQUIRED
177	160	24300	2400	2 - 400	AS REQUIRED
178	161	24450	2400	2 - 400	AS REQUIRED
179	162	24600	2400	2 - 400	AS REQUIRED
180	163	24750	2400	2 - 400	AS REQUIRED
181	164	24900	2400	2 - 400	AS REQUIRED
182	165	25050	2400	2 - 400	AS REQUIRED
183	166	25200	2400	2 - 400	AS REQUIRED
184	167	25350	2400	2 - 400	AS REQUIRED
185	168	25500	2400	2 - 400	AS REQUIRED
186	169	25650	2400	2 - 400	AS REQUIRED
187	170	25800	2400	2 - 400	AS REQUIRED
188	171	25950	2400	2 - 400	AS REQUIRED
189	172	26100	2400	2 - 400	AS REQUIRED
190	173	26250	2400	2 - 400	AS REQUIRED
191	174	26400	2400	2 - 400	AS REQUIRED
192	175	26550	2400	2 - 400	AS REQUIRED
193	176	26700	2400	2 - 400	AS REQUIRED
194	177	26850	2400	2 - 400	AS REQUIRED
195	178	27000	2400	2 - 400	AS REQUIRED
196	179	27150	2400	2 - 400	AS REQUIRED
197	180	27300	2400	2 - 400	AS REQUIRED
198	181	27450	2400	2 - 400	AS REQUIRED
199	182	27600	2400	2 - 400	AS REQUIRED
200	183	27750	2400	2 - 400	AS REQUIRED
201	184	27900	2400	2 - 400	AS REQUIRED
202	185	28050	2400	2 - 400	AS REQUIRED
203	186	28200	2400	2 - 400	AS REQUIRED
204	187	28350	2400	2 - 400	AS REQUIRED
205	188	28500	2400	2 - 400	AS REQUIRED
206	189	28650	2400	2 - 400	AS REQUIRED
207	190	28800	2400	2 - 400	AS REQUIRED
208	191	28950	2400	2 - 400	AS REQUIRED
209	192	29100	2400	2 - 400	AS REQUIRED
210	193	29250	2400	2 - 400	AS REQUIRED
211	194	29400	2400	2 - 400	AS REQUIRED
212	195	29550	2400	2 - 400	AS REQUIRED
213	196	29700	2400	2 - 400	AS REQUIRED
214	197	29850	2400	2 - 400	AS REQUIRED
215	198	30000	2400	2 - 400	AS REQUIRED
216	199	30150	2400	2 - 400	AS REQUIRED
217	200	30300	2400	2 - 400	AS REQUIRED
218	201	30450	2400	2 - 400	AS REQUIRED
219	202	30600	2400	2 - 400	AS REQUIRED
220	203	30750	2400	2 - 400	AS REQUIRED
221	204	30900	2400	2 - 400	AS REQUIRED
222	205	31050	2400		

DETAIL OF SERVICE PERIODS		(TOWER 9)	
PERIOD	DATE	PERIOD	DATE
1	1/1/10	1	1/1/10
2	1/1/10	2	1/1/10
3	1/1/10	3	1/1/10
4	1/1/10	4	1/1/10
5	1/1/10	5	1/1/10
6	1/1/10	6	1/1/10
7	1/1/10	7	1/1/10
8	1/1/10	8	1/1/10
9	1/1/10	9	1/1/10
10	1/1/10	10	1/1/10
11	1/1/10	11	1/1/10
12	1/1/10	12	1/1/10
13	1/1/10	13	1/1/10
14	1/1/10	14	1/1/10
15	1/1/10	15	1/1/10
16	1/1/10	16	1/1/10
17	1/1/10	17	1/1/10
18	1/1/10	18	1/1/10
19	1/1/10	19	1/1/10
20	1/1/10	20	1/1/10
21	1/1/10	21	1/1/10
22	1/1/10	22	1/1/10
23	1/1/10	23	1/1/10
24	1/1/10	24	1/1/10
25	1/1/10	25	1/1/10
26	1/1/10	26	1/1/10
27	1/1/10	27	1/1/10
28	1/1/10	28	1/1/10
29	1/1/10	29	1/1/10
30	1/1/10	30	1/1/10
31	1/1/10	31	1/1/10
32	1/1/10	32	1/1/10
33	1/1/10	33	1/1/10
34	1/1/10	34	1/1/10
35	1/1/10	35	1/1/10
36	1/1/10	36	1/1/10
37	1/1/10	37	1/1/10
38	1/1/10	38	1/1/10
39	1/1/10	39	1/1/10
40	1/1/10	40	1/1/10
41	1/1/10	41	1/1/10
42	1/1/10	42	1/1/10
43	1/1/10	43	1/1/10
44	1/1/10	44	1/1/10
45	1/1/10	45	1/1/10
46	1/1/10	46	1/1/10
47	1/1/10	47	1/1/10
48	1/1/10	48	1/1/10
49	1/1/10	49	1/1/10
50	1/1/10	50	1/1/10
51	1/1/10	51	1/1/10
52	1/1/10	52	1/1/10
53	1/1/10	53	1/1/10
54	1/1/10	54	1/1/10
55	1/1/10	55	1/1/10
56	1/1/10	56	1/1/10
57	1/1/10	57	1/1/10
58	1/1/10	58	1/1/10
59	1/1/10	59	1/1/10
60	1/1/10	60	1/1/10
61	1/1/10	61	1/1/10
62	1/1/10	62	1/1/10
63	1/1/10	63	1/1/10
64	1/1/10	64	1/1/10
65	1/1/10	65	1/1/10
66	1/1/10	66	1/1/10
67	1/1/10	67	1/1/10
68	1/1/10	68	1/1/10
69	1/1/10	69	1/1/10
70	1/1/10	70	1/1/10
71	1/1/10	71	1/1/10
72	1/1/10	72	1/1/10
73	1/1/10	73	1/1/10
74	1/1/10	74	1/1/10
75	1/1/10	75	1/1/10
76	1/1/10	76	1/1/10
77	1/1/10	77	1/1/10
78	1/1/10	78	1/1/10
79	1/1/10	79	1/1/10
80	1/1/10	80	1/1/10
81	1/1/10	81	1/1/10
82	1/1/10	82	1/1/10
83	1/1/10	83	1/1/10
84	1/1/10	84	1/1/10
85	1/1/10	85	1/1/10
86	1/1/10	86	1/1/10
87	1/1/10	87	1/1/10
88	1/1/10	88	1/1/10
89	1/1/10	89	1/1/10
90	1/1/10	90	1/1/10
91	1/1/10	91	1/1/10
92	1/1/10	92	1/1/10
93	1/1/10	93	1/1/10
94	1/1/10	94	1/1/10
95	1/1/10	95	1/1/10
96	1/1/10	96	1/1/10
97	1/1/10	97	1/1/10
98	1/1/10	98	1/1/10
99	1/1/10	99	1/1/10
100	1/1/10	100	1/1/10

[illegible]

TYPICAL (1ST TO 16TH,
18TH TO 25TH, 27TH TO
34TH, 36TH TO 38TH)
TOWER-B



ARCHITECTURE
FEATURE

ARCHITECTURE
FEATURE

TYPICAL FLOOR PLAN

1ST TO 16TH, 18TH TO 25TH, 27TH TO 34TH, 36TH TO 38TH FLOOR
PLAN
(TOWER-B)


[illegible]

1. BUILDING WILL BE DESIGNED (STRUCTURES) AS PER RELEVANT IS CODES FOR EARTH QUAKE RESISTANCE.
2. THE BUILDING IS ARTIFICIALLY LIT AND MECHANICALLY VENTILATED.

1	2W	2075	5000	-	-	-	ALUMINIUM GLASS
2	2W	12280	5000	-	-	-	ALUMINIUM GLASS
3	2	01	802	2400	-	-	WOODEN
4	03	1565	2400	-	-	-	WOODEN
5	03	1202	2400	-	-	-	WOODEN
6	04	1250	2400	-	-	-	WOODEN
7	05	1500	2400	-	-	-	WOODEN
8	06	1800	2400	-	-	-	WOODEN
9	07	2020	2400	-	-	-	WOODEN
10	01	1508	4800	-	-	-	ALUMINIUM GLASS
11	01	1550	4800	-	-	-	ALUMINIUM GLASS
12	02	1725	5000	-	-	-	ALUMINIUM GLASS
13	03	1715	5000	-	-	-	ALUMINIUM GLASS
14	04	2450	5000	-	-	-	ALUMINIUM GLASS
15	05	2975	5700	-	-	-	ALUMINIUM GLASS
16	06	3020	5700	-	-	-	ALUMINIUM GLASS
17	07	4020	5000	-	-	-	ALUMINIUM GLASS
18	08	4680	5700	-	-	-	ALUMINIUM GLASS
19	08	5605	6000	-	-	-	ALUMINIUM GLASS
20	01/01	5875	5700	-	-	-	ALUMINIUM GLASS
21	W	750	2400	-	-	-	AS SPECTED
1	03	1305	2400	-	-	2 HRS	AS SPECTED FIRE TONE
2	03	1305	2400	-	-	2 HRS	AS SPECTED FIRE TONE
3	03	1250	2100	-	-	2 HRS	AS SPECTED FIRE TONE
4	03	1300	2100	-	-	2 HRS	AS SPECTED FIRE TONE
5	04	1500	2400	-	-	2 HRS	AS SPECTED FIRE TONE

[illegible]

REFUGE AREA CALCULATION OF 17TH, 26TH & 35TH FLOOR
(TOWER-B)



LEGEND -	1	1100 gpc
2	250 gpc	250 gpc
3	250 gpc	250 gpc
4	1100 gpc	1100 gpc
5	1100 gpc	1100 gpc
6	1100 gpc	1100 gpc
7	1100 gpc	1100 gpc
8	1100 gpc	1100 gpc
9	1100 gpc	1100 gpc
10	1100 gpc	1100 gpc
11	1100 gpc	1100 gpc
12	1100 gpc	1100 gpc
13	1100 gpc	1100 gpc
14	1100 gpc	1100 gpc
15	1100 gpc	1100 gpc
16	1100 gpc	1100 gpc
17	1100 gpc	1100 gpc
18	1100 gpc	1100 gpc
19	1100 gpc	1100 gpc
20	1100 gpc	1100 gpc
21	1100 gpc	1100 gpc
22	1100 gpc	1100 gpc
23	1100 gpc	1100 gpc
24	1100 gpc	1100 gpc
25	1100 gpc	1100 gpc
26	1100 gpc	1100 gpc
27	1100 gpc	1100 gpc
28	1100 gpc	1100 gpc
29	1100 gpc	1100 gpc
30	1100 gpc	1100 gpc
31	1100 gpc	1100 gpc
32	1100 gpc	1100 gpc
33	1100 gpc	1100 gpc
34	1100 gpc	1100 gpc
35	1100 gpc	1100 gpc
36	1100 gpc	1100 gpc
37	1100 gpc	1100 gpc
38	1100 gpc	1100 gpc
39	1100 gpc	1100 gpc
40	1100 gpc	1100 gpc
41	1100 gpc	1100 gpc
42	1100 gpc	1100 gpc
43	1100 gpc	1100 gpc
44	1100 gpc	1100 gpc
45	1100 gpc	1100 gpc
46	1100 gpc	1100 gpc
47	1100 gpc	1100 gpc
48	1100 gpc	1100 gpc
49	1100 gpc	1100 gpc
50	1100 gpc	1100 gpc
51	1100 gpc	1100 gpc
52	1100 gpc	1100 gpc
53	1100 gpc	1100 gpc
54	1100 gpc	1100 gpc
55	1100 gpc	1100 gpc
56	1100 gpc	1100 gpc
57	1100 gpc	1100 gpc
58	1100 gpc	1100 gpc
59	1100 gpc	1100 gpc
60	1100 gpc	1100 gpc
61	1100 gpc	1100 gpc
62	1100 gpc	1100 gpc
63	1100 gpc	1100 gpc
64	1100 gpc	1100 gpc
65	1100 gpc	1100 gpc
66	1100 gpc	1100 gpc
67	1100 gpc	1100 gpc
68	1100 gpc	1100 gpc
69	1100 gpc	1100 gpc
70	1100 gpc	1100 gpc
71	1100 gpc	1100 gpc
72	1100 gpc	1100 gpc
73	1100 gpc	1100 gpc
74	1100 gpc	1100 gpc
75	1100 gpc	1100 gpc
76	1100 gpc	1100 gpc
77	1100 gpc	1100 gpc
78	1100 gpc	1100 gpc
79	1100 gpc	1100 gpc
80	1100 gpc	1100 gpc
81	1100 gpc	1100 gpc
82	1100 gpc	1100 gpc
83	1100 gpc	1100 gpc
84	1100 gpc	1100 gpc
85	1100 gpc	1100 gpc
86	1100 gpc	1100 gpc
87	1100 gpc	1100 gpc
88	1100 gpc	1100 gpc
89	1100 gpc	1100 gpc
90	1100 gpc	1100 gpc
91	1100 gpc	1100 gpc
92	1100 gpc	1100 gpc
93	1100 gpc	1100 gpc
94	1100 gpc	1100 gpc
95	1100 gpc	1100 gpc
96	1100 gpc	1100 gpc
97	1100 gpc	1100 gpc
98	1100 gpc	1100 gpc
99	1100 gpc	1100 gpc
100	1100 gpc	1100 gpc
101	1100 gpc	1100 gpc
102	1100 gpc	1100 gpc
103	1100 gpc	1100 gpc
104	1100 gpc	1100 gpc
105	1100 gpc	1100 gpc
106	1100 gpc	1100 gpc
107	1100 gpc	1100 gpc
108	1100 gpc	1100 gpc
109	1100 gpc	1100 gpc
110	1100 gpc	1100 gpc
111	1100 gpc	1100 gpc
112	1100 gpc	1100 gpc
113	1100 gpc	1100 gpc
114	1100 gpc	1100 gpc
115	1100 gpc	1100 gpc
116	1100 gpc	1100 gpc
117	1100 gpc	1100 gpc
118	1100 gpc	1100 gpc
119	1100 gpc	1100 gpc
120	1100 gpc	1100 gpc
121	1100 gpc	1100 gpc
122	1100 gpc	1100 gpc
123	1100 gpc	1100 gpc
124	1100 gpc	1100 gpc
125	1100 gpc	1100 gpc
126	1100 gpc	1100 gpc
127	1100 gpc	1100 gpc
128	1100 gpc	1100 gpc
129	1100 gpc	1100 gpc
130	1100 gpc	1100 gpc
131	1100 gpc	1100 gpc
132	1100 gpc	1100 gpc
133	1100 gpc	1100 gpc
134	1100 gpc	1100 gpc
135	1100 gpc	1100 gpc
136	1100 gpc	1100 gpc
137	1100 gpc	1100 gpc
138	1100 gpc	1100 gpc
139	1100 gpc	1100 gpc
140	1100 gpc	1100 gpc
141	1100 gpc	1100 gpc
142	1100 gpc	1100 gpc
143	1100 gpc	1100 gpc
144	1100 gpc	1100 gpc
145	1100 gpc	1100 gpc
146	1100 gpc	1100 gpc
147	1100 gpc	1100 gpc
148	1100 gpc	1100 gpc
149	1100 gpc	1100 gpc
150	1100 gpc	1100 gpc

S1	1500 SLUEVE FOR SOL. & WASTE PIPE AT 50MM ABOVE FROM TOILET SINK
S2	500 SLUEVE FOR WATER SUPPLY PIPE AT 50MM ABOVE FROM TOILET SINK

[illegible]

TO BE READ WITH THIS OFFICE
MEMO NO. 2097
DATED: 20-01-2023

S.P. (HQ) S.P. (HQ) S.P. (G) C.P. (Hr)
 (Lead Sec'y) Member Chairman
 B.P.C. B.P.C. B.P.C. B.P.C.

Ram Amar Bassi
JD(HQ)


Scott
JD.

DOUG
MEANS
BP

ATF

Building plans have been checked and found in order as per Public Health Services most of sites.

 J. J. O'CONNELL CHAIRMAN	 J. J. O'CONNELL CHAIRMAN
 J. J. O'CONNELL CHAIRMAN	 J. J. O'CONNELL CHAIRMAN

ARCHITECT'S SEAL & SIGNATURE	OWNER'S SEAL & SIGNATURE
 HAMEED BHATTNAGAR ARCHT. 10/CA, ALLK REGISTRATION NO. 04/00030077 A-5792	 DLF Home Developers Limited Authorised Signatory

JAN.-2023.	Scale : 1:100	Drawing No: TB-04
Drawing Title: - REFUGE FLOOR PLAN & AREA CALCULATION TOWER-B		

- LEGEND: —

REVISED BUILDING PLANS OF GROUP
HOUSING COLONY AREA MEASURING 25.087
ACRES (LICENCE NO. 123 OF 2012 DATED
20-12-2012 IN SECTOR-63, GURGAON, BEING
DEVELOPED BY ARJIE BUILDERS &
DEVELOPERS PVT. LTD. AND OTHERS IN
COLLABORATION WITH DLF HOME
DEVELOPERS LTD/EARLIER KNOWN AS DLF
NEW GURGAON HOME DEVELOPERS PVT.LTD)

ARCOP

ARCOP ASSOCIATES PVT LTD
Plot No. 36B, Sector-32, Institutional Area,
Gurgaon, Haryana. 122001. India
Tel.: 91-124-4595500
91-124-4595550
Fax: 91-124-4595550

TO BE READ WITH THIS OFFICE
MEMO NO. 2097
DATED: 20-01-202

SCHEDULE OF OPENINGS ON FLOOR

SCHEDULE OF SPENDING ON FLOOR								
S/N	TYPE	WIDTH	HEIGHT	SILL HT	FIRE FLOOR	FIRE RATING	MATERIAL	DOCTOR
1	DO	1200	2400	—	—	2 HR	AS SPECIFIED	YES (100%)
2	DO	1200	2400	—	—	2 HR	AS SPECIFIED	YES (100%)
3	OL	1200	2400	—	—	—	—	—
4	OL	1500	2400	—	—	—	—	—

Building plans have been checked and found in order as per Public Health Services point of view.

ARCHITECT'S SEAL & SIGNATURE	OWNER'S SEAL & SIGNATURE
---------------------------------	-----------------------------


PRATEEK BHATTACHARYA
ARCHITECT
M.C.A. 11A


DLF Home Developers Limited
Authorized Signatory

JAN. - 2023.	Scale : 1:100
--------------	---------------

Drawing Title: --
TERRACE & MACHINE ROOM-1 PLAN
TOWER B

LEGEND: -

SCHEDULE OF SERVICES ON FLOOR								
SER.	TYPE	WGRH	#DOIT	SUL HT	DOOR FLIGHT	PRM RATING	MATERIAL	LOCATION
1.	F10	1250	2400	-	-	2 HRS	AS REQUIRED	ONE TOWER
2.	F10	1300	2400	-	-	2 HRS	AS REQUIRED	ONE TOWER
3.	G.	1300	2400	-	-	-	-	-
4.	G1	1500	2400	-	-	-	-	-

PROJECT:

REVISED BUILDING PLANS OF GROUP
HOUSING COLONY AREA MEASURING 25.087
ACRES (LICENCE NO. 123 OF 2012 DATED
20-12-2012 IN SECTOR-63, GURGAON, BEING
DEVELOPED BY ARLIE BUILDERS &
DEVELOPERS PVT. LTD. AND OTHERS IN
COLLABORATION WITH DLF HOME
DEVELOPERS LTD./EARLIER KNOWN AS DLF
NEW GURGAON HOME DEVELOPERS PVT.LTD)

ARCHITECTURE:

ARCOP

ARCOP ASSOCIATES PVT LTD
Plot No. 36B, Sector-32, Institutional Area,
Gurgaon, Haryana. 122001, India
Tel.: 91-124-4595500
91-124-4595550
Fax: 91-124-4595550

TO BE READ WITH THIS OFFICE
MEMO NO. 2097
DATED: 20-01-2023

[Handwritten signature]

S/P(HQ)
S/P(G) CTB
Member P-06
BPAC BPAC

ATP(HQ)

JD.

ARCHITECT'S SEAL & SIGNATURE	OWNER'S SEAL & SIGNATURE
---------------------------------	-----------------------------

Prateek Bhatnagar
DLF Home Developers Limited

Scale : 1:100

Drawing Title: -	Drawing No: -
MACHINE ROOM-2 PLAN & ROOF PLAN TOWER-B	TB-06

Building plans have been checked and found in order.
 ...not Public Health Services point of view.

4

TOP ROOF
VL+147125
TOWER-B

PS & BATTERY &
MACHINE ROOM-2
LV-144350
TOWER-B

SLIDE	SUBJECT	DESCRIPTION
540	24003	NON
1	1	● QUICK RESPONSE (3-5) THE UNARMED 68% (N-80)
2	2	● QUICK RESPONSE (3-5) T-1000 THE UNARMED 68% (N-80)
3	3	● 9.1% WATER THE THE EXTINGUISHER
4	4	● 4.3 kg CO2 PORTABLE THE EXTINGUISHER
5	5	● 6 kg ABC THE THE EXTINGUISHER

[illegible]

PIPE SLEEVE LEGEND	
(S)	150# SLEEVE FOR SOIL & WASTE PIPE AT 50MM ABOVE FROM TOILET SINK
(S2)	20# SLEEVE FOR WATER SUPPLY PIPE AT 50MM ABOVE FROM TOILET SINK