

P4  
15/4

BR-III  
(See Rule 44)

To  
Samir Ji

From The Director,  
Town and Country Planning,  
Haryana, Chandigarh.

To M/s Cadillac Buildwell Pvt. Ltd.  
63, Rama Marg (Najafgarh Road),  
New Delhi-110015.

Memo No. 2980

Dated: - 6-2-08

Subject:- Approval of the building Plans of Group Housing Scheme measuring 41.525 acres, (Licence No. 3 to 9 of 2007 dated 2.1.2007) in Sector-77 Faridabad being developed by M/s Cadillac Buildwell Pvt. Ltd.

Reference your application dated 23.5.2007, and subsequent letter dated 21.1.2008 for permission to erect buildings in Group Housing Scheme measuring 41.525 acres in Sector-77 Faridabad in accordance with the plans submitted with it.

Permission is hereby granted for the aforesaid construction subject to the provisions of the Punjab Scheduled Roads & Controlled Areas Restriction of Unregulated Development Act, 1963, its rules and the zoning plan framed thereunder alongwith special reference to the following conditions: -

1. The plans are valid for a period of 2 years of the buildings less than 15.00 meters in height and 5 years for the multistoreyed buildings from the date of issuance of sanction, subject to validity of licences granted for this scheme.
2. The structural responsibility of the construction shall be entirely of the owner/supervising architect/ Engineer of the scheme.

Further that: -

- (a) A certificate from a recognized Structural Engineer shall be submitted to the department within 60 days of issuance of this letter that the structural design of the building is designed as per the provisions of NBC and relevant I.S. Code for all seismic load, all dead and live loads, wind pressure and structure safety from earth quake of the intensity expected under zone-IV.
- (b) All material to be used for erection of building shall conform to I.S.I. and N.B.C. standards.
- (c) No walls/ceiling shall be constructed of easily inflammable material and stair cases shall be built of the fire resisting material as per standard specification.
- (d) The roof slab of the basement external to the buildings if any shall be designed/ constructed to take the load of fire tender up to 45 tones.

### 3. FIRE SAFETY:

The colonizer firm and the Supervising Architect of the project shall be entirely responsible for making provisions of fire safety and fire fighting measures and shall abide by all fire safety bye laws:

Further, the colonizer firm shall also prepare and submit the plans in triplicate to M.C., Faridabad, clearly marked and indicating the complete fire protection arrangements and means of escape/ access for the proposed building with suitable legend and standard signs.

On receipt of the above request the M.C., Faridabad after satisfying himself that the entire fire protection measures proposed for the above buildings are as per NBC and other Fire Safety Bye Laws, forward the same to the Director, Urban Development, Haryana who would issue a NOC from Fire Safety and means of escape/access point of view. This clearance/ NOC from Fire Authority shall be submitted in this office alongwith a set of plans duly signed by the M.C., Faridabad within a period of 90 days from the date of issuance of sanction of building plans. Further, it is also made clear that no permission for occupancy of the building shall be issued by the Director unless he is satisfied that adequate fire fighting measures have been installed by you and suitable external fire

fighting infrastructure has been created at Faridabad. A clearance to this effect shall be obtained from the M.C., Faridabad before grant of occupation certificate by the Director.

- 4- The provision of letter boxes for each dwelling unit shall be made at the ground floor of each building.
5. No addition and alteration in the building plans/ layout plan shall be made without the prior approval of DTCP. Further only figured dimensions shall be followed and in case of any variation in the plans, prior approval of DTCP shall be pre-requisite.
6. That you shall furnish the service plan estimate of this scheme in accordance with approved building plans within 60 days from the date of issue of this letter.
7. Based on the actual estimated cost of internal development of the group housing colony you shall furnish additional bank guarantee if required within 60 days of approval of the service plans.
8. The revenue rasta if any passing through the site shall be kept unobstructed.
9. If any infringement of bye-laws remains unnoticed, the department reserves the right to amend the plan as and when any such infringement comes to its notice after giving an opportunity of being heard and the department shall stand indemnified against any claim on this account.
10. The layout showing the electric installation shall have to be got approved from the Electrical Inspector, Haryana before execution of work at site.
11. No person shall occupy or allow any other person to occupy any new building or part of the same for any purpose what so ever until such building or part thereof has been certified by the Director or any person authorized by him in this behalf as having been completed in accordance with the permission granted and an occupation certificate in prescribed form has been duly issued in your favour.
12. Before grant of occupation certificate, you shall have to submit a notice of completion of the building in form BR-IV alongwith BR-V regarding completion of works described in the plans and it shall be accompanied by:
  - (i) Structural stability certificate duly signed by the recognized Structural Engineer.
  - (ii) A clearance from Fire Safety point of view from the M.C., Faridabad.
- 13-The parking lots proposed in the scheme shall be exclusively for the use of flat owners/residents of the group housing scheme. The parking lot shall not be leased out /transferred to any person who is not a flat owner /resident of the group housing complex. The parking lots shall form part of common areas along with other common uses, in the declaration to be filed under Apartment Ownership Act, 1983.

#### 14. WATER SUPPLY

- (i) The down take system shall be provided by you by providing clear water storage tank of not less than half day storage of water for domestic usage on the top of the building block. The capacity of the tank as shown on the plans and down take system/thereof are as under: -

| Sr. No. | Name of Building Block | Capacity of tank for domestic water storage | Up pipe in mm | Down pipe in mm   |
|---------|------------------------|---|---------------|-------------------|
| 1       | Block-1,2,12,13        | 35,000 Ltrs.                                | 40MM          | 65,50,40,32,25 mm |
| 2       | Block-3,5,6,7,8        | 32,000 Ltrs.                                | 40MM          | 65,50,40,32,25 mm |
| 3       | Block-9,10,11          | 24,250 Ltrs.                                | 40MM          | 65,50,40,32,25 mm |
| 4       | Block-14,15            | 16,000 Ltrs.                                | 40MM          | 65,50,40,32,25 mm |
| 5       | EWS                    | 39,000 Ltrs.                                | 40MM          | 65,50,40,32,25 mm |
| 6       | Shopping               | 5,000 Ltrs.                                 | 40MM          | 25 mm             |

- (ii) Inlet pipes from down take to toilet shall be 25,20,15 mm dia as shown on the plans and connection to each individual fixture shall be 15mm dia.

(iii) The Adequate booster pumps to boost the water in the water tanks with 100% stand by arrangement shall be provided by you. It is made clear that you shall be sole responsible for boosting arrangement all the time.

(iv) The alternative arrangement of power supply, such as Gen. Set etc. of suitable capacity shall also be provided by you during failure of electricity.

15. SEWERAGE:

- (i) All external sewerage lines should not be less than 200 mm dia pipes.
- (ii) All soil pipe connection W.C. to soil stack/ manhole shall be 100 mm dia as shown on the plans.
- (iii) Waste water pipes connecting F.T. to G.T. and F.T. to waste water stack shall be 100/75 mm dia as shown on the plans.
- (iv) Waste water stack shall be 100mm/75mm dia as shown on the plans and soil stack shall be 100mm dia.
- (v) All F.T. shall be 75mm dia.
- (vi) All W.C. shall be provided with high/low levels flushing cistern. The capacity of flushing cistern shall be 8 liters.
- (vii) All pipes from waste water stack to IC and IC to Manhole shall be 100 mm dia as shown on the plans.
- (viii) You shall provide suitable approach/ ventilation arrangement by providing inspection window/ duct etc. for repairing of piping system.

16. Storm Water Drainage

- (i) You have provided basement for services and parking only. For draining out the wash water/ rain water accumulated in the basement shall be collected through covered channel of 250 mm wide to the sumps at different places and from where the pumping has been proposed by you by providing pumps of 450 L.P.M. capacity at 7.00 metres head. Thus it is made clear to you that you shall be sole responsible for pumping out of rain water/ wash water etc. all the time and 100% standby pumps alternate power supply arrangement of Electricity shall also be provided by you during the failure of electricity/ breakdown.
- (ii) All external storm water drainage shall be provided suitably so as to dispose of rain water in to external system of the Town.
- (iii) All rain water stack pipes shall be 100/150 mm dia pipes as shown on the plans.

17. GENERAL:-

- (i) You shall provide alternative source of electricity for functioning of water supply, sewerage and storm water drainage scheme by providing Gen. Set of required capacity.
- (ii) All pipes, fixtures, fitting, pumps, Gen. set and filtration plant etc. shall be conforming to relevant IS specification and ISI marked.
- (iii) You shall provide the minimum openable aperture of  $1/8^{\text{th}}$  of the floor area of the habitable room and in case of kitchen the area of opening shall be increased by 25 percent.
- (iv) You shall provide proper filtration plant for filtration and recycling of the water of the swimming pools, only small quantity of water shall be used for replacement of water in the swimming pools.
- (v) The swimming pools shall not be connected with the storm water drain for the disposal of replacement water.
- (vi) You shall dispose off the replacement water by using the same for watering of landscaped area in the colony or the same may be disposed off into the rain water harvesting system.
- (vii) That before making swimming pool operational you shall provide life guards and safety equipments like swimming jackets and first aid box etc. in sufficient

numbers and clearance from District Administration regarding provision of above safety measures will be obtained.

- (viii) The community center shall be included by you as a part of the common areas of the group housing colony while filling the declaration under the Apartment Ownership Act and such community center shall be for the exclusive use of the residents of this group housing colony only.
- (ix) That the coloniser shall obtain the clearance/NOC as per the provisions of the Notification No. S.O. 1533 (E) Dated 14.9.2006 issued by Ministry of Environment and Forest, Government of India before starting the construction/execution of development work at site.
- (x) That the rain water harvesting system shall be provided as per Central Ground Water Authority norms/Haryana Govt. notification as applicable.
- (xi) That the provision of solar water heating system shall be as per norms specified by HAREDA and shall be made operational in each building block before applying for an occupation certificate.
- (xii) That the coloniser/owner shall use only Compact Fluorescent Lamps fitting for internal lighting as well as Campus lighting.

This sanction will be void abinitio, if any of the conditions mentioned above are not complied with.

DA/One set of Building Plans

V.1-3  
District Town Planner (HQ) VK,  
Member Secretary,  
For: Chief Town Planner, Haryana-cum-Chairman,  
Building Plan Approval Committee.

Endst. No:

dated

A copy is forwarded to the following for information: -

- 1- Director, Urban Local Bodies, Haryana, Chandigarh.
- 2- Senior Town Planner, Faridabad.
- 3- Superintending Engineer (HQ) HUDA, Panchkula.
- 4- Distt. Town Planner, Faridabad alongwith one set of building plans.
- 5- Distt. Town Planner (Enf.), Faridabad with a direction to ensure the condition 17(ix) is complied with.
- 6- General Manager (AERO) Northern Region IGI Airport, Palam New Delhi w.r.t his office memo no. AAI/NOC/2007/262/1058-60 dated 18.9.2007.

Encl: as above

District Town Planner (HQ) VK,  
Member Secretary,  
For: Chief Town Planner, Haryana-cum-Chairman,  
Building Plan Approval Committee.

BR-III  
(See Rule 44)  
DIRECTORATE OF TOWN & COUNTRY PLANNING, HARYANA  
SECTOR-18, CHANDIGARH.  
Tele-Fax: 0172-2548475; Tel.: 0172-2549851, E-mail: tcphry@gmail.com  
Website www.tcpharyana.gov.in

Memo No. ZP-228/JD(DK)/2011/ 1295 Date:- 31-1-11

To

M/s. Cadillac Buildwell Pvt. Ltd.  
63, Rama Marg, Najafgarh Road,  
New Delhi-110015.

**Subject:-** Approval of Revised Building Plans of Group Housing Scheme on the land measuring 50.325 acres (license no. 3 to 9 of 2007 dated 2.1.2007 & Licence No. 157 of 2008 dated 8.8.2008) in Sector-77, Faridabad, being developed by M/s. Cadillac Buildwell Pvt. Ltd.

Reference your application dated 15.1.2010 and subsequent letter dated 22.7.2010 for permission to erect the buildings in Group Housing Scheme measuring 50.325 acres in Sector-77, Faridabad, in accordance with the plans submitted with it.

Permission is hereby granted for the aforesaid construction subject to the provisions of the Punjab Scheduled Roads & Controlled Areas Restriction of Unregulated Development Act, 1963, its rules and the zoning plan framed thereunder along with special reference to following conditions:-

1. The plans are valid for a period of 2 years of the buildings less than 15.00 meters in height and 5 years for the multistoried buildings from the date of issuance of sanction, subject to validity of licenses granted for this scheme.
2. The structural responsibility of the construction shall be entirely of the owner/supervising architect/ Engineer of the scheme.

Further that:-

- a) A certificate from a recognized Structural Engineer shall be submitted to the department within 60 days of issue of this letter that the structural design of the building is designed as per the provision of NBC and relevant I.S. Code for all seismic load, all dead and live loads, wind pressure and structure safety from earth quake of the intensity expected under zone-IV.
  - b) All material to be used for erection of building shall conform to I.S.I. and N.B.C. standards.
  - c) No walls/ceiling shall be constructed of easily inflammable material and staircases shall be built of the fire resisting material as per standard specification.
  - d) The roof slab of the basement external to the buildings if any shall be designed/ constructed to take the load of fire tender up to 45 tones.
3. FIRE SAFETY/FIRE FIGHTING:-

It is clear that the appropriate provision for Fire Fighting arrangement as required in National Building Code/ISI should be provided by you and Fire Fighting Safety Certificate shall be obtained before undertaking any construction, you shall be sole responsible for Fire Fighting arrangement.

Further, you shall also prepare and submit the plans in triplicate to M.C., Faridabad, clearly marked and indicating the complete fire protection arrangements and means of escape/ access for the proposed building with suitable legend and standard signs.

On receipt of the above request the M.C., Faridabad after satisfying himself that the entire fire protection measures proposed for the above buildings are as per NBC and other Fire Safety Bye Laws, forward the same to the Director, Urban Local Bodies Department, Haryana who would issue a NOC from Fire Safety and means of escape/access point of view. This clearance/NOC from Fire Authority shall be submitted in this office along with a set of plans duly signed by the M.C., Faridabad within a period of 90 days from the date of issuance of sanction of building plans. Further, it is also made clear that no permission for occupancy of the building shall be issued by the Director unless he is satisfied that adequate fire fighting measures have been installed by you and suitable external fire fighting infrastructure has been created at Faridabad. A clearance to this effect shall be obtained from the M.C., Faridabad before grant of occupation certificate by the Director.

4. The provision of letter boxes for each dwelling unit shall be made at the ground floor of each building.
5. No addition and alteration in the building plans/ layout plan shall be made without the prior approval of DG,TCP. Further only figured dimensions shall be followed and in case of any variation in the plans, prior approval of DG,TCP shall be pre-requisite.
6. That you shall furnish the service plan/ estimate of this scheme in accordance with approved building plans within 60 days from the date of issue of this letter.
7. Based on the actual estimated cost of internal development of the group housing colony you shall furnish additional bank guarantee if required within 60 days of approval of the service plans.
8. The revenue Rasta if any passing through the site shall be kept unobstructed.
9. If any infringement of byelaws remains unnoticed, the department reserves the right to amend the plan as and when any such infringement comes to its notice after giving an opportunity of being heard and the department shall stand indemnified against any claim on this account.
10. The layout showing the electric installation shall have to be got approved from the Chief Electrical Inspector, Haryana before execution of work at site.
11. No person shall occupy or allow any other person to occupy any new building or part of the same for any purpose what so ever until such building or part thereof has been certified by the Director or any person authorized by him in this behalf as having been completed in accordance with the permission granted and an occupation certificate in prescribed form has been duly issued in your favour.
12. Before grant of occupation certificate, you shall have to submit a notice of a completion of the building in form BR-IV along with BR-V regarding completion of works described in the plans and it shall be accompanied by:
  - (i) DPC Certificate issued by DTP, Faridabad.
  - (ii) Structural stability certificate duly signed by the recognized Structural Engineer.
  - (iii) A clearance from Fire Safety point of view from the Commissioner, Municipal Corporation, Faridabad.

13. The basements shall be used for parking and services as prescribed in the approved zoning plan and building plans. The parking lots proposed in the scheme shall be exclusively for the use of flat owners/residents of the group housing scheme. The parking lot shall not be leased out./transferred to any person who is not a flat owners /residents of the group housing complex. The parking lots shall form part of common areas along with other common uses, in the declaration to be filed under Apartment Ownership Act, 1983.

14. WATER SUPPLY:-

- (i) The down take system shall be provided by you by providing clear water storage tank of not less than half day storage of water for domestic usage on top of the building block. The capacity of the tank as shown on the plan and down take system thereof is as under:

Sector-77:-

| Sr. No        | Name of Building Block                                | Capacity of tank for Domestic uses (In Liters.)          | Up pipe (In MM)                | Down pipe (In MM)  |
|---------------|---|--|--------------------------------|--|
| 1. PKT.A      | Tower-A1 to A3<br>B1, B2 (5 Nos.)<br>Tower- C1, C2    | D. 5x20,000<br>F. 5x10,000<br>D. 5x75,000<br>F. 5x5,000  | 50mm<br>40mm<br>40mm<br>25mm   | 65/50/40/32/25/20mm<br>50/40/32/25/20mm<br>--do--<br>--do--                        |
| 2. PKT. B     | Tower-A4 to A9<br>B3, B4 (8 Nos.)<br>Tower-B5 to B10  | D.8x20,000<br>F. 8x10,000<br>D. 6x15,000<br>F. 6x75,000  | 50mm<br>40mm<br>50mm<br>40mm   | 65/50/40/32/25/20mm<br>50/40/32/25/20mm<br>65/50/40/32/25/20mm<br>50/40/32/25/20mm |
| 3. PKT. C     | Tower- F1 to F5,<br>G1<br>Tower-G2, G3                | D. 6x15,000<br>F. 6x75,000<br>D. 2x20,000<br>F. 2x10,000 | 50mm<br>40mm<br>50mm<br>40mm   | 65/50/40/32/25/20mm<br>50/40/32/25/20mm<br>65/50/40/32/25/20mm<br>50/40/32/25/20mm |
| 4. PKT. D     | Tower-D1 to D4  | D. 4x15000<br>F. 4x7500                                  | 50mm<br>40mm                   | Do<br>40/32/25/20mm  |
| 5. PKT.E      | Tower-D5 to D9  | D. 5x30000<br>F. 5x15000                                 | 50mm<br>40 mm                  | 65/50/40/32/25/20mm<br>50/40/32/25/20mm  |
| 6. PKT.F      | Tower -D10 to D14                                     | D. 5x30000<br>F. 5x15000                                 | 50mm<br>40 mm                  | 65/50/40/32/25/20mm<br>50/40/32/25/20mm  |
| 7. PKT. G     | Tower -E1 to E6                                       | D. 6x5000<br>F. 6x2500                                   | 32 mm<br>25 mm                 | 40/32/25/20mm<br>25/20mm   |
| 8. PKT.H      | Tower -D15 to D 17                                    | D. 3x3,000<br>F. 3x15,000                                | 50 mm<br>40 mm                 | 65/50/40/32/25/20mm<br>50/40/32/25/20mm  |
| 9. PKT. (EWS) | Tower -H1<br><br>Tower -H2                            | D. 1x35,000<br>F. 1x18,000<br>D. 1x20,000<br>F. 1x10,000 | 65 mm<br>50mm<br>50 mm<br>40mm | 65/50/40/32/25/20mm<br>50/40/32/25/20mm<br>--do--<br>40/32/25/20mm                 |
| 10. shops-K1  | Tower -K1 & K3  | D. 2x3000<br>F. 2x2000                                   | 25 mm<br>25 mm                 | 25/20mm<br>20mm  |
| 11.           | Club<br>U.G.T. (Dom.) (at 6 location)<br>A,B,C,D,E,F) | 1x1,00,000<br>12,30,000                                  | 32 mm                          | 40/32/25/20mm  |

- (ii) In let pipes from down take to toilet shall be 25/20/15 mm dia as shown on the plans and connection to each individual fixture shall be 15 mm dia.
- (iii) The adequate booster pumps to boost the water in the water tanks with 100% standby arrangement shall also be provided by you. It is made clear that you shall be sole responsible for boosting arrangement all the time.
- (iv) The alternative arrangement of power supply, such as Gen. Set etc. of suitable capacity shall also be provided by you during failure of electricity.

15. SEWERAGE:-

- (i) All external sewerage lines should not be less than 200 mm. dia Pipes.
- (ii) All soil pipe connection W.C. to soil stack / manhole shall be 100 mm dia as shown on the plans.
- (iii) Waste water stack shall be 100/75 mm dia as shown on the plans and soil stack shall be 100 mm dia.
- (iv) All F.T. shall be 75 mm dia.
- (v) All W.C. shall be provided with high / low level flushing cistern. The capacity of flushing cistern shall be of 8 Ltrs.
- (vi) All pipes from waste water stack to I.C. and I.C. to manhole shall be 100 mm dia as shown on the plans.
- (vii) Suitable approach/ ventilation arrangement shall be provided by you by providing inspection window/ duct etc. for repairing of piping system.
- (viii) No tap or outlet of any kind will be provided from the flushing line/plumbing lines for recycled water except for connection to the cistern of flushing tanks.

16. Storm Water Drainage:-

- (i) You have provided single level basement under tower A, B, C, and Parking of Block-F for parking/services only. For draining out of the wash water/rain water accumulated in the basement shall be collected through covered channel of 300 mm wide to the sumps at different places and from where the pumping has been proposed by you by providing pumps of 250 LPM capacity at 5 Mtrs head. Thus, it is made clear that will be sole responsible for pumping out of rain water/wash water etc. all the time and 100% stand by pumps alternate power supply arrangement shall also be provided in case of failure of electricity and breakdown.
- (ii) All external storm water drainage shall be provided suitably so as to disposal of rainwater in to the existing system of the colony.
- (iii) All rainwater stack pipe shall be 100/150 mm dia pipes as shown on the plans.
- (iv) It is made clear that roof top rain harvesting system shall be provided by you and shall be kept operational all the time.

17. GENERAL: -

- (i) You shall provide alternative source of electricity for functioning of water supply, sewerage and storm water drainage scheme by providing Gen. set of required capacity.



- (ii) All pipes, fixtures, fitting, pumps, Gen. set and filtration plan etc. shall be conforming to relevant IS specification and ISI marked.
- (iii) Proper filtration plant shall be provided by you for filtration and recycling of the water of the swimming pool only small quantity of water shall be used for replacement of water in the swimming pool.
- (iv) The replacement water shall be disposed off by you by using the same for watering of landscaped area in your colony or the same is disposed off into the rain water harvesting system.
- (v) The swimming pool shall not be connected with the storm water drain for the disposal of replacement of water.
- (vi) You shall provide the minimum open able aperture of  $1/8^{\text{th}}$  of the floor area of the habitable room and in case of kitchen the area of opening shall be increased by 25%.
- (vii) That the colonizer shall obtain the clearance/NOC as per the provisions of the Notification No. S.O. 1533 (E) Dated 14.09.2006 issued by Ministry of Environment and Forest, Government of India before starting the construction/execution of development works at site.
- (viii) That the rain water harvesting system shall be provided as per Central Ground Water Authority norms/Haryana Govt. notification as applicable.
- (ix) That the provision of solar water heating system shall be as per norms specified by HAREDA and shall be made operational in the each building block before applying for an occupation certificate.
- (x) That the colonizer/owner shall use only Compact Fluorescent Lamps fitting for internal lighting as well as Campus lighting.
- (xi) You shall transfer the 50 % EWS flats of your scheme to Housing Board, Haryana under intimation to this office.
- (xii) That you shall deposit the labour cess in future, time to time as per progress in construction at site.
- (xiii) That if any, site for Electric Sub Station is required same will be provided by you in the group housing colony.
- (xiv) That you shall submit the Structural drawings duly vetted from the reputed Institute like IIT, Delhi, IIT Roorke, PEC Chandigarh or NIT Kurukshetra, etc. and fire fighting scheme shall got approved by the Director, Urban Local Bodies or any person authorized by the Director, Urban Local Bodies Haryana. You shall submit these approvals within 60 days from the issuance of this letter.
- (xv) That you shall deposit the due amount of EDC within 60 days from the issuance of this letter, as per the undertaking submitted vide your letter dated 24.12.2010.
- (xvi) That no separate zoning plan is approved for community sites earmarked within a Group Housing Colony. The community buildings shall be constructed within a period of three years. The time period of three years for construction of the community sites shall start from the issuance of this letter. In case of failure to construct within such three period, the Government may take over the

community site in accordance with the provisions of Section 3(3)(a)(iv) of the Act No. 8 of 1975.

- (xvii) That you shall submit the soft copy of the approved building plans of this scheme within one week to this office from the issuance of this letter.

This sanction will be void abinitio, if any of the conditions mentioned above are not complied with.

DA/One set of Building Plans



(Sunita Sethi)

District Town Planner (HQ),  
Member Secretary,

For: Chief Town Planner, Haryana-cum- Chairman,  
Building Plan Approval Committee.

Endst. No:- ZP-228/JD(DK)/2011/\_\_\_\_\_ Date:-\_\_\_\_\_

A copy is forwarded to the following for information: -

- 1- Director, Urban Local Bodies, Haryana, Chandigarh.
- 2- The Director, Renewable Energy Department, Haryana & HAREDA, SCO-48, Sector-26, Chandigarh.
- 3- Joint Director Environment Haryana-cum Secretary, SEAC, SCO No. 1-3, Sector-17-D Chandigarh.
- 4- Labour Commissioner-cum-Chief Inspector of Factories, Haryana, Chandigarh
- 5- Senior Town Planner, Faridabad w.r.t. their office memo no. 5697 dated 16.9.2010 along with one set of approved building plans. ,
- 6- Superintending Engineer (HQ) HUDA, Panchkula w.r.t their office memo no. 58 dated 19.3.2010.
- 7- Distt. Town Planner, Faridabad.

Encl: as above



(Sunita Sethi)  
District Town Planner (HQ),  
Member Secretary,

For: Chief Town Planner, Haryana-cum- Chairman,  
Building Plan Approval Committee.

DIRECTORATE OF TOWN & COUNTRY PLANNING, HARYANA  
SCO No. 71-75, SECTOR-17C, CHANDIGARH.  
Tele-Fax: 0172-2548475; Tel.: 0172-2549851, E-mail: tcphry@gmail.com  
Website www.tcpharyana.gov.in

Memo No. ZP-228/SD (DK)/2013/ 59431. Dated 4/12/13.

To

Cadillac Buildwell Pvt. Ltd,  
KLJ House, 63 Rama Marg, Najafgarh Road,  
New Delhi-110015.

Subject: - Approval of revised building plan of Pocket-B (Tower- J1 & J2), Pocket-C, Pocket-E, Pocket-F, Pocket-J (EWS) & Community Building and Convenient Shopping-K2 & K3 in the Group Housing Scheme measuring 50.325 acres (Licence No. 3 to 9 of 2007 dated 02-01-2007 and 157 of 2008 dated 08-08-2008) in Sector-77, Faridabad.

Reference your application dated 07.09.2013 and subsequent letter dated 25.10.2013 for permission to erect the buildings in group housing colony measuring 50.325 acres in Sector-77, Faridabad in accordance with the plans submitted with it.

It is to inform you that the "Provisional" building plans was approved vide this office memo No. 50406 dated 03.09.2013 with a condition that the variations should be published in three Newspapers and displayed at various locations. As per report you have issued the Public Notice about the building plans being revised in three Newspapers namely The Tribune (English) and The Indian Express (English) and Danik Bhaskar (Hindi) dated 07.09.2013. The STP, Faridabad vide his office memo no. 5552 dated 15.10.2013 and DTP, Faridabad vide his office memo No. 4446 dated 14.10.2013 have reported that no complaints/observations from the flat holders have been received on the revision of the building plans. Further, you have submitted an undertaking through letter dated 25.10.2013 through your Authorized Signatory, Col. Sh. Uma Shankar mentioning that the company has not received any objection from any allottee/general public during the period of 30 days of the advertisement.

In view of above your request to consider the "Provisional Building Plans" as "Final" has been examined and it has been decided to consider the earlier "Provisional" revised building plans approved vide this office memo No. 50406 dated 03.09.2013 as "Final" and permission is hereby granted for the aforesaid construction subject to the provisions of the Punjab Scheduled Roads & Controlled Areas Restriction of Unregulated Development Act, 1963, its rules and the zoning plan framed there under along with special reference to following conditions:-

1. The plans are valid for a period of 2 years of the buildings less than 15.00 meters in height and 5 years for the multistoried buildings from the date of issuance of sanction, subject to validity of license granted for this scheme.

2. The structural responsibility of the construction shall be entirely of the owner/supervising architect/ Engineer of the scheme.

Further that: -

- a) The building shall be constructed as per the structure design submitted by you and as certified by your Structure Engineer that the same has been designed as per the provision of NBC and relevant I.S. Code for all seismic load, all dead and live loads, wind pressure and structural safety from earth quake of the intensity expected under Zone-IV.
- b) All material to be used for erection of building shall conform to I.S.I. and N.B.C. standards.
- c) No walls/ceiling shall be constructed of easily inflammable material and staircases shall be built of the fire resisting material as per standard specification.
- d) The roof slab of the basement external to the buildings if any shall be designed/ constructed to take the load of fire tender up to 45 tones.

3. FIRE SAFETY/FIRE FIGHTING:-

It is clear that the appropriate provision for Fire Fighting arrangement as required in National Building Code/ISI should be provided by you and Fire Fighting Safety Certificate shall be obtained before undertaking any construction, you shall be sole responsible for Fire Fighting arrangement.

Further, you shall also prepare and submit the plans in triplicate to M.C., Faridabad clearly marked and indicating the complete fire protection arrangements and means of escape/ access for the proposed building with suitable legend and standard signs.

On receipt of the above request the M.C., Faridabad after satisfying himself that the entire fire protection measures proposed for the above buildings are as per NBC and other Fire Safety Bye Laws, forward the same to the Director, Urban Local Bodies Department, Haryana who would issue a NOC from Fire Safety and means of escape/access point of view. This clearance/NOC from Fire Authority shall be submitted in this office along with a set of plans duly signed by the M.C., Faridabad within a period of 90 days from the date of issuance of sanction of building plans. Further, it is also made clear that no permission for occupancy of the building shall be issued by the Director unless he is satisfied that adequate fire fighting measures have been installed by you and suitable external fire fighting infrastructure has been created at Faridabad. A clearance to this effect shall be obtained from the M.C., Faridabad before grant of occupation certificate by the Director General.

4. The provision of letter boxes for each dwelling unit shall be made at the ground floor of each building.
5. No addition and alteration in the building plans/ layout plan shall be made without the prior approval of DG,TCP. Further, only figured dimensions shall be followed and in case of any variation in the plans, prior approval of DG,TCP shall be pre-requisite.
6. That you shall furnish the service plan/ estimate of this scheme in accordance with approved building plans within 60 days from the date of issue of this letter.

7. Based on the actual estimated cost of internal development of the group housing colony you shall furnish additional bank guarantee if required within 60 days of approval of the service plans.
8. The revenue Rasta if any passing through the site shall be kept unobstructed.
9. If any infringement of byelaws remains unnoticed, the department reserves the right to amend the plan as and when any such infringement comes to its notice after giving an opportunity of being heard and the department shall stand indemnified against any claim on this account.
10. The layout showing the electric installation shall have to be got approved from the Chief Electrical Inspector, Haryana before execution of work at site.
11. No person shall occupy or allow any other person to occupy any new building or part of the same for any purpose what so ever until such building or part thereof has been certified by the Director General or any person authorized by him in this behalf as having been completed in accordance with the permission granted and an occupation certificate in prescribed form has been duly issued in your favour.
12. Before grant of occupation certificate, you shall have to submit a notice of a completion of the building in form BR-IV along with BR-V regarding completion of works described in the plans and it shall be accompanied by:-
  - (i) DPC Certificate issued by DTP, Faridabad.
  - (ii) Structural stability certificate duly signed by the recognized Structural Engineer.
  - (iii) A clearance from Fire Safety point of view from the M.C., Faridabad.
13. WATER SUPPLY:-
  - (i) The down take system shall be provided by you by providing clear water storage tank of not less than half day storage of water for domestic usage on top of the building block. The capacity of the tank as shown on the plan and down take system thereof is as under:-

| Sr. No | Name of Building Block          | Capacity of tank for Domestic uses (In Liters.) | Up pipe (In MM) | Down pipe (In MM)    |
|--------|---------------------------------|---|-----------------|----------------------|
| 1.     | Pocket-B (Tower-J1 & J2) (Dom)  | 2 x 26000                                       | 50 mm           | 65/50/40/32/25/20 mm |
|        | Flushing                        | 2 x 14000                                       | 40 mm           | 50/40/32/25/20 mm    |
| 2.     | Pocket-C (Tower F1 to F4) (Dom) | 4 x 24000                                       | 50 mm           | 65/50/40/32/25/20 mm |
|        | Flushing                        | 4 x 13000                                       | 40 mm           | 50/40/32/25/20 mm    |
| 3.     | Pocket-C (Tower G1 & G3) (Dom)  | 2 x 19000                                       | 50 mm           | 65/50/40/32/25/20 mm |
|        | Flushing                        | 2 X 10000                                       | 40 mm           | 50/40/32/25/20 mm    |

469 X 172.5  
2.  
40,000

|     |  |                                   |       |                            |
|-----|--|-----------------------------------|-------|----------------------------|
| 4.  | Pocket-C<br>(Tower-G2)<br>(Dom)          | 1 x 11000                         | 40 mm | 50/40/32/25/20 mm          |
|     | Flushing                                 | 1 x 6000                          | 32 mm | 40/32/25/20 mm             |
| 5.  | Pocket-E (Tower-<br>D5 & D6) (Dom)       | 2 x 30000                         | 50 mm | 65/50/40/32/25/20 mm       |
|     | Flushing                                 | 2 x 15000                         | 40 mm | 50/40/32/25/20 mm          |
| 6.  | Tower-D7 (Dom)                           | 1 x 18000                         | 50 mm | 65/50/40/32/25/20 mm       |
|     | Flushing                                 | 1 x 10000                         | 40 mm | 50/40/32/25/20 mm          |
| 7.  | Pocket-F (Tower-<br>D10 to D14)<br>(Dom) | 5 x 30000                         | 50 mm | 65/50/40/32/25/20 mm       |
|     | Flushing                                 | 5 x 14000                         | 40 mm | 50/40/32/25/20 mm          |
| 8.  | Pocket-J (EWS)<br>(3 Nos.)               | 3 x 39000                         | 65 mm | 80/65/50/40/32/25/20<br>mm |
|     | Flushing                                 | 3 x 20000                         | 50 mm | 65/50/40/32/25/20 mm       |
| 9.  | Commercial<br>Pocket-K2 (Dom)            | 1 x 2000                          | 40 mm | 50/40/32/25/20 mm          |
|     | Flushing                                 | 1 x 1000                          | 32 mm | 40/32/25/20 mm             |
| 10. | Commercial<br>Pocket-K3 (Dom)            | 1 x 1000                          | 40 mm | 50/40/32/25/20 mm          |
|     | Flushing                                 | 1 x 1000                          | 32 mm | 40/32/25/20 mm             |
| 11. | Community<br>Building (Dom)              | 1 x 10000                         | 65 mm | 50/40/32/25/20 mm          |
|     | Flushing                                 | 1 x 5000                          | 50 mm | 40/32/25/20 mm             |
|     | UGT (Dom)                                | 1230 KLD<br>(already<br>approved) |       |                            |

- (ii) Inlet pipes from down take to toilet shall be 25/20/15 mm dia as shown on the plans and connection to each individual fixture shall be 15 mm dia.
  - (iii) The adequate booster pumps to boost the water in the water tanks with 100% standby arrangement shall be provided by you. It is made clear that you shall be sole responsible for boosting arrangement all the time.
  - (iv) The alternative arrangement of power supply, such as Gen. Set etc. of suitable capacity shall also be provided by you during failure of electricity.
14. SEWERAGE:-
- (i) All external sewerage lines should not be less than 200 mm. dia Pipes.
  - (ii) All soil pipe connection W.C. to soil stack / manhole shall be 100 mm dia as shown on the plans.
  - (iii) Waste water stack shall be 100/75 mm dia as shown on the plans and soil stack shall be 100 mm dia.

- (iv) All F.T. shall be 75 mm dia.
- (v) All W.C. shall be provided with high / low level flushing cistern. The capacity of flushing cistern shall be of 8 Ltrs.
- (vi) All pipes from waste water stack to I.C. and I.C. to manhole shall be 100 mm dia as shown on the plans.
- (vii) Suitable approach/ ventilation arrangement shall be provided by you by providing inspection window/ duct etc. for repairing of piping system.
- (viii) No tap or outlet of any kind will be provided from the flushing line/plumbing lines for recycled water except for connection to the cistern of flushing tanks.

15. STORM WATER DRAINAGE:-

- (i) You have provided single level basement under Pocket-A, B, C, F & H (already approved) for parking/services only. For draining out of the wash water/rain water accumulated in the basement shall be collected through covered channel of 300 mm wide to the sumps at different places and from where the pumping has been proposed by you by providing pumps of 350 LPM capacity at 7.0 Mtrs head.

Thus, it is made clear that will be sole responsible for pumping out of rain water/wash water etc. all the time and 100% stand by pumps alternate power supply arrangement shall also be provided in case of failure of electricity and breakdown.

- (ii) All external storm water drainage shall be provided suitably so as to disposal of rainwater in to the existing system of the colony.
- (iii) All rainwater stack pipe shall be 100/150 mm dia pipes as shown on the plans.
- (iv) It is made clear that roof top rain harvesting system shall be provided as per Central Ground Water Authority norms/ Haryana Govt. Notification as applicable and shall be kept operational all the time.

16. GENERAL: -

- (i) Recycled water is proposed to be utilized for flushing purposes. The firm has made provision of separate flushing line, storage tank, metering system, pumping system and plumbing. It may be clarified to developer that no tap or outlet of any kind will be provided from the flushing lines/plumbing lines for recycled water except for connection to the cistern of flushing tanks and any scouring arrangement. Even ablution taps should be avoided.
- (ii) No cross connection between recycled water system and potable water system shall be made.
- (iii) All plumbing pipes fittings, valves of flushing system pipe will be of red color or painted red. In case of embedded pipes. Marker taps of Red Color at suitable intervals shall be fixed. The underground and over head tanks should have, Recycle water not fit for drinking and other warning signs embossed/marked on them.

- (iv) Recycled water pipes and potable water pipes will be fixed in separate chases and a minimum horizontal distance of 6" (150 mm) will be mentioned between them. In case of cross suitably colored/taped sleeve shall be used.
- (v) You shall provide alternative source of electricity for functioning of water supply, sewerage and storm water drainage scheme by providing Gen. set of required capacity.
- (vi) All pipes, fixtures, fitting, pumps, Gen. set and filtration plan etc. shall be conforming to relevant IS specification and ISI marked.
- (vii) Proper filtration plant shall be provided by you for filtration and recycling of the water of the swimming pool only small quantity of water shall be used for replacement of water in the swimming pool.
- (viii) The replacement water shall be disposed off by you by using the same for watering of landscaped area in your colony or the same is disposed off into the rain water harvesting system.
- (ix) That you shall provide the minimum open able aperture of 1/8<sup>th</sup> of the floor area of the habitable room and in case of kitchen the area of opening shall be increased by 25%.
- (x) That the colonizer shall obtain the Clearance/NOC as per the provisions of the Notification No. S.O. 1533 (E) Dated 14.09.2006 issued by Ministry of Environment and Forest, Government of India before starting the construction/execution of development works at site.
- (xi) That the provision of solar water heating system shall be as per norms specified by HAREDA and shall be made operational in the each building block before applying for an occupation certificate.
- (xii) That the colonizer/owner shall use only Compact Fluorescent Lamps fitting for internal lighting as well as Campus lighting.
- (xiii) That if any, site for Electric Sub Station is required same will be provided by you in the group housing colony.
- (xiv) That the colonizer/owner shall use only Compact Fluorescent Lamps fitting for internal lighting as well as Campus lighting.
- (xv) The community centre/centres shall form part of the common areas and facilities of the group housing colony as defined under the Apartment Ownership Act and the same shall be defined as such in the deed of declaration to be filed under the Apartment Ownership Act. Such community centre/centres shall be for the exclusive use of residents of this group housing colony only. You shall submit an undertaking in the form of an affidavit to the above effect within a period of ten days from the issuance of this approval.
- (xvi) That the owner shall construct/allot the EWS Flats as per Policy dated 14.6.2012 and instructions issued by the Department from time to time.



- (xvii) The community building/buildings shall be constructed by the colonizer/owner as per provisions of The Haryana Development and Regulation of Urban Areas (Amendment and Validation) Act No. 4 of 2012, failing which, the said site shall vest with the Government.
- (xviii) That the colonizer shall follow provisions of Section 46 of 'The Persons With Disabilities (Equal Opportunities, Protection of Rights and Full Participation) Act, 1995' which includes construction of ramps in public buildings, adaptation of toilets for wheel chair user, Braille symbols and auditory signals in elevators or lifts and other relevant measures for Hospitals, Primary Health Centres and other medical care and rehabilitation units.
- (xix) That provision of parking shall be made within the area earmarked/designated for parking in the colony and no vehicle shall be allowed to park outside the premises.
- (xx) That you shall deposit the balance amount of Labour Cess in future, time to time as per progress in construction at site.
- (xxi) That you shall submit the soft copy of the approved building plans of this scheme within one week to this office from the issuance of this letter.

This sanction will be void abnatio, if any of the conditions mentioned above are not complied with.

DA/One set of Building Plans



(Sunita Sethi)

District Town Planner (HQ),  
Member Secretary,


For: Chief Town Planner, Haryana-cum- Chairman,  
Building Plan Approval Committee

Endst. No: - ZP-228/SD (DK)/2013/\_\_\_\_\_ Dated \_\_\_\_\_

A copy is forwarded to the following for information: -

1. Director, Urban Local Bodies, Haryana, Chandigarh.
2. The Director, Renewable Energy Department, Haryana & HAREDA, SCO-48, Sector-26, Chandigarh.
3. Joint Director Environment Haryana-cum Secretary, SEAC, SCO No. 1-3, Sector-17-D Chandigarh.
4. Labour Commissioner-cum-Chief Inspector of Factories, Haryana, Chandigarh
5. Chairman, Pollution Control Board, Haryana, Sector-6, Panchkula.
6. M.C., Faridabad.
7. Superintending Engineer (HQ), HUDA, Panchkula w.r.t. his office memo no. 72 dated 27.02.2013.
8. Senior Town Planner, Faridabad w.r.t. his office memo no. 5552 dated 15.10.2013 along with one set of building plans.
9. Distt. Town Planner, Faridabad.

Encl: as above



(Sunita Sethi)

District Town Planner (HQ),  
Member Secretary,

For: Chief Town Planner, Haryana-cum- Chairman,  
Building Plan Approval Committee.