

1. BUILDING HAS AUTOMATIC SPRINKLER SYSTEM WHEREVER REQUIRED BY NBC.
2. BUILDING WILL BE DESIGNED (STRUCTURES) AS PER RELEVANT IS CODES FOR EARTH QUAKE RESISTANCE.

PROPOSED COMMERCIAL COLONY AREA
MEASURING 6.525 ACRES (LICENSE NO. 79 OF 2012
DATED 17/08/2012 & LICENSE NO. 11 OF 2013 DATED
12/03/2013) IN SECTOR 106, GURGRAM BEING
DEVELOPED BY ELAN AVENUE LTD.(FORMELY
KNOWN AS AIRMID DEVELOPERS LTD.)

SINGLE LVL PARKING=81
STACK PARKING=110X2=220
TOTAL CARS=81+220=301
TD=TRAVEL DISTANCE

Checked and found ok for Public Health
(Internal) Service only subject to comments in
In forwarding letter No. 347..... On 02/01/2023

Superintending Engineer (HQ)
for Chief Engineer 1 HSVP
Dinakaran
(DEL W-2)

For Elan Avenue Ltd.

Claydon G. B.
ANNASTON, 1001 W. WINDY
Avenue, CA 92006
H. No. 403, PM-11
New Palm View, Gunturam

Drawing No: BS-03

Door Tag	Typology	Fire Rating	Masonry Width	Masonry Height	Masonry Cill Height	Masonry Lintel Height
D1	Flush door	NA	1200	2400	2400	2400
D2		NA	800	2300	100	2400
D3		NA	1000	2400	2400	2400
FD1	Metal door	2	2150	2400		2400
FD1a		2	2150	2400		2400
FD1b		2	2150	2400		2400
FD2		2	2000	2400		2400
FD2a		2	2000	2400		2400
FD3		2	1200	2400		2400
FD3a		2	1200	2400		2400
FD3b		2	1200	2400		2400
FD4		2	800	2300	100	2400
FD5		2	1500	2300	100	2400
GD1	Glass door	NA	1200	2400		2400
GD2		2	2000	2400		2400