

2. BUILDING WILL BE DESIGNED (STRUCTURES)
AS PER RELEVANT IS CODES FOR EARTHQUAKE RESISTANCE

PROPOSED COMMERCIAL COLONY AREA
MEASURING 6.525 ACRES (LICENSE NO. 79 OF 2012
DATED 17/08/2012 & LICENSE NO.11 OF 2013 DATED
12/03/2013) IN SECTOR 106, GURGRAM (FORMELY
DEVELOPED BY ELAN AVENUE LTD.(FORMELY
KNOWN AS AIRMID DEVELOPERS LTD.)

3

For Erian Avenue Ltd.

cloudy4r
VINASH CHANDRA WADIA
Architect No. CA/750266
H. No. 163, PH-II
New Pallam Vihar, Gurugram

Drawing Title:—	Dro
-----------------	-----

LOWER GROUND FLOOR

T O 1

REQUIRED EXIT CALCULATION LOWER GROUND FLOOR CALCULATION: –
 Retail area (4071 sqm @ 1 person / 3 sqm) = 1357 persons
 Required exit width for Retail @ 10mm/person for 1357 persons = 13570 mm i.e. MINIMUM 13750MM.
 Proposed exit width for Retail = 41280MM (7985+5990+4265+3140+6000+5900+8000).

[illegible]

Door Tag	Typology	Fire Rating	Masonry Voids	Masonry Height	Masonry Ch Height	Masonry Height
D1		NA	1200	2400		2400
D2	Flush	NA	800	2300	100	2400
D3	Door	NA	1000	2400		2400
D4		NA	2150	2400		2400
F01		2	2150	2400		2400
F01a		2	2150	2400		2400
F01b		2	2150	2400		2400
F02		2	2000	2400		2400
F02a	Meat	2	2000	2400		2400
F03	door	2	1200	2400		2400
F03a		2	1200	2400		2400
F03b		2	1200	2400		2400
F04		2	800	2300	100	2400
F05		2	1500	2300	100	2400
G01	Glass	NA	1200	2400		2400
G02	door	2	2000	2400		2400

[illegible]