

LEADER:	DRIVING TEAM:
1. DATE:	
2. NAME:	
3. ROLE:	
4. OBJECTIVE:	
5. CHALLENGE:	
6. RESOURCES:	
7. MEASUREMENT:	
8. FEEDBACK:	
9. CONCLUSION:	
10. REFLECTION:	
11. ADDITIONAL NOTES:	



SECOND FLOOR PLAN
LVL+11300

Door Tag		Wood		Fire Rating	Mass	Width	Mass/Height	Cut Height	Mass/Linear Height
D1		NA	1200	2400					
D2	Flush	NA	800	2300	100				
D3	Door	NA	1000	2300					
D4		NA	2150	2400				2400	
D1		2	2150	2400					
D1A		2	2150	2400					
D1B		2	2150	2400					
D2		2	2000	2400					
D2A	Metal	2	2000	2400					
D3	door	2	1200	2400					
D3A		2	1200	2400					
D3B		2	1200	2400					
D4		2	800	2300	100				
D5		2	1500	2300				2400	
D1	Glass	NA	1200	2400					
D1D	6000	NA	2300	2400				2400	

REQUIRED STAIRCAST WIDTH 2ND FLOOR CALCULATION:-
 Retail area (4058 sqm @ 1 person / 6 sqm) = 677 persons
 Required staircase width for Retail @ 10mm/person for 677 persons = 6770 mm i.e. MINIMUM 7000MM.
 Proposed staircase width for Retail = 14000MM.

[illegible]

Note:-

¹ BUILDING HAS AUTOMATIC SPRINKLER SYSTEM WHEREVER REQUIRED BY NBC.

2. BUILDING WILL BE DESIGNED (STRUCTURES)

AS PER RELEVANT IS CODES FOR EARTHQUAKE RESISTANCE

TO BE KEPT WITH THIS OFFICE
MEMO NO.:
DATED :

JD.

checking and found ok for Public Health
(Internal) Service only subject to comments in
ie forwarding letter No 347 Date 29/01/2002

Superintending Engineer (HQ)
for Chief Engineer 1 HSVP

508 (w-2)

PROPOSED COMMERCIAL COLONY AREA
MEASURING 6.525 ACRES (LICENSE NO. 79 OF 2012
DATED 17/08/2012 & LICENSE NO. 11 OF 2013 DATED
12/03/2013) IN SECTOR 106, GIRIGRAM BEING
DEVELOPED BY ELAN AVENUE LTD./FORMERLY
KNOWN AS AIRMID DEVELOPERS LTD.)

ARCHITECTS

OWNER'S SEA

For Elan Avenue Ltd

Authorised Signatory

ARCHITECT'S SEAL
& SIGNATURE

AVINASH CHANDRA VAIDYA

DEC.-2022. Scale : 1:150

Drawing Title:-	Drawing No:
-----------------	-------------

2ND FLOOR

T-04