







PART PLAN AT PLINTH LVL.(TOWER-A & B)




PART PLAN AT MID LANDING LVL.(TOWER-A & B)




PART PLAN AT FIRST LVL.(TOWER-A & B)




PART PLAN AT TYPICAL LVL.(TOWER-A & B)




PART PLAN AT TERRACE LVL.(TOWER-A & B)



SEC:- A-A




SEC:- B-B




SEC:- C-C




SEC:- F-F




SEC:- E-E
SEC:- G-G




SEC:- D-D




SEC:- F-F




SEC:- I-I




SEC:- 5-5




SEC:- 3-3




SECTION:- 6-6
(TYPICAL)




SEC:- 4-4




SEC:- 5-5



TYP.DETAIL OF. STEPS
DETAIL-C



LB(200x450)



LB1(200x325)

SYED TALUDDIN ASHRAF
C. E. -AM-100566-1

NOTES :-

- FOR NO. OF STEPS AND LOCATION OF STEPS REFER ARCH. DRG.
- ALL GRADE OF CONC. SHALL BE M-25
- FOR FLOOR BEAM DETAIL OF CORRIDOR SIDE OF STAIR CASE, REFER FLOOR BEAM DETAILS DRAWING.

TOWER-K,L,M&N ST-05

GENERAL NOTES - NOTES & REFERENCES

- READ THIS DRAWING IN CONJUNCTION WITH RELEVANT ARCHITECTURAL DRAWINGS. ANY DISCREPANCY IF FOUND SHALL BE BROUGHT TO THE NOTICE OF CONSULTANT.
- ALL DIMENSIONS ARE IN MM & LEVELS IN MILLIMETERS.
- DO NOT SCALE ANY DIMENSION.
- CONFIRM LOCATION OF WALLS WITH RELEVANT ARCH. DRGS.
- FOR RCC. WORK USE MIX M25 CONFORMING TO IS 456 : 2000 OR AS SPECIFIED IN RESPECTIVE DWG.
- THE REINFORCEMENT SHALL BE COLDTWISTED DEFORMED BARS (C.T.D) OR T.M.T. BARS HAVING YIELD STRENGTH NOT LESS THAN 500 N/mm² AND CONFORMING TO I.S. 1786 - 1979.
- THE CLEAR COVER TO THE REINFORCEMENT SHALL BE AS FOLLOWS:
 - BEAMS (top & bottom) : 25 MM side cover 25mm
 - CHAJJAS/CANOPY : 20 MM
 - R.C.C. WALL : 25 MM
- NOMINAL COVER IS THE DEPTH OF CONCRETE COVER TO ALL STEEL REINFORCEMENT INCLUDING LINES/ TIES/ STIRRUPS.
- NOT MORE THAN 50% OF THE BARS SHALL BE LAPPED AT ANY SECTION. LAPS CLOSE TO THE MID SPAN IN BOTTOM BARS & CLOSE TO SUPPORTS IN TOP BARS SHALL BE AVOIDED.
- INDICATES TOP BARS
INDICATES BOTTOM BARS
- ALL CUTOUT LOCATION AND SIZE SHALL BE CONFIRMED WITH THE ARCHITECTURAL/SERVICES DRAWINGS.
- BEAM LAYOUT SHALL BE CHECKED WITH RELEVANT ARCHITECTURAL DRAWINGS.
- ALL SUNKEN AREAS SHALL BE FILLED WITH FOAM CONCRETE HAVING DENSITY NOT MORE THAN 800KG/m³.
- RAMP AND STAIR CASE DETAILS SHALL BE CHECKED FROM RELEVANT ARCHITECTURAL AND STRUCTURAL DRAWINGS BEFORE CASTING.
- THE LEVELS GIVEN IN THE STRUCTURAL DRAWINGS SHALL BE CHECKED WITH RELEVANT ARCHITECTURAL DRAWINGS BEFORE CASTING.
- THE SUNKEN AREAS AND DEPTH SHOWN IN THE DRAWING ARE BASED ON ARCHITECTURAL DRAWING AND SERVICE DRAWINGS. DISCREPANCY IF ANY SHALL BE BROUGHT TO THE NOTICE OF CONSULTANTS.
- MS. SLEEVES SHALL BE PROVIDED AT THE TIME OF CASTING.
- PROVIDE 2-12# (T&B) IN SLABS BELOW WALLS WHEREVER NO BEAM IS PROVIDED.
- INDICATES SLAB MARKING.

R0	27.08.21	GOOD FOR CONSTRUCTION
Rev.no.	Date	Revision

CLIENT:


GLS INFRA PROJETS PVT. LTD.

PROJECT TITLE :

AFFORDABLE GROUP HOUSING COLONY OF LAND MEASURING 8.76875 ACRES (LICENCE NO.06 OF 2017 DATED 18/02/2019) AND (LICENCE NO.65 OF 2019 DATED 11/06/2019) IN THE REVENUE ESTATE OF VILLAGE WAZIRPUR AT SECTOR 92, DISST, GURUGRAM, BEING DEVELOPED BY GLS INFRA PROJETS PVT. LTD.

DRAWING TITLE :	DWG NO.
STAIR CASE PLAN & DETAIL TOWER-A&B (S+11th FLOOR.)	ST-05
SCALE	N.T.S
DATE	12/01/2023
DRAWN BY	ASHOK
DESIGNED BY	SHIVAM SHARMA
APPROVED BY	STA

Architect:



structural consultant:

Keen Associates Pvt. Ltd.
STRUCTURAL ENGINEERS & PROJECT CONSULTANTS
Office : 1st Floor, H-53, OPP. VIJAYA BANK COMMERCIAL AREA, SECTOR-63, NOIDA UP.
TELEPHONE : +91-120-4568644, 01204240514
E-mail : keenassociates2005@gmail.com, keen_associates@hotmail.com.

DRAWING RELEASED FOR:

- | | | |
|-----------------------------------|--|---------------------------------------|
| ☐ APPROVAL | ☒ SUBMISSION | ☐ ADVANCE COPY |
| ☐ TENDER | ☐ PROOF CHECKING | ☐ CONSTRUCTION |