




हरियाणा राज्य औद्योगिक
एवं संरचना विकास
निगम लिमिटेड



**Haryana State Industrial and
Infrastructure Development
Corpn. Ltd.**

IMT, Manesar, Distt.-Gurugram

Tel no. 0124-2291445

E-mail ID: ipd.manesar@hsiidc.org.in

(A State Government Undertaking)



**BR-III
(See Code 4.2 (4))
Form of Sanction**

To,

M/s Ompee Construction,
Plot no. 07, Palam Vihar (Extension),
Dharam Colony, Gurugram, Haryana 122017.

Memo no.:- HSIIDC/IPD/IMT/M/2023/744.....

Dated: 08/08/2023

**Subject- Approval of Building Plans for Group Housing Site at Plot no. GH-36,
Sector-01, IMT - Manesar.**

Reference: Your application dated 09/06/2023 for the Permission to erect the Group
Housing Building on plot no.GH-36, Sector 01, IMT Manesar.

The permission is hereby granted for the aforesaid construction subject to the
provisions of the Punjab Scheduled Roads & Controlled Area Restrictions of unregulated
Development Act, 1963 its Rules 1965 and the Zoning Plan framed there under along with
special reference to the following conditions:

1. The Plans are valid for a period of 05 years from the date of issuance of sanction,
subject of terms and condition of the agreement executed with the Haryana State
Industrial & Infrastructure Development Corporation here in referred as
Corporation.
2. The structural responsibility of the construction shall be entirely of the allottee &
supervising architect/Engineer of the scheme.

Further That:-

- a. The building shall be constructed as per the structure design submitted by you
and as certified by your structure engineer that the same has been designed as per
the provisions of NBC and relevant IS code for all seismic load, all dead and live
loads wind pressure and structural safely from earthquake of the intensity
expected under Zone-IV.
- b. All Material to be used for erection of building shall conform to I.S.I. and N.B.C.
standard.
- c. No walls/ ceiling shall be constructed of easily inflammable material and stair
cases shall be built of the Fire resistant material as per standard specification.
- d. The roof slab of the basement external to the building if any shall be designed/
constructed to take the load of Fire tender upto 45 tones. Basement shall not be
constructed beyond zoned area or in case existing adjacent building, setback of 2.4
mtrs shall be taken from the existing adjacent building.

3. FIRE SAFETY:-

- (i) The allottee and the Supervising Architect of the project shall be entirely
responsible for making provisions of fire safety and fire fighting measures and
shall abide by all fire safety bye laws.

HSI IDC – Your partner in progress



Scanned with OKEN Scanner

- (ii) That you shall get approved the fire fighting scheme in accordance with The Haryana Fire and Emergency Services Act 2022 (as amended from time to time) and directions issued by the Director, Haryana Fire Service, Haryana, before starting the construction work at site.
4. The basement shall not be use as storage in any manner. It shall be used only for parking and services as mentioned in the approved zoning plan.
 5. Lift with 100% stand by generators along with automatic switchover would be essential. Separate Ramps for entry and exist with clear width of four meters each shall be provided. The slope of ramp shall not be steeper than 1:10.
 6. No addition and alteration in the building plans/ layout plans shall be made without prior approval of HSIIDC. Further only figured dimensions shall be followed and in case of any variation in the plans, prior approval of Competent Authority.
 7. It shall be the sole responsibility of the allottee to undertake precautionary measures to ensure safety of men and material during the construction period of the building and also after Completion of building allottee shall also ensure compliance of labour rules for ensuring labour safety during construction of the building.
 8. The layout showing the electric installation shall have to be got approved from the chief Electrical Inspector Haryana, before execution of work at site.
 9. You shall not occupy the building or part of building without obtaining the Occupation Certificate from the Competent Authority, HSIIDC.

Water Supply:-

- (i) The distribution arrangement of potable water shall be made by you. You will ensure adequate constant and reliable water supply required under in rules.
- (ii) You shall make suitable arrangement for disposal of the waste water in accordance with the norms set up by Haryana State Board for prevention and control of water pollution and shall not discharge waste water in open /plain ground.
- (iii) That the work of PH Service be got executed as per standard design& specification.
- (iv) It is made clear to you that roof top rain water harvesting system shall be provided by you as per norms and shall be kept operational all the time.
- (v) That the flushing cistern will be of suitable capacity.
- (vi) HSIIDC shall not provide any kind of facility to the premises made by you at your own arrangements.
- (vii) The allottee shall make provisions of piping/ plumbing arrangement for maximum use of treated waste water in their premises as in washroom/toilets.

General:-

- (i) You shall provide alternate source of electric for functioning of lifts, common area lights, water supply, sewerage and storm water drainage scheme by providing generator set of required capacity.
- (ii) All pipes, fixtures fitting pump; General set and filtration plant etc shall be conforming to relevant IS specification and ISI marked.
- (iii) The rain water harvesting systems shall be provided as per C.G.W. Authority norms /Haryana Government notification.
- (iv) The use of solar water heating system as per norms specified by HAREDA is mandatory and shall be made operational in each building block before applying for an Occupation Certificate.


- (v) That you shall strictly comply with the directions of MOEF Guidelines, 2010 (as amended from time to time) while raising construction.
- (vi) It is made clear that even if constructions have been started after seeking Environmental Clearance under the EIA notification 2006 and after taking other travel but is being carried out without taking the preventive and protective environmental steps as stated in this order and MOEF guidelines, 2010, the State Government, SPCB and any officer of any department as aforesaid shall be entitled to direct stoppage of work.
- (vii) You shall dispose of the replacement water by using the same for the watering of landscaped area in the colony of the same by disposed of into the rain water harvesting system.
- (viii) You shall obtain clearance / NOC from the Ministry of Environment and Forest as per the provision of the notification number S.O. 1533 (E) Dated 14.09.06, issued by Ministry of Environment and Forest Govt. of India before starting the construction/execution of development at site.
- (ix) If you fail to obtain fire scheme approval from the competent authority within 60 days from the date of issuance of this letter or prior to start of the construction whichever is earlier in such case this sanction of building will automatically become void & abinitio and plan will be treated as cancelled.
- (x) The Building should conform to the requirements of Energy Conservation Act 2007. You shall use only Light Emitting Diode (LED) Lamps fitting for internal lighting, as well as campus Lighting. You shall use energy efficient industrial electronics motors only. The products of star rating 5 for electric appliances such as frost free refrigerators, Air conditioners & distribution transformers shall be used.
- (xi) That the allottee shall deposit Cess @ 1% of the estimated cost of construction to Assistant Director, Industrial Safety & Health, Labour Department Haryana as applicable under the building and other Construction Workers Welfare Cess Act, 1996 as amended from time to time.
- (xii) You shall ensure that only dual two button or lever flush system in toilets to save clean drinking water.
- (xiii) In compliance to the order of Hon'ble High court in CWP no. 17296 of 2011, Sh. Krishan Lal Gera V/s. State Haryana & Others, you have to ensure that proper parking arrangement of vehicle will be made by you within the premises and no vehicle will be allowed to park outside the premises.
- (xiv) You shall obtain NOC from Airport Authority of India, if height of the your building increases beyond 30 Mt.
- (xv) Lift Operational certificate from Inspector of Lifts Govt. of Haryana, Gurugram.
- (xvi) That you shall ensure the installation of Solar Photovoltaic Power Plant as per provisions of Haryana Solar Power Policy, 2016 issued by Haryana Government Renewable Department vide Notification No. 19/4/2016-5 Power dated 14.03.2016 (as amended from time to time)
- (xvii) The construction material of any kind that is stored in the site will be fully covered in all respects so that It does not disperse in the Air in any form.
- (xviii) The vehicles carrying construction material and construction debris of any kind should be cleaned before it is permitted to ply on the road after unloading of such material.
- (xix) Every worker working on the construction site and involved in loading, unloading and carriage of construction material and construction debris shall be provided with mask to prevent inhalation of dust particles.
- (xx) Every owner and or builder shall be under obligation to provide all medical help, investigation and treatment to the workers involved in the construction of building and carry of construction material and debris relating to dust emission.

- (xxi) It shall be the responsibility of owner/builder to transport construction material and debris waste to construction site, dumping site or any other place in accordance with rules and in terms of Hon'ble NGT order dated 10.04.2015.
- (xxii) All to take appropriate measures and to ensure that the terms and conditions of Hon'ble NGT order dated 10.04.2015 referred above in OA No. 21 of 2014 and earlier orders passed in said case should strictly comply with by fixing sprinklers, creations of green air barriers.
- (xxiii) Compulsory use of wet jet in grinding and stone cutting.
- (xxiv) Allottee shall make the provision of ramp and toilet for Differently-abled persons as per the approved specifications / building bye-laws.
- (xxv) The allottee shall not bore the tube well at site without obtaining the prior permission of Competent Authority.

If any infringement of bye laws remains unnoticed, the Corporation reserves the right to amend the plan as and when any such infringement comes to its notice after giving an opportunity of being heard.

The sanction will be void ab initio, if any of the conditions mentioned above are not complied with.

DA/One set of Building Plans.


**Divisional Town Planner
HSI IDC, Manesar.**

A copy is forwarded to the following for information and further necessary action:-

1. The Chairman, Supervising Committee -cum-STP (HQ) , HSI IDC, C- 13 & 14, Sector -06, Panchkula.
2. D.G.M (Estate), HSI IDC, IMT- Manesar.
3. A.G.M (Engg. Div.), HSI IDC, IMT - Manesar.
4. Fire Station Officer, Sector 29, Gurugram.
5. Deputy Director, Industrial Safety & Health, Labour Department, Gurugram for collecting labour cess.
6. ADC Gurugram cum CPO, Haryana Renewable Energy Development agency, Gurugram.