

CORNER BLOCK UNIT
3-BHK

TYPICAL 1ST TO 4TH FLOOR
(1ST FLOOR LVL.+1200/3202
2ND FLOOR LVL.+4150/6300
3RD FLOOR LVL.+9150/9250
4TH FLOOR LVL.+12050/12200



CORNER BLOCK UNIT(TYPICAL FLOOR)
3-BHK

TYPICAL CORNER BLOCK (3BHK) FLOOR AREA CALCULATION									
GROSS - A									
1	=	1	X	3.150	X	0.100	=	0.315	SQM
2	=	2	X	1.950	X	0.600	=	2.340	SQM
3	=	1	X	1.800	X	3.500	=	6.300	SQM
4	=	1	X	0.450	X	0.450	=	0.203	SQM
5	=	3	X	1.650	X	0.100	=	0.495	SQM
5a	=	1	X	0.700	X	4.250	=	2.982	SQM
6	=	1	X	12.200	X	4.300	=	53.182	SQM
7	=	1	X	12.885	X	1.815	=	20.809	SQM
8	=	1	X	12.800	X	9.425	=	121.183	SQM
9	=	1	X	1.800	X	0.100	=	0.180	SQM
9a	=	1	X	1.800	X	0.150	=	0.270	SQM
9b	=	1	X	0.150	X	0.150	=	0.023	SQM
10	=	1	X	3.775	X	12.900	=	48.698	SQM
11	=	4	X	1.675	X	0.750	=	5.025	SQM
12	=	2	X	1.525	X	1.850	=	5.642	SQM
13	=	1	X	1.525	X	0.200	=	0.305	SQM
						TOTAL	=	268.121	SQM
DEDUCTION									
GROSS - B									
a	=	2	X	1.850	X	2.400	=	8.880	SQM
b	=	1	X	4.985	X	2.800	=	13.958	SQM
c	=	0.5	X	(2.800+2.965)	X	0.365	=	0.888	SQM
d	=	0.5	X	(0.525+0.200)	X	0.325	=	0.118	SQM
d1	=	0.5	X	(0.525+0.200)	X	0.325	=	0.118	SQM
e	=	1	X	1.900	X	3.200	=	6.080	SQM
						TOTAL	=	30.041	SQM
TOTAL FAR AREA OF TYPICAL CORNER BLOCK (3BHK) FLOOR					=	GROSS - A	-	GROSS - B	
					=	268.121		30.041	
					=			238.079	SQM
TYPICAL CORNER (3BHK) FLOOR BUILT UP AREA									
GROSS - C									
b	=	1	X	4.985	X	2.800	=	13.958	SQM
c	=	0.5	X	(2.800+2.965)	X	0.365	=	0.888	SQM
						TOTAL	=	14.846	SQM
TOTAL BUILT UP AREA TYPICAL CORNER (3BHK) FLOOR					=	FAR AREA	=	GROSS - C	
					=	238.079	+	14.846	
					=	252.925	SQM		
TOTAL NON FAR AREA TYPICAL CORNER (3BHK) FLOOR					=	BUILTUP AREA	-	FAR AREA	
					=	252.925	-	238.079	
					+	14.846	SQM		



TERRACE TYPICAL CORNER PLAN
(LVL.-1450/-1450)
3BHK

SANCTIONED
TO BE READ WITH THIS OFFICE
MEMO NO.: 404.87
DATED: 24-11-2023.

Note :-

CTP
Gurugram
BPAC

STP (HQ)
Member Secretary
B.P.A.C

Recommended for approval
to be read with
dated 07/11/23

DTP (HQ)

Consultant
Architect

ATP (HQ)

(SATYA PAL)
JD (HQ)



STILT CORNER BLOCK FLOOR PLAN
(LVL.+250/400)
3-BHK
NOS. OF CAR PARKING-08



STILT 3-BHK CORNER

STILT CORNER BLOCK (3-BHK) FAR AREA									
GROSS - A									
1	=	1	X	4.500	X	8.600	=	38.130	SQM
2	=	1	X	0.775	X	3.500	=	2.713	SQM
3	=	1	X	0.325	X	1.190	=	0.790	SQM
						TOTAL	=	42.643	SQM
TOTAL FAR AREA STILT FLOOR					=	GROSS-A			
					=	42.643	SQM		
TOTAL BUILT UP AREA STILT FLOOR					=	GROUND COVERAGE			
					=	GROSS - 1			
						299.091	SQM		
TOTAL NON FAR AREA STILT FLOOR					=	GROUND COVERAGE	-	FAR AREA	
					=	299.091		42.643	
					=	217.448	SQM		



GROUND COVERAGE
CORNER BLOCK UNIT
3-BHK

GROUND COVERAGE CORNER BLOCK (3BHK) AREA CALCULATION									
GROSS - A									
1	=	1	X	18.500	X	1.050	=	17.325	SQM
2	=	1	X	16.650	X	0.410	=	6.826	SQM
3	=	1	X	16.650	X	7.980	=	132.867	SQM
4	=	1	X	16.500	X	3.750	=	62.040	SQM
5	=	2	X	3.650	X	3.350	=	24.455	SQM
6	=	2	X	3.500	X	2.200	=	15.400	SQM
7	=	1	X	3.475	X	0.800	=	2.780	SQM
8	=	1	X	3.500	X	0.200	=	0.700	SQM
9	=	1	X	3.475	X	0.800	=	2.780	SQM
10	=	1	X	0.150	X	0.100	=	0.015	SQM
11	=	2	X	0.125	X	0.800	=	0.200	SQM
12	=	3	X	0.150	X	0.150	=	0.068	SQM
13	=	1	X	1.200	X	1.025	=	1.230	SQM
14	=	2	X	0.050	X	0.825	=	0.093	SQM
15	=	1	X	1.200	X	1.050	=	1.260	SQM
16	=	1	X	0.300	X	0.325	=	0.098	SQM
						TOTAL	=	304.285	SQM
DEDUCTION									
GROSS – B									
a	=	1	X	1.900	X	3.200	=	6.080	SQM
b	=	0.5	X	(0.525+0.200)	X	0.325	=	0.118	SQM
b1	=	0.5	X	(0.525+0.200)	X	0.325	=	0.118	SQM
						TOTAL	=	6.316	SQM
TOTAL GROUND COVERAGE CORNER BLOCK (3BHK) AREA					=	GROSS - A	-	GROSS – B	
					=	304.285		6.316	
					=		297.969		SQM



TYPICAL - CORNER (3-BHK) MUMTY+DHT AREA

TYPICAL - CORNER (3-BHK) MUMTY+DHT AREA									
GROSS - A									
A	=	1	X	4.500	X	8.600	=	38.700	SQM
B	=	1	X	3.280	X	8.350	=	27.319	SQM
C	=	1	X	2.950	X	0.750	=	2.213	SQM
						TOTAL	=	66.734	SQM



"BASEMENT TO BE ARTIFICIALLY VENTILATED THROUGH MECHANICAL FANS"

CORNER BLOCK UNIT
3-BHK

BASEMENT CORNER PLAN
(LVL.-2900/-3000)
3BHK



BASEMENT PLAN CORNER
3-BHK

BASEMENT CORNER BLOCK (3BHK) AREA CALCULATION									
GROSS - A									
B1	=	1	X	19.500	X	15.375	=	299.813	SQM
						TOTAL	=	299.813	SQM
BASEMENT FAR AREA									
GROSS - B									
1	=	2	X	2.250	X	1.100	=	4.950	SQM
2	=	2	X	5.000	X	1.150	=	11.500	SQM
3	=	2	X	2.750	X	0.800	=	4.415	SQM
4	=	2	X	3.100	X	5.050	=	31.310	SQM
5	=	2	X	2.750	X	2.900	=	15.950	SQM
6	=	2	X	2.675	X	1.300	=	6.955	SQM
7	=	1	X	5.800	X	2.050	=	11.890	SQM
8	=	1	X	1.600	X	0.725	=	2.610	SQM
9	=	2	X	2.325	X	2.825	=	12.206	SQM
10	=	2	X	2.325	X	2.340	=	10.881	SQM
11	=	2	X	3.325	X	2.125	=	14.131	SQM
12	=	1	X	2.450	X	2.800	=	7.665	SQM
13	=	1	X	3.600	X	2.775	=	9.990	SQM
14	=	1	X	2.200	X	2.050	=	4.510	SQM
						TOTAL	=	149.244	SQM
GROSS - C									
C1	=	1	X	14.875	X	1.200	=	17.850	SQM
C2	=	1	X	14.875	X	1.425	=	21.197	SQM
C3	=	1	X	2.375	X	0.500	=	1.188	SQM
C4	=	1	X	2.850	X	0.500	=	1.425	SQM
C5	=	1	X	3.650	X	0.500	=	1.825	SQM
C6	=	1	X	0.300	X	0.500	=	0.150	SQM
						TOTAL	=	43.634	SQM
TOTAL BUILT UP AREA BASEMENT					=	GROSS - A			
					=	299.813	SQM		
TOTAL FAR AREA BASEMENT					=	GROSS-B	+	GROSS-C	
					=	149.244	+	43.634	
					=	192.878	SQM		
TOTAL NON FAR AREA BASEMENT					=	GROSS - A	-	FAR AREA	
					=	299.813		192.878	
					=	106.935	SQM		

Recommended for approval
Subject to the following
(Internal) Services are subject to clearance in
in forwarding letter No. 3647 dated 13/12/23

Chief Town Planner (HQ)
Haryana, Chandigarh

PLUMBING SHAFT PIPE DETAIL

SYMBOL		ABBRVIATION	DESCRIPTION
R		RWP	110 OD RAIN WATER PIPE (TERRACE)
R1		RWP	75 OD RWP FOR (BALCONY)
1		SP	110OD SOIL & WASTE PIPE
2	*	DWS	DOMESTIC WATER SUPPLY ON TAKE PIPE
3	*	FWS	FLUSHING WATER SUPPLY ON TAKE PIPE
4	*	DWS(R)	DOMESTIC WATER RISER TO OHT FILLING
5	*	FWS (R)	FLUSHING WATER SUPPLY RISER TO OHT FILLING

DOOR SCHEDULE_TYPICAL PLOT			
REVISED SR.NO	PARTICULARS	REVISED SIZES	
FD	MAIN ENTRANCE	1200x2350	3BHK+STUDY 3BHK
FD2	STAIRCASE DOOR AT STILT TOWARDS BASEMENT	1200x2350	3BHK+STUDY 3BHK
FD3	SERVICES ROOM	800x2000	3BHK+STUDY 3BHK
FD4	SERVICES ROOM	800x2000	3BHK+STUDY 3BHK
D	MUMTY DOOR	1200x2350	3BHK+STUDY 3BHK
D1	STORE ROOM	800x2100	3BHK+STUDY 3BHK
D2	BEDROOMS	1000x2100	3BHK+STUDY 3BHK
D3	KITCHEN - DOUBLE SWING DOOR	1000x2100	3BHK+STUDY 3BHK
D3a	KITCHEN - DOUBLE SWING DOOR	900x2100	3BHK
D4	KITCHEN BALCONY	1000x2350	3BHK+STUDY
DW4	KITCHEN BALCONY	1000x2350	3BHK+STUDY 3BHK
DW4d	KITCHEN BALCONY	1000x2350	3BHK+STUDY END PLOT
D5	UTILITY ROOM	800x2100	3BHK+STUDY 3BHK
D6	UTILITY TOI / TOILET(P.TO)	800x2100	3BHK+STUDY 3BHK
DW7	STILT ENTRANCE	1200x2350 SPECS PVC/FED DOOR (DGU FIXED GLASS) (DOOR) (DGU FIXED GLASS)	3BHK+STUDY 3BHK

WINDOW SCHEDULE_TYPICAL PLOT				
SR.NO	PARTICULARS	OPENING SIZE	SILL FROM TOS LVL	
W	STUDY	1500x1800	–	3BHK+STUDY
W1	LIVING & M. BEDROOM	2150x2350	–	3BHK+STUDY
DW2	LIVING	2200x2350	–	3BHK
DW3	BEDROOM 2 BEDROOM 3	1350x2350	–	3BHK+STUDY
DW4	M.BEDROOM 1	1625x2350	–	3BHK
DW5	BEDROOM 2	1825x2350	–	3BHK
W6	TOILET/PD TOILET	800x1250	1150	3BHK+STUDY 3BHK
W7	TOILET 2&3	600x1250	1150	3BHK
W8	STILT& BASEMENT STAIRCASE	1300x1250	900	3BHK+STUDY
W9	UTILITY ROOM	1650x1250	1600	3BHK+STUDY
W10	UTILITY ROOM	1650x1250	1600	3BHK
W11	TOILET UTILITY ROOM	800x750	1150	3BHK+STUDY 3BHK
DW12	DRAWING ROOM PASSAGE	1650x750	–	3BHK+STUDY
W13	BEDROOM 3	1850x2350	–	3BHK
DW14	LIVING	2125x2350	–	3BHK+STUDY

PROJECT

PROPOSED BUILDING PLAN OF RESIDENTIAL GROUP HOUSING SCHEME UNDER NILP FOR THE AREA MEASURING 15.833 ACRES (LICENCE NO.141 OF 2023 DATED 10-07-2023) (MIGRATION FROM GROUP HOUSING PART OF RESIDENTIAL PLOTTED COLONY MEASURING 175.593 ACRES (LICENCE NO.11 OF 2010 FOR 118.562 ACRES & LICENCE NO.114 OF 2011 FOR 57.031 ACRES) IN SECTOR-3, PINJORE KALKA URBAN COMPLEX BEING DEVELOPED BY DLF HOMES PANCHKULA PVT.LTD.

ARCHITECT

Architect Hafeez Contractor

29 Bank Street, Bombay 400 023. Tel:2661920

ASSOCIATE ARCHITECTS

RSMS ARCHITECTS

RSMS ARCHITECTS PVT. LTD.
69,Nora Niwas Bhawani Kunj
(Behind D2), Vasant Kunj,
New Delhi-110070.
Tel.: 011-26898616,26898617

ARCHITECT'S SEAL & SIGNATURE

SHABABUDDIN
CA/2005/35235

OWNER'S SEAL & SIGNATURE

SEP-2023. | Scale : 1:100

Drawing Title:- GROUND TO 4TH FLOOR & BASEMENT, TERRACE PLAN (CORNER-3BHK)

Drawing No:- A-04



CORNER BLOCK UNIT
3-BHK+STUDY

CORNER BLOCK UNIT
3-BHK+STUDY

TYPICAL 1ST TO 4TH FLOOR
1ST FLOOR LVL.+3200/3500
2ND FLOOR LVL.+6150/6450
3RD FLOOR LVL.+9100/9400
4TH FLOOR LVL.+12000/12350



CORNER
TYPICAL BLOCK UNIT(TYPICAL FLOOR)
3-BHK+STUDY

TYPICAL CORNER BLOCK (3BHK+STUDY) TYPICAL FLOOR AREA CALCULATION									
GROSS - A									
1	=	1	X	3.150	X	3.100	=	9.315	SQM
2	=	2	X	1.900	X	0.450	=	1.710	SQM
3	=	0.5	X	(1.215+2.575)	X	0.680	=	1.269	SQM
4	=	0.5	X	(1.215+2.575)	X	0.680	=	1.269	SQM
5	=	1	X	1.900	X	7.150	=	13.585	SQM
6	=	1	X	1.115	X	18.400	=	20.516	SQM
7	=	1	X	0.450	X	0.450	=	0.203	SQM
8	=	1	X	1.450	X	0.100	=	0.145	SQM
9	=	1	X	15.850	X	2.600	=	41.410	SQM
10	=	1	X	15.850	X	13.400	=	212.390	SQM
11	=	1	X	15.950	X	2.300	=	36.685	SQM
12	=	1	X	1.800	X	0.100	=	0.180	SQM
13	=	2	X	1.800	X	1.225	=	4.605	SQM
14	=	2	X	2.100	X	0.800	=	3.520	SQM
15	=	1	X	2.100	X	3.550	=	7.455	SQM
16	=	1	X	1.700	X	0.150	=	0.255	SQM
17	=	1	X	0.300	X	0.600	=	0.180	SQM
						TOTAL	=	348.031	SQM
DEDUCTION									
GROSS – B									
a	=	1	X	1.850	X	3.500	=	9.250	SQM
b	=	1	X	2.400	X	1.700	=	4.080	SQM
c	=	1	X	4.180	X	4.680	=	19.422	SQM
						TOTAL	=	32.752	SQM
TOTAL FAR AREA OF TYPICAL CORNER BLOCK (3BHK+STUDY)TYPICAL FLOOR					=	GROSS – A	-	GROSS – B	
					=	348.031		32.752	
					=	315.279			SQM
TYPICAL CORNER BLOCK (3BHK+STUDY) TYPICAL FLOOR BUILT UP AREA									
GROSS – C									
c	=	1	X	4.180	X	4.680	=	19.422	SQM
						TOTAL	=	19.422	SQM
TOTAL BUILT UP AREA TYPICAL CORNER BLOCK (3BHK+STUDY) TYPICAL FLOOR					=	FAR AREA	=	GROSS – C	
					=	315.279	-	19.422	
					=	334.701	SQM		
TOTAL NON FAR AREA TYPICAL CORNER BLOCK (3BHK+STUDY)TYPICAL FLOOR					=	BULT UP AREA		FAR AREA	
					=	334.701		315.279	
					=	19.422	SQM		



TERRACE CORNER BLOCK PLAN
(LVL.+14500/15250)
3-BHK+STUDY

Note :-

CTP (HQ)
Municipal Corporation

S.T.P. (HQ)
Member Secretary
B.P.A.C

DTP (HQ)

Recommended to be read with Order dated 23/11/2023

Consultant Architect

ATP (HQ)

(SATYA PAL)
JD (HQ)

SANCTIONED
TO BE READ WITH THIS OFFICE
MEMO NO.: 40469
DATED: 29.11.2023.



STILT CORNER BLOCK FLOOR PLAN
(LVL.+250/500)



STILT 3-BHK+STUDY CORNER

STILT CORNER BLOCK (3-BHK+STUDY) FAR AREA									
GROSS - A									
1	=	2	X	2.150	X	0.300	=	1.290	SQM
2	=	2	X	4.850	X	1.450	=	13.915	SQM
3	=	2	X	4.600	X	1.450	=	13.340	SQM
4	=	2	X	4.450	X	0.300	=	2.670	SQM
						TOTAL	=	31.143	SQM
GROSS – B									
a	=	1	X	1.475	X	2.080	=	3.068	SQM
						TOTAL	=	3.068	SQM
TOTAL FAR AREA STILT FLOOR					=	GROSS – A	-	GROSS – B	
					=	31.143		3.068	
					=	47.875	SQM		
TOTAL BUILT UP AREA STILT FLOOR					=	GROUND COVERAGE			
					=	369.151	SQM		
TOTAL NON FAR AREA STILT FLOOR					=	GROUND COVERAGE	-	FAR AREA	
					=	369.151		47.875	
					=	321.738	SQM		



GROUND COVERAGE
CORNER BLOCK UNIT
3-BHK+STUDY

GROUND COVERAGE CORNER BLOCK UNIT (3BHK+STUDY) FLOOR AREA CALCULATION									
GROSS - A									
1	=	1	X	0.150	X	0.100	=	0.015	SQM
2	=	3	X	0.150	X	0.150	=	0.068	SQM
3	=	2	X	0.125	X	0.800	=	0.200	SQM
4	=	1	X	1.200	X	1.025	=	1.230	SQM
5	=	2	X	0.050	X	0.025	=	0.003	SQM
6	=	2	X	0.100	X	0.450	=	0.090	SQM
7	=	0.5	X	2.575+1.215	X	0.680	=	1.289	SQM
7a	=	0.5	X	2.575+1.215	X	0.680	=	1.289	SQM
8	=	1	X	1.100	X	1.050	=	1.155	SQM
9	=	1	X	0.450	X	0.100	=	0.045	SQM
10	=	1	X	3.015	X	1.275	=	3.844	SQM
11	=	1	X	2.915	X	3.050	=	8.891	SQM
12	=	1	X	15.950	X	4.425	=	70.579	SQM
13	=	2	X	18.785	X	1.300	=	48.789	SQM
14	=	1	X	18.865	X	7.150	=	134.885	SQM
15	=	1	X	18.865	X	4.325	=	81.591	SQM
16	=	2	X	2.000	X	1.825	=	7.300	SQM
17	=	1	X	2.100	X	3.550	=	7.455	SQM
18	=	1	X	1.700	X	0.150	=	0.255	SQM
19	=	1	X	0.300	X	0.600	=	0.180	SQM
						TOTAL	=	369.151	SQM
DEDUCTION									
GROSS – B									
a	=	1	X	2.400	X	1.700	=	4.080	SQM
b	=	1	X	1.475	X	2.080	=	3.068	SQM
						TOTAL	=	7.148	SQM
TOTAL GROUND COVERAGE AREA (3BHK+STUDY)					=	GROSS – A	-	GROSS – B	
					=	369.151	-	7.148	
					=	362.003			SQM

PLUMBING SHAFT PIPE DETAIL

SYMBOL	ABBRIVATION	DESCRIPTION
R	RWP	110 OD RAIN WATER PIPE (TERRACE)
R	RWP	75 OD RWP FOR (BALCONY)
1	SVP	150Ø SOIL & WASTE PIPE
2	DWS	DOMESTIC WATER SUPPLY ON TAKE PIPE
3	FWS	FLUSHING WATER SUPPLY ON TAKE PIPE
4	DWSR	DOMESTIC WATER RISER TO OHT FILLING
5	FWS (R)	FLUSHING WATER SUPPLY RISER TO OHT FILLING

DOOR SCHEDULE_TYPICAL PLOT			
REVISED SK.NO.	PARTICULARS	REVISED SIZES	
FD	MAIN ENTRANCE	1200x2350	3BHK+STUDY 3BHK
FD3	STAIRCASE DOOR AT STILT TOWARDS BASEMENT	1200x2350	3BHK+STUDY 3BHK
FD4	SERVICES ROOM	800x2000	3BHK+STUDY 3BHK
FD5	SERVICES ROOM	800x2000	3BHK+STUDY 3BHK
D	MUMTY DOOR	1200x2350	3BHK+STUDY 3BHK
D1	STORE ROOM	800x2100	3BHK+STUDY 3BHK
D2	BEDROOMS	1000x2100	3BHK+STUDY 3BHK
D3	KITCHEN DOUBLE SWING DOOR	1200x2100	3BHK+STUDY 3BHK
D3a	KITCHEN DOUBLE SWING DOOR	900x2100	3BHK
D4	KITCHEN BALCONY	1200x2350	3BHK+STUDY
DW4	KITCHEN BALCONY	1200x2350	3BHK+STUDY 3BHK
DW4a	KITCHEN BALCONY	1200x2350	3BHK+STUDY END PLOT
D5	UTILITY ROOM	800x2100	3BHK+STUDY 3BHK
D6	UTILITY ROOM/TOILET/P.TOK	900x2100	3BHK+STUDY 3BHK
DW7	STILT ENTRANCE	3*FDC3 (PIVOTED DOOR (DOOR) FIXED GLASS	1200x3300 (EDGE) FIXED GLASS) 3BHK+STUDY 3BHK



BASEMENT CORNER BLOCK PLAN
(LVL.-2900/-3200)
3-BHK+STUDY

"BASEMENT TO BE ARTIFICIALLY VENTILATED THROUGH MECHANICAL FANS"



BASEMENT PLAN CORNER
3-BHK+STUDY

BASEMENT CORNER BLOCK (3BHK+STUDY) AREA CALCULATION									
GROSS - A									
b1	=	1	X	20.550	X	8.280	=	170.154	SQM
b2	=	1	X	20.400	X	1.840	=	37.536	SQM
b3	=	1	X	20.550	X	8.380	=	172.209	SQM
						TOTAL	=	379.899	SQM
BASEMENT FAR AREA									
GROSS - B									
1	=	2	X	2.950	X	4.470	=	26.373	SQM
2	=	2	X	5.350	X	2.915	=	31.191	SQM
3	=	2	X	5.325	X	1.605	=	17.093	SQM
4	=	2	X	5.350	X	2.835	=	30.335	SQM
5	=	2	X	2.850	X	4.470	=	25.479	SQM
6	=	2	X	5.275	X	1.685	=	17.777	SQM
						TOTAL	=	148.247	SQM
GROSS - C									
C1	=	2	X	0.765	X	0.400	=	0.612	SQM
C2	=	2	X	1.050	X	0.400	=	0.840	SQM
C3	=	2	X	14.550	X	0.740	=	21.534	SQM
C4	=	2	X	14.750	X	0.510	=	15.043	SQM
						TOTAL	=	38.031	SQM
TOTAL BUILT UP AREA BASEMENT					=	GROSS - A			
					=	379.899	SQM		
TOTAL FAR AREA BASEMENT					=	GROSS-B	=	GROSS-C	
					=	148.247	=	38.031	
					=	186.278	SQM		
TOTAL NON FAR AREA BASEMENT					=	GROSS - A	-	FAR AREA	
					=	379.899		186.278	
					=	193.621	SQM		



TYPICAL + CORNER (3-BHK +STUDY) (MUMTY+OHT) AREA									
GROSS - A									
X	=	1	X	1.180	X	10.890	=	12.852	SQM
						TOTAL	=	12.852	SQM

Checked and found ok for Public Health (Internal) Service only subject to compliance of inter-departmental letter No. 206 5 / T Date 25/12/23

WINDOW SCHEDULE_TYPICAL PLOT				
SR.NO	PARTICULARS	OPENING SIZE	SILL FROM SOB LVL	
W	STUDY	1500x1800	–	3BHK+STUDY
W1	LIVING M. BEDROOM	2150x2350	–	3BHK+STUDY
DW2	LIVING	2200x2350	–	3BHK
DW3	BEDROOM 2 BEDROOM 3	1350x2350	–	3BHK+STUDY
DW4	M.BEDROOM 1	1625x2350	–	3BHK
DW5	BEDROOM 2	1825x2350	–	3BHK
W6	TOILET/PD TOILET	800x1250	1150	3BHK+STUDY 3BHK
W7	TOILET 1&3	600x1250	1150	3BHK
W8	STILT& BASEMENT STAIRCASE	1500x1250	900	3BHK+STUDY
W9	UTILITY ROOM	1850x1250	1600	3BHK+STUDY
W10	UTILITY ROOM	1650x1250	1600	3BHK
W11	TOILET UTILITY ROOM	800x750	1150	3BHK+STUDY 3BHK
DW12	DRAWING ROOM PASSAGE	1650x750	–	3BHK+STUDY
W13	BEDROOM 3	1850x2350	–	3BHK
DW14	LIVING	2125x2350	–	3BHK+STUDY

PROJECT

PROPOSED BUILDING PLAN OF RESIDENTIAL GROUP HOUSING SCHEME UNDER NILP FOR THE AREA MEASURING 15.833 ACRES (LICENCE NO.141 OF 2023 DATED 10-07-2023) (MIGRATION FROM GROUP HOUSING PART OF RESIDENTIAL PLOTTED COLONY MEASURING 175.593 ACRES (LICENCE NO.11 OF 2010 FOR 118.562 ACRES & LICENCE NO.114 OF 2011 FOR 57.031 ACRES) IN SECTOR-3, PINJORE KALKA URBAN COMPLEX BEING DEVELOPED BY DLF HOMES PANCHKULA PVT.LTD.

ARCHITECT

Architect Hafeez Contractor

89 Bank Street, Bombay 400 023. Tel:2661920

ASSOCIATE ARCHITECTS

RSMS ARCHITECTS

RSMS ARCHITECTS PVT. LTD.
69,Nora Niwas Bhawani Kunj
(Behind D2), Vasant Kunj,
New Delhi-110070.
Tel.: 011-26898616,26898617

IOT (HQ) Member BPAC

ARCHITECT'S SEAL & SIGNATURE	OWNER'S SEAL & SIGNATURE
SHABABUDDIN CA/2005/35235	
SEP-2023.	Scale : 1:100
Drawing Title:- GROUND TO 4TH FLOOR & BASEMENT, TERRACE PLAN (TYPICAL CORNER-3BHK+STUDY)	Drawing No:- A-02



BASEMENT PLAN
(LVL -2500/-5200)
3-BHK+STUDY

BASEMENT (3BHK+STUDY) AREA CALCULATION									
GROSS - A									
b1	=	2	X	20.550	X	8.280	=	340.308	SQM
b2	=	1	X	20.400	X	1.840	=	37.536	SQM
						TOTAL	=	377.844	SQM
BASEMENT FAR AREA									
GROSS - B									
1	=	2	X	2.950	X	4.470	=	26.373	SQM
2	=	2	X	5.350	X	2.915	=	31.191	SQM
3	=	2	X	5.325	X	1.605	=	17.093	SQM
4	=	2	X	5.350	X	2.835	=	30.335	SQM
5	=	2	X	2.850	X	2.785	=	15.875	SQM
6	=	2	X	8.125	X	1.685	=	27.381	SQM
						TOTAL	=	148.247	SQM
GROSS - C									
C1	=	2	X	0.765	X	0.400	=	0.612	SQM
C2	=	2	X	1.050	X	0.400	=	0.840	SQM
C3	=	2	X	14.550	X	0.740	=	21.534	SQM
C4	=	2	X	14.750	X	0.510	=	15.045	SQM
						TOTAL	=	38.031	SQM
TOTAL BUILT UP AREA BASEMENT					=	GROSS - A			
					=	377.844	SQM		
TOTAL FAR AREA BASEMENT					=	GROSS-B	+	GROSS-C	
					=	148.247	+	38.031	
					=	186.278	SQM		
TOTAL NON FAR AREA BASEMENT					=	GROSS - A	-	FAR AREA	
					=	377.844	-	186.278	
					=	191.566	SQM		



BASEMENT FLOOR
(3-BHK+STUDY)



TERRACE PLAN
(LVL -1250/+2500)
3-BHK+STUDY

Note :-

CTP(HQ)
Chief Town Planner
BPAC

ATP(HQ)
Member Secretary
B.P.A.C

DTP (HQ)

Recommended to be read with Memo dated 21/11/23

Consultant Architect

ATP(HQ)

(SATYA PAL)
JD (HQ)

SANCTIONED
TO BE READ WITH THIS OFFICE
MEMO NO.: 40469
DATED: 24-11-2023.

GROUND COVERAGE TYPICAL UNITS (3BHK+STUDY) FLOOR AREA CALCULATION									
GROSS - A									
1	=	2	X	0.150	X	0.100	=	0.030	SQM
2	=	2	X	0.150	X	0.150	=	0.045	SQM
3	=	2	X	0.125	X	0.800	=	0.200	SQM
4	=	2	X	1.200	X	1.025	=	2.460	SQM
5	=	2	X	0.050	X	0.025	=	0.003	SQM
6	=	2	X	0.100	X	0.450	=	0.090	SQM
7	=	0.5	X	2.575+1.215	X	0.650	=	1.289	SQM
7a	=	0.5	X	2.575+1.215	X	0.680	=	1.289	SQM
8	=	2	X	18.865	X	4.325	=	163.182	SQM
9	=	2	X	18.765	X	1.300	=	48.789	SQM
10	=	1	X	18.865	X	7.150	=	134.885	SQM
11	=	2	X	1.800	X	0.100	=	0.360	SQM
12	=	2	X	2.000	X	1.825	=	7.300	SQM
13	=	1	X	2.100	X	3.550	=	7.455	SQM
						TOTAL	=	367.376	SQM
DEDUCTION									
GROSS – B									
a	=	1	X	1.475	X	2.080	=	3.068	SQM
b	=	1	X	2.400	X	1.700	=	4.080	SQM
						TOTAL	=	7.148	SQM
TOTAL GROUND COVERAGE AREA (3BHK+STUDY)					=	GROSS - A	-	GROSS – B	
					=	367.376	-	7.148	
					=	360.228			SQM



STILT FLOOR PLAN
(LVL +250/+500)
3-BHK+STUDY
NO.OF CAR PARKING-16

STILT (3-BHK+STUDY) FAR AREA									
GROSS - A									
1	=	2	X	2.150	X	3.300	=	1.290	SQM
2	=	2	X	4.650	X	1.455	=	13.241	SQM
3	=	2	X	4.500	X	1.460	=	13.140	SQM
4	=	1	X	4.450	X	5.050	=	22.473	SQM
						TOTAL	=	50.143	SQM
GROSS – B									
a	=	1	X	1.475	X	2.080	=	3.068	SQM
						TOTAL	=	3.068	SQM
TOTAL FAR AREA STILT FLOOR					=	GROSS - A	-	GROSS – B	
					=	50.143		3.068	
					=	47.075	SQM		
TOTAL BUILT UP AREA STILT FLOOR					=	GROUND COVERAGE	-	FAR AREA	
					GROSS - 1	=	382.863	SQM	
TOTAL NON FAR AREA STILT FLOOR					=	GROUND COVERAGE	-	FAR AREA	
					=	382.863	-	47.075	
					=	335.878	SQM		





GROUND COVERAGE TYPICAL
3-BHK+STUDY



TYPICAL + CORNER (3-BHK +STUDY) MUMTY+OHT AREA									
GROSS - A									
A	=	1	X	7.150	X	12.985	=	17.792	SQM
						TOTAL	=	17.792	SQM



TYPICAL BLOCK UNIT
3-BHK+STUDY

TYPICAL 1ST TO 4TH FLOOR
1ST FLOOR LVL +3200/3500
2ND FLOOR LVL +6150/6450
3RD FLOOR LVL +9100/9400
4TH FLOOR LVL +12050/12350



TYPICAL BLOCK UNIT(TYPICAL FLOOR)
3-BHK+STUDY

TYPICAL (3BHK+STUDY) FLOOR AREA CALCULATION									
GROSS - A									
1	=	1	X	3.150	X	0.100	=	0.315	SQM
2	=	2	X	1.900	X	0.450	=	1.710	SQM
3	=	0.5	X	(1.215+2.575)	X	0.680	=	1.289	SQM
4	=	0.5	X	(1.215+2.575)	X	0.680	=	1.289	SQM
5	=	1	X	1.900	X	7.150	=	13.585	SQM
6	=	1	X	1.115	X	18.400	=	20.516	SQM
7	=	1	X	3.150	X	0.100	=	0.315	SQM
8	=	1	X	15.950	X	2.500	=	39.875	SQM
9	=	1	X	15.850	X	13.400	=	212.390	SQM
10	=	1	X	15.950	X	2.500	=	39.875	SQM
11	=	2	X	1.800	X	0.100	=	0.360	SQM
12	=	2	X	1.900	X	1.225	=	4.655	SQM
13	=	2	X	2.100	X	0.600	=	2.520	SQM
14	=	1	X	1.900	X	3.550	=	6.745	SQM
						TOTAL	=	345.438	SQM
DEDUCTION									
GROSS – B									
a	=	2	X	1.850	X	2.500	=	9.250	SQM
b	=	1	X	2.400	X	1.700	=	4.080	SQM
c	=	1	X	4.150	X	4.680	=	19.422	SQM
						TOTAL	=	32.752	SQM
TOTAL FAR AREA OF TYPICAL (3BHK+STUDY) FLOOR					=	GROSS - A	-	GROSS – B	
					=	345.438		32.752	
					=	312.686			SQM
TYPICAL (3BHK+STUDY) FLOOR BUILT UP AREA									
GROSS – C									
c	=	1	X	4.150	X	4.680	=	19.422	SQM
						TOTAL	=	19.422	SQM
TOTAL BUILT UP AREA TYPICAL (3BHK+STUDY) FLOOR					=	FAR AREA	+	GROSS - C	
					=	312.686	+	19.422	
					=	332.108	SQM		
TOTAL NON FAR AREA TYPICAL (3BHK+STUDY) FLOOR					=	BUILTUP AREA	-	FAR AREA	
					=	332.108	-	312.686	
					=	19.422	SQM		

Checked and found ok for Public Health (Internal) Service only subject to comments as in forwarding letter No. 3061177 dt 31/7/23

Executive Engineer (HQ)
For Chief Engineer
PHE(HQ), Panchkula

PLUMBING SHAFT PIPE DETAIL		
SYMBOL	ABBRIVATION	DESCRIPTION
Ⓡ	RWP	110 OD RAIN WATER PIPE (TERRACE)
(R)	RWP	75 OD RWP FOR (BALCONY)
Ⓣ	SP	150Ø SOIL & WASTE PIPE
Ⓓ	DWS	DOMESTIC WATER SUPPLY ON TAKE PIPE
Ⓕ	FWS	FLUSHING WATER SUPPLY ON TAKE PIPE
Ⓓ	DWS(R)	DOMESTIC WATER RISER TO OHT FILLING
Ⓕ	FWS (R)	FLUSHING WATER SUPPLY RISER TO OHT FILLING

DOOR SCHEDULE_TYPICAL PLOT			
REVISED SR.NO	PARTICULARS	REVISED SIZES	
FD	MAIN ENTRANCE	1200x2350	3BHK+STUDY 3BHK
FD0	STAIRCASE DOOR AT STILT TOWARDS BASEMENT	1200x2350	3BHK+STUDY 3BHK
FD1	SERVICES ROOM	800x2000	3BHK+STUDY 3BHK
FD2	SERVICES ROOM	800x2000	3BHK+STUDY 3BHK
D	MUMTY DOOR	1200x2350	3BHK+STUDY 3BHK
D1	STORE ROOM	800x2100	3BHK+STUDY 3BHK
D2	BEDROOMS	1000x2100	3BHK+STUDY 3BHK
D3	KITCHEN DOUBLESWING DOOR	1000x2100	3BHK+STUDY 3BHK
D3a	KITCHEN DOUBLESWING DOOR	900x2100	3BHK
D4	KITCHEN BALCONY	1000x2350	3BHK-STUDY
DW4	KITCHEN BALCONY	1000x2350	3BHK+STUDY 3BHK
DW4a	KITCHEN BALCONY	1000x2350	3BHK+STUDY END PLOT
D5	UTILITY ROOM	800x2100	3BHK+STUDY 3BHK
D6	UTILITY TOILTOILETTOL	800x2100	3BHK+STUDY 3BHK
DW7	STILT ENTRANCE	SPECS:PIVOTED DOOR DGU FIXED GLASS 1200x2350 (DOOR) (DGU FIXED GLASS)	3BHK+STUDY 3BHK

WINDOW SCHEDULE_TYPICAL PLOT				
SR.NO	PARTICULARS	OPENING SIZE	SILL FROM F.G.L.V.	
W	STUDY	1500x1800	-	3BHK+STUDY
W1	LIVING M. BEDROOM	2150x2350	-	3BHK+STUDY
DW2	LIVING	2200x2350	-	3BHK
DW3	BEDROOM 2 BEDROOM 3	1350x2350	-	3BHK+STUDY
DW4	M.BEDROOM 1	1625x2350	-	3BHK
DW5	BEDROOM 2	1525x2350	-	3BHK
W6	TOILETPO TOILET	800x1250	1150	3BHK-STUDY 3BHK
W7	TOILET 2&3	600x1250	1150	3BHK
W8	STILT& BASEMENT STAIRCASE	1500x1250	900	3BHK+STUDY
W9	UTILITY ROOM	1850x1250	1600	3BHK+STUDY
W10	UTILITY ROOM	1650x1250	1600	3BHK
W11	TOILET UTILITY ROOM	800x750	1150	3BHK+STUDY 3BHK
DW12	DRAWING ROOM PASSAGE	1650x750	-	3BHK+STUDY
W13	BEDROOM 3	1850x2350	-	3BHK
DW14	LIVING	2125x2350	-	3BHK-STUDY

PROJECT

PROPOSED BUILDING PLAN OF RESIDENTIAL GROUP HOUSING SCHEME UNDER NILP FOR THE AREA MEASURING 15.833 ACRES (LICENCE NO.141 OF 2023 DATED 10-07-2023) (MIGRATION FROM GROUP HOUSING PART OF RESIDENTIAL PLOTTED COLONY MEASURING 175.593 ACRES (LICENCE NO.11 OF 2010 FOR 118.562 ACRES & LICENCE NO.114 OF 2011 FOR 57.031 ACRES) IN SECTOR-3, PINJORE KALKA URBAN COMPLEX BEING DEVELOPED BY DLF HOMES PANCHKULA PVT.LTD.

ARCHITECT

Architect Hafeez Contractor

29 Bank Street, Bombay 400 023. Tel:26601920

ASSOCIATE ARCHITECTS

RSMS ARCHITECTS

RSMS ARCHITECTS PVT. LTD.
69,Nora Niwas Bhawani Kunj
(Behind D2), Vasant Kunj,
New Delhi-110070.
Tel.: 011-26898616,26898617

DDR(HQ)
Architect
BPAC

ARCHITECT'S SEAL & SIGNATURE	OWNER'S SEAL & SIGNATURE
SHABABUDDIN CA/2005/35235	

SEP-2023.	Scale : 1:100	
Drawing Title:- GROUND TO 4TH FLOOR & BASEMENT, TERRACE PLAN (TYPICAL 3BHK+STUDY)		Drawing No:- A-01



TYPICAL BLOCK UNIT
3-BHK

TYPICAL 1ST TO 4TH FLOOR
1STFLOOR LVL.+3200/3250
2ND FLOOR LVL.+6100/6350
3RDFLOOR LVL.+9000/9250
4TH FLOOR LVL.+12000/12250

TYPICAL (3BHK) FLOOR AREA CALCULATION									
GROSS - A									
1	=	1	X	3.100	X	0.100	=	0.310	SQM
2	=	2	X	1.950	X	0.600	=	2.340	SQM
3	=	1	X	1.800	X	3.550	=	6.390	SQM
4	=	1	X	3.100	X	0.100	=	0.310	SQM
5	=	1	X	12.900	X	15.300	=	197.370	SQM
6	=	2	X	1.800	X	0.100	=	0.360	SQM
7	=	1	X	3.775	X	12.900	=	48.698	SQM
8	=	4	X	1.675	X	0.750	=	5.025	SQM
9	=	2	X	1.525	X	1.850	=	5.643	SQM
10	=	1	X	1.525	X	0.200	=	0.305	SQM
						TOTAL	=	266.790	SQM
DEDUCTION									
GROSS – B									
a	=	2	X	1.850	X	2.400	=	8.880	SQM
b	=	1	X	4.985	X	2.800	=	13.958	SQM
b1	=	0.5	X	(2.800+2.065)	X	0.365	=	0.888	SQM
d	=	0.5	X	(0.525+0.200)	X	0.325	=	0.118	SQM
d1	=	0.5	X	(0.525+0.200)	X	0.325	=	0.118	SQM
e	=	1	X	1.900	X	3.200	=	6.080	SQM
						TOTAL	=	30.041	SQM
TOTAL FAR AREA OF TYPICAL (3BHK) FLOOR					=	GROSS - A	-	GROSS – B	
					=	266.790	-	30.041	
					=	236.709			SQM
TYPICAL (3BHK) FLOOR BUILT UP AREA									
GROSS – C									
b	=	1	X	4.985	X	2.800	=	13.958	SQM
c	=	0.5	X	(2.800+2.065)	X	0.365	=	0.888	SQM
						TOTAL	=	14.846	SQM
TOTAL BUILT UP AREA TYPICAL (3BHK) FLOOR					=	FAR AREA	+	GROSS - C	
					=	236.709	+	14.846	
					=	251.554	SQM		
TOTAL NON FAR AREA TYPICAL (3BHK) FLOOR					=	BUILTUP AREA	-	FAR AREA	
					=	251.554	-	236.709	
					=	14.546	SQM		



TYPICAL BLOCK UNIT(TYPICAL FLOOR)
3-BHK



TERRACE TYPICAL PLAN
(LVL.-14950/15100)
3-BHK

Note :-

CTP (HQ)
Commissioner
BPAC

STP(HQ)
Member Secretary
B.P.A.C

DTP (HQ)

Consultant Architect

ATP(HQ)

(SATYA PAL)
JD (HQ)

Recommended for approval in be read with drawing 6.2/11/2023 2023

SANCTIONED
TO BE READ WITH THE OFFICE
MEMO NO.: 444-87
DATED: 24-11-2023



STILT TYPICAL FLOOR PLAN
(LVL.+250/400) 3-BHK
NOS. OF CAR PARKING-08



BTK.T (3BHK) FAR AREA									
GROSS - A									
1	=	1	X	4.550	X	8.600	=	39.130	SQM
2	=	1	X	0.775	X	3.000	=	2.213	SQM
3	=	0.5	X	0.325	X	0.325	=	0.053	SQM
4	=	0.5	X	(2.475+2.185)	X	0.325	=	0.782	SQM
						TOTAL	=	42.647	SQM
TOTAL FAR AREA STILT FLOOR					=	GROSS-A			
					=	42.647	SQM		
TOTAL BUILT UP AREA STILT FLOOR					=	GROUND COVERAGE			
					=	GROSS - 1	=	283.831	SQM
TOTAL NON FAR AREA STILT FLOOR					=	GROUND COVERAGE	-	FAR AREA	
					=	283.831		42.647	
					=	211.184	SQM		

GROUND COVERAGE TYPICAL UNIT (3BHK) AREA CALCULATION									
GROSS - A									
1	=	1	X	16.500	X	3.660	=	60.390	SQM
2	=	1	X	18.650	X	7.080	=	132.067	SQM
3	=	1	X	16.500	X	3.660	=	60.390	SQM
4	=	2	X	3.650	X	3.350	=	24.455	SQM
5	=	2	X	3.500	X	2.200	=	15.400	SQM
6	=	1	X	3.475	X	0.800	=	2.780	SQM
7	=	1	X	3.500	X	0.200	=	0.700	SQM
8	=	1	X	3.475	X	0.800	=	2.780	SQM
9	=	2	X	0.150	X	0.100	=	0.030	SQM
10	=	2	X	0.150	X	0.150	=	0.045	SQM
11	=	2	X	0.125	X	0.800	=	0.200	SQM
12	=	2	X	1.150	X	1.025	=	2.358	SQM
						TOTAL	=	302.395	SQM
DEDUCTION									
GROSS – B									
a	=	1	X	1.900	X	3.200	=	6.080	SQM
b	=	0.5	X	(0.525+0.200)	X	0.325	=	0.118	SQM
b1	=	0.5	X	(0.525+0.200)	X	0.325	=	0.118	SQM
						TOTAL	=	6.316	SQM
TOTAL GROUND COVERAGE TYPICAL UNIT (3BHK) AREA					=	GROSS - A	-	GROSS – B	
					=	302.395		6.316	
					=		296.079		SQM



GROUND COVERAGE
TYPICAL BLOCK UNIT
3-BHK



BASEMENT PLAN
(LVL.-2900/-3050)
3-BHK

BASEMENT TO BE ARTIFICIALLY VENTILATED THROUGH MECHANICAL FANS



TYPICAL + CORNER (3-BHK) MUMTY+DHT AREA									
GROSS - A									
A	=	1	X	4.500	X	8.600	=	38.700	SQM
B	=	1	X	3.280	X	8.390	=	27.519	SQM
C	=	1	X	2.950	X	8.390	=	24.755	SQM
						TOTAL	=	86.794	SQM



BASEMENT FLOOR
(3-BHK)

BASEMENT (3BHK) AREA CALCULATION									
GROSS - A									
S1	=	1	X	19.500	X	15.300	=	298.350	SQM
						TOTAL	=	298.350	SQM
BASEMENT FAR AREA									
GROSS - B									
1	=	1	X	2.675	X	1.300	=	3.478	SQM
2	=	1	X	2.750	X	3.000	=	8.250	SQM
3	=	1	X	2.850	X	0.750	=	1.988	SQM
4	=	1	X	3.100	X	5.050	=	15.655	SQM
5	=	2	X	2.250	X	1.950	=	8.775	SQM
6	=	2	X	4.700	X	2.000	=	18.800	SQM
7	=	1	X	3.080	X	5.050	=	15.403	SQM
8	=	1	X	2.675	X	1.300	=	3.478	SQM
9	=	1	X	2.750	X	3.000	=	8.250	SQM
10	=	1	X	2.650	X	0.750	=	1.988	SQM
11	=	2	X	5.825	X	2.900	=	33.785	SQM
12	=	2	X	2.300	X	2.625	=	12.075	SQM
13	=	2	X	2.325	X	2.340	=	10.881	SQM
14	=	2	X	3.325	X	2.275	=	15.754	SQM
15	=	2	X	2.650	X	1.450	=	7.685	SQM
						TOTAL	=	170.272	SQM
GROSS - C									
C1	=	1	X	14.875	X	1.200	=	17.850	SQM
						TOTAL	=	17.850	SQM
TOTAL BUILT UP AREA BASEMENT					=	GROSS - A			
					=	298.350	SQM		
TOTAL FAR AREA BASEMENT					=	GROSS-B	+	GROSS-B	
					=	170.272	+	17.850	
					=	188.122	SQM		
TOTAL NON FAR AREA BASEMENT					=	GROSS - A	-	FAR AREA	
					=	298.350	-	188.122	
					=	110.327	SQM		

Checked and found ok for Public Health (Internal) Service only subject to overlooking in forwarding letter no. 3665 77 ... dt 11/12/23

Executive Engineer (PH)
Building Department
HSVP, Panchkula

PLUMBING SHAFT PIPE DETAIL

SYMBOL	ABRRVIATION	DESCRIPTION
(R)	RWP	110 OD RAIN WATER PIPE (TERRACE)
(R1)	RWP	75 OD RWP FOR (BALCONY)
(1)	SP	150Ø SOIL & WASTE PIPE
(2)	DWS	DOMESTIC WATER SUPPLY ON TAKE PIPE
(3)	FWS	FLUSHING WATER SUPPLY ON TAKE PIPE
(4)	DWS(R)	DOMESTIC WATER RISER TO OHT FILLING
(5)	FWS (R)	FLUSHING WATER SUPPLY RISER TO OHT FILLING

DOOR SCHEDULE_TYPICAL PLOT

REVISED SR.NO	PARTICULARS	REVISED SIZES	
FD	MAIN ENTRANCE	1200x2350	3BHK+STUDY 3BHK
FD1	STAIRCASE DOOR AT STILT TOWARDS BASEMENT	1200x2350	3BHK+STUDY 3BHK
FD2	SERVICES ROOM	800x2000	3BHK+STUDY 3BHK
FD3	SERVICES ROOM	800x2000	3BHK+STUDY 3BHK
D	MUMTY DOOR	1250x2350	3BHK+STUDY 3BHK
D1	STORE ROOM	800x2100	3BHK+STUDY 3BHK
D2	BEDROOMS	1000x2100	3BHK+STUDY 3BHK
D3	KITCHEN DOUBLE SWING DOOR	1000x2100	3BHK+STUDY 3BHK
D3a	KITCHEN DOUBLE SWING DOOR	900x2100	3BHK
D4	KITCHEN BALCONY	1000x2350	3BHK+STUDY
DW4	KITCHEN BALCONY	1000x2350	3BHK+STUDY 3BHK
DW4A	KITCHEN BALCONY	1000x2350	3BHK+STUDY END PLOT
D5	UTILITY ROOM	800x2100	3BHK+STUDY 3BHK
D6	UTILITY TOILT/TOILET/P.TOI.	800x2100	3BHK+STUDY 3BHK
DW7	STILT ENTRANCE	SPECS:PIVOTED DOOR 1200x2350 DGU FIXED GLASS (DOOR) (DGU FIXED GLASS)	3BHK+STUDY 3BHK

WINDOW SCHEDULE_TYPICAL PLOT

SR.NO	PARTICULARS	OPENING SIZE	SILL FROM SOF.LVL	
W	STUDY	1500x1800	–	3BHK+STUDY
W1	LIVING M. BEDROOM	2150x2350	–	3BHK+STUDY
DW2	LIVING	2200x2350	–	3BHK
DW3	BEDROOM 2 BEDROOM 3	1350x2350	–	3BHK+STUDY
DW4	M.BEDROOM 1	1525x2350	–	3BHK
DW5	BEDROOM 2	1625x2350	–	3BHK
W6	TOILET/PD TOILET	800x1250	1150	3BHK+STUDY 3BHK
W7	TOILET 2&3	600x1250	1150	3BHK
W8	UTILTY BASEMENT STAIRCASE	1500x1250	900	3BHK+STUDY
W9	UTILITY ROOM	1650x1250	1600	3BHK+STUDY
W10	UTILITY ROOM	1650x1250	1600	3BHK
W11	TOILET UTILITY ROOM	800x750	1150	3BHK+STUDY 3BHK
DW12	DRAWING ROOM PASSAGE	1650x750	–	3BHK+STUDY
W13	BEDROOM 3	1650x2350	–	3BHK
DW14	LIVING	2125x2350	–	3BHK+STUDY

PROJECT

PROPOSED BUILDING PLAN OF RESIDENTIAL GROUP HOUSING SCHEME UNDER NILP FOR THE AREA MEASURING 15.833 ACRES (LICENCE NO.141 OF 2023 DATED 10-07-2023) (MIGRATION FROM GROUP HOUSING PART OF RESIDENTIAL PLOTTED COLONY MEASURING 175.593 ACRES (LICENCE NO.11 OF 2010 FOR 118.562 ACRES & LICENCE NO.114 OF 2011 FOR 57.031 ACRES) IN SECTOR-3, PINJORE KALKA URBAN COMPLEX BEING DEVELOPED BY DLF HOMES PANCHKULA PVT.LTD.

ARCHITECT

Architect Hafeez Contractor

29 Bank Street, Bombay 400 023 Tel:2661920

ASSOCIATE ARCHITECTS

RSMS ARCHITECTS PVT. LTD.
69,Nora Niwas Bhawani Kunj
(Behind D2), Vasant Kunj,
New Delhi-110070.
Tel.:011-26898616,26898617

ARCHITECT'S SEAL & SIGNATURE

SHABABUDDIN
CA/2005/35235

OWNER'S SEAL & SIGNATURE

SEP-2023. Scale : 1:100

Drawing Title:- GROUND TO 4TH FLOOR & BASEMENT, TERRACE PLAN (TYPICAL-3BHK)

Drawing No:- A-03