

BR-III

(See Rule 44)

DIRECTORATE OF TOWN & COUNTRY PLANNING, HARYANA

SECTOR-18, CHANDIGARH.

Tele-Fax: 0172-2548475; Tel.: 0172-2549851, E-mail: tcphry@gmail.com

Website www.tcpharyana.gov.in

Memo No. ZP-871/AD (RA)/2013/ 46743 Dated:- 23/7/13.

To

Precision Realtors Pvt. Ltd. and others.
305, 3rd Floor, Kanchan House,
Karampura, Commercial Complex,
New Delhi -110015.

Subject: Approval of building plans of Group Housing Colony measuring 37.5125 acres (Licence No. 05 of 2013 dated 21.02.2013) in Sector-67-A Gurgaon Manesar Urban Complex being developed by Precision Realtors Pvt. Ltd. and others.

Reference your application received on 26.02.2013 and subsequent letter dated 18.04.2013 for permission to re-erect the buildings in Group Housing Colony measuring 37.5125 acres (Licence No. 05 of 2013 dated 21.02.2013) in Sector-67-A Gurgaon Manesar Urban Complex, in accordance with the plans submitted with it.

Permission is hereby granted for the aforesaid construction subject to the provisions of the Punjab Scheduled Roads & Controlled Areas Restriction of Unregulated Development Act, 1963, its rules and the zoning plan framed there under along with special reference to following conditions:-

1. The plans are valid for a period of 2 years of the buildings less than 15.00 meters in height and 5 years for the multistoried buildings from the date of issuance of sanction, subject to validity of licenses granted for this scheme.
2. The structural responsibility of the construction shall be entirely of the owner/supervising architect/ Engineer of the scheme.

Further that:-

- a) The building shall be constructed as per the structure design submitted by you and as certified by your structure engineer that the same has been designed as per the provisions of NBC and relevant IS code for all seismic load, all dead and live loads wind pressure and structural safety from earthquake of the intensity expected under Zone-IV.
- b) All material to be used for erection of building shall conform to I.S.I. and N.B.C. standards.
- c) No walls/ceiling shall be constructed of easily inflammable material and staircases shall be built of the fire resisting material as per standard specification.

- d) The roof slab of the basement external to the buildings if any shall be designed/ constructed to take the load of fire tender up to 45 tones.

3. FIRE SAFETY:

The colonizer firm and the Supervising Architect of the project shall be entirely responsible for making provisions of fire safety and fire fighting measures and shall abide by all fire safety bye laws.

Further, the colonizer firm shall also prepare and submit the plans in triplicate to Commissioner, Municipal Corporation, Gurgaon, clearly marked and indicating the complete fire protection arrangements and means of escape/ access for the proposed building with suitable legend and standard signs.

On receipt of the above request the Commissioner, Municipal Corporation, Gurgaon after satisfying himself that the entire fire protection measures proposed for the above buildings are as per NBC and other Fire Safety Bye Laws, and would issue a NOC from Fire Safety and means of escape/access point of view. This clearance/ NOC from Fire Authority shall be submitted in this office alongwith a set of plans duly signed by the Commissioner, Municipal Corporation, Gurgaon within a period of 90 days from the date of issuance of sanction of building plans. Further, it is also made clear that no permission for occupancy of the building shall be issued by Commissioner, Municipal Corporation, Gurgaon unless he is satisfied that adequate fire fighting measures have been installed by you and suitable external fire fighting infrastructure has been created at Gurgaon, by Municipal Corporation, Gurgaon. A clearance to this effect shall be obtained from the Commissioner, Municipal Corporation, Gurgaon before grant of occupation certificate by the Director General.

4. The provision of letter boxes for each dwelling unit shall be made at the ground floor of each building.
5. No addition and alteration in the building plans/ layout plan shall be made without the prior approval of DG,TCP. Further only figured dimensions shall be followed and in case of any variation in the plans, prior approval of DG,TCP shall be pre-requisite.
6. That you shall furnish the service plan/ estimate of this scheme in accordance with approved building plans within 60 days from the date of issue of this letter.
7. Based on the actual estimated cost of internal development of the group housing colony you shall furnish additional bank guarantee if required within 60 days of approval of the service plans.
8. The revenue Rasta if any passing through the site shall be kept unobstructed.
9. If any infringement of byelaws remains unnoticed, the department reserves the right to amend the plan as and when any such infringement comes to its notice

after giving an opportunity of being heard and the department shall stand indemnified against any claim on this account.

10. The layout showing the electric installation shall have to be got approved from the Chief Electrical Inspector, Haryana before execution of work at site.

11. No person shall occupy or allow any other person to occupy any new building or part of the same for any purpose what so ever until such building or part thereof has been certified by the Director General or any person authorized by him in this behalf as having been completed in accordance with the permission granted and an occupation certificate in prescribed form has been duly issued in your favour.

12. Before grant of occupation certificate, you shall have to submit a notice of a completion of the building in form BR-IV alongwith BR-V regarding completion of works described in the plans and it shall be accompanied by:

- (i) Structural stability certificate duly signed by the recognized Structural Engineer.
- (ii) A clearance from Fire Safety point of view from the Commissioner, Municipal Corporation, Gurgaon.

13. The basements shall be used for parking and services as prescribed in the approved zoning plan and building plans. The parking lots proposed in the scheme shall be exclusively for the use of flat owners/residents of the group housing scheme. The parking lot shall not be leased out /transferred to any person who is not a flat owners /residents of the group housing complex. The parking lots shall form part of common areas along with other common uses, in the declaration to be filed under Apartment Ownership Act, 1983.

14. WATER SUPPLY:

- (i) The down take system shall be provided by you by providing clear water storage tank of not less than half day storage of water for domestic usage on top of the building block. The capacity of the tank as shown on the plan and down take system thereof is as under: -

Sr. No.	Name of Building Block	Capacity of tank for Domestic uses	Up pipe in mm	Down pipe in mm
Cluster-A				
1.	Tower-A1, A2 & A10	3X15000 Ltrs.	50 mm	100/80/65/50/40/32/25/20mm
	Flushing	3x7500 Ltrs.	40 mm	80/65/50/40/32/25/20mm
2.	Tower –A3	1x20,000 Ltrs.	50 mm	100/80/65/50/40/32/25/20mm
	Flushing	1x10,000 Ltrs.	40 mm	80/65/50/40/32/25/20mm
3.	Tower –A4	1x21,000 Ltrs.	50 mm	100/80/65/50/40/32/25/20mm
	Flushing	1x10,000 Ltrs.	40 mm	80/65/50/40/32/25/20 mm

4.	Tower –A5, A6	2x15,000 Ltrs.	50 mm	100/80/65/50/40/32/25/20 mm
	Flushing	2x8000 Ltrs.	40 mm	80/65/50/40/32/25/20 mm
5.	Tower –A7	1x12,000 Ltrs.	50 mm	100/80/65/50/40/32/25/20 mm
	Flushing	1x6000 Ltrs.	40 mm	80/65/50/40/32/25/20 mm
6.	Tower –A8, A9	2x16,000 Ltrs.	50 mm	100/80/65/50/40/32/25/20 mm
	Flushing	2x8000 Ltrs.	40 mm	80/65/50/40/32/25/20 mm
Cluster-B				
7.	Tower-B1 (Dom)	1x15000 Ltrs.	50 mm	100/80/65/50/40/32/25/20 mm
	Flushing	1x8000 Ltrs.	40 mm	80/65/50/40/32/25/20 mm
8.	Tower-B2 (Dom)	1x11000 Ltrs.	50 mm	100/80/65/50/40/32/25/20 mm
	Flushing	1x6000 Ltrs.	40 mm	80/65/50/40/32/25/20 mm
9.	Tower-B3, B5, B7 (Dom)	3x15000 Ltrs.	50 mm	100/80/65/50/40/32/25/20 mm
	Flushing	3x7500 Ltrs.	40 mm	80/65/50/40/32/25/20 mm
10.	Tower-B4, B8 (Dom)	2x16000 Ltrs.	50 mm	100/80/65/50/40/32/25/20 mm
	Flushing	2x8000 Ltrs.	40 mm	80/65/50/40/32/25/20 mm
11.	Tower-B6(Dom)	1x12500 Ltrs.	50 mm	100/80/65/50/40/32/25/20 mm
	Flushing	1x7000 Ltrs.	40 mm	80/65/50/40/32/25/20 mm
Cluster-C				
12.	Tower-C5, C6, C9, C7, C10, C11	6x15000 Ltrs.	50 mm	100/80/65/50/40/32/25/20 mm
	Flushing	6x8000 Ltrs.	40 mm	80/65/50/40/32/25/20 mm
13.	Tower-C4,C8 (Dom)	2x12000 Ltrs.	50 mm	100/80/65/50/40/32/25/20 mm
	Flushing	2x7000 Ltrs.	40 mm	80/65/50/40/32/25/20 mm
14.	Tower-C3 (Dom)	1x16000 Ltrs.	50 mm	100/80/65/50/40/32/25/20 mm
	Flushing	1x8000 Ltrs.	40 mm	80/65/50/40/32/25/20 mm
Cluster-D				
15.	Tower-D1 (Dom)	1x22000 Ltrs.	50 mm	100/80/65/50/40/32/25/20 mm
	Flushing	1x7000 Ltrs.	40 mm	80/65/50/40/32/25/20 mm
16.	Tower-D2, D3 (Dom)	2x16000 Ltrs.	50 mm	100/80/65/50/40/32/25/20 mm
	Flushing	2x8000 Ltrs.	40 mm	80/65/50/40/32/25/20 mm
17.	Tower-D4 (Dom)	1x23000 Ltrs.	50 mm	100/80/65/50/40/32/25/20 mm
	Flushing	1x11000 Ltrs.	40 mm	80/65/50/40/32/25/20 mm
18.	Tower-D5, D6, D7 (Dom)	3x20000 Ltrs.	50 mm	100/80/65/50/40/32/25/20 mm
	Flushing	3x10000 Ltrs.	40 mm	80/65/50/40/32/25/20 mm
19.	Tower-B8 (Dom)	1x32000 Ltrs.	50 mm	100/80/65/50/40/32/25/20 mm
	Flushing	1x16000 Ltrs.	40 mm	80/65/50/40/32/25/20 mm
20.	EWS (I, II, III) (Dom)	2x26000 Ltrs. 1x30000Ltrs.	50 mm	100/80/65/50/40/32/25/20 mm
21.	EWS (I, II, II)	2x125000 Ltrs.	40 mm	80/65/50/40/32/25/20 mm

	(Flushing)	1x15000 Ltrs.		
22.	Nursery School (Dom)	2x7000 Ltrs.	40 mm	100/80/65/50/40/32/25/20 mm
23.	Primary School (Dom)	2x16000 Ltrs.	40 mm	100/80/65/50/40/32/25/20 mm
24.	Community Centre (Dom)	1x10000 Ltrs.	40 mm	100/80/65/50/40/32/25/20 mm
	UGT(Dom	810+1145+810+550) At four locations		

(ii) Inlet pipes from down take to toilet shall be 25/20/15 mm dia as shown on the plans and connection to each individual fixture shall be 15 mm dia.

(iii) The adequate booster pumps to boost the water in the water tanks with 100% standby arrangement shall also be provided by you. It is made clear that you shall be solely responsible for boosting arrangement all the time.

(iv) The alternative arrangement of power supply, such as Gen. Set etc. of suitable capacity shall also be provided by you during failure of electricity.

15. SEWERAGE:

(i) All external sewerage lines should not be less than 200 mm. dia Pipes.

(ii) All soil pipe connection W.C. to soil stack / manhole shall be 100 mm dia as shown on the plans.

(iii) Waste water stack shall be 100/75 mm dia as shown on the plans and soil stack shall be 100 mm dia.

(iv) All F.T. shall be 75 mm dia.

(v) All W.C. shall be provided with high / low level flushing cistern. The capacity of flushing cistern shall be of 8 Ltrs.

(vi) All pipes from waste water stack to I.C. and I.C. to manhole shall be 100 mm dia as shown on the plans.

(vii) Suitable approach/ ventilation arrangement shall be provided by you by providing inspection window/ duct etc. for repairing of piping system.

16. STORM WATER DRAINAGE:

(i) You have already provided twin level basement for services and parking only. For draining out the wash water/rain water accumulated in the lower basement shall be collected through covered channel of 300 mm wide to the sumps at different places and from where the pumping has been proposed by the you by providing pumps of 250 LPM capacity at 15.00 meters head. Thus it is made clear to you that you shall be sole responsible for pumping out of rain water/ wash water etc. all the time and 100% standby pumps

alternate power supply arrangement shall also be provided by you during the failure of electricity/ breakdown.

- (ii) All external storm water drainage shall be provided suitably so as to disposal of rainwater in to the existing system of the colony.
- (iii) All rainwater stack pipe shall be 100/150 mm dia pipes as shown on the plans.
- (iv) It is made clear to you that roof top rain harvesting system shall be provided by you and shall be kept operational all the time.

17. GENERAL: -

- (i) You shall provide alternative source of electricity for functioning of water supply, sewerage and storm water drainage scheme by providing Gen. set of required capacity.
- (ii) All pipes, fixtures, fitting, pumps, Gen. set and filtration plan etc. shall be conforming to relevant IS specification and ISI marked.
- (iii) You shall provide the minimum open able aperture of 1/8th of the floor area of the habitable room and in case of kitchen the area of opening shall be increased by 25%.
- (iv) That the colonizer shall obtain the clearance/NOC as per the provisions of the Notification No. S.O. 1533 (E) Dated 14.09.2006 issued by Ministry of Environment and Forest, Government of India before starting the construction/execution of development works at site.
- (v) That the rain water harvesting system shall be provided as per Central Ground Water Authority norms/Haryana Govt. notification as applicable.
- (vi) The community centre/centres shall form part of the common areas and facilities of the group housing colony as defined under the Apartment Ownership Act and the same shall be defined as such in the deed of declaration to be filed under the Apartment Ownership Act. Such community centre/centres shall be for the exclusive use of residents of this group housing colony only. You shall submit an undertaking in the form of an affidavit to the above effect within a period of ten days from the issuance of this approval.
- (vii) That the provision of solar water heating system shall be as per norms specified by HAREDA and shall be made operational in the each building block before applying for an occupation certificate.
- (viii) That the colonizer/owner shall use only Compact Fluorescent Lamps fitting for internal lighting as well as Campus lighting.

- 1 -
- (ix) That you shall submit the soft copy of the approved building plans of this scheme within one week to this office from the issuance of this letter.
 - (x) That you shall deposit the labour cess in future, time to time as per construction of work done at site.
 - (xi) That if any, site for Electric Sub Station is required same will be provided by you in the group housing colony.
 - (xii) The replacement water shall be disposed off by you by using the same for watering of landscaped area in their colony or the same is disposed off into the rain water harvesting system.
 - (xiii) Recycled water is proposed to be utilized for flushing purpose. The firm has made provision of separate flushing line, storage tank, metering system, pumping system and plumbing. It is clarified to you that no tap or outlet of any kind will be provided from the flushing lines/plumbing lines for recycled water except for connection to the cistern of flushing tanks and any scouring arrangement. Even ablution taps should be avoided.
 - (xiv) No cross connection between recycled water system and potable water system shall be made.
 - (xv) All plumbing pipes fittings, valves will be of red colour or painted red. In case of embedded pipes. Marker taps of red colour at suitable intervals shall be fixed. The underground and over head tanks should have. Recycle water not fit for drinking and other warning signs embossed/marked on them.
 - (xvi) Recycled water pipes and potable water pipes will be fixed in separate chases and a minimum horizontal distance of 6" (150mm) will be mentioned between them. In case of cross suitably coloured / taped sleeve shall be used.
 - (xvii) Alternative source of electricity shall be provided by you for functioning of water supply, sewerage, SWD, Scheme by providing Gen. set of required capacity.
 - (xviii) The colonizer/firm will provide appropriate pipes (both up and down) for solar water heating system.
 - (xix) That no separate zoning plan is approved for community sites earmarked within a Group Housing Colony. The community building/buildings shall be constructed by the colonizer/owner as per provision of The Haryana Development and Regulation of Urban Areas (Amendment and Validation) Act No. 4 of 2012, failing which the said site shall vest in the Government.

(xx) That the owner shall construct the EWS flats within 2 years and give the advertisement in the newspapers for inviting the application for EWS flats in their Group Housing Colony within 12 months from the issuance of this sanction letter.

(xxi) You shall abide the terms and conditions of the Undertaking/Affidavit submitted in the office of Administrator, HUDA, Gurgaon in compliance of Order dated 16.07.2012 of the Hon'ble High Court and shall not extract groundwater for construction purposes.

This sanction will be void abinitio, if any of the conditions mentioned above are not complied with.

DA/One set of Building Plans

(Sanjay Kumar)

District Town Planner (HQ),

Member Secretary,

For: Chief Town Planner, Haryana-cum- Chairman,

Building Plan Approval Committee.

Memo No. ZP-871/AD (RA)/2013/_____ Date:-_____

A copy is forwarded to the following for information: -

1. Deputy Commissioner, Gurgaon.
2. Commissioner, Municipal Corporation, Gurgaon.
3. Administrator, HUDA, Gurgaon w.r.t. his office Endst. No. 640 dated 02.07.2013.
4. Member Secretary, State Environment Impact Assessment Authority, Haryana, Bay No.55-58, Sector-2, Panchkula.
5. Additional Director (IA), IA-Division, Ministry of Environment & Forest, Paryavaran Bhawan, CGO Complex, New Delhi.
6. Senior Town Planner, Gurgaon, along with one set of building plans.
7. Superintending Engineer (HQ) HUDA. *Panchkula*
8. District Town Planner, Gurgaon.
9. District Town Planner (Enf.), Gurgaon

Encl: as above

(Sanjay Kumar)

District Town Planner (HQ),

Member Secretary,

For: Chief Town Planner, Haryana-cum- Chairman,

Building Plan Approval Committee.

FORM BR-III
(See Code 4.2 (4))
Form of Sanction

From

Chief Town Planner, Haryana-cum- Chairman,
Building Plan Approval Committee,
O/o Director, Town & Country Planning Department,
Haryana, SCO-71-75, Sector-17-C, Chandigarh.
Tele-Fax: 0172-2548475; Tel.: 0172-2549851,
E-mail: tcpharyana5@gmail.com
Website www.tcpharyana.gov.in

To

Precision Realtors Pvt. Ltd. and others.
305, 3rd Floor, Kanchan House,
Karampura, Commercial Complex,
New Delhi -110015.

Memo No. ZP-871/AD(RA)/2017/ 15981 Dated:- 10-07-2017

Subject: - Approval of revised building plans of Cluster-A (Building-A1 to A5), Cluster-D (building-D1 to D5), convenient shopping, lower basement falling in the Group Housing Scheme measuring 37.5125 acres (Licence No. 05 of 2013 dated 21.02.2013) in Sector-67-A, Gurugram Manesar Urban Complex being developed by Precision Realtors Pvt. Ltd. and others.

Reference your application dated 06.05.2016 for permission to re-erect the revised building plans of Cluster-A (Building-A1 to A5), Cluster-D (building-D1 to D5), convenient shopping, lower basement falling in the Group Housing Scheme measuring 37.5125 acres (Licence No. 05 of 2013 dated 21.02.2013) in Sector-67-A, Gurugram Manesar Urban Complex in accordance with the plans submitted with it.

The building plans were approved provisionally vide this office memo no. 15033 dated 25.07.2016 for the purpose of for the purpose of inviting objections/suggestions. STP, Gurugram vide memo no. 1476 dated 27.12.2016 has informed that 96 objection has been received in respect of the amendments made in the building plans and also informed that all the objections are not tenable in respect of the amendments made in the building plans. Hence, permission is hereby granted for the aforesaid construction subject to the provisions of the Punjab Scheduled Roads & Controlled Areas Restriction of Unregulated Development Act, 1963 and Haryana Building Code-2017 subject to the following amendments, terms and conditions:-

1. The plans are valid for a period of 2 years of the buildings less than 15.00 meters in height and 5 years for the multistoried buildings from the date of issuance of sanction, subject to validity of licenses granted for this scheme.
2. The plans are valid for a period of 2 years from the date of issuance of sanction, subject to validity of licenses granted for this scheme.
3. The structural responsibility of the construction shall be entirely of the Owner/ supervising Architect/ Engineer of the scheme.

Further that: -

- a) The building shall be constructed in accordance to the Structure Design submitted by you and as prepared by Structure Engineer and certified by Proof Consultant on prescribed FORM BR-V (A2), as per the provisions of NBC and relevant IS Code for all seismic load, all dead and live loads wind pressure and structural safety from earthquake of the intensity expected under Zone-IV.
- b) All material to be used for erection of building shall conform to I.S.I. and N.B.C. standards.
- c) No walls/ceiling shall be constructed of easily inflammable material and staircases shall be built of the fire resisting material as per standard specification.
- d) The roof slab of the basement external to the buildings if any shall be designed/ constructed to take the load of fire tender up to 45 tones.

4. FIRE SAFETY:

- (i) The colonizer and the Supervising Architect of the project shall be entirely responsible for making provisions of fire safety and fire-fighting measures and shall abide by all fire safety bye laws.
 - (ii) That you shall get approved the fire-fighting scheme in accordance with the section 15 of The Haryana Fire Safety Act, 2009 and directions issued by the Director, Haryana Fire Services, before starting the construction work at site.
- 5. No addition and alteration in the building plans/ layout plan shall be made without the prior approval of DTCP. Further only figured dimensions shall be followed and in case of any variation in the plans, prior approval of DTCP shall be pre-requisite.
 - 6. That you shall furnish the service plan/estimate of this scheme in accordance with approved building plans.
 - 7. Based on the actual estimated cost of internal development of the commercial colony you shall furnish additional bank guarantee, if required, before approval of service plan estimates.
 - 8. The revenue Rasta if any passing through the site shall be kept unobstructed.
 - 9. If any infringement of byelaws remains unnoticed, the Department reserves the right to amend the plan as and when any such infringement comes to its notice after giving an opportunity of being heard and the Department shall stand indemnified against any claim on this account.
 - 10. The layout showing the electric installation shall have to be got approved from the Chief Electrical Inspector before execution of work at site.
 - 11. No person shall occupy or allow any other person to occupy any new building or part thereof for any purpose whatsoever until such building or part thereof has been certified by the Director or any person authorized by him in this behalf as having been completed in accordance with the permission granted and an occupation certificate in prescribed form has been duly issued in your favour.

12. You shall apply for occupation certificate as per the provisions of Code 4.10 of the Haryana Building Code-2017 which shall be accompanied by certificates regarding completion of works described in the plans and it shall be accompanied by:
 - (i) DPC certificate issued by DTP.
 - (ii) Structural stability certificate duly signed by the recognized Architect & Structural Engineer.
 - (iii) A clearance from Fire Safety point of view from the competent authority.
13. The basement shall be used for parking and services as prescribed in the approved zoning plan and building plans. The parking lots shall form part of common areas along with other common uses or as provided, in the declaration to be filed under Apartment Ownership Act, 1983.
14. You shall comply with the conditions laid down in the Memo No. 658 dated 24.12.2015 of Superintending Engineer (HQ), HUDA, Panchkula (copy enclosed).
15. GENERAL: -
 - (i) That the coloniser/owner shall obtain the clearance/NOC as per the provisions of the Notification No. S.O. 1533 (E) dated 14.9.2006 issued by Ministry of Environment and Forests, Government of India before starting the construction/execution of development works at site.
 - (ii) That the rain water harvesting system shall be provided as per Central Ground Water Authority norms/Haryana Govt. notification as applicable.
 - (iii) That the coloniser/owner shall use only Light-Emitting Diode lamps (LED) fitting for internal lighting as well as Campus lighting.
 - (iv) That the coloniser/owner shall strictly comply with the directions issued vide Notification No. 19/6/2016-5P dated 31.03.2016 issued by Haryana Government Renewable Energy Department.
 - (v) That coloniser/owner shall ensure the installation of Solar Power Plant as per provisions of Haryana Solar Power Policy, 2016 issued by Haryana Government Renewable Energy Department vide Notification No. 19/4/2016-5 Power dated 14.03.2016.
 - (vi) That the coloniser/owner shall ensure the installation of Solar Photovoltaic Power Plant as per the provisions of order No. 22/52/2005-5Power dated 21.03.2016 issued by Haryana Government Renewable Energy Department.
 - (vii) That you shall deposit the labour cess in future, time to time as per construction of work done at site.
 - (viii) That if any, site for Electric Sub Station is required, same will be provided by you in the colony.
 - (ix) That provision of parking shall be made within the area earmarked /designated for parking in the colony and no vehicle shall be allowed to park outside the premises.


- (x) You shall abide the terms and conditions of the undertaking/affidavit submitted in the office of Administrator, HUDA, Gurugram in compliance of order dated 16.07.2012 of the Hon'ble High Court and shall not extract groundwater for construction purposes.
 - (xi) The responsibility of laying and maintaining (including quality and design etc.) of internal public health services shall be entirely of the owner/supervising architect/engineer of the scheme.
 - (xii) That you shall follow provisions of section 46 of 'The Persons with Disabilities (Equal Opportunities, protection of Rights and full Participation) Act, 1995' which includes construction of Ramps in public buildings, adaption of toilets for wheel chair users, Braille symbols and auditory signals in elevators or lifts and other relevant measures for Hospitals, Primary Health Centre and other medical care and rehabilitation units.
 - (xiii) That you shall not construct the building having height more than 30 meters without obtaining the NOC from AAI.
 - (xiv) That you shall submit electric service plan estimate for approval to concerned power utility under intimation to this office within 30 days from the issuance of this letter & get the electrical service plan estimates/power load requirement approved from the concerned power utility.
16. Environment: That you shall strictly comply with the directions of MOEF Guidelines, 2010 while raising construction. In addition, you shall comply with the instructions of Director, Town & Country Planning, Haryana, Chandigarh issued vide order dated 14.05.2015, available on the Departmental Website www.tcpharyana.gov.in at URL :<https://tcpharyana.gov.in/Policy/Misc392%20OA%20No.%2021%20of%202014%20Vardhaman%20Kaushik%20Vs.%20UOI%20ors.pdf> in compliance of the orders dated 10.04.2015 passed by Hon'ble National Green Tribunal in OA No. 21 of 2014, which are as under:
- (i) You shall put tarpaulin on scaffolding around the area of construction and the building. You are also directed that you shall not store any construction material particularly sand on any part of the street/roads.
 - (ii) The construction material of any kind that is stored in the site will be fully covered in all respects so that it does not disperse in the Air in any form.
 - (iii) All the construction material and debris shall be carried in the trucks or other vehicles which are fully covered and protected so as to ensure that the construction debris or the construction material does not get dispersed into the air or atmosphere, in any form whatsoever.
 - (iv) The dust emissions from the construction site should be completely controlled and all precautions taken in that behalf.

- (v) The vehicles carrying construction material and construction debris of any kind should be cleaned before it is permitted to ply on the road after unloading of such material.
- (vi) Every worker working on the construction site and involved in loading, unloading and carriage of construction material and construction debris shall be provided with mask to prevent inhalation of dust particles.
- (vii) Every owner and or builder shall be under obligation to provide all medical help, investigation and treatment to the workers involved in the construction of building and carry of construction material and debris relatable to dust emission.
- (viii) It shall be the responsibility of every owner/builder to transport construction material and debris waste to construction site, dumping site or any other place in accordance with rules and in terms of Hon'ble NGT order dated 10.04.2015 referred above.
- (ix) All to take appropriate measures and to ensure that the terms and conditions of the Hon'ble NGT order dated 10.04.2015 referred above in OA No. 21 of 2014 and the earlier orders passed in said case should strictly comply with by fixing sprinklers, creations of green air barriers.
- (x) Compulsory use of wet jet in grinding and stone cutting.
- (xi) Wind breaking walls around construction site.
- (xii) That you shall ensure that least dust has emitted into air/atmosphere and all steps are taken to prevent the same.
- (xiii) That all the builders, who are building commercial, residential complexes which are covered under the EIA Notification of 2006, shall provide green belt around the building that they construct and compliance of the same shall be ensured prior to issuance of occupancy certificate. The width of green belt will be kept 1.5 meter along boundary wall within site, along periphery.
- (xiv) If any person, owner and or builder is found to be violating any of the conditions stated in this order and or for their non-compliance such person, owner, builder shall be liable to pay compensation of ₹ 50,000/- per default in relation to construction activity at its site and ₹ 5,000/- for each violation during carriage and transportation of construction material, debris through trucks or other vehicles, in terms of Section 15 of the NGT Act on the principle of Polluter Pay. Such action would be in addition not in derogation to the other action that the Authority made take against such builder, owner, person and transporter under the laws in force.
- (xv) All the owners/builders shall ensure that C & D waste is transported in terms of this order to the site in question only and due record in that behalf shall be maintained by the builders, transporters and NCR of Delhi.

(xvi) It is made clear that even if constructions have been started after seeking Environmental Clearance under the EIA notification 2006 and after taking other travel but is being carried out without taking the preventive and protective environmental steps as stated in above said order dated 10.04.2015 passed by NGT and MOEF guidelines, 2010, the State Government, SPCB and any officer of any Department as afore-stated shall be entitled to direct stoppage of work.

This sanction will be void abinitio, if any of the conditions mentioned above are not complied with.


DA/As above


(Devendra Nimbokar)
Senior Town Planner, (M) HQ,
Member Secretary,
For: Chief Town Planner, Haryana-cum- Chairman,
2 Building Plan Approval Committee.

Memo No. ZP-871/AD(RA)/2017/_____ Dated:-_____

A copy is forwarded to the following for information: -

1. Haryana State Pollution Control Board, Panchkula with the request that the compliance of the instructions issued by NGT shall be monitored and strict compliance to be ensured.
2. Administrator, HUDA, Gurugram.
3. Senior Town Planner, Gurugram with a request to send the conclusive report on pre-launch in reference to his office memo no. 1471 dated 23.03.2017 addressed to DTP (E), Gurugram.
4. Superintending Engineer (HQ) HUDA, Panchkula.
5. District Town Planner, Gurugram.
6. District Town Planner (Enf.), Gurugram.
7. Nodal Officer, Website Updation.
8. Fire Officer O/o Director, Urban Local Bodies, Haryana, Panchkula.


(Devendra Nimbokar)
Senior Town Planner, (M) HQ,
Member Secretary,
For: Chief Town Planner, Haryana-cum- Chairman,
Building Plan Approval Committee.