

EXIT WIDTH CALCULATION AS/NBC									
S.NO	FLOOR	FLOOR AREA (SQM)	PER PERSON AREA (SQM)	NUMBER OF SEATS	OCCUPANT LOAD	WIDTH PER PERSON (MM)	WIDTH REQUIRED AS PER OCCUPANCY (MM)	WIDTH REQUIRED AS PER OCCUPANCY (MM)	NO OF STAIRCASE PROPOSED ST-01 TO ST-16 (2ND)
1	4TH FLOOR	5249	CINEMA	1.2	968	1161.6	10	11616	6

LEGEND	
①	110 OD SWR PVC SOIL & VENT PIPE
②	110 OD SWR PVC WASTE & VENT PIPE
③	DWS RISER PIPE
④	FWS RISER PIPE
⑤	160 OD uPVC RAIN WATER PIPE
⑥	110 OD uPVC RAIN WATER PIPE
⑦	500 DWS RISER TO O.H.T. FILLING TANK
⑧	DWS RISER PIPE FOR KITCHEN
FT	FLOOR TRAP
FD	FLOOR DRAIN
UT	URINAL TRAP
COF	CLEAN OUT PLUG


LEGEND INTER TOILET DETAIL PIPE SIZE	
WASH BASIN TO F.T.	50 OD uPVC WASTE PIPE
F.D. TO F.T.	63 OD uPVC WASTE PIPE
F.T. TO VENT PIPE	110 OD SWR WASTE & VENT PIPE
U.T. TO VENT PIPE	110 OD SWR SOIL & VENT PIPE
W.C. TO VENT PIPE	110 OD SWR SOIL & VENT PIPE

This is a "PROVISIONAL BUILDING PLAN" approved only for the purpose of inviting objections from the general public.

12/22

PA. A.T.P.

DINESH KUMAR



MUMTY & MACHINE ROOM BUILT UP AREA				
STAIR-01	=	9.000	X	6.250
STAIR-02	=	10.150	X	16.800
STAIR-03	=	11.460	X	10.500
STAIR-04	=	17.320	X	10.500
STAIR-05	=	17.320	X	10.500
STAIR-06	=	11.460	X	9.600
STAIR-07	=	9.100	X	6.850
STAIR-08	=	2.650	X	7.050
STAIR-09	=	9.300	X	16.720
STAIR-10	=	8.900	X	6.150
STAIR-11	=	6.450	X	9.635
STAIR-12	=	6.250	X	9.200
STAIR-13	=	8.725	X	14.760
STAIR-14	=	20.430	X	10.500
STAIR-15	=	9.755	X	11.815
STAIR-16	=	5.560	X	9.420
STAIR-17	=	5.560	X	11.350
TOTAL	=	3611.526		

DOOR & WINDOW SCHEDULE				
S.NO	TYPE	SIZE	SILL LEVEL	INTEL LEVEL
1.	D	1200 X 2100	00	2100
2.	D1	1000 X 2100	00	2100
3.	D2	750 X 1800	00	2100
4.	D3	1500 X 2100	00	2100
5.	D4	1200 X 2100	00	2100
6.	FD01	1200 X 2100	00	2100
7.	FD2	2000 X 2100	00	2100
8.	DW1	1200 X 2400	00	2400
9.	DW2	2000 X 2400	00	2400

FOURTH FLOOR PLAN

- NOTES:
1. ALL DIMENSIONS ARE IN MM.
 2. GATE AND BOUNDARY WALL SHALL BE AS PER STANDARD DESIGN.
 3. SPARKERS SHALL BE PROVIDED IN ENTIRE BUILDING INCLUDING BASEMENTS AS PER N.I.C.
 4. RAIN WATER HARVESTING SYSTEM WILL BE PROVIDED AS PER APPLICABLE NORMS.
 5. 100% POWER BACK UP WILL BE PROVIDED FOR LIFT & ESSENTIAL SERVICE AREAS.
 6. DISABLED RAMP @ 1:12 SLOPE WITH ROUGH HIGH RAILING.
 7. ALL BUILDINGS ARE MECHANICALLY VENTILATED.
 8. BUILDING WILL BE DESIGNED (STRUCTURES) AS PER RELEVANT I.S. CODES FOR EARTHQUAKE RESISTANCE.
 9. FIRE TRAVEL DISTANCE NOT MORE THAN 45 METRE.

PROJECT
REVISED BUILDING PLAN OF
COMMERCIAL COLONY MEASURING
10.4375 ACRES (LICENCE NO.56 OF 2013
DATED 10.07.2013) IN SECTOR - 88,
GURUGRAM MANESAR URBAN COMPLEX
BEING DEVELOPED BY AMB INFRABUILD
PVT. LTD. (16/8) 2621

ACPL
ACPL Design Ltd
192/1001/2015
Architecture
Management
Planning

DRAWING TITLE
4TH. FLOOR PLAN
SCALE
1:200
DRAWING NO.
11

OWNER'S SIGNATURE
ARCHITECT'S SIGNATURE