

BR-III
(See Rule 44)

DIRECTORATE OF TOWN & COUNTRY PLANNING, HARYANA
SCO-71-75, SECTOR-17-C, CHANDIGARH.
Tele-Fax: 0172-2548475; Tel.: 0172-2549851, E-mail: tcphry@gmail.com

Memo No: - ZP-1082/AD (RA)/2015/ 11807 Dated:- 6/7/15

To

Citra Properties Ltd.,
E-29, Connaught Place,
New Delhi.

Subject:-Approval of building plans of Commercial Colony measuring 5.90 acres (Licence No. 43 of 2012 dated 05.05.2012) in Sector-109, Gurgaon Manesar Urban Complex being developed by Citra Properties Ltd.

Reference your application dated 21.04.2015 and subsequently letter dated 11.06.2015 for permission to erect the buildings in Commercial Colony measuring 5.90 acres in Sector-109, Gurgaon Manesar Urban Complex in accordance with the plans submitted with it.

Permission is hereby granted for the aforesaid construction subject to the provisions of the Punjab Scheduled Roads & Controlled Areas Restriction of Unregulated Development Act, 1963, its rules and the zoning plan framed thereunder alongwith special reference to the following conditions: -

1. The plans are valid for a period of 2 years of the buildings less than 15.00 meters in height and 5 years for the multistoried buildings from the date of issuance of sanction, subject to validity of licenses granted for this scheme.
2. The structural responsibility of the construction shall be entirely of the owner/ supervising architect/Engineer of the scheme.

Further that: -

- a) The building shall be constructed as per the structure design submitted by you and as certified by your structure engineer that the same has been designed as per the provisions of NBC and relevant IS code for all seismic load, all dead and live loads wind pressure and structural safety from earthquake of the intensity expected under Zone-IV.
- b) All material to be used for erection of building shall conform to I.S.I. and N.B.C. standards.
- c) No walls/ceiling shall be constructed of easily inflammable material and staircases shall be built of the fire resisting material as per standard specification.
- d) The roof slab of the basement external to the buildings if any shall be designed/ constructed to take the load of fire tender up to 45 tones.

3. FIRE SAFETY:

as having been completed in accordance with the permission granted and an occupation certificate in prescribed form has been duly issued in your favor.

11. Before grant of occupation certificate, you shall apply for occupation certificate as per the provisions of Rule 47 (1) of the Punjab Schedule Roads and Controlled Areas Restriction of Unregulated Development Rules, 1965 which shall be accompanied by certificates regarding completion of works described in the plans and it shall be accompanied by:-

- (i) DPC certificate issued by DTP, Gurgaon.
- (ii) Structural stability certificate duly signed by the recognized Architect & Structural Engineer.
- (i) A clearance from Fire Safety point of view from the Commissioner, Municipal Corporation, Gurgaon..

12. The basement shall be used for parking and services as prescribed in the approved zoning plan and building plans. Not more than 25% of the parking space within the shopping/commercial complex shall be allotted and this allotment shall be made only to the persons to whom shops/commercial space have been allotted. No parking space shall be allotted, leased out, sold or transferred in any manner to any third party. The parking lots shall form part of common areas along with other common uses, in the declaration to be filed under Apartment Ownership Act, 1983.

13. WATER SUPPLY

- (i) The down take system shall be provided by you by providing clear water storage tank of not less than half day storage of water for domestic usage on the top of the building block. The capacity of the tank as shown on the plan and down take system thereof is as under: -

Sr. No.	Name of Building Block	Capacity of tank for Domestic uses	Up pipe in mm	Down pipe in mm
1.	Block-I (Dom)	1x2000 Ltrs. 1x34000 Ltrs.	65mm	80/65/50/40/32/25/20 mm
	Flushing	1x1000 Ltrs. 1x34000 Ltrs.	50mm	65/50/40/32/25/20 mm
2.	Block-II (Dom)	1x12000 Ltrs. 1x6000 Ltrs.	65mm	80/65/50/40/32/25/20 mm
	Flushing	1x8000 Ltrs. 1x4000 Ltrs.	50mm	65/50/40/32/25/20 mm
	RCC UGT (Dom)	100KL.		

- (ii) Inlet pipes from down take to toilet shall be 25/20/15 mm dia as shown on the plans and connection to each individual fixture shall be 15mm dia.
- (iii) The adequate booster pumps to boost the water in the water tanks with 100% standby arrangement shall also be provided by you. It is made clear that you shall be sole responsible for boosting arrangement all the time.
- (iv) The alternative arrangement of power supply, such as Generator Set etc. of suitable capacity shall also be provided by you during failure of electricity.

construction/execution of development works at site. You shall apply for Environment clearance within 30 days from the issuance of this letter.

- (iv) That the rain water harvesting system shall be provided as per Central Ground Water Authority norms/Haryana Govt. notification as applicable.
- (v) Alternative source of electricity shall be provided by you for functioning of water supply, sewerage and storm water drainage scheme by providing Gen. Set of required capacity.
- (vi) All pipes, fixtures, fitting, pumps, Gen. set Motor etc. shall be conforming to relevant IS specification and ISI marked.
- (vii) Recycled water is proposed to be utilized for flushing purpose. The firm has made provision of separate flushing line, storage tank, metering system, pumping system and plumbing. It may be clarified to developer that no tap or outlet of any kind will be provided from the flushing lines/plumbing lines for recycled water except for connection to the cistern of flushing tanks and any scouring arrangement. Even ablution taps should be avoided.
- (viii) No cross connection between recycled water system and potable water system shall be made.
- (ix) All plumbing pipes fittings, valves will be of red colour or painted red. In case of embedded pipes. Marker taps of Red Colour at suitable intervals shall be fixed. The underground and over head tanks should have. Recycle water not fit for drinking and other warning signs embossed/marked on them.
- (x) Recycled water pipes and potable water pipes will be fixed in separate chases and a minimum horizontal distance of 6" (150mm) will be mentioned between them. In case of cross suitably coloured/taped sleeve shall be used.
- (xi) The colonizer/firm will provide appropriate pipes (both up and down) for solar water heating system.
- (xii) That the rain water harvesting system shall be provided as per Central Ground Water Authority norms/Haryana Govt. notification, as applicable.
- (xiii) That the provision of solar water heating system shall be as per norms specified by HAREDA and shall be made operational in the each building block before applying for an occupation certificate.
- (xiv) That the colonizer/owner shall use only Compact Fluorescent Lamps fitting for internal lighting as well as Campus lighting.
- (xv) That you shall submit the scanned copy of the approved building plans in CD format of this scheme within one week to this office from the issuance of this letter.
- (xvi) That you shall deposit the labour cess in future, time to time as per construction of work done at site.

- (v) The dust emissions from the construction site should be completely controlled and all precautions taken in that behalf.
- (vi) The vehicles carrying construction material and construction debris of any kind should be cleaned before it is permitted to ply on the road after unloading of such material.
- (vii) Every worker working on the construction site and involved in loading, unloading and carriage of construction material and construction debris shall be provided with mask to prevent inhalation of dust particles.
- (viii) Every owner and or builder shall be under obligation to provide all medical help, investigation and treatment to the workers involved in the construction of building and carry of construction material and debris relating to dust emission.
- (ix) It shall be the responsibility of every owner/builder to transport construction material and debris waste to construction site, dumping site or any other place in accordance with rules and in terms of this order.
- (x) All to take appropriate measures and to ensure that the terms and conditions of the earlier order and these orders should strictly comply with by fixing sprinklers, creations of green air barriers.
- (xi) Compulsory use of wet jet in grinding and stone cutting.
- (xii) Wind breaking walls around construction site.
- (xiii) That you shall ensure that least dust has emitted into air/atmosphere and all steps are taken to prevent the same.
- (xiv) That you shall increase the 'tree cover' area by planting large number of trees of various species depending upon the quality content of soil and other natural attendant circumstances.
- (xv) That you shall provide green belt around the building that they construct and the same shall ensure that such green belts are in existence prior to issuance of occupancy certificate.
- (xvi) If any person, owner and or builder is found to be violating any of the conditions stated in this order and or for their non-compliance such person, owner, builder shall be liable to pay compensation of ₹ 50,000/- per default in relation to construction activity at its site and ₹ 5,000/- for each violation during carriage and transportation of construction material, debris through trucks or other vehicles, in terms of Section 15 of the NGT Act on the principle of Polluter Pay. Such action would be in addition not in derogation to the other action that the Authority made take against such builder, owner, person and transporter under the laws in force.
- (xvii) All the owners/builders shall ensure that C&D waste is transported in terms of this order to the site in question only and due record in that behalf shall be maintained by the builders, transporters and NCR of Delhi.

The colonizer firm and the Supervising Architect of the project shall be entirely responsible for making provisions of fire safety and fire fighting measures and shall abide by all fire safety bye laws.

Further, the colonizer firm shall also prepare and submit the plans in triplicate to Commissioner, Municipal Corporation, Gurgaon, clearly marked and indicating the complete fire protection arrangements and means of escape/access for the proposed building with suitable legend and standard signs.

On receipt of the above request the Commissioner, Municipal Corporation, Gurgaon after satisfying himself that the entire fire protection measures proposed for the above buildings are as per NBC and other Fire Safety Bye Laws, and would issue a NOC from Fire Safety and means of escape/access point of view. This clearance/ NOC from Fire Authority shall be submitted in this office alongwith a set of plans duly signed by the Commissioner, Municipal Corporation, Gurgaon within a period of 90 days from the date of issuance of sanction of building plans. Further, it is also made clear that no permission for occupancy of the building shall be issued by Commissioner, Municipal Corporation, Gurgaon unless he is satisfied that adequate fire fighting measures have been installed by you and suitable external fire fighting infrastructure has been created at Gurgaon, by Municipal Corporation, Gurgaon. A clearance to this effect shall be obtained from the Commissioner, Municipal Corporation, Gurgaon before grant of occupation certificate by the Director General.

4. No addition and alteration in the building plans/ layout plan shall be made without the prior approval of DG,TCP. Further only figured dimensions shall be followed and in case of any variation in the plans, prior approval of DG,TCP shall be pre-requisite.
5. That you shall furnish the service plan/ estimate of this scheme in accordance with approved building plans within 60 days from the date of issuance of this letter.
6. Based on the actual estimated cost of internal development of the commercial colony you shall furnish additional bank guarantee if required within 60 days of approval of the service plans.
7. The revenue rasta if any passing through the site shall be kept unobstructed.
8. If any infringement of bye-laws remains unnoticed, the department reserves the right to amend the plan as and when any such infringement comes to its notice after giving an opportunity of being heard and the department shall stand indemnified against any claim on this account.
9. The layout showing the electric installation shall have to be got approved from the Electrical Inspector, Haryana before execution of work at site.
10. No person shall occupy or allow any other person to occupy any new building or part of the same for any purpose what so ever until such building or part thereof has been certified by the Director or any person authorized by him in this behalf

(xviii) It is made clear that even if constructions have been started after seeking Environmental Clearance under the EIA notification 2006 and after taking other travel but is being carried out without taking the preventive and protective environmental steps as stated in this order and MOEF guidelines, 2010, the State Government, SPCB and any officer of any department as aforesaid shall be entitled to direct stoppage of work.

This sanction will be void ab initio, if any of the conditions mentioned above are not complied with.

DA/One set of Building Plans



(Ravi Sihag)

District Town Planner (HQ),

Member Secretary,

For: Chief Town Planner, Haryana-cum- Chairman,

Building Plan Approval Committee.

Endst. No:- ZP-1082/AD (RA)/2015/_____ dated:- _____

A copy is forwarded to the following for information: -

1. Administrator, HUDA, Gurgaon w.r.t. his office Memo. No. 504 dated 05.06.2015.
2. Haryana State Pollution Control Board, Panchkula with the request that the compliance of the instructions issued by NGT shall be monitored and strict compliance to be ensured.
3. Senior Town Planner, Gurgaon.
4. Superintending Engineer (HQ) HUDA Panchkula.
5. District Town Planner, Gurgaon alongwith one set of building plans.
6. District Town Planner (Enf.), Gurgaon.

Encl: as above



(Ravi Sihag)

District Town Planner (HQ),

Member Secretary,

For: Chief Town Planner, Haryana-cum- Chairman,

Building Plan Approval Committee.

- (xvii) That the colonizer shall submit the fire fighting scheme duly approved in accordance with the section 15 of The Haryana Fire Safety Act 2009 and directions issued by the Director, Urban Local bodies Haryana before starting the construction work at site.
- (xviii) You shall abide the terms and conditions of the Undertaking/Affidavit submitted in the office of Administrator, HUDA, Gurgaon in compliance of Order dated 16.07.2012 of the Hon'ble High Court and shall not extract groundwater for construction purposes.
- (xix) The responsibility of laying and maintain (including quality and design etc.) of internal public health services shall be entirely of the owner/supervising Architect/engineer of the scheme.
- (xx) That you shall submit electric service plan estimate for approval to concerned Power utility under intimation to this office within 30 days from the issuance of this letter & get the Electrical Service Plan Estimates/Power load Requirement approved from the concerned power utility.
- (xxi) That provision of parking shall be made within the area earmarked /designated for parking in the colony and no vehicle shall be allowed to park outside the premises.
- (xxii) That if site for Electric Sub Station is required than same will be provided by you in the colony.
- (xxiii) That you shall follow provisions of Section 46 of 'The Persons With Disabilities (Equal Opportunities, Protection of Rights and Full Participation) Act, 1995' which includes construction of ramps in public buildings, adaption of toilets for wheel chair user, Braille symbols and auditory signals in elevators or lifts and other relevant measures for Hospitals, Primary Health Centres and other medical care and rehabilitation units.
- (xxiv) That you shall not construct the building more than 30.00 Meters without obtaining the NOC from AAI.

17. Environment:-

- (i) That you shall strictly comply with the directions of MOEF Guidelines, 2010 while raising construction.
- (ii) You shall put tarpaulin on scaffolding around the area of construction and the building. You are also directed that you shall not store any construction material particularly sand on any part of the street/road.
- (iii) The construction material of any kind that is stored in the site will be fully covered in all respects so that It does not disperse in the Air in any form.
- (iv) All the construction material and debris shall be carried in the trucks or other vehicles which are fully covered and protected so as to ensure that the construction debris or the construction material does not get dispersed into the air or atmosphere, in any form whatsoever.

14. SEWERAGE:

- (i) All external sewerage lines should not be less than 200 mm. Dia SW Pipes.
- (ii) All soil pipe connection W.C. to soil stack/ manhole shall be 100 mm dia as shown on the plans.
- (iii) Waste water stack shall be 100 mm/75 mm dia as shown on the plans and soil stack shall be 100mm dia.
- (iv) All F.T shall be 75mm dia.
- (v) All W.C. shall be provided with high/low level flushing cistern. The capacity of flushing cistern shall be of 8 liters.
- (vi) All pipes from waste water stack to IC and IC to Manhole shall be of 100 mm dia pipe as shown on the plans.
- (vii) You shall provide suitable approach/ ventilation arrangement by providing inspection window/ duct etc. for repairing of piping system.
- (viii) The invert level of main sewer be checked by you prior to taking of connection/construction work.

15. Storm Water Drainage

- (i) You have provided three level basements for services and parking only. For draining out the wash water/ rain water accumulated in the lower basement shall be collected through covered channel of 300 mm wide to the sumps at different placed and from where the pumping has been proposed by you by providing pumps of 350 LPM capacity at 21.00 meters head. Thus it is made clear to you that you shall be sole responsible for pumping out of rain water/ wash water etc. all the time and 100% standby pumps alternate power supply arrangement shall also be provided by you during the failure of electricity/ breakdown.
- (ii) All external storm water drainage shall be provided so as to disposal of rain water into the external system of the Town. You shall ensure invert level of Master Storm Water Drainage prior to taking up the work.
- (iii) All rain water stacks pipes shall be 100/150 mm dia pipes as shown on the plans.
- (iv) It is made clear to you that roof top rain harvesting system shall be provided by you as per norms and shall be kept operational all the time.

16. GENERAL:-

- (i) You shall provide alternative source of electricity for functioning of water supply, sewerage and storm water drainage scheme by providing Gen. set of required capacity.
- (ii) All pipes, fixtures, fitting, pumps, Gen. set and filtration plan etc. shall be conforming to relevant IS specification and ISI marked.
- (iii) That the colonizer shall obtain the clearance/NOC as per the provisions of the Notification No. S.O. 1533 (E) Dated 14.09.2006 issued by Ministry of Environment and Forest, Government of India before starting the

BR-III
(See Code 4.2 (4))
Form of Sanction

From

Chief Town Planner, Haryana-cum- Chairman,
Building Plan Approval Committee,
O/o Director, Town & Country Planning Department, Haryana,
Nagar Yojna Bhawan Block-A, Sector-18A, Madhya Marg, Chandigarh.
Tele-Fax: 0172-2548475; Tel.: 0172-2549851,
E-mail: tcpharyana7@gmail.com
Website www.tcpharyana.gov.in

To

Citra Properties Ltd.,
E-29, Cannaught Place,
New Delhi.

Memo No. ZP-1082/AD(RA)/2019/25785 Dated:- 17-10-2019

Subject:

Approval of revised building plans of Commercial Colony on the area measuring 5.90 acre (Licence No. 43 of 2012 dated 05.05.2012) in Sector-109, Gurugram Manesar Urban Complex being developed by Citra Properties Ltd.

Reference your letter dated 03.04.2019 for permission is hereby granted to re-erect the building plans of Commercial Colony on the area measuring 5.90 acre (Licence No. 43 of 2012 dated 05.05.2012) in Sector-109, Gurugram Manesar Urban Complex in accordance with the plans submitted with.

The building plans were approved provisionally vide this office memo no. 10375 dated 24.04.2019 for the purpose of inviting objections/suggestions. Vide memo no. 3733 dated 25.07.2019, STP, Gurugram has informed that no objection has been received from any allottee in respect of the amendments made in the building plans by you. Hence, final permission is hereby granted for the aforesaid construction after charging the composition charges amounting to ₹ 25,88,134/- on account of Plan sanctioned but sanction able construction added during the course of construction and internal changes subject to the provisions of the respective Acts and Haryana Building Code-2017 subject to the following amendments, terms and conditions:-

1. The plans are valid for a period of 2 years of the buildings less than 15.00 meters in height and 5 years for the multistoried buildings from the date of issuance of sanction, subject to validity of licenses granted for this scheme.
2. The structural responsibility of the construction shall be entirely of the owner/ supervising architect/ Engineer of the scheme.

Further that: -

- a) The building shall be constructed in accordance to the Structure Design by Structure Engineer and certified by Proof Consultant on prescribed FORM BR-V(A2).
- b) All material to be used for erection of building shall conform to I.S.I. and N.B.C. standards.
- c) No walls/ceiling shall be constructed of easily inflammable material and staircases shall be built of the fire resisting material as per standard specification.

- d) The roof slab of the basement external to the buildings if any shall be designed/ constructed to take the load of fire tender up to 45 tones.
3. FIRE SAFETY:
- (i) The colonizer and the Supervising Architect of the project shall be entirely responsible for making provisions of fire safety and fire fighting measures and shall abide by all fire safety bye laws.
 - (ii) That you shall get approved the fire fighting scheme in accordance with the section 15 of The Haryana Fire Safety Act 2009 and directions issued by the Director, Haryana Fire Services, Haryana, before starting the construction work at site.
4. No addition and alteration in the building plans/ layout plan shall be made without the prior approval of DTCP. Further only figured dimensions shall be followed and in case of any variation in the plans, prior approval of DTCP shall be pre-requisite.
5. That you shall furnish the service plan/ estimate of this scheme in accordance with approved building plans.
6. Based on the actual estimated cost of internal development of the commercial colony you shall furnish additional bank guarantee, if required.
7. The revenue Rasta if any passing through the site shall be kept unobstructed.
8. If any infringement of byelaws remains unnoticed, the Department reserves the right to amend the plan as and when any such infringement comes to its notice after giving an opportunity of being heard and the Department shall stand indemnified against any claim on this account.
9. The layout showing the electric installation shall have to be got approved from the competent authority before execution of work at site.
10. No person shall occupy or allow any other person to occupy any new building and before grant of occupation certificate, you shall apply for occupation certificate as per the provisions of Code 4.10 of the Haryana Building Code-2017 which shall be accompanied by certificates regarding completion of works described in the plans and it shall be accompanied by:
- (i) Structural stability certificate duly signed by the recognized Architect & Structural Engineer.
 - (ii) A clearance from Fire Safety point of view from the competent authority.
11. The basement shall be used for parking and services as prescribed in the approved zoning plan and building plans. Not more than 25% of the parking space within the shopping/commercial complex shall be allotted and this allotment shall be made only to the persons to whom shops/commercial space have been allotted. No parking space shall be allotted, leased out, sold or transferred in any manner to any third party. The parking lots shall form part of common areas along with other common uses, in the declaration to be filed under Apartment Ownership Act, 1983.
12. You shall comply with the conditions laid down in the Memo No.109737 dated 30.05.2018 of Superintending Engineer (HQ), HSVP, Panchkula and Memo No. 106598 dated 14.11.2018 of Assistant Divisional Fire Officer (HQ) (copies enclosed).

13. GENERAL: -

- (i) That the coloniser/owner shall obtain the clearance/NOC as per the provisions of the Notification No. S.O. 1533 (E) Dated 14.9.2006 issued by Ministry of Environment and Forest, Government of India before starting the construction/execution of development works at site.
 - (ii) That the rain water harvesting system shall be provided as per Central Ground Water Authority norms/Haryana Govt. notification as applicable.
 - (iii) That the coloniser/owner shall use only Light-Emitting Diode lamps (LED) fitting for internal lighting as well as Campus lighting.
 - (iv) That the coloniser/owner shall strictly comply with the directions issued vide Notification No. 19/6/2016-5P dated 31.03.2016 issued by Haryana Government Renewable Energy Department.
 - (v) That coloniser/owner shall ensure the installation of Solar Power Plant as per provisions of Haryana Solar Power Policy, 2016 issued by Haryana Government Renewable Energy Department vide Notification No. 19/4/2016-5 Power dated 14.03.2016.
 - (vi) That the coloniser/owner shall ensure the installation of Solar Photovoltaic Power Plant as per the provisions of order No. 22/52/2005-5Power dated 21.03.2016 issued by Haryana Government Renewable Energy Department.
 - (vii) That you shall submit the scanned copy of the approved building plans of this scheme to this office from the issuance of this letter.
 - (viii) That you shall deposit the labour cess in future, time to time as per construction of work done at site.
 - (ix) That if any, site for Electric Sub Station is required, same will be provided by you in the colony.
 - (x) That provision of parking shall be made within the area earmarked /designated for parking in the colony and no vehicle shall be allowed to park outside the premises.
 - (xi) That you shall follow provisions of section 46 of 'The Persons with Disabilities (Equal Opportunities, protection of Rights and full Participation) Act, 1995' which includes construction of Ramps in public buildings, adaption of toilets for wheel chair users, Braille symbols and auditory signals in elevators or lifts and other relevant measures for Hospitals, Primary Health Centre and other medical care and rehabilitation units.
14. Environment: That you shall strictly comply with the directions of MOEF Guidelines, 2010 while raising construction. In addition, you shall comply with the instructions of Director, Town & Country Planning, Haryana, Chandigarh issued vide order dated 14.05.2015, available on the Departmental Website www.tcpharyana.gov.in at URL:https://tcpharyana.gov.in/Policy/Misc392%20OA%20No.%2021%20of%202014%20Vardhaman%20Kaushik%20Vs.%20UOI_ors.pdf in compliance of the orders dated 10.04.2015 passed by Ho'nble National Green Tribunal in OA No. 21 of 2014, which are as under:

- (i) You shall put tarpaulin on scaffolding around the area of construction and the building. You are also directed that you shall not store any construction material particularly sand on any part of the street/roads.
- (ii) The construction material of any kind that is stored in the site will be fully covered in all respects so that it does not disperse in the Air in any form.
- (iii) All the construction material and debris shall be carried in the trucks or other vehicles which are fully covered and protected so as to ensure that the construction debris or the construction material does not get dispersed into the air or atmosphere, in any form whatsoever.
- (iv) The dust emissions from the construction site should be completely controlled and all precautions taken in that behalf.
- (v) The vehicles carrying construction material and construction debris of any kind should be cleaned before it is permitted to ply on the road after unloading of such material.
- (vi) Every worker working on the construction site and involved in loading, unloading and carriage of construction material and construction debris shall be provided with mask to prevent inhalation of dust particles.
- (vii) Every owner and or builder shall be under obligation to provide all medical help, investigation and treatment to the workers involved in the construction of building and carry of construction material and debris relating to dust emission.
- (viii) It shall be the responsibility of every owner/builder to transport construction material and debris waste to construction site, dumping site or any other place in accordance with rules and in terms of Hon'ble NGT order dated 10.04.2015 referred above.
- (ix) All to take appropriate measures and to ensure that the terms and conditions of the Hon'ble NGT order dated 10.04.2015 referred above in OA No. 21 of 2014 and the earlier orders passed in said case should strictly comply with by fixing sprinklers, creations of green air barriers.
- (x) Compulsory use of wet jet in grinding and stone cutting.
- (xi) Wind breaking walls around construction site.
- (xii) That you shall ensure that least dust has emitted into air/atmosphere and all steps are taken to prevent the same.
- (xiii) That all the builders, who are building commercial, residential complexes which are covered under the EIA Notification of 2006, shall provide green belt around the building that they construct and compliance of the same shall be ensured prior to issuance of occupancy certificate.
- (xiv) If any person, owner and or builder is found to be violating any of the conditions stated in this order and or for their non-compliance such person, owner, builder shall be liable to pay compensation of ₹ 50,000/- per default in relation to construction activity at its site and ₹ 5,000/- for each violation during carriage and transportation of construction material, debris through trucks or other vehicles, in terms of Section 15 of the NGT Act on the principle of Polluter Pay. Such action would be in addition not in derogation

to the other action that the Authority made take against such builder, owner, person and transporter under the laws in force.


(xv) All the owners/builders shall ensure that C&D waste is transported in terms of this order to the site in question only and due record in that behalf shall be maintained by the builders, transporters and NCR of Delhi.

(xvi) It is made clear that even if constructions have been started after seeking Environmental Clearance under the EIA notification 2006 and after taking other travel but is being carried out without taking the preventive and protective environmental steps as stated in above said order dated 10.04.2015 passed by NGT and MOEF guidelines, 2010, the State Government, SPCB and any officer of any Department as afore-stated shall be entitled to direct stoppage of work.

15. You shall submit the ultimate power load requirement to the Department within a month from the issuance of this letter.

This sanction will be void abinitio, if any of the conditions mentioned above are not complied with.

DA /as above


(Hitender Singh)
Architect (HQ)

For: Chief Town Planner, Haryana-cum- Chairman,
Building Plan Approval Committee.

Endst. No. ZP-1082/AD(RA)/2019/ _____ Dated:- _____

A copy is forwarded to the following for information: -

1. Haryana State Pollution Control Board, Panchkula with the request that the compliance of the instructions issued by NGT shall be monitored and strict compliance to be ensured.
2. MD, HVNL, Planning Directorate, Shakti Bhawan, Sector-6, Panchkula with request to assess the power utility site requirement as per ultimate power load requirement.
3. Administrator, HSVP, Gurugram.
4. Senior Town Planner, Gurugram.
5. Superintending Engineer (HQ), HSVP, Panchkula.
6. District Town Planner, Gurugram.
7. District Town Planner (E), Gurugram.
8. Nodal Officer, website updation.
9. Assistant Divisional Fire Officer O/o Director, Urban Local Bodies, Haryana, Panchkula.


(Hitender Singh)
Architect (HQ)

For: Chief Town Planner, Haryana-cum- Chairman,
Building Plan Approval Committee.