

**DIRECTORATE OF TOWN & COUNTRY PLANNING, HARYANA**

SCO-71-75, Sector -17C, Chandigarh

Phone: 0172-2549349, Email: tcphry@gmail.com, www.tcpharyana.gov.in

Memo No. DS(R)/LC-1674/2013/

56525

Dated

7/11/13

To

Countrywide Promoters Pvt. Ltd.  
M-11, Middle Circle, Connaught Place,  
New Delhi.

**Subject: - Approval of the service plan/estimate for Group Housing Colony on land measuring 43.558 acres (23.814+19.744 acres additional) (Licence No. 83 of 2008 dated 05.04.2008 & 94 of 2011 dated 24.10.2011) falling in Sector-37D, Gurgaon-Manesar Urban Complex-Countrywide Promoters Pvt. Ltd.**

Reference: - Vide letter memo no. CE-I/EE(W)/SDE(W)/2013/11288 dated 14.08.2013 of CA HUDA, Panchkula on the subject noted above.

The service plan/ estimates of the Group Housing Colony being developed on the land measuring 43.558 acres (Licence No. 83 of 2008 dated 05.04.2008 & 94 of 2011 dated 24.10.2011) in Sector-37D, Gurgaon-Manesar Urban Complex have been checked and corrected wherever necessary by Chief Administrator, HUDA, Panchkula and hereby approved subject to the following terms and conditions:-


1. You shall pay the proportionate cost of external development charges for setting up of commercial colony, for the Services like Water Supply, Sewerage, Storm Water Drainage, Roads, Bridges, Community Buildings, Street Lighting and Horticulture etc. on gross acreage basis as and when determined by HUDA/Director. These charges are modifiable as and when approved by the Authority/Government and modified charges will be binding upon the colonizer.
2. The maintenance Charges for various services like water supply, sewerage, storm water drainage, roads, street lighting and Hort., etc. has been included by the firm in the Sub Work No. VII and the total cost of works out to Rs. 1067.91 lacs. It may be made clear to the colonizer that they are liable to maintain the estate developed by them for 10 years or as per HUDA norms till such time, the colony is taken over by the local authority/State Govt.
3. The category wise area as shown on the plans and proposed density of population thereof has been treated to be correct for estimation/services only.
4. You shall make appropriate provision for fire fighting arrangement as required in the NBC/ISI code should also be provided by you and a Fire safety certificate will be obtained by you from the competent authority before undertaking any construction. You will be sole responsible for fire safety arrangements.

5. All technical notes and comments incorporated in the estimates in two sheets will also apply. A copy of these is also appended as Annexure-"A".
6. The wiring system of street lighting will be under ground and the specification of the street lighting fixture etc. will be as per relevant standard of HVPNL/DHBVNL.
7. The total height of the building and top of the water tank above ground level has not been defined/indicated on the plans. You shall be responsible for the violation of Air Traffic rules/regulations and height of the building.
8. You shall be fully responsible for making arrangement of disposals of sewerage and storm water drainage till such time these are made available by HUDA/ State Govt. and all link connection with the external system will be made by you at your own cost. You shall have to ensure that the sewer and storm water drainage to be laid by you will be connected by gravity with the master services to be laid / laid by HUDA / State Govt. in this area as per scheme.
9. You shall be solely responsible to lay the services up to the external services laid/to be laid by HUDA on sector dividing road at respective locations/points and correctness of the levels of the colony.
10. You shall use the recycled water for flushing purpose. The firm has made provision of separate flushing line, storage tank, metering system, pumping system and plumbing. It may be clarified to developer that no tap or outlet of any kind will be provided from the flushing lines/plumbing lines for recycled water except for connection to the cistern of flushing tanks and any scouring arrangement.
11. The correctness of the levels of the colony will be sole responsibility of the colonizer for integrating the internal sewer/storm water drainage of the colony by gravity with the master services. In case pumping is required the same will be provided & maintained by colonizer for all the time to come.
12. The separate distribution systems, independent of each other, will be adopted, one for potable water supply and second for recycled water, Home/office/business establishment will have access to two water pipe lines.
13. The rain harvesting system shall be provided by you as per norms and the same shall be kept operational/ maintained all the time. Arrangement for segregation of first rain not to be entered into the system shall also be made by you.

14. The estimates do not include the provision of electrification of the colony, therefore the supervision charges and O & M charges shall be paid by you directly to the HVPN.
15. You shall be solely responsible for the construction of various structures such as RCC underground tank etc. according to the standard specifications good quality and its workmanship. The structural stability responsibility will entirely rest upon you.
16. In case, some additional structure are required to be constructed and decided by Haryana Urban Development Authority at a later stage, the same will be constructed by your company.
17. You will not make the connection with the master services i.e. water supply, sewerage, storm water drainage without getting its approval from the competent authority.
18. The level / extent of the services to be provided by the HUDA i.e. water supply sewerage will be proportionate to EDC deposited.
19. In case, it is decided by Govt. that master services be extended on 24 M wide internal circulation road additional amount at rates as decided by the authority will recoverable from colonizer over and above the EDC.
20. The construction of master road is yet to take place, the developer will get the road level/formation level of his services fixed from the concerned SE before execution.

A copy of the approved service plan/estimates is enclosed herewith. You are requested to supply five additional copies of the approved service plan/estimates to the Chief Engineer, HUDA, Panchkula under intimation to this office.

DA/As above



(Sanjay Kumar)


District Town Planner (HQ)

For Director General, Town and Country Planning  
Haryana, Chandigarh

Endst. No. LC-1674/DS-(R)-2013/

Dated:

A copy is forwarded to the Chief Administrator, HUDA, Panchkula with reference to his letter No. CE-I/EE(W)/SDE(W)/2013/11288 dated 14.08.2013 for information and necessary action please.



(Sanjay Kumar)

District Town Planner (HQ)

For Director General, Town and Country Planning  
Haryana, Chandigarh





हरियाणा शहरी विकास प्राधिकरण

HARYANA SHEHARI  
VIKAS PRADHIKARAN

Tel : 2570982  
Toll Free No. : 1800-180-3030  
Website : [www.hsvp.org.in](http://www.hsvp.org.in)  
Email : [cencrhuda@gmail.com](mailto:cencrhuda@gmail.com)

Address: C-3, HSVP, HQ Sector-6  
Panchkula

From

The Chief Engineer-I,  
HSVP, Panchkula.

To

The Director ,  
✓ Town and Country Planning,  
Haryana, Chandigarh.

Memo No: - CE-I/SE(HQ)/EE(M)/SDE(G)/2024/ 57035

Dated:- 05/08/2024

SUB:

**Approval of revised service plan estimate for a revised area of 4.76 acres out of Group Housing measuring 43.558 acres (License no. 83 of 2008 dated 05.04.2008 & License no. 94 of 2011 dated 24.10.2011) in Sector-37D, Gurugram being developed by Countrywide Promoters Pvt. Ltd.**

Ref:-

Please refer to your good memo no. ZP-437A/PA(DK)/2024/2085 dated 18.01.2024, vide which the revised & additional building plans pertaining to subject cited colony was approved by your office.

The service plan estimate for providing Public Health/B & R services to be provided by the Countrywide Promoters Pvt. Ltd. in subject cited colony has been received from Superintending Engineer, HSVP, Circle-I, Gurugram vide his office memo no. 30171 dated 08.02.2024. The same has been checked and corrected wherever necessary and is sent herewith for execution as well as for Bank Guarantee purpose, subject to the following comments:-

SFI

  
SFI

1. **EXTERNAL DEVELOPMENT CHARGES:-**

The colonizer will have to pay the proportionate cost of external development charges for setting up of Group Housing Colony for the services like water supply, sewerage, storm water drainage, roads, bridges, community building, street lighting and horticulture and Mtc. thereof etc. on gross acreage basis as and when demanded by Competent Authority. These charges will be modifiable as and when approved by the authority /State Govt. and will be binding upon the colonizer.

2. **MAINTENANCE OF SERVICES:-**

The mtc. Charges for various services like water supply, sewerage, storm water drainage, roads, street lighting and Hort., etc. has been included by the firm in the Sub Work No.VII and the total cost of works out to ₹. **122.97 lacs (for revised area)**. It may be made clear to the colonizer that they are liable to maintain the estate developed by them for 10 years or as per HSVP norms till such time, the colony is taken over by the local authority/State Govt.

3. **DENSITY/AREA/POPULATION:-**

The overall population density of the colony works out **317 PPA**. This may be checked and confirmed by your office that the overall density of sector is maintained according to the final development plan of Gurugram Town. The category wise area as shown on the plans and proposed density of population thereof has been treated to be correct for estimation of services only.

4. **FIRE FIGHTING:-**

The provision made in the estimate has been checked for estimation purposes. However, it may be made clear to the colonizer that the appropriate provision for fire fighting arrangement, as required in the NBC/ISI, should also be provided by the colonizer and fire safety certificate should also be obtained by the colonizer from the competent authority before undertaking any constn. The colonizer will be solely responsible for fire safety arrangement.

5. All technical notes and comments incorporated in this estimate in two sheets will also apply. A copy of these are also appended as Annexure-'A'.

6. The title and name of the licensee may be examined by your office.

P.T.O.



हरियाणा शहरी विकास प्राधिकरण

HARYANA SHEHARI  
VIKAS PRADHIKARAN

Tel : 2570982  
Toll Free No. : 1800-180-3030  
Website : [www.hsvp.org.in](http://www.hsvp.org.in)  
Email : [cencrhuda@gmail.com](mailto:cencrhuda@gmail.com)

Address: C-3, HSVP , HQ Sector-6  
Panchkula

**7. STREET LIGHTING:-.**

The wiring system of street lighting will be under ground and the specifications of the street lighting fixture etc. will be as per relevant standard of HVPNL. The firm shall be provided automatic on-off system for street lighting in the complex.

**8. AIR TRAFFIC RULES/REGULATIONS:-**

The Group Housing Complex consists the construction of multi-storeyed building. RCC water tank has been proposed on the top of the building. The total height of the building and top of the water tank above ground level has not been defined/indicated on the plans. The violation of Air Traffic Rules/Regulations and height of the building may be examined by your office.

9. The revised & additional building plan of the Group Housing Colony in an area of 4.76 acres area part of existing Group Housing 43.558 acres approved vide your office memo no. ZP-437A/PA(DK)/2024/2085 dated 18.01.2024, annexed with the estimate have been considered to be correct for the purpose of estimation/services only.

10. It may be made clear to the colonizer that he will be fully responsible to make the arrangement for disposal of sewage and SWD, till such time these are made available by HSVP and all link connection with the external system will be done by the colonizer/firm at his own cost. The colonizer will have to ensure that the sewer and storm water drainage to be laid by them will be connected by gravity with the master services to be laid/laid by HSVP/State Govt. in this area as per their scheme. In case pumping is required, the same will be done by colonizer for all the time to come.

11. It also be made clear to the firm/colonizer that they will be fully responsible to make the arrangement of water supply, disposal of overflow of sewer, storm water drainage and approach to their colony as presently external master services for the new area is being planned and yet to be planned.

12. It may also be clarified to the colonizer that he will be solely responsible to lay the services up to the external services laid/to be laid by HSVP on sector dividing road at respective locations/points.

13. It may be clarified to the colonizer that recycled water is proposed to be utilized for flushing purposes. The firm has made provision of separate flushing line, storage tank, metering system, pumping system and plumbing. It may be clarified to developer that no tap or outlet of any kind will be provided from the flushing lines/plumbing lines for recycled water except for connection to the cistern of flushing tanks and any scouring arrangement. Even ablution taps should be avoided.

- i) Two separate distribution systems, independent of each other, will be adopted, one for potable water supply and second for recycled water. Home /offices/ business establishment will have access to two water pipe lines.
- ii) Potable water and recycled water supply lines will be laid on opposite berms of road. Recycled water lines will be above sewer lines. Wherever unavoidable and if all pipes are required to be laid on same side of road, these will be located from the ground surface in order of descending quality. Potable water shall be above recycled water which should be above sewer. Minimum clear vertical separation between a potable water line and a recycled water line shall be one foot, if not possible then readily identifiable sleeve should be used.

**To avoid any accidental use of recycled water for potable purposes all:-**

- (a) Recycle water pipes, fittings, Appurtenances, valves, taps, meters, hydrants will be of Red Color or painted red.
- (b) Sign and symbols signifying and clearly indicating "Recycle Water" "Not fit for Drinking" must invariably be stamped/fixed on outlets, Hydrants Valves both surface and subsurface, Covers and at all conspicuous places of recycle distribution system.

Contd.



हरियाणा शहरी विकास प्राधिकरण

HARYANA SHEHARI  
VIKAS PRADHIKARAN

Tel : 2570982  
Toll Free No. : 1800-180-3030  
Website : [www.hsvp.org.in](http://www.hsvp.org.in)  
Email : [cencrhuda@gmail.com](mailto:cencrhuda@gmail.com)

Address: C-3, HSVP, HQ Sector-6  
Panchkula

- (c) Detectable marker tapes of red color bearing words "Recycle Water" should be fixed at a suitable interval on pipes.
- (d) Octagonal covers, red in color or painted Red and words "Recycle Water-Not fit for Drinking" embossed on them should be used for recycled water.
14. It shall be mandatory for the firm to provide dual/two button or lever flush system in toilets.
  15. It shall be mandatory for the firm to provide Solar Photovoltaic Power Plant of suitable capacity as per the notification of department of Renewable Energy Govt. of Haryana & latest amendment made thereof from time to time. The specifications for the installation of the same should also be strictly as per their latest guidelines.
  16. The correctness of the levels of the colony will be sole responsibility of the colonizer for integrating the internal sewer/storm water drainage of the colony by gravity with the master services. In case pumping is required, the same will be provided & maintained by colonizer for all the time to come.
  17. It may be made clear to the colonizer that the rain harvesting system shall be provided by them as per Central Ground Water Authority norms/Haryana Govt. notification and the same will be kept operational/maintained all the time. Arrangement for segregation of first rain not to be entered into the system shall also be made by the firm/colonizer.
  18. CFL lamp shall be provided by the firm for external lighting in respect of energy conservation.
  19. The estimate does not include the provision of electrification of the colony. However, it may be made clear to the colonizer that the supervision charges and O & M charges shall be paid by them directly to the HVPNL.
  20. The colonizer will be solely responsible for the construction of various structures such as RCC under Ground Tank etc. according to the standard specifications good quality and its workmanship. The structural stability responsibility will entirely rest upon the colonizer.
  21. In case some additional structures are required to be constructed, as decided by HSVP at a later stage, the same will be binding upon the colonizer. Flow control valves will be installed, preferably of automatic type, on water supply connection with HSVP water supply line.
  22. It may be made clear to the colonizer that he will not make any connection with the master services i.e. water supply, sewerage, SWD, without prior approval of the competent authority.
  23. In case it is decided by Govt. that HSVP/Govt. will construct 24 Mtrs. Wide road and will extend master services on 24 Mtrs. Internal circulation road then additional amount and rates as decided by the authority/Govt. will be recoverable over and above EDC.
  24. Since the construction of master road is yet to take place, the developer will get the road level/formation level of his services fixed from the concerned Superintending Engineer, before execution.
  25. Levels of the external services to be provided by HSVP i.e. water supply sewerage will be proportionate to EDC deposited.
  26. That the owner will not resort manual scavenging by engaging sanitation works for cleaning of septic tanks/ such cleaning as per the decision taken in the meeting of the Central Monitoring Committee(CMC) held under the Chairmanship of Cabinet Secretary on 22.03.2013 (D.O. No. Q. 11021/12/2010-PHE-II (Vol. IV dated 7<sup>th</sup> Feb. 2013 of secretary to the Govt. of India of Urban Development and further order by the Principal Secretary to Govt. Haryana, Urban Local Bodies Deptt., Chandigarh vide letter No. 16/24/2013-2C1 dated Nil.

SFI

EE(m)

P.T.O.



Tel : 2570982  
Toll Free No. : 1800-180-3030  
Website : [www.hsvp.org.in](http://www.hsvp.org.in)  
Email : [cencrhuda@gmail.com](mailto:cencrhuda@gmail.com)

हरियाणा शहरी विकास प्राधिकरण

HARYANA SHEHARI  
VIKAS PRADHIKARAN

Address: C-3, HSVP, HQ Sector-6  
Panchkula

**27. SPECIAL CONDITIONS:-**

The developer has to dismantle and relocate his services even after laid, wherever required to suit the size, capacity and levels of HSVP services in the area/sector, if any.

- These services at later stage, if required, will have to correlate with the services falling in the land of other licensee/developer adjacent to the land of this colonizer have to re-lay & relocate for their size, capacity and levels to give continuity of proper approach, to maintain the loops and grid of water supply distribution line and functioning of sewer and storm water drainage & other services in the public interest. The developer has to obtain prior permission from the concerned authority if the services are to be laid through revenue rasta or other land before laying of services. It will be ensured by the colonizer to install double button system in flushing cistern in all toilets in various building to be constructed in his licensed area.
- Similarly, the common services if decided to be laid by HSVP along 24mtr wide road / master roads against the development charges charged by HSVP for common benefit of all developers in the sector, the developer shall have to dismantle and relocate his already laid services, wherever required to suit the size, capacity and levels of HSVP services in the area / sector.
- Permission for competent authority shall be obtained prior to boring/drilling of tube wells. Further, approval of service plan/estimate with tube well provision does not entitle the colonizers to drill tube well. It is pertinent to mention here that at present HSVP has not laid master water supply in the area. Water so obtained from tube well shall be used only for drinking purposes and shall not be used for construction purpose.

**28. COMMON SERVICES:-**

The estimate does not include the common services like water supply, storage tank on the top of the building block, the plumbing works etc. and will be part of the plumbing work.

**29. CONSTRUCTION ACTIVITY OF PROJECT:-**

- a) It is clearly stated that the firm/developers shall not be allowed to carry out the construction with underground water.
- b) The firm shall also show the source from where the water supply will be taken for construction purpose

**NOTE(1) :-**

In order to implement the directions given by National Green Tribunal in O.A. No. 21 of 2014 and No. 95 of 2014 (in the matter of Vardhman Kaushik V/s. Union of India and Ors), instructions have been issued vide this office letter No. 2121-37 dated 23.2.2015, 2609-19 dated 5.3.2017, 4412-21 dated 22.4.2015, 4971-89 dated 30.4.2017, 5442-5457 dated 11.05.2015, 15622-43 dated 10.12.2015, 1-16 dated 1.1.2016 and No. 114152-154/1141160-114196 dated 21.1.2016 (copies of all these reference placed below) The same may be incorporated in the estimate and the developer must ensure implementation of these instructions at site.

**NOTE-2:-**

Hon'ble Supreme Court vide its judgement dated 20.10.2023 in Writ Petition (Civil) no. 324 of 2020 titled as Dr. Balram Singh Vs Union of India & ors. Has passed the directions on implementation of "The prohibition of Employment as Mannual Scavengers and their Rehabilitation Act, 2013 (M.S. Act, 2013). The Developer must comply to the directions of Hon'ble Supreme Court failing which the Developer shall be liable to face action as per Govt. instructions/prevailing law.

Contd.

SFI

  
EE(m)





Tel : 2570982  
Toll Free No. : 1800-180-3030  
Website : [www.hsvp.org.in](http://www.hsvp.org.in)  
Email : [cencrhuda@gmail.com](mailto:cencrhuda@gmail.com)

हरियाणा शहरी विकास प्राधिकरण

HARYANA SHEHARI  
VIKAS PRADHIKARAN

Address: C-3, HSVP, HQ Sector-6  
Panchkula

The estimated cost of various services to be provided by the firm for the development of internal services has been checked and corrected for purpose of bank guarantee and execution of works as under:-

S. No.	DESCRIPTION	Cost as per approved estimate which O.C. has been obtained	Amount as per revised/additional area
1	Water supply	671.06 Lacs	270.82 Lacs
2	Sewerage	504.71 Lacs	100.80 Lacs
3	Storm Water Drainage	206.83 Lacs	24.34 Lacs
4	Roads	702.17 Lacs	89.22 Lacs
5	Street Lighting	66.848 Lacs	18.26 Lacs
6	Horticulture	15.76 Lacs	4.71 Lacs
7	Maintenance of services for ten years including resurfacing of road after 1 <sup>st</sup> five years and 2 <sup>nd</sup> five years of maintenance (as per HSVP norms)	1067.91 Lacs	122.97 Lacs
	Total	3235.28 Lacs Say 3275.30 Lacs	631.82 Lacs

- (i) Cost as per already approved estimate 38.798 acres = 3235.30 Lacs  
which O.C. granted
- (ii) Cost as per revised area 4.76 acres = 631.12 Lacs  
Revised cost for 43.558 acres = 3866.42 Lacs

**Development cost per acre= 3866.42 Lacs/43.558 acres= 88.76 Lacs**

Two copies of the estimate along with **Plans** and proposal as received are sent herewith duly corrected and signed for taking further necessary action.

It is requested to get three copies of the service plan estimate from the colonizer for distribution amongst the field station.


**DA/-Estimate in duplicate  
along with Plans  
& Annexure-A.**

  
Executive Engineer (M),  
For Chief Engineer-I, HSVP,  
Panchkula.

Endst. No: -

Dated:-

A copy of the above is forwarded to the Superintending Engineer, HSVP, Circle-I, Gurugram w.r.t. his office memo no. 30171 dated 08.02.2024 for information.

  
Executive Engineer (M),  
For Chief Engineer-I, HSVP,  
Panchkula





हरियाणा शहरी विकास प्राधिकरण

HARYANA SHEHARI  
VIKAS PRADHIKARAN

Tel. : 2570982  
Toll Free No. : 1800-180-3030  
Website : www.hsvp.in  
Email : cencrhuda@ gmail.com

Address: C-3, HSVP, HQ Sector-6  
Panchkula

CE-I No. 57035

Dated: 05/03/2014

Annexure-A

**SUB:- Approval of revised service plan estimate for a revised area of 4.76 acres out of Group Housing measuring 43.558 acres (License no. 83 of 2008 dated 05.04.2008 & License no. 94 of 2011 dated 24.10.2011) in Sector-37D, Gurugram being developed by Countrywide Promoters Pvt. Ltd.**

**Technical note and comments:-**

1. All detailed working drawings would have to be prepared by the colonizer for Integrating the internal services proposals with the master proposals of town.
2. The correctness of the levels will be the sole, responsibility of the colonizer for the integration of internal proposals, with the master proposals, of town and will be got confirmed before execution.
3. The material to be used shall the same specifications as are being adopted by HSVP and further shall also confirm to such directions, as issued by Chief Engineer, HSVP from time to time.
4. The work shall be carried out according to Haryana PWD specification or such specifications as are being followed by HSVP. Further it shall also confirm to such other directions, as are issued by Chief Engineer, HSVP from time to time.
5. The colonizer will be fully responsible to meet the demand of water supply and allied services till such time these are made available by State Government/ HSVP. All link connections with the State Government/ HSVP system and services will be done by the colonizer. If necessary extra tube-wells shall also be installed to meet extra demand of water beyond the provision according to EDC deposited.
6. Structural design & drawings of all the structures, such as pump chamber, boosting chamber, RCC OHSR, underground tanks, quarters, manholes chamber, sections of RCC pipes sewer and SW pipes, sewer, ventilating shafts for sewerage and Masonry Ventilation Chamber for Chamber for storm water drainage, temporary disposal/ arrangement etc. will be as per relevant I.S codes and PWD specifications, colonizer himself will be responsible for structural stability of all structures.
7. Potability of water will be checked and confirmed and the tube-wells will be put into operation after getting chemical analysis of water tested.
8. Only C.I/D.I pipes will be used in water supply and flushing system, UPVC/HDPE pipe for irrigation purposes.




हरियाणा शहरी विकास प्राधिकरण

**HARYANA SHEHARI  
VIKAS PRADHIKARAN**

Tel. : 2570982  
Toll Free No. : 1800-180-3030  
Website : www.hsvp.in  
Email : cencrhuda@ gmail.com

**Address: C-3, HSVP , HQ Sector-6  
Panchkula**

9. A minimum 100 i/d C.I/D.I, 200mm i/d SW and 400mm id RCC NP-3 pipes will be used for water supply, sewerage and storm water drainage respectively.
10. Standard X-section for S.W. pipes sewer, RCC pipes sewer etc. will be followed as are being adopted in Haryana Public Health Engineering Deptt. or HSVP. If needed, the same may be sought by the colonizer from concerned Executive Engineer of HSVP.
11. The X-section, width of roads, will be followed as approved by the Chief Town Planner, Haryana, Chandigarh. The kerbs and channels will also be provided as per approved X-section and specifications. If needed, the same may be sought by the colonizer from concerned Executive Engineer of HSVP.
12. The specifications for various roads will be followed as per IRC/MORTH specifications.
13. The wiring system of street lighting and specifications of street lighting fixture will be as per relevant standards.
14. This shall confirm to such other conditions as are incorporated in the approved estimate and the letter of approval.

  
Executive Engineer (M),  
for Chief Engineer-I, HSVP,  
Panchkula.