





26TH FLOOR PLAN (BLOCK 6)
26,27TH FLOOR PLAN (BLOCK 7)



26TH FLOOR AREA DIAGRAM (BLOCK 6)
26,27TH FLOOR AREA DIAGRAM (BLOCK 7)

Checked and found ok for Public Health (Sanitary) Service only subject to comments in forwarding letter No. 16550...D/24/04/24

Superintending Engineer (HQ) for Chief Engineer-I HSPV, Panchkula

DDT (AT) MEMBER BPAC

DTP (HQ)

Consultant Architect

ATP (HQ)

Rejesh Dutt JD (HQ)


TO BE READ WITH THIS OFFICE
MEMO NO.: 9920
DATED: 15/03/24

This is a "PROVISIONAL BUILDING PLAN" approved only for the purpose of inviting objections from the general public.

S.T.P. (HQ) Member Secretary B.P.A.C.

S.T.P. (G) Member Secretary B.P.A.C.

S.T.P. (HR) Member Secretary B.P.A.C.



TYPICAL SECTION FOR TOILET VENTILATION

AREA CALCULATION FOR 26TH FLOOR (BLOCK 6) & 26TH, 27TH FLOOR (BLOCK 7)

ENVELOPE AREA	S.NO.	NOS.	FORMULA	LENGTH (L)	WIDTH (W)	WIDTH (W')	AREA	UNITS
A	1		L X W	35.220	32.030	=	1128.097	SQM.
TOTAL (A) =								1128.097 SQM.

BALCONY							
B1	1	L X W	0.240	1.660	=	0.398	SQM.
B2	1	L X W	2.635	1.800	=	4.743	SQM.
B3	1	L X W	1.840	1.800	=	3.312	SQM.
B4	1	L X W	0.450	0.825	=	0.371	SQM.
B5	4	L X W	2.915	1.800	=	20.988	SQM.
B7	4	L X W	2.910	1.800	=	20.952	SQM.
B8	2	L X W	2.990	1.500	=	8.970	SQM.
B9	4	L X W	2.700	1.800	=	19.440	SQM.
B10	4	L X W	0.900	0.650	=	2.340	SQM.
B11	2	L X W	1.800	3.200	=	11.520	SQM.
B15	1	1/2 H (L + W)			=	2.054	SQM.
B16	1	1/2 H (L + W)			=	0.730	SQM.
B17	1	2/3 X L X W			=	0.164	SQM.
B24	2	2/3 X L X W			=	0.772	SQM.
B25	2	1/2 H (L + W)			=	5.827	SQM.
B26	2	L X W	0.450	1.615	=	1.454	SQM.
B27	2	1/2 H (L + W)			=	0.449	SQM.
B28	2	L X H	4.581	1.800	=	16.492	SQM.
B29	2	1/2 H (L + W)			=	4.731	SQM.
B30	4	L X W	1.800	4.215	=	30.348	SQM.
B31	1	L X W	1.560	0.140	=	0.218	SQM.
B32	1	L X W	1.800	1.666	=	2.999	SQM.
B33	1	1/2 H (L + W)			=	0.755	SQM.
B34	1	L X H	1.986	0.995	=	1.976	SQM.
B35	1	1/2 H (L + W)			=	2.422	SQM.
TOTAL (B)					=	164.425	SQM.

CUT OUT / DEDUCTION AREA							
1	1	L X W	2.875	4.565	=	13.124	SQM.
2	1	L X W	2.290	0.790	=	1.809	SQM.
4	2	L X W	8.810	2.415	=	42.552	SQM.
5	2	L X W	1.800	3.200	=	11.520	SQM.
6	2	L X W	4.815	4.500	=	43.335	SQM.
7	1	L X W	3.690	2.650	=	9.779	SQM.
8	1	L X W	2.400	6.055	=	14.532	SQM.
9	1	1/2 H (L + W)			=	14.499	SQM.
9A	1	AS PER PLINE			=	0.101	SQM.
10	1	L X W	6.715	0.790	=	5.305	SQM.
11	2	1/2 X (B+H)	1.668	6.225	=	10.383	SQM.
11A	2	AS PER PLINE			=	0.508	SQM.
C1	3	L X W	0.450	0.975	=	1.316	SQM.
C2	1	L X W	4.740	1.750	=	8.295	SQM.
C3	1	L X W	1.035	1.360	=	1.408	SQM.
C4	1	L X W	0.935	0.840	=	0.785	SQM.
C5	1	L X W	1.035	2.200	=	2.277	SQM.
C6	2	L X W	0.975	2.610	=	5.090	SQM.
C7	1	L X W	0.850	1.800	=	1.360	SQM.
C8	4	L X W	1.100	0.450	=	1.980	SQM.
S2	2	L X W	2.270	2.720	=	12.349	SQM.
S3	1	L X W	2.290	2.410	=	5.519	SQM.
TOTAL (C)					=	207.825	SQM.

NON FAR AREA							
S1	2		L X W	3.610	4.500	=	32.490 SQM.
TOTAL (D)						=	32.490 SQM.
TOTAL FAR AREA (A-(B+C+D)						=	723.356 SQM.
FINAL FAR AREA (x2)						=	1446.712 SQM.
TOTAL COVERED AREA = (A-(B+C))						=	755.846 SQM.
FINAL COVERED AREA (x2)						=	1511.692 SQM.
TOTAL BUILT UP AREA (A-C)						=	920.271 SQM.
FINAL BUILT UP AREA (x2)						=	1840.543 SQM.

DOOR WINDOW OPENING SCHEDULE

TYPE	WIDTH	HEIGHT	CILL	LINTEL	FIRE RATING
D1	800	2425	00	2425	
D2	1000	2425	00	2425	
D3	900	2425	00	2425	
D4	650	2125	300	2425	
D5	750	2425	00	2425	
D6	1200	2425	00	2425	
DW1	1000	2425	00	2425	
DW2	850	2425	00	2425	
V1	600	625	1800	2425	
V2	500	625	1800	2425	
V3	650	625	1800	2425	
S01	1725	2425	00	2425	
S02	2010	2425	00	2425	
S03	2075	2425	00	2425	
S04	3110	2425	00	2425	
S05	1600	2425	00	2425	
S06	2435	2425	00	2425	
GL1	2000	2425	00	2425	
FD1 (FIRE DOOR)	1200	2425	00	2425	1HR FIRE RATING DOOR
FD2 (FIRE DOOR)	900	2425	00	2425	1HR FIRE RATING DOOR
FD3 (FIRE DOOR)	900	2425	00	2425	2HR FIRE RATING DOOR
FD4 (FIRE DOOR)	900	2425	00	2425	2HR FIRE RATING DOOR

PLUMBING LEGEND:

①	1100 SOIL PIPE
②	1100 WASTE PIPE
③	1100 RAIN WATER PIPE
④	DWS DN TAKE PIPE
⑤	DWS FROM BOOSTER PUMP FOR TOP TWO FLOOR
⑥	FWS DN TAKE PIPE
⑦	1100 BALCONY DRAIN PIPE
⑧	850 DOMESTIC WATER SUPPLY RISER
⑨	500 FLUSHING WATER SUPPLY RISER
⑩	750 ANTIPHONAGE PIPE
WB TO FT	320 WASTE PIPE
SINK TO FT	500 WASTE PIPE
FD	FLOOR DRAIN WITH GRATING
FT	FLOOR TRAP WITH GRATING
MT	MULTI TRAP WITH GRATING
BD	BALCONY DRAIN WITH GRATING
DWS	DOMESTIC WATER SUPPLY PIPE
FWS	FLUSHING WATER SUPPLY PIPE
DWS	DWS PIPE THROUGH BOOSTER PUMP
GEYSER	TOILET GEYSER 25LTR
GEYSER	KITCHEN GEYSER 6LTR
P	BOOSTER PUMP SET FOR TOP TWO FLOOR
CATCH BASIN	1100x500mm

Note:
1. The kitchen space has been considered as non-habitable space as per NBC 2016 Part-3 Section 2.45 clause, thus lighting and ventilation clause for kitchen do not apply only for main units kitchen.
2. Toilets are mechanically ventilated wherever marked in plan.

KEY PLAN

PROJECT: REVISED BUILDING PLANS FOR GROUP HOUSING COLONY UNDER MIXED LAND USE IN TOD ZONE FOR AN AREA MEASURING 18.1125 ACRES (88% GROUP HOUSING COMPONENT AND 11% COMMERCIAL COMPONENT) (LICENSE NO.108 OF 2022 DATED 05.08.2022) IN REVENUE ESTATE OF CHAURIA SECTOR-113, GURUGRAM MANESAR URBAN COMPLEX BEING DEVELOPED BY M/S NOURISH DEVELOPERS PVT. LTD.

Scale: Drawing Title: BLOCK 06: 26TH FLOOR PLAN BLOCK 07: 26TH & 27TH FLOOR PLAN

33