









AREA CALCULATION	
AREA	UNIT
TOTAL PLOT AREA (8.50X15.3)	= 130.050 SQ.M.
PERMISSIBLE FAR @ 2.64	= 343.332 SQ.M.
PROPOSED FAR @ 1.875	= 287.425 SQ.M.
PERMISSIBLE GR. COV. @ 75%	= 97.538 SQ.M.
PROPOSED GROUND COVERAGE @ 73.73%	= 95.880 SQ.M.
AREA OF STILT FLOOR GROUND COVERAGE	
A 8.500 X 12.800 X 1	= 108.800 SQ.M.
TOTAL	= 108.800 SQ.M.
AREA OF FIRST FLOOR	
A 8.500 X 12.800 X 1	= 108.800 SQ.M.
TOTAL	= 108.800 SQ.M.
AREA OF TYPICAL FLOOR (2ND & 3RD)	
A 8.500 X 12.800 X 1	= 108.800 SQ.M.
TOTAL	= 108.800 SQ.M.
AREA OF BASEMENT	
A 8.500 X 12.800 X 1	= 108.800 SQ.M.
TOTAL BASEMENT AREA (B)	= 108.800 SQ.M.
MUMTY MACHINE ROOM AREA	
A 1.850 X 1.750 X 1	= 3.238 SQ.M.
TOTAL MUMTY MACHINE ROOM AREA (F)	
5 1.850 X 1.750 X 1	= 16.190 SQ.M.
TOTAL BUILTUP AREA (A+B+C+D+E+F+G)	
	= 497.838 SQ.M.

PROJECT: PROPOSED BUILDING PLAN ON PLOT NO. - A-152A, 152C FOR RESIDENTIAL PLOTTED COLONY UNDER DEEN DAYAL JAN AWAS (YOUNA) OVER AN AREA MEASURING 57.40 ACRES (LICENSE NO. 32 OF 2021, DATED 03.07.2021 FOR AN AREA MEASURING 52.275 ACRES & LICENSE NO. 102 OF 2022 DATED 27.02.2022 FOR AN AREA MEASURING 5.125 ACRES) IN THE REVENUE ESTATE OF VILLAGE HAYATPUR, SECTOR-89, GURUGRAM BEING DEVELOPED BY AAWAM RESIDENCY PRIVATE LIMITED & OTHERS IN COLLABORATION WITH ADHIKAANSH PRIVATE LIMITED.

DRAWING TITLE: FLOOR PLANS WITH AREA CALCULATION, ELEVATIONS AND SECTIONS TYPE-A (Left Corner).

AUTHORIZED SIGN: ARCHITECT'S SIGN





AREA CALCULATION			
	AREA	UNIT	
TOTAL PLOT AREA (8.50X15.3)	130.050	SQ. M.	
PERMISSIBLE FAR @ 2.64	343.332	SQ. M.	
PROPOSED FAR @ 1.979	287.425	SQ. M.	
PERMISSIBLE GR. COV. @ 79%	97.538	SQ. M.	
PROPOSED GROUND COVERAGE @ 73.73%	95.880	SQ. M.	
AREA OF STILT FLOOR/ GROUND COVERAGE			
A	8.500 X 12.800 X 1	= 108.800	SQ. M.
DEDUCTION		TOTAL = 108.800	SQ. M.
1	4.340 X 1.620 X 1	= 7.031	SQ. M.
2	0.730 X 5.250 X 1	= 3.833	SQ. M.
3	0.840 X 2.450 X 1	= 2.058	SQ. M.
5	1.925 X 4.220 X 1	= 8.124	SQ. M.
TOTAL AREA OF STILT FLOOR GROUND COVERAGE(A)		= 95.880	SQ. M.
AREA OF FIRST FLOOR			
A	8.500 X 12.800 X 1	= 108.800	SQ. M.
DEDUCTION		TOTAL = 108.800	SQ. M.
1	4.340 X 1.620 X 1	= 7.031	SQ. M.
2	0.730 X 5.250 X 1	= 3.833	SQ. M.
3	0.840 X 2.450 X 1	= 2.058	SQ. M.
4	1.550 X 1.685 X 1	= 2.622	SQ. M.
5	1.925 X 4.220 X 1	= 8.124	SQ. M.
TOTAL AREA OF FIRST FLOOR (B)		= 87.786	SQ. M.
AREA OF TYPICAL FLOOR (2ND & 3RD)			
A	8.500 X 12.800 X 1	= 108.800	SQ. M.
DEDUCTION		TOTAL = 108.800	SQ. M.
1	4.340 X 1.620 X 1	= 7.031	SQ. M.
2	0.730 X 5.250 X 1	= 3.833	SQ. M.
3	0.840 X 2.450 X 1	= 2.058	SQ. M.
4	1.550 X 1.685 X 1	= 2.622	SQ. M.
5	1.925 X 4.220 X 1	= 8.124	SQ. M.
TOTAL AREA OF TYPICAL FLOOR (C)		= 84.834	SQ. M.
TOTAL FLOOR AREA (D)			
(1ST FLOOR + 2ND FLOOR + 3RD FLOOR)		= 257.425	SQ. M.
BASEMENT AREA			
A	8.500 X 12.800 X 1	= 108.800	SQ. M.
TOTAL BASEMENT AREA (E)		= 108.800	SQ. M.
MUMTY MACHINE ROOM AREA			
A	1.050 X 1.750 X 1	= 3.238	SQ. M.
TOTAL MUMTY MACHINE ROOM AREA (F)		= 3.238	SQ. M.
STAIRCASE AREA(G)			
5	1.925 X 4.220 X 4	= 32.494	SQ. M.
TOTAL BUILT-UP AREA (A+D+E+F+G)		= 497.836	SQ. M.



PROJECT: PROPOSED BUILDING PLAN ON PLOT NO. - A-153A, 153C FOR RESIDENTIAL PLOTTED COLONY UNDER DEEN DAYAL JAN AWAS YOJNA OVER AN AREA MEASURING 57.40ACRES (LICENSE NO. 32 OF 2021, DATED 03.07.2021 FOR AN AREA MEASURING 52.275 ACRES & LICENSE NO. 102 OF 2022 DATED 27.02.2022 FOR AN AREA MEASURING 5.125 ACRES) IN THE REVENUE ESTATE OF VILLAGE HAYATPUR, SECTOR-89, GURUGRAM BEING DEVELOPED BY AAWAM RESIDENCY PRIVATE LIMITED & OTHERS IN COLLABORATION WITH ADHIKAANSH PRIVATE LIMITED.

DRAWING TITLE: FLOOR PLANS WITH AREA CALCULATION, ELEVATIONS AND SECTIONS TYPE- A (Right Corner)


AUTHORIZED SIGN: ARCHITECT'S SIGN



DOOR WINDOW SCHEDULE						
TYPE	WIDTH	HEIGHT	SILL LVL	INTEL LVL	REMARKS	
D1	1050	2350	± 00	2350	ENTRANCE	
D2	900	2350	± 00	2350	BEDROOMS	
D3	750	2350	± 00	2350	TOILETS	
D4	800	2350	± 00	2350	KITCHEN	
D5	950	2350	± 00	2350	BEDROOMS	
D6	1000	2350	± 00	2350	BEDROOMS	
D7	1800	2350	± 00	2350	BEDROOMS	
D8	2500	2350	± 00	2350	BEDROOMS	
D9	800-1120	2350	± 00	2350	BEDROOMS	
D10	1000	2350	± 00	2350	STAIRCASE	
D11	500	1350	1000	2350	TOILETS	



AREA CALCULATION						
						AREA UNIT
TOTAL PLOT AREA (9.22 X 15.30)					=	141.07 SQ.M.
PERMISSIBLE FAR @ 2.64					=	372.414 SQ.M.
PROPOSED FAR @ 1.984					=	279.880 SQ.M.
PERMISSIBLE GR. COV. @ 75%					=	105.80 SQ.M.
PROPOSED GROUND COVERAGE @ 74.50%					=	105.10 SQ.M.
AREA OF STILT FLOOR/ GROUND COVERAGE						
A	9.220	X	12.700	X	1	= 117.094 SQ.M.
					TOTAL	= 117.094 SQ.M.
DEDUCTION						
1	4.820	X	1.695	X	1	= 8.170 SQ.M.
2	0.840	X	2.465	X	1	= 2.071 SQ.M.
3	5.615	X	0.625	X	1	= 1.765 SQ.M.
					TOTAL	= 11.994 SQ.M.
TOTAL AREA OF STILT FLOOR/ GROUND COVERAGE (A)					=	105.10 SQ.M.
AREA OF FIRST FLOOR						
A	9.220	X	12.700	X	1	= 117.094 SQ.M.
					TOTAL	= 117.094 SQ.M.
DEDUCTION						
1	4.820	X	1.695	X	1	= 8.170 SQ.M.
2	0.840	X	2.465	X	1	= 2.071 SQ.M.
3	5.615	X	0.625	X	1	= 3.509 SQ.M.
5	1.975	X	4.200	X	1	= 8.295 SQ.M.
					TOTAL	= 22.044 SQ.M.
TOTAL AREA OF FIRST FLOOR (B)					=	95.050 SQ.M.
AREA OF TYPICAL FLOOR (2ND & 3RD)						
A	9.220	X	12.700	X	1	= 117.094 SQ.M.
					TOTAL	= 117.094 SQ.M.
DEDUCTION						
1	4.820	X	1.695	X	1	= 8.170 SQ.M.
2	0.840	X	2.465	X	1	= 2.071 SQ.M.
3	5.615	X	0.625	X	1	= 3.509 SQ.M.
4	1.550	X	1.700	X	1	= 2.635 SQ.M.
5	1.975	X	4.200	X	1	= 8.295 SQ.M.
					TOTAL	= 24.679 SQ.M.
TOTAL AREA OF TYPICAL FLOOR (C)					=	92.415 SQ.M.
TOTAL FLOOR AREA (D)						
= (1ST FLOOR + 2ND FLOOR + 3RD FLOOR)					=	279.880 SQ.M.
BASEMENT AREA						
A	9.220	X	12.800	X	1	= 118.016 SQ.M.
TOTAL BASEMENT AREA (E)					=	118.016 SQ.M.
MUMTY/MACHINE ROOM AREA						
B	1.825	X	1.800	X	1	= 3.285 SQ.M.
TOTAL MUMTY/MACHINE ROOM AREA (F)					=	3.285 SQ.M.
STAIRCASE AREA (G)						
5	1.975	X	4.200	X	4	= 33.180 SQ.M.



KEY PLAN

PROJECT:


PROPOSED BUILDING PLAN ON PLOT NO.- A7-1, 4, 10, 18, 31, 35 FOR RESIDENTIAL PLOTTED COLONY UNDER DEEN DAYAL JAN AWAS YOJNA) OVER AN AREA MEASURING 57.40ACRES (LICENSE NO. 32 OF 2021, DATED 03.07.2021 FOR AN AREA MEASURING 52.275 ACRES & LICENSE NO. 102 OF 2022 DATED 27.02.2022 FOR AN AREA MEASURING 5.125 ACRES) IN THE REVENUE ESTATE OF VILLAGE HAYATPUR, SECTOR-89, GURUGRAM BEING DEVELOPED BY AAHAM RESIDENCY PRIVATE LIMITED & OTHERS IN COLLABORATION WITH ADHIKAANSH PRIVATE LIMITED.

DRAWING TITLE:

FLOOR PLANS WITH AREA CALCULATION, ELEVATIONS AND SECTIONS



TYPE- A7 (Left Corner)

AUTHORIZED SIGN: ARCHITECT'S SIGN





DOOR WINDOW SCHEDULE					
TYPE	WIDTH	HEIGHT	SILL LVL	INTEL LVL	REMARKS
D1	1050	2350	± 00	2350	ENTRANCE
D2	900	2350	± 00	2350	BEDROOMS
D3	750	2350	± 00	2350	TOILETS
D4	800	2350	± 00	2350	KITCHEN
D5	900	2350	± 00	2350	BEDROOMS
D6	1000	2350	± 00	2350	BASEMENT
D7	1900	2350	± 00	2350	LIVING
D8	2000	2350	± 00	2350	BEDROOMS
D9	800-1120	2350	± 00	2350	BEDROOMS
D10	1000	2350	± 00	2350	STAIRCASE
D11	600	1350	1000	1350	TOILETS



AREA CALCULATION					
				AREA	UNIT
TOTAL PLOT AREA (9.22 X 15.30)				141.07	SQ. M.
PERMISSIBLE FAR @ 2.64				372.414	SQ. M.
PROPOSED FAR @ 1.984				279.880	SQ. M.
PERMISSIBLE GR. COV. @ 75%				105.80	SQ. M.
PROPOSED GROUND COVERAGE @ 74.50%				105.10	SQ. M.
AREA OF STILT FLOOR/ GROUND COVERAGE					
A	9.220	X	12.700	X	1 = 117.094 SQ. M.
TOTAL				117.094	SQ. M.
DEDUCTION					
1	4.820	X	1.695	X	1 = 8.170 SQ. M.
2	0.840	X	2.465	X	1 = 2.071 SQ. M.
3	5.615	X	0.625	X	1 = 3.509 SQ. M.
TOTAL				11.994	SQ. M.
TOTAL AREA OF STILT FLOOR/ GROUND COVERAGE (A)				105.10	SQ. M.
AREA OF FIRST FLOOR					
A	9.220	X	12.700	X	1 = 117.094 SQ. M.
TOTAL				117.094	SQ. M.
DEDUCTION					
1	4.820	X	1.695	X	1 = 8.170 SQ. M.
2	0.840	X	2.465	X	1 = 2.071 SQ. M.
3	5.615	X	0.625	X	1 = 3.509 SQ. M.
5	1.975	X	4.200	X	1 = 8.295 SQ. M.
TOTAL				22.044	SQ. M.
TOTAL AREA OF FIRST FLOOR (B)				95.050	SQ. M.
AREA OF TYPICAL FLOOR (2ND & 3RD)					
A	9.220	X	12.700	X	1 = 117.094 SQ. M.
TOTAL				117.094	SQ. M.
DEDUCTION					
1	4.820	X	1.695	X	1 = 8.170 SQ. M.
2	0.840	X	2.465	X	1 = 2.071 SQ. M.
3	5.615	X	0.625	X	1 = 3.509 SQ. M.
4	1.550	X	1.700	X	1 = 2.635 SQ. M.
5	1.975	X	4.200	X	1 = 8.295 SQ. M.
TOTAL				24.679	SQ. M.
TOTAL AREA OF TYPICAL FLOOR (C)				92.415	SQ. M.
TOTAL FLOOR AREA (D)					
= (1ST FLOOR + 2ND FLOOR + 3RD FLOOR)				279.880	SQ. M.
BASEMENT AREA					
A	9.220	X	12.800	X	1 = 118.016 SQ. M.
TOTAL BASEMENT AREA (E)				118.016	SQ. M.
MUMTY/MACHINE ROOM AREA					
B	1.825	X	1.800	X	1 = 3.285 SQ. M.
TOTAL MUMTY/MACHINE ROOM AREA (F)				3.285	SQ. M.
STAIRCASE AREA (G)					
5	1.975	X	4.200	X	4 = 33.180 SQ. M.
TOTAL BUILT-UP AREA (A+D+E+F+G)				539.461	SQ. M.



KEY PLAN

PROJECT:



PROPOSED BUILDING PLAN ON PLOT NO. A7-3, 9, 17, 25, 26, 32 FOR RESIDENTIAL PLOTTED COLONY UNDER DEEN DAYAL JAN AWAS YOJNA OVER AN AREA MEASURING 57.40 ACRES (LICENSE NO. 32 OF 2021, DATED 03.07.2021 FOR AN AREA MEASURING 52.275 ACRES & LICENSE NO. 102 OF 2022 DATED 27.02.2022 FOR AN AREA MEASURING 5.125 ACRES) IN THE REVENUE ESTATE OF VILLAGE HAYATPUR, SECTOR-89, GURUGRAM BEING DEVELOPED BY AAAM RESIDENCY PRIVATE LIMITED & OTHERS IN COLLABORATION WITH ADHIKAANSH PRIVATE LIMITED.

DRAWING TITLE:

FLOOR PLANS WITH AREA CALCULATION, ELEVATIONS AND SECTIONS

TYPE- A7 (Right Corner)

AUTHORIZED SIGN: ARCHITECT'S SIGN



DOOR WINDOW SCHEDULE					
TYPE	WIDTH	HEIGHT	ILLUM.	VENTIL.	REMARKS
1	1000	2100	1/2"	1/2"	DOOR
2	1000	2100	1/2"	1/2"	DOOR
3	1000	2100	1/2"	1/2"	DOOR
4	1000	2100	1/2"	1/2"	DOOR
5	1000	2100	1/2"	1/2"	DOOR
6	1000	2100	1/2"	1/2"	DOOR
7	1000	2100	1/2"	1/2"	DOOR
8	1000	2100	1/2"	1/2"	DOOR
9	1000	2100	1/2"	1/2"	DOOR
10	1000	2100	1/2"	1/2"	DOOR
11	1000	2100	1/2"	1/2"	DOOR
12	1000	2100	1/2"	1/2"	DOOR
13	1000	2100	1/2"	1/2"	DOOR
14	1000	2100	1/2"	1/2"	DOOR
15	1000	2100	1/2"	1/2"	DOOR
16	1000	2100	1/2"	1/2"	DOOR
17	1000	2100	1/2"	1/2"	DOOR
18	1000	2100	1/2"	1/2"	DOOR
19	1000	2100	1/2"	1/2"	DOOR
20	1000	2100	1/2"	1/2"	DOOR

PLUMBING LEGENDS:

1) 115 OD SOIL PIPE PVC SWR TYPE-B (SOLVENT JOINT)

2) 115 OD WASTE PIPE PVC SWR TYPE-B (SOLVENT JOINT)

3) COLD WATER SUPPLY ON TANK FOR 1ST & 2ND FLS. (PVC SCH 40)

3a) COLD WATER SUPPLY ON TANK FOR 3RD & 4TH FLS. (PVC SCH 40)

4) 250 WASTE PIPE FOR (BALCONY / TERRACE)

5) 115 OD WASTE PIPE FOR (BALCONY / TERRACE)

6) 115 OD WASTE PIPE FOR (BALCONY / TERRACE)

7) 115 OD WASTE PIPE FOR (BALCONY / TERRACE)

8) 115 OD WASTE PIPE FOR (BALCONY / TERRACE)

9) 115 OD WASTE PIPE FOR (BALCONY / TERRACE)

10) 115 OD WASTE PIPE FOR (BALCONY / TERRACE)

11) 115 OD WASTE PIPE FOR (BALCONY / TERRACE)

12) 115 OD WASTE PIPE FOR (BALCONY / TERRACE)

13) 115 OD WASTE PIPE FOR (BALCONY / TERRACE)

14) 115 OD WASTE PIPE FOR (BALCONY / TERRACE)

15) 115 OD WASTE PIPE FOR (BALCONY / TERRACE)


16) 115 OD WASTE PIPE FOR (BALCONY / TERRACE)

17) 115 OD WASTE PIPE FOR (BALCONY / TERRACE)

18) 115 OD WASTE PIPE FOR (BALCONY / TERRACE)




19) 115 OD WASTE PIPE FOR (BALCONY / TERRACE)

20) 115 OD WASTE PIPE FOR (BALCONY / TERRACE)



AREA CALCULATION					
				AREA	UNIT
TOTAL PLOT AREA (9.22 X 15.30)					141.07 SQ.M
PERMISSIBLE FAR @ 2.04					372.414 SQ.M
PROPOSED FAR @ 1.992					279.626 SQ.M
PERMISSIBLE GR. COV. @ 75%					105.80 SQ.M
PROPOSED GROUND COVERAGE @ 74.44%					105.02 SQ.M
AREA OF STILT FLOOR/ GROUND COVERAGE					
A	9.220	X	12.700	X	1 = 117.094 SQ.M
TOTAL					117.094 SQ.M
DEDUCTION					
1	4.870	X	1.695	X	1 = 8.255 SQ.M
2	0.840	X	2.465	X	1 = 2.071 SQ.M
3	5.615	X	0.625	X	1 = 3.509 SQ.M
TOTAL					12.079 SQ.M
TOTAL AREA OF STILT FLOOR/ GROUND COVERAGE (A)					105.02 SQ.M
AREA OF FIRST FLOOR					
A	9.220	X	12.700	X	1 = 117.094 SQ.M
TOTAL					117.094 SQ.M
DEDUCTION					
1	4.870	X	1.695	X	1 = 8.255 SQ.M
2	0.840	X	2.465	X	1 = 2.071 SQ.M
3	5.615	X	0.625	X	1 = 3.509 SQ.M
5	1.975	X	4.200	X	1 = 8.295 SQ.M
TOTAL					22.129 SQ.M
TOTAL AREA OF FIRST FLOOR (B)					94.965 SQ.M
AREA OF TYPICAL FLOOR (2ND & 3RD)					
A	9.220	X	12.700	X	1 = 117.094 SQ.M
TOTAL					117.094 SQ.M
DEDUCTION					
1	4.870	X	1.695	X	1 = 8.255 SQ.M
2	0.840	X	2.465	X	1 = 2.071 SQ.M
3	5.615	X	0.625	X	1 = 3.509 SQ.M
4	1.550	X	1.700	X	1 = 2.635 SQ.M
5	1.975	X	4.200	X	1 = 8.295 SQ.M
TOTAL					24.764 SQ.M
TOTAL AREA OF TYPICAL FLOOR (C)					92.330 SQ.M
TOTAL FLOOR AREA (D)					279.626 SQ.M
(1ST FLOOR + 2ND FLOOR + 3RD FLOOR)					279.626 SQ.M
BASEMENT AREA					
A	9.220	X	12.900	X	1 = 118.016 SQ.M
TOTAL BASEMENT AREA (E)					118.016 SQ.M
MUMTY/MACHINE ROOM AREA					
B	1.825	X	1.800	X	1 = 3.285 SQ.M
TOTAL MUMTY/MACHINE ROOM AREA (F)					3.285 SQ.M
STAIRCASE AREA (G)					
5	1.975	X	4.200	X	4 = 33.180 SQ.M
TOTAL BUILD-UP AREA (A+D+E+F+G)					539.122 SQ.M





AREA CALCULATION									
								AREA	UNIT
TOTAL PLOT AREA (7.3 X 15.30)							=	111.69	SQ.M.
PERMISSIBLE FAR @ 2.64							=	294.862	SQ.M.
PROPOSED FAR @ 1.975							=	220.544	SQ.M.
PERMISSIBLE GR. COV. @ 75%							=	83.77	SQ.M.
PROPOSED GROUND COVERAGE @ 74.92%							=	83.67	SQ.M.
AREA OF STILT FLOOR/ GROUND COVERAGE									
A	7.300	X	12.300	X	1	=	89.790	SQ.M.	
							TOTAL	=	89.790 SQ.M.
DEDUCTION									
1	2.775	X	1.750	X	1	=	4.856	SQ.M.	
2	2.100	X	0.600	X	1	=	1.260	SQ.M.	
							TOTAL	=	6.115 SQ.M.
TOTAL AREA OF STILT FLOOR/ GROUND COVERAGE (A)							=	83.67	SQ.M.
AREA OF FIRST FLOOR									
A	7.300	X	12.300	X	1	=	89.790	SQ.M.	
							TOTAL	=	89.790 SQ.M.
DEDUCTION									
1	2.775	X	1.750	X	1	=	4.856	SQ.M.	
2	2.100	X	0.600	X	1	=	1.260	SQ.M.	
4	2.100	X	4.100	X	1	=	8.610	SQ.M.	
							TOTAL	=	14.725 SQ.M.
TOTAL AREA OF FIRST FLOOR (B)							=	75.065	SQ.M.
AREA OF TYPICAL FLOOR (2ND & 3RD)									
A	7.300	X	12.300	X	1	=	89.790	SQ.M.	
							TOTAL	=	89.790 SQ.M.
DEDUCTION									
1	2.775	X	1.750	X	1	=	4.856	SQ.M.	
2	2.100	X	0.600	X	1	=	1.260	SQ.M.	
3	1.550	X	1.500	X	1	=	2.325	SQ.M.	
4	2.100	X	4.100	X	1	=	8.610	SQ.M.	
							TOTAL	=	17.050 SQ.M.
TOTAL AREA OF TYPICAL FLOOR (C)							=	72.740	SQ.M.
TOTAL FLOOR AREA									
= (1ST FLOOR + 2ND FLOOR + 3RD FLOOR) (D)							=	220.544	SQ.M.
BASEMENT AREA									
A	7.275	X	12.300	X	1	=	89.483	SQ.M.	
TOTAL BASEMENT AREA (E)							=	89.483	SQ.M.
MUMTY/MACHINE ROOM AREA									
B	1.950	X	1.800	X	1	=	3.510	SQ.M.	
TOTAL MUMTY/MACHINE ROOM AREA (F)							=	3.510	SQ.M.
STAIRCASE AREA									
4	2.100	X	4.100	X	1	=	8.610	SQ.M.	
TOTAL STAIRCASE AREA (G)							=	34.440	SQ.M.
TOTAL BUILT-UP AREA (A+D+E+F+G)							=	431.652	SQ.M.

LEGEND	
	150mm. Blockwork for Outer Walls
	100mm. Blockwork for Internal Walls

KEY PLAN

DOOR WINDOW SCHEDULE					
TYPE	WIDTH	HEIGHT	SILL LVL	LINTEL LVL	REMARKS
D1	1050	2350	± 00	2350	ENTRANCE
D2	800	2350	± 00	2350	BEDROOMS
D3	750	2350	± 00	2350	TOILETS
D4	2000	2350	± 00	2350	LIVING
D5	1500	2350	± 00	2350	BEAM bottom
D6	1500	2350	± 00	2350	BEAM bottom
D7	1500	2350	± 00	2350	BEAM bottom
D8	1500	2350	± 00	2350	BEAM bottom
D9	1500	2350	± 00	2350	BEAM bottom
D10	1500	2350	± 00	2350	BEAM bottom
D11	1500	2350	± 00	2350	BEAM bottom
D12	1500	2350	± 00	2350	BEAM bottom
D13	1500	2350	± 00	2350	BEAM bottom
D14	1500	2350	± 00	2350	BEAM bottom
D15	1500	2350	± 00	2350	BEAM bottom
D16	1500	2350	± 00	2350	BEAM bottom
D17	1500	2350	± 00	2350	BEAM bottom
D18	1500	2350	± 00	2350	BEAM bottom
D19	1500	2350	± 00	2350	BEAM bottom
D20	1500	2350	± 00	2350	BEAM bottom
D21	1500	2350	± 00	2350	BEAM bottom
D22	1500	2350	± 00	2350	BEAM bottom
D23	1500	2350	± 00	2350	BEAM bottom
D24	1500	2350	± 00	2350	BEAM bottom
D25	1500	2350	± 00	2350	BEAM bottom
D26	1500	2350	± 00	2350	BEAM bottom
D27	1500	2350	± 00	2350	BEAM bottom
D28	1500	2350	± 00	2350	BEAM bottom
D29	1500	2350	± 00	2350	BEAM bottom
D30	1500	2350	± 00	2350	BEAM bottom
D31	1500	2350	± 00	2350	BEAM bottom
D32	1500	2350	± 00	2350	BEAM bottom
D33	1500	2350	± 00	2350	BEAM bottom
D34	1500	2350	± 00	2350	BEAM bottom
D35	1500	2350	± 00	2350	BEAM bottom
D36	1500	2350	± 00	2350	BEAM bottom
D37	1500	2350	± 00	2350	BEAM bottom
D38	1500	2350	± 00	2350	BEAM bottom
D39	1500	2350	± 00	2350	BEAM bottom
D40	1500	2350	± 00	2350	BEAM bottom
D41	1500	2350	± 00	2350	BEAM bottom
D42	1500	2350	± 00	2350	BEAM bottom
D43	1500	2350	± 00	2350	BEAM bottom
D44	1500	2350	± 00	2350	BEAM bottom
D45	1500	2350	± 00	2350	BEAM bottom
D46	1500	2350	± 00	2350	BEAM bottom
D47	1500	2350	± 00	2350	BEAM bottom
D48	1500	2350	± 00	2350	BEAM bottom
D49	1500	2350	± 00	2350	BEAM bottom
D50	1500	2350	± 00	2350	BEAM bottom
D51	1500	2350	± 00	2350	BEAM bottom
D52	1500	2350	± 00	2350	BEAM bottom
D53	1500	2350	± 00	2350	BEAM bottom
D54	1500	2350	± 00	2350	BEAM bottom
D55	1500	2350	± 00	2350	BEAM bottom
D56	1500	2350	± 00	2350	BEAM bottom
D57	1500	2350	± 00	2350	BEAM bottom
D58	1500	2350	± 00	2350	BEAM bottom
D59	1500	2350	± 00	2350	BEAM bottom
D60	1500	2350	± 00	2350	BEAM bottom
D61	1500	2350	± 00	2350	BEAM bottom
D62	1500	2350	± 00	2350	BEAM bottom
D63	1500	2350	± 00	2350	BEAM bottom
D64	1500	2350	± 00	2350	BEAM bottom
D65	1500	2350	± 00	2350	BEAM bottom
D66	1500	2350	± 00	2350	BEAM bottom
D67	1500	2350	± 00	2350	BEAM bottom
D68	1500	2350	± 00	2350	BEAM bottom
D69	1500	2350	± 00	2350	BEAM bottom
D70	1500	2350	± 00	2350	BEAM bottom
D71	1500	2350	± 00	2350	BEAM bottom
D72	1500	2350	± 00	2350	BEAM bottom
D73	1500	2350	± 00	2350	BEAM bottom
D74	1500	2350	± 00	2350	BEAM bottom
D75	1500	2350	± 00	2350	BEAM bottom
D76	1500	2350	± 00	2350	BEAM bottom
D77	1500	2350	± 00	2350	BEAM bottom
D78	1500	2350	± 00	2350	BEAM bottom
D79	1500	2350	± 00	2350	BEAM bottom
D80	1500	2350	± 00	2350	BEAM bottom
D81	1500	2350	± 00	2350	BEAM bottom
D82	1500	2350	± 00	2350	BEAM bottom
D83	1500	2350	± 00	2350	BEAM bottom
D84	1500	2350	± 00	2350	BEAM bottom
D85	1500	2350	± 00	2350	BEAM bottom
D86	1500	2350	± 00	2350	BEAM bottom
D87	1500	2350	± 00	2350	BEAM bottom
D88	1500	2350	± 00	2350	BEAM bottom
D89	1500	2350	± 00	2350	BEAM bottom
D90	1500	2350	± 00	2350	BEAM bottom
D91	1500	2350	± 00	2350	BEAM bottom
D92	1500	2350	± 00	2350	BEAM bottom
D93	1500	2350	± 00	2350	BEAM bottom
D94	1500	2350	± 00	2350	BEAM bottom
D95	1500	2350	± 00	2350	BEAM bottom
D96	1500	2350	± 00	2350	BEAM bottom
D97	1500	2350	± 00	2350	BEAM bottom
D98	1500	2350	± 00	2350	BEAM bottom
D99	1500	2350	± 00	2350	BEAM bottom
D100	1500	2350	± 00	2350	BEAM bottom

PLUMBING LEGENDS:

- 110 OD SOIL PIPE
- 110 OD WASTE PIPE
- COLD WATER SUPPLY ON TAKE
- COLD WATER SUPPLY ON TAKE BY HYDRO-PNEUMATIC SYSTEM
- 250 WATER SUPPLY RISER PIPE
- 75 OD RWP FOR (BALCONY)
- 110 OD RWP FOR (TERRACE)
- CLEAN OUT PLUG

MACHINE ROOM AREA DIAGRAM

PROJECT: PROPOSED BUILDING PLAN ON PLOT NO.- A8-2 FOR RESIDENTIAL PLOTTED COLONY UNDER DEEN DAYAL JAN AWAS YOUNA OVER AN AREA MEASURING 57.40ACRES (LICENSE NO. 32 OF 2021, DATED 03.07.2021 FOR AN AREA MEASURING 52.275 ACRES & LICENSE NO. 102 OF 2022 DATED 27.02.2022 FOR AN AREA MEASURING 5.125 ACRES) IN THE REVENUE ESTATE OF VILLAGE HAYATPUR, SECTOR-89, GURUGRAM BEING DEVELOPED BY AAWAM RESIDENCY PRIVATE LIMITED & OTHERS IN COLLABORATION WITH ADHIKAANSH PRIVATE LIMITED.

DRAWING TITLE: FLOOR PLANS WITH AREA CALCULATION, ELEVATIONS AND SECTIONS

TYPE- A8 (LeftCorner)

DRAWING NUMBER: M3M/DP/SEC-89/TAB-SN-02

ARCHITECT'S SIGN: AUTHORIZED SIGN