
















PLUMBING LEGENDS:

- ① 110 OD SOIL PIPE
- ② 110 OD WASTE PIPE
- ③ COLD WATER SUPPLY DN TAKE BY HYDRO-PNEUMATIC SYSTEM
- ④ 25Ø WATER SUPPLY RISER PIPE
- R1 75 OD RWP FOR (BALCONY)
- (R) 110 OD RWP FOR (TERRACE)
- COP CLEAN OUT PLUG

DOOR WINDOW SCHEDULE					
TYPE	WIDTH	HEIGHT	SILL LVL	LINTEL LVL	REMARKS
D1 Plain	1050	2350	± 00	2350	ENTRANCE
D2 Plain	900	2350	± 00	2350	BEDROOMS
D3 Plain	750	2350	± 00	2350	TOILETS
D4 Sliding Door	1000	2350	± 00	2350	BASEMENT
DW1 Sliding Door - Sliding	750-1500	2350	± 00	2350	BEDROOM
DW2 Sliding Door - Sliding	750-1300	2350	± 00	2350	LIVING
W1 Sliding Window	800	1350	1000	2350	KITCHEN
W2 Sliding Window	1050	Beam Bottom	T.O.C of Respective Floor	Beam Bottom	STAIRCASE
V1 Sliding Window	500	1350	1000	2350	TOILETS

AREA CALCULATION					
				AREA	UNIT
TOTAL PLOT AREA				=	77.090 SQ.M.
PERMISSIBLE FAR @ 2.64				=	203.518 SQ.M.
PROPOSED FAR @ 1.387				=	106.943 SQ.M.
PERMISSIBLE GR. COV. @ 75%				=	57.818 SQ.M.
PROPOSED GROUND COVERAGE @ 58.45%				=	45.061 SQ.M.
AREA OF STILT FLOOR/ GROUND COVERAGE					
A	5.570	X	8.090	X	1 = 45.061 SQ.M.
TOTAL				=	45.061 SQ.M.
TOTAL AREA OF STILT FLOOR/ GROUND COVERAGE (A)				=	45.061 SQ.M.
AREA OF FIRST FLOOR					
A	5.570	X	8.090	X	1 = 45.061 SQ.M.
TOTAL				=	45.061 SQ.M.
DEDUCTION					
1	1.930	X	4.075	X	1 = 7.865 SQ.M.
TOTAL				=	7.864 SQ.M.
TOTAL AREA OF FIRST FLOOR (B)				=	37.198 SQ.M.
AREA OF TYPICAL FLOOR (2ND & 3RD)					
A	5.570	X	8.090	X	1 = 45.061 SQ.M.
TOTAL				=	45.061 SQ.M.
DEDUCTION					
1	1.930	X	4.075	X	1 = 7.865 SQ.M.
2	1.550	X	1.500	X	1 = 2.325 SQ.M.
TOTAL				=	10.189 SQ.M.
TOTAL AREA OF TYPICAL FLOOR				=	34.873 SQ.M.
TOTAL FLOOR AREA (C)					
= (1ST FLOOR + 2ND FLOOR + 3RD FLOOR) (D)				=	106.943 SQ.M.
BASEMENT AREA					
A	5.570	X	8.090	X	1 = 45.061 SQ.M.
TOTAL BASEMENT AREA (E)				=	45.061 SQ.M.
MUMTY/ MACHINE ROOM AREA					
A	2.080	X	1.800	X	1 = 3.744 SQ.M.
TOTAL MUMTY/ MACHINE ROOM AREA (F)				=	3.744 SQ.M.
STAIRCASE AREA					
1	1.930	X	4.075	X	1 = 7.865 SQ.M.
TOTAL STAIRCASE AREA (G)				=	31.459 SQ.M.
TOTAL BUILT-UP AREA (A+D+E+F+G)				=	232.268 SQ.M.


LEGEND	
	150mm. Blockwork for Outer wall
	100mm. Blockwork for Internal wall

PROJECT:
PROPOSED BUILDING PLAN ON PLOT NO. - E1-4 FOR RESIDENTIAL PLOTTED COLONY UNDER DEEN DAYAL JAN AWAS YOJNA OVER AN AREA MEASURING 57.40ACRES (LICENSE NO. 32 OF 2021, DATED 03.07.2021 FOR AN AREA MEASURING 52.275 ACRES & LICENSE NO. 102 OF 2022 DATED 27.02.2022 FOR AN AREA MEASURING 5.125 ACRES) IN THE REVENUE ESTATE OF VILLAGE HAYATPUR, SECTOR-89, GURUGRAM BEING DEVELOPED BY AAWAM RESIDENCY PRIVATE LIMITED & OTHERS IN COLLABORATION WITH ADHIKAANSH PRIVATE LIMITED.


DRAWING TITLE:
FLOOR PLANS WITH AREA CALCULATION, ELEVATIONS AND SECTIONS
TYPE- E1-4 (RIGHT Corner)

DRAWING NUMBER:
M3M/DF/SEC-89/TE1-SN-01


ARCHITECT'S SIGN:
AUTHORIZED SIGN:




SITE PLAN




BASEMENT PLAN




STILT FLOOR PLAN



FIRST FLOOR PLAN




TYPICAL FLOOR PLAN
(2ND & 3RD FLOOR)



TERRACE PLAN




MUMTY/MACHINE ROOM




MACHINE ROOM

LEGEND	
	150mm Blockwork for Outer wall
	100mm Blockwork for Internal wall


PLUMBING LEGENDS:	
1	110 OD SOIL PIPE
2	110 OD WASTE PIPE
3	COLD WATER SUPPLY DN TAKE
3a	COLD WATER SUPPLY DN TAKE BY HYDRO-PNEUMATIC SYSTEM
4	25Ø WATER SUPPLY RISER PIPE
R1	75 OD RWP FOR (BALCONY)
R	110 OD RWP FOR (TERRACE)
COP	CLEAN OUT PLUG




SECTION-B




SECTION-A




FRONT ELEVATION




REAR ELEVATION




BASEMENT
AREA DIAGRAM



STILT FLOOR AREA DIAGRAM
(GR COVERAGE)



FIRST FLOOR
AREA DIAGRAM



TYPICAL FLOOR
AREA DIAGRAM



KEY PLAN

AREA CALCULATION					
				AREA	UNIT
D1 Flushed	1050	2350	± 00	2350	ENTRANCE
D2 Flushed	900	2350	± 00	2350	BEDROOMS
D3 Flushed	750	2350	± 00	2350	TOILETS
S01 Glazed Door - Sliding	2400	2350	± 00	2350/Beam bottom	LIVING
S02 Glazed Door - Sliding	1550	2350	± 00	2350/Beam bottom	BEDROOMS
DW1 Glazed Door / Window	750-1200	2350	± 00	2350/Beam bottom	LIVING
DW2 Glazed Door / Window	750-1070	2350	± 00	2350/Beam bottom	BEDROOMS
W1 Glazed Window	1550	1450	± 900	2350/Beam bottom	KITCHEN
W2 Glazed Window	1050	Beam bottom	± 00	Beam bottom	STAIRCASE
V1 Ventilator	500	1350	± 1050	2350	TOILETS
D8 Glazed Door	1000	2350	± 00	2350	BASEMENT
TOTAL AREA OF STILT FLOOR/ GROUND COVERAGE (A)				54.700	SQ.M.
AREA OF FIRST FLOOR					
A	Irregular (A1+A2+A3+A4)			54.700	SQ.M.
DEDUCTION				TOTAL	54.700 SQ.M.
1	1.900 X 4.100 X 1			7.790	SQ.M.
				TOTAL	7.790 SQ.M.
TOTAL AREA OF FIRST FLOOR (B)				46.910	SQ.M.
AREA OF TYPICAL FLOOR (2ND & 3RD)					
A	Irregular (A1+A2+A3+A4)			54.700	SQ.M.
DEDUCTION				TOTAL	54.700 SQ.M.
1	1.900 X 4.100 X 1			7.790	SQ.M.
2	1.550 X 1.450 X 1			2.248	SQ.M.
				TOTAL	10.038 SQ.M.
TOTAL AREA OF TYPICAL FLOOR (C)				44.663	SQ.M.
TOTAL FLOOR AREA					
= (1ST FLOOR + 2ND FLOOR + 3RD FLOOR) (D)				136.235	SQ.M.
BASEMENT AREA					
A	Irregular (A1+A2+A3+A4)			54.700	SQ.M.
TOTAL BASEMENT AREA (E)				54.700	SQ.M.
MUMTY/ MACHINE ROOM AREA					
A	1.850 X 1.800 X 1			3.330	SQ.M.
TOTAL MUMTY/ MACHINE ROOM AREA (F)				3.330	SQ.M.
STAIRCASE AREA					
6	1.900 X 4.100 X 1			7.790	SQ.M.
TOTAL STAIRCASE AREA (G)				31.160	SQ.M.
TOTAL BUILT-UP AREA (A+D+E+F+G)				280.125	SQ.M.

DOOR WINDOW SCHEDULE					
TYPE	WIDTH	HEIGHT	SILL LVL	LINTEL LVL	REMARKS
D1 Flushed	1050	2350	± 00	2350	ENTRANCE
D2 Flushed	900	2350	± 00	2350	BEDROOMS
D3 Flushed	750	2350	± 00	2350	TOILETS
S01 Glazed Door - Sliding	2400	2350	± 00	2350/Beam bottom	LIVING
S02 Glazed Door - Sliding	1550	2350	± 00	2350/Beam bottom	BEDROOMS
DW1 Glazed Door / Window	750-1200	2350	± 00	2350/Beam bottom	LIVING
DW2 Glazed Door / Window	750-1070	2350	± 00	2350/Beam bottom	BEDROOMS
W1 Glazed Window	1550	1450	± 900	2350/Beam bottom	KITCHEN
W2 Glazed Window	1050	Beam bottom	± 00	Beam bottom	STAIRCASE
V1 Ventilator	500	1350	± 1050	2350	TOILETS
D8 Glazed Door	1000	2350	± 00	2350	BASEMENT

PROJECT:
PROPOSED BUILDING PLAN ON PLOT NO - E2-1 FOR RESIDENTIAL PLOTTED COLONY UNDER DEEN DAYAL JAN AWAS YOJNA OVER AN AREA MEASURING 57.40ACRES (LICENSE NO. 32 OF 2021, DATED 03.07.2021 FOR AN AREA MEASURING 52.275 ACRES & LICENSE NO. 102 OF 2022 DATED 27.02.2022 FOR AN AREA MEASURING 5.125 ACRES) IN THE REVENUE ESTATE OF VILLAGE HAYATPUR, SECTOR-89, GURUGRAM BEING DEVELOPED BY AAWM RESIDENCY PRIVATE LIMITED & OTHERS IN COLLABORATION WITH ADHIKAANSH PRIVATE LIMITED.

DRAWING TITLE:
FLOOR PLANS WITH AREA CALCULATION, ELEVATIONS AND SECTIONS
TYPE- E2 (Left Corner)

DRAWING NUMBER:










M3M/DP/SEC-59/TE2-SN-02

DATE:

AUTHORIZED SIGN

ARCHITECT'S SIGN

IN ADHICAR
CIVIL ENGINEER



AREA CALCULATION					
			AREA	UNIT	
TOTAL PLOT AREA				=	96.876 SQ.M.
PERMISSIBLE FAR @ 2.64				=	256.753 SQ.M.
PROPOSED FAR @ 1.406				=	136.235 SQ.M.
PERMISSIBLE GR. COV. @ 75%				=	72.657 SQ.M.
PROPOSED GROUND COVERAGE @ 56.46%				=	54.700 SQ.M.
AREA OF STILT FLOOR/ GROUND COVERAGE					
A1	1.500	X	6.000	X	1 = 9.000 SQ.M.
A2	0.325	X	6.050	X	1 = 1.966 SQ.M.
A3	(7.375 X 0.050) / 2				= 0.184 SQ.M.
A4	7.375	X	5.905	X	1 = 43.549 SQ.M.
TOTAL				=	54.700 SQ.M.
TOTAL AREA OF STILT FLOOR/ GROUND COVERAGE (A)				=	54.700 SQ.M.
AREA OF FIRST FLOOR					
A	Irregular (A1+A2+A3+A4)				= 54.700 SQ.M.
TOTAL				=	54.700 SQ.M.
DEDUCTION					
1	1.900	X	4.100	X	1 = 7.790 SQ.M.
TOTAL				=	7.790 SQ.M.
TOTAL AREA OF FIRST FLOOR (B)				=	46.910 SQ.M.
AREA OF TYPICAL FLOOR (2ND & 3RD)					
A	Irregular (A1+A2+A3+A4)				= 54.700 SQ.M.
TOTAL				=	54.700 SQ.M.
DEDUCTION					
1	1.900	X	4.100	X	1 = 7.790 SQ.M.
2	1.550	X	1.450	X	1 = 2.248 SQ.M.
TOTAL				=	10.038 SQ.M.
TOTAL AREA OF TYPICAL FLOOR (C)				=	44.663 SQ.M.
TOTAL FLOOR AREA				=	136.235 SQ.M.
= (1ST FLOOR + 2ND FLOOR + 3RD FLOOR) (D)				=	136.235 SQ.M.
BASEMENT AREA					
A	Irregular (A1+A2+A3+A4)				= 54.700 SQ.M.
TOTAL				=	54.700 SQ.M.
TOTAL BASEMENT AREA (E)				=	54.700 SQ.M.
MUMTY/ MACHINE ROOM AREA					
A	1.850	X	1.800	X	1 = 3.330 SQ.M.
TOTAL MUMTY/ MACHINE ROOM AREA (F)				=	3.330 SQ.M.
STAIRCASE AREA					
6	1.900	X	4.100	X	1 = 7.790 SQ.M.
TOTAL STAIRCASE AREA (G)				=	31.160 SQ.M.
TOTAL BUILT-UP AREA (A+D+E+F+G)				=	280.125 SQ.M.

DOOR WINDOW SCHEDULE					
TYPE	WIDTH	HEIGHT	SILL LVL	LINTEL LVL	REMARKS
D1 Flushed	1050	2350	± 00	2350	ENTRANCE
D2 Flushed	900	2350	± 00	2350	BEDROOMS
D3 Flushed	750	2350	± 00	2350	TOILETS
SD1 Glazed Door - Sliding	2400	2350	± 00	2350/Beam bottom	LIVING
SD2 Glazed Door - Sliding	1550	2350	± 00	2350/Beam bottom	BEDROOMS
DW1 Glazed Door - Window	750-1200	2350	± 00	2350/Beam bottom	LIVING
DW2 Glazed Door - Window	750-1070	2350	± 00	2350/Beam bottom	BEDROOMS
W1 Glazed Window	1550	1450	± 900	2350/Beam bottom	KITCHEN
W2 Glazed Window	1050	Beam bottom	± 00	Beam bottom	STAIRCASE
V1 Ventilator	500	1350	± 1050	2350	TOILETS
D6 Glazed Door	1000	2350	± 00	2350	BASEMENT

PROJECT:
PROPOSED BUILDING PLAN ON PLOT NO - E2-4 FOR RESIDENTIAL PLOTTED COLONY UNDER DEEN DAYAL JAN AWAS YOJNA OVER AN AREA MEASURING 57.40 ACRES (LICENSE NO. 32 OF 2021, DATED 03.07.2021 FOR AN AREA MEASURING 52.275 ACRES & LICENSE NO. 102 OF 2022 DATED 27.02.2022 FOR AN AREA MEASURING 5.125 ACRES) IN THE REVENUE ESTATE OF VILLAGE HAYATPUR, SECTOR-89, GURUGRAM BEING DEVELOPED BY AAWAM RESIDENCY PRIVATE LIMITED & OTHERS IN COLLABORATION WITH ADHIKAANSH PRIVATE LIMITED.



DRAWING TITLE:
FLOOR PLANS WITH AREA CALCULATION, ELEVATIONS AND SECTIONS
TYPE - E2 (Right Corner)

DRAWING NUMBER:
M3M/DP/SEC-89/E2-SN-01

DATE:
AUTHORIZED SIGN

ARCHITECT'S SIGN

At: ASHOK KUMAR SHARMA
GATE NO. 17/8/PS17



DOOR WINDOW SCHEDULE					
TYPE	WIDTH	HEIGHT	SILL LVL	LINTEL LVL	REMARKS
D1 Flushed	1050	2350	± 00	2350	ENTRANCE
D2 Flushed	900	2350	± 00	2350	BEDROOMS
D3 Flushed	750	2350	± 00	2350	TOILETS
D4 Glazed Door -Sliding	2000	2350	± 00	2350/Beam bottom	LIVING & BEDROOM
D5 Glazed Door 'Window'	750-1050	2350	± 00	2350/Beam bottom	KITCHEN & BEDROOM
D6 Glazed Window	1050	Beam bottom	± 00	Beam bottom	STAIRCASE
D7 Window	500	1350	± 1050	2350	TOILETS

AREA CALCULATION				AREA	UNIT
TOTAL PLOT AREA (9.2 x 10.53)	=	96.870	SQ.		
PERMISSIBLE FAR @ 2.64	=	255.737	SQ.		
PROPOSED FAR @ 1.446	=	140.106	SQ.		
PERMISSIBLE GR. COV. @ 75%	=	72.653	SQ.		
PROPOSED GROUND COVERAGE @ 54.85%	=	56.041	SQ.		

AREA OF STILT FLOOR/ GROUND COVERAGE								
A	9.200	X	6.170	X	1	=	56.764	SQ.
					TOTAL	=	56.764	SQ.
DEDUCTION								
1	irregular					=	0.355	SQ.
4	9.200 X 0.080 / 2					=	0.368	SQ.
					TOTAL	=	0.723	SQ.

TOTAL AREA OF STILT FLOOR/ GROUND COVERAGE (A)	=	56.041	SQ.
--	---	--------	-----

AREA OF FIRST FLOOR								
A	9.200	X	6.170	X	1	=	56.764	SQ.
					TOTAL	=	56.764	SQ.
DEDUCTION								
1	irregular					=	0.355	SQ.
2	1.900	X	4.100	X	1	=	7.790	SQ.
4	9.200 X 0.080 / 2					=	0.368	SQ.
					TOTAL	=	8.512	SQ.

TOTAL AREA OF FIRST FLOOR (B)		=	48.252	SQ.
-------------------------------	--	---	--------	-----

AREA OF TYPICAL FLOOR (2ND & 3RD)								
A	9.200	X	6.170	X	1	=	56.764	SQ.
					TOTAL	=	56.764	SQ.
DEDUCTION								
1	irregular					=	0.355	SQ.
2	1.900	X	4.100	X	1	=	7.790	SQ.
3	1.550	X	1.500	X	1	=	2.325	SQ.
4	9.200 X 0.080 / 2					=	0.368	SQ.

					TOTAL	=	10.837	SQ.
--	--	--	--	--	-------	---	--------	-----

TOTAL AREA OF TYPICAL FLOOR (C)	=	45.927	SQ.
---------------------------------	---	--------	-----

TOTAL FLOOR AREA					
------------------	--	--	--	--	--

= (1ST FLOOR + 2ND FLOOR + 3RD FLOOR) (D)	=	140.106	SQ.
---	---	---------	-----

BASEMENT AREA

A	9.200	X	6.170	X	1	=	56.764	SQ.
					TOTAL	=	56.764	SQ.

DEDUCTION								
1	1	1	1	1	1	1	1	1

4	$9.200 \times 0.080 / 2$	=	0.368	SQ.
---	--------------------------	---	-------	-----

TOTAL BASEMENT AREA (E)					=	56.041	SQ.
-------------------------	--	--	--	--	---	--------	-----

MUMTY/ MACHINE ROOM AREA



A	1.850	X	1.800	X	1	=	3.330	SQ.

TOTAL MUMTY/ MACHINE ROOM AREA (F)	=	3.330	SQ.
STAIRCASE AREA			

2	1.900	X	4.100	X	1	=	7.790	sq.
---	-------	---	-------	---	---	---	-------	-----

TOTAL STAIRCASE AREA (G)				31.160	SQ.
--------------------------	--	--	--	--------	-----

TOTAL BUILT-UP AREA (A+D+E+F+G)			286.676	Sq.
---------------------------------	--	--	---------	-----



PLUMBING LEGENDS:	
①	110 OD SOIL PIPE
②	110 OD WASTE PIPE
③	COLD WATER SUPPLY DN TAKE
③a	COLD WATER SUPPLY DN TAKE BY HYDRO-PNEUMATIC SYSTEM
④	25Ø WATER SUPPLY RISER PIPE
Ⓐ	75 OD RWP FOR (BALCONY)
Ⓑ	110 OD RWP FOR (TERRACE)
COP	CLEAN OUT PLUG

LEGEND	
	150mm. Blockwork for Outer wall
	100mm. Blockwork for internal wall

PROJECT:
PROPOSED BUILDING PLAN ON PLOT NO - E2-3
FOR RESIDENTIAL PLOTTED COLONY UNDER
DEEN DAYAL JAN AWAS Yojna (UNDER AN ARE
MEASURING 57.40ACRES (LICENSE NO. 32 OF
2021, DATED 03/07/2021 FOR AN AREA
MEASURING 52.275 ACRES & LICENSE NO. 102
OF 2022 DATED 27/02/2022 FOR AN AREA
MEASURING 5.125 ACRES) IN THE REVENUE
ESTATE OF VILLAGE OF KATRA, SECTOR-89,
GURUPURAM BEING DEVELOPED BY SHIVAM
RESIDENTY PRIVATE LIMITED & OTHERS IN
COLLABORATION WITH ADHIKAANSH PRIVATE
LIMITD



DRAWING TITLE:
FLOOR PLANS WITH AREA CALCULATION
ELEVATIONS AND SECTIONS
TYPE- F2 (Left)

AUTHORIZED SIGN	ARCHITECT'S SIGN
-----------------	------------------


[illegible][illegible]

As a result of the above, the following is proposed:

GA-2178457



DOOR WINDOW SCHEDULE					
TYPE	WIDTH	HEIGHT	SILL LVL	LINTEL LVL	REMARKS
D1 Flashed	1050	2350	± 00	2350	ENTRANCE
D2 Flashed	900	2350	± 00	2350	BEDROOMS
D3 Flashed	750	2350	± 00	2350	TOILETS
D4 Glazed Door - Sliding	2000	2350	± 00	2350/Beam bottom	LIVING & BEDROOM
D5 Glazed Door Window	750-1050	2350	± 00	2350/Beam bottom	KITCHEN & BEDROOM
V1 Glazed Window	1050	Beam bottom	± 00	Beam bottom	STAIRCASE
V2 Ventilator	500	1350	± 1050	2350	TOILETS



AREA CALCULATION			
		AREA	UNIT
TOTAL PLOT AREA (9.2 x 10.53)		96.870	SQ.M.
PERMISSIBLE FAR @ 2.64		255.737	SQ.M.
PROPOSED FAR @ 1.446		140.106	SQ.M.
PERMISSIBLE GR. COV. @ 75%		72.653	SQ.M.
PROPOSED GROUND COVERAGE @ 54.85%		56.041	SQ.M.
AREA OF STILT FLOOR/ GROUND COVERAGE			
A	9.200 X 6.170	56.764	SQ.M.
DEDUCTION			
1	Irregular	0.355	SQ.M.
4	9.200 X 0.080 / 2	0.368	SQ.M.
TOTAL AREA OF STILT FLOOR/ GROUND COVERAGE (A)		56.041	SQ.M.
AREA OF FIRST FLOOR			
A	9.200 X 6.170	56.764	SQ.M.
DEDUCTION			
1	Irregular	0.355	SQ.M.
2	1.900 X 4.100	7.790	SQ.M.
4	9.200 X 0.080 / 2	0.368	SQ.M.
TOTAL AREA OF FIRST FLOOR (B)		48.252	SQ.M.
AREA OF TYPICAL FLOOR (2ND & 3RD)			
A	9.200 X 6.170	56.764	SQ.M.
DEDUCTION			
1	Irregular	0.355	SQ.M.
2	1.900 X 4.100	7.790	SQ.M.
3	1.550 X 1.500	2.325	SQ.M.
4	9.200 X 0.080 / 2	0.368	SQ.M.
TOTAL AREA OF TYPICAL FLOOR (C)		45.927	SQ.M.
TOTAL FLOOR AREA			
=(1ST FLOOR + 2ND FLOOR + 3RD FLOOR) (D)		140.106	SQ.M.
BASEMENT AREA			
A	9.200 X 6.170	56.764	SQ.M.
DEDUCTION			
1	Irregular	0.355	SQ.M.
4	9.200 X 0.080 / 2	0.368	SQ.M.
TOTAL BASEMENT AREA (E)		56.041	SQ.M.
MUMTY/ MACHINE ROOM AREA			
A	1.850 X 1.800	3.330	SQ.M.
TOTAL MUMTY/ MACHINE ROOM AREA (F)		3.330	SQ.M.
STAIRCASE AREA			
2	1.900 X 4.100	7.790	SQ.M.
TOTAL STAIRCASE AREA (G)		31.160	SQ.M.
TOTAL BUILT-UP AREA (A+D+E+F+G)		286.678	SQ.M.

PLUMBING LEGENDS:	
①	110 OD SOIL PIPE
②	110 OD WASTE PIPE
③	COLD WATER SUPPLY DN TAKE
3a	COLD WATER SUPPLY DN TAKE BY HYDRO-PNEUMATIC SYSTEM
④	250 WATER SUPPLY RISER PIPE
R1	75 OD RWP FOR (BALCONY)
R	110 OD RWP FOR (TERRACE)
COP	CLEAN OUT PLUG


LEGEND	
	150mm. Blockwork for Outer wall
	100mm. Blockwork for internal wall

PROJECT:
PROPOSED BUILDING PLAN ON PLOT NO.- E2-2 FOR RESIDENTIAL PLOTTED COLONY UNDER DEEN DAYAL JAN AWAS YOJNA) OVER AN AREA MEASURING 57.40ACRES (LICENSE NO. 32 OF 2021, DATED 03.07.2021 FOR AN AREA MEASURING 52.275 ACRES & LICENSE NO. 102 OF 2022 DATED 27.02.2022 FOR AN AREA MEASURING 5.125 ACRES) IN THE REVENUE ESTATE OF VILLAGE HAYATPUR, SECTOR-89, GURUGRAM BEING DEVELOPED BY AAAM RESIDENCY PRIVATE LIMITED & OTHERS IN COLLABORATION WITH ADHIKAANSH PRIVATE LIMITED.

DRAWING TITLE
FLOOR PLANS WITH AREA CALCULATION, ELEVATIONS AND SECTIONS
TYPE- E2 (Right)

AUTHORIZED SIGN ARCHITECT'S SIGN

Ar. ASHOK KUMAR
04/01/2024




AREA CALCULATION					
				AREA	UNIT
TOTAL PLOT AREA (9.2 x 11.75)				=	108.100 SQ.M.
PERMISSIBLE FAR @ 2.64				=	285.384 SQ.M.
PROPOSED FAR @ 1.978				=	213.868 SQ.M.
PERMISSIBLE GR. COV. @ 75%				=	81.075 SQ.M.
PROPOSED GROUND COVERAGE @ 74.59%				=	80.629 SQ.M.

AREA OF STILT FLOOR/ GROUND COVERAGE					
A	9.200	X	9.250	X	1 = 85.100 SQ.M.
TOTAL				=	85.100 SQ.M.
DEDUCTION					
1	3.715	X	0.650	X	1 = 2.415 SQ.M.
2	1.100	X	0.990	X	1 = 1.089 SQ.M.
3	1.850	X	0.500	X	1 = 0.925 SQ.M.
4	0.290	X	0.290	X	1 = 0.042 SQ.M.
TOTAL				=	4.471 SQ.M.
TOTAL AREA OF STILT FLOOR/ GROUND COVERAGE (A)				=	80.629 SQ.M.



AREA OF FIRST FLOOR					
A	9.200	X	9.250	X	1 = 85.100 SQ.M.
TOTAL				=	85.100 SQ.M.
DEDUCTION					
1	3.715	X	0.650	X	1 = 2.415 SQ.M.
2	1.100	X	0.990	X	1 = 1.089 SQ.M.
3	1.850	X	0.500	X	1 = 0.925 SQ.M.
4	0.290	X	0.290	X	1 = 0.042 SQ.M.
5	1.900	X	4.100	X	1 = 7.790 SQ.M.
TOTAL				=	12.261 SQ.M.
TOTAL AREA OF FIRST FLOOR (B)				=	72.839 SQ.M.

AREA OF TYPICAL FLOOR (2ND & 3RD)					
A	9.200	X	9.250	X	1 = 85.100 SQ.M.
TOTAL				=	85.100 SQ.M.
DEDUCTION					
1	3.715	X	0.650	X	1 = 2.415 SQ.M.
2	1.100	X	0.990	X	1 = 1.089 SQ.M.
3	1.850	X	0.500	X	1 = 0.925 SQ.M.
4	0.290	X	0.290	X	1 = 0.042 SQ.M.
5	1.900	X	4.100	X	1 = 7.790 SQ.M.
6	1.550	X	1.500	X	1 = 2.325 SQ.M.
TOTAL				=	14.585 SQ.M.
TOTAL AREA OF TYPICAL FLOOR (C)				=	70.514 SQ.M.


TOTAL FLOOR AREA					
= (1ST FLOOR + 2ND FLOOR + 3RD FLOOR) (D)				=	213.868 SQ.M.
BASEMENT AREA					
A	9.200	X	9.250	X	1 = 85.100 SQ.M.
TOTAL BASEMENT AREA (E)				=	85.100 SQ.M.
MUMTY/ MACHINE ROOM AREA					
B	1.850	X	1.800	X	1 = 3.330 SQ.M.
TOTAL MUMTY/ MACHINE ROOM AREA (F)				=	3.330 SQ.M.
STAIRCASE AREA					
5	1.900	X	4.100	X	1 = 7.790 SQ.M.
TOTAL STAIRCASE AREA (G)				=	31.160 SQ.M.
TOTAL BUILT-UP AREA (A+E+F+G)				=	414.087 SQ.M.



DOOR WINDOW SCHEDULE					
TYPE	WIDTH	HEIGHT	SILL LVL	LINTEL LVL	REMARKS
01	1050	2350	± 00	2350	ENTRANCE
02	900	2350	± 00	2350	BEDROOMS
03	750	2350	± 00	2350	TOILETS
04	1550	2350	± 00	2350	BEDROOMS
05	2400	2350	± 00	2350	LIVING
06	750-1100	2350	± 00	2350	BEDROOMS
07	1650	2350	± 00	2350	LIVING
08	1140	1450	± 900	2350	KITCHEN
09	1000	Beam	± 00	Beam	STAIRCASE
10	500	1950	± 1050	2350	TOILETS
11	1000	2350	± 00	2350	BASEMENT




PLUMBING LEGENDS:	
①	110 OD SOIL PIPE PVC SWR TYPE-B (SOLVENT JOINT)
②	110 OD WASTE PIPE PVC SWR TYPE-B (SOLVENT JOINT)
③	COLD WATER SUPPLY DN TAKE FOR 1ST & 2ND FLR. (PVC SCH.40)
④	COLD WATER SUPPLY DN TAKE FOR 3RD & 4TH FLR. (PVC SCH.40)
⑤	250 WATER SUPPLY RISER PIPE (PVC SCH.40)
⑥	75 OD RWP FOR (BALCONY / TERRACE)
⑦	PVC SWR TYPE-A, TYPE-B UNDER GROUND
⑧	110 OD RWP FOR TERRACE
⑨	PVC SWR TYPE-A, TYPE-B UNDER GROUND
⑩	COP CLEAN OUT PLUG



PROJECT:
PROPOSED BUILDING PLAN ON PLOT NO. - E3-2.4.6 FOR RESIDENTIAL PLOTTED COLONY UNDER DEEN DAYAL JAN AWAS YOJNA OVER AN AREA MEASURING 57.40ACRES (LICENSE NO. 32 OF 2021, DATED 03.07.2021 FOR AN AREA MEASURING 52.275 ACRES & LICENSE NO. 102 OF 2022 DATED 27.02.2022 FOR AN AREA MEASURING 5.125 ACRES) IN THE REVENUE ESTATE OF VILLAGE HAYATPUR, SECTOR-89, GURUGRAM BEING DEVELOPED BY AAWAM RESIDENCY PRIVATE LIMITED & OTHERS IN COLLABORATION WITH ADHIKAANSH PRIVATE LIMITED.

DRAWING TITLE:
FLOOR PLANS WITH AREA CALCULATION, ELEVATIONS AND SECTIONS TYPE- E3 (Left)

ARCHITECT'S SIGN: [Signature]
AUTHORIZED SIGN: [Signature]




AREA CALCULATION					
				AREA	UNIT
TOTAL PLOT AREA (9.2 x 11.75)				=	108.100 SQ.M.
PERMISSIBLE FAR @ 2.04				=	285.384 SQ.M.
PROPOSED FAR @ 1.978				=	213.868 SQ.M.
PERMISSIBLE GR. COV. @ 75%				=	81.075 SQ.M.
PROPOSED GROUND COVERAGE @ 74.59%				=	80.629 SQ.M.

AREA OF STILT FLOOR/ GROUND COVERAGE					
A	9.200	X	9.250	X	1
TOTAL				=	85.100 SQ.M.
DEDUCTION					
1	3.715	X	0.650	X	1
2	1.100	X	0.990	X	1
3	1.850	X	0.500	X	1
4	0.290	X	0.290	X	1
TOTAL				=	4.471 SQ.M.
TOTAL AREA OF STILT FLOOR/ GROUND COVERAGE (A)				=	80.629 SQ.M.


AREA OF FIRST FLOOR					
A	9.200	X	9.250	X	1
TOTAL				=	85.100 SQ.M.
DEDUCTION					
1	3.715	X	0.650	X	1
2	1.100	X	0.990	X	1
3	1.850	X	0.500	X	1
4	0.290	X	0.290	X	1
5	1.900	X	4.100	X	1
TOTAL				=	12.261 SQ.M.
TOTAL AREA OF FIRST FLOOR (B)				=	72.839 SQ.M.

AREA OF TYPICAL FLOOR (2ND & 3RD)					
A	9.200	X	9.250	X	1
TOTAL				=	85.100 SQ.M.
DEDUCTION					
1	3.715	X	0.650	X	1
2	1.100	X	0.990	X	1
3	1.850	X	0.500	X	1
4	0.290	X	0.290	X	1
5	1.900	X	4.100	X	1
6	1.550	X	1.500	X	1
TOTAL				=	14.586 SQ.M.
TOTAL AREA OF TYPICAL FLOOR (C)				=	70.514 SQ.M.


TOTAL FLOOR AREA					
= (1ST FLOOR + 2ND FLOOR + 3RD FLOOR) (D)				=	213.868 SQ.M.
BASEMENT AREA					
A	9.200	X	9.250	X	1
TOTAL BASEMENT AREA (E)				=	85.100 SQ.M.
MUMTY/ MACHINE ROOM AREA					
B	1.850	X	1.800	X	1
TOTAL MUMTY/ MACHINE ROOM AREA (F)				=	3.330 SQ.M.
STAIRCASE AREA					
5	1.900	X	4.100	X	1
TOTAL STAIRCASE AREA (G)				=	7.790 SQ.M.
TOTAL BUILT-UP AREA (A+D+E+F+G)				=	414.087 SQ.M.



PLUMBING LEGENDS:	
1	110 OD SOIL PIPE PVC SWR TYPE-B (SOLVENT JOINT)
2	110 OD WASTE PIPE PVC SWR TYPE-B (SOLVENT JOINT)
3	COLD WATER SUPPLY ON TAKE FOR 1ST & 2ND FLR. (PVC SCH.40)
3a	COLD WATER SUPPLY ON TAKE FOR 3RD & 4TH FLR. (PVC SCH.40)
4	250 WATER SUPPLY RISER PIPE (PVC SCH.40)
R	75 OD RWP FOR (BALCONY / TERRACE) PVC SWR TYPE-A, TYPE-B UNDER GROUND
R1	110 OD RWP FOR TERRACE PVC SWR TYPE-A, TYPE-B UNDER GROUND
COP	CLEAN OUT PLUG




DOOR WINDOW SCHEDULE					
TYPE	WIDTH	HEIGHT	SILL LVL	LINTEL LVL	REMARKS
01	1050	2350	± 00	2350	ENTRANCE
02	900	2350	± 00	2350	BEDROOMS
03	750	2350	± 00	2350	TOILETS
04	1550	2350	± 00	2350	BEDROOMS
05	2400	2350	± 00	2350	LIVING
06	50-1100	2350	± 00	2350	BEDROOMS
07	1550	2350	± 00	2350	LIVING
08	1140	1450	± 00	2350	KITCHEN
09	1000	Beam bottom	± 00	Beam bottom	STAIRCASE
10	600	1350	± 1050	2350	TOILETS
11	1000	2350	± 00	2350	BASEMENT



PROJECT:
PROPOSED BUILDING PLAN ON PLOT NO.- E3-1.7 FOR RESIDENTIAL PLOTTED COLONY UNDER DEEN DAYAL JAN AWAS YOJNA OVER AN AREA MEASURING 57.40ACRES (LICENSE NO. 32 OF 2021, DATED 03.07.2021 FOR AN AREA MEASURING 52.275 ACRES & LICENSE NO. 102 OF 2022 DATED 27.02.2022 FOR AN AREA MEASURING 5.125 ACRES) IN THE REVENUE ESTATE OF VILLAGE HAYATPUR, SECTOR-89, GURUGRAM BEING DEVELOPED BY AAAM RESIDENCY PRIVATE LIMITED & OTHERS IN COLLABORATION WITH ADHIKAANSH PRIVATE LIMITED.

DRAWING TITLE:
FLOOR PLANS WITH AREA CALCULATION, ELEVATIONS AND SECTIONS
TYPE- E3 (Right Corner)

ARCHITECT'S SIGN: [Signature]
AUTHORIZED SIGN: [Signature]





AREA CALCULATION				
			AREA	UNIT
TOTAL PLOT AREA (9.2 x 11.75)			= 108.100	SQ.M.
PERMISSIBLE FAR @ 2.64			= 285.384	SQ.M.
PROPOSED FAR @ 1.978			= 213.868	SQ.M.
PERMISSIBLE GR. COV. @ 75%			= 81.075	SQ.M.
PROPOSED GROUND COVERAGE @ 74.59%			= 80.629	SQ.M.


AREA OF STILT FLOOR/ GROUND COVERAGE				
A	9.200	X	9.250	X 1 = 85.100 SQ.M.
TOTAL				= 85.100 SQ.M.
DEDUCTION				
1	3.715	X	0.650	X 1 = 2.415 SQ.M.
2	1.100	X	0.990	X 1 = 1.089 SQ.M.
3	1.850	X	0.500	X 1 = 0.925 SQ.M.
4	0.290	X	0.290	X 1 = 0.042 SQ.M.
TOTAL				= 4.471 SQ.M.
TOTAL AREA OF STILT FLOOR/ GROUND COVERAGE (A)				= 80.629 SQ.M.

AREA OF FIRST FLOOR				
A	9.200	X	9.250	X 1 = 85.100 SQ.M.
TOTAL				= 85.100 SQ.M.
DEDUCTION				
1	3.715	X	0.650	X 1 = 2.415 SQ.M.
2	1.100	X	0.990	X 1 = 1.089 SQ.M.
3	1.850	X	0.500	X 1 = 0.925 SQ.M.
4	0.290	X	0.290	X 1 = 0.042 SQ.M.
5	1.900	X	4.100	X 1 = 7.790 SQ.M.
TOTAL				= 12.261 SQ.M.
TOTAL AREA OF FIRST FLOOR (B)				= 72.839 SQ.M.

DOOR WINDOW SCHEDULE					
TYPE	WIDTH	HEIGHT	SILL LVL	LINTEL LVL	REMARKS
D1	1050	2350	±00	2350	ENTRANCE
D2	900	2350	±00	2350	BEDROOMS
D3	750	2350	±00	2350	TOILETS
D4	1550	2350	±00	2350	BEDROOMS
D5	2400	2350	±00	2350	LIVING
D6	190-1100	2350	±00	2350	BEDROOMS
D7	1650	2350	±00	2350	LIVING
D8	1140	1450	±900	2350	KITCHEN
D9	1000	1350	±00	2350	STAIRCASE
D10	500	1350	±1050	2350	TOILETS
D11	1000	2350	±00	2350	BASEMENT



PLUMBING LEGENDS:	
(1)	110 OD SOIL PIPE PVC SWR TYPE-B (SOLVENT JOINT)
(2)	110 OD WASTE PIPE PVC SWR TYPE-B (SOLVENT JOINT)
(3)	COLD WATER SUPPLY DN TAKE FOR 1ST & 2ND FLR. (PVC SCH.40)
(3a)	COLD WATER SUPPLY DN TAKE FOR 3RD & 4TH FLR. (PVC SCH.40)
(4)	250 WATER SUPPLY RISER PIPE (PVC SCH.40)
(R)	75 OD RWP FOR (BALCONY / TERRACE) PVC SWR TYPE-A, TYPE-B UNDER GROUND
(R1)	110 OD RWP FOR TERRACE PVC SWR TYPE-A, TYPE-B UNDER GROUND
(COP)	CLEAN OUT PLUG




BASEMENT AREA				
A	9.200	X	9.250	X 1 = 85.100 SQ.M.
TOTAL BASEMENT AREA (E)				= 85.100 SQ.M.
MUMTY/ MACHINE ROOM AREA				
B	1.850	X	1.800	X 1 = 3.330 SQ.M.
TOTAL MUMTY/ MACHINE ROOM AREA (F)				= 3.330 SQ.M.
STAIRCASE AREA				
5	1.900	X	4.100	X 1 = 7.790 SQ.M.
TOTAL STAIRCASE AREA (G)				= 31.160 SQ.M.
TOTAL BUILT-UP AREA (A+D+E+F+G)				= 414.087 SQ.M.

PROJECT:
PROPOSED BUILDING PLAN ON PLOT NO - E3-3.5 FOR RESIDENTIAL PLOTTED COLONY UNDER DEEN DAYAL JAN AWAS YOJNA OVER AN AREA MEASURING 57.40ACRES (LICENSE NO. 32 OF 2021, DATED 03.07.2021 FOR AN AREA MEASURING 52.275 ACRES & LICENSE NO. 102 OF 2022 DATED 27.02.2022 FOR AN AREA MEASURING 5.125 ACRES) IN THE REVENUE ESTATE OF VILLAGE HAYATPUR, SECTOR-89, GURUGRAM BEING DEVELOPED BY AAWAM RESIDENCY PRIVATE LIMITED & OTHERS IN COLLABORATION WITH ADHIKAANSH PRIVATE LIMITED.

DRAWING TITLE:
FLOOR PLANS WITH AREA CALCULATION, ELEVATIONS AND SECTIONS
TYPE- E3 (Right)

ARCHITECT'S SIGN: AUTHORIZED SIGN

ALOK KUMAR
ARCHITECT



AREA CALCULATION					AREA	UNIT
TOTAL PLOT AREA				=	97.420	SQ.M.
PERMISSIBLE FAR @ 2.64				=	257.189	SQ.M.
PROPOSED FAR @ 1.861				=	181.254	SQ.M.
PERMISSIBLE GR. COV. @ 75%				=	73.065	SQ.M.
PROPOSED GROUND COVERAGE @ 71.70%				=	69.853	SQ.M.

AREA OF STILT FLOOR/ GROUND COVERAGE						
A	9.200	X	8.090	X	1	= 74.428 SQ.M.
DEDUCTION					TOTAL	= 74.428 SQ.M.
1	4.940	X	0.850	X	1	= 3.211 SQ.M.
2	1.320	X	0.390	X	1	= 0.515 SQ.M.
3	1.430	X	0.565	X	1	= 0.808 SQ.M.
4	0.290	X	0.285	X	1	= 0.041 SQ.M.
					TOTAL	= 4.575 SQ.M.
TOTAL AREA OF STILT FLOOR/ GROUND COVERAGE (A)					=	69.853 SQ.M.

AREA OF FIRST FLOOR						
A	9.200	X	8.090	X	1	= 74.428 SQ.M.
DEDUCTION					TOTAL	= 74.428 SQ.M.
1	4.940	X	0.850	X	1	= 3.211 SQ.M.
2	1.320	X	0.390	X	1	= 0.515 SQ.M.
3	1.430	X	0.565	X	1	= 0.808 SQ.M.
4	0.290	X	0.285	X	1	= 0.041 SQ.M.
5	1.900	X	4.150	X	1	= 7.885 SQ.M.
					TOTAL	= 12.460 SQ.M.
TOTAL AREA OF FIRST FLOOR (B)					=	61.968 SQ.M.

AREA OF TYPICAL FLOOR (2ND & 3RD)						
A	9.200	X	8.090	X	1	= 74.428 SQ.M.
DEDUCTION					TOTAL	= 74.428 SQ.M.
1	4.940	X	0.850	X	1	= 3.211 SQ.M.
2	1.320	X	0.390	X	1	= 0.515 SQ.M.
3	1.430	X	0.565	X	1	= 0.808 SQ.M.
4	0.290	X	0.285	X	1	= 0.041 SQ.M.
5	1.550	X	1.500	X	1	= 2.325 SQ.M.
6	1.900	X	4.150	X	1	= 7.885 SQ.M.
					TOTAL	= 14.785 SQ.M.
TOTAL AREA OF TYPICAL FLOOR (C)					=	59.643 SQ.M.


TOTAL FLOOR AREA (D)						
= (1ST FLOOR + 2ND FLOOR + 3RD FLOOR)					=	181.254 SQ.M.

BASEMENT AREA						
A	9.175	X	8.090	X	1	= 74.226 SQ.M.
TOTAL BASEMENT AREA (E)					=	74.226 SQ.M.



MUMTY/ MACHINE ROOM AREA						
A	1.850	X	1.800	X	1	= 3.330 SQ.M.
TOTAL MUMTY/ MACHINE ROOM AREA (F)					=	3.330 SQ.M.

STAIRCASE AREA						
6	1.900	X	4.150	X	4	= 31.540 SQ.M.
TOTAL STAIRCASE AREA (G)					=	31.540 SQ.M.
TOTAL BUILT-UP AREA (A+E+F+G)					=	360.202 SQ.M.

DOOR WINDOW SCHEDULE						
TYPE	WIDTH	HEIGHT	SILL LVL	LINTEL LVL	REMARKS	
D1 Frames	1050	2350	± 00	2350	ENTRANCE	
D2 Frames	900	2350	± 00	2350	BEDROOMS	
D3 Frames	750	2350	± 00	2350	TOILETS	
D4 Glass Door - Sliding	2400	2350	± 00	2350/Beam bottom	LIVING	
D5 Glass Door - Sliding	1550	2350	± 00	2350/Beam bottom	BEDROOMS	
D6 Glass Door - Sliding	750-1200	2350	± 00	2350/Beam bottom	LIVING	
D7 Glass Door - Sliding	750-1070	2350	± 00	2350/Beam bottom	BEDROOMS	
D8 Glass Door - Sliding	1550	1450	± 900	2350/Beam bottom	KITCHEN	
D9 Glass Door - Sliding	1050	Beam	± 00	Beam bottom	STAIRCASE	
D10 Glass Door - Sliding	500	1350	± 1050	2350	TOILETS	
D11 Glass Door - Sliding	1000	2350	± 00	2350	BASEMENT	



PLUMBING LEGENDS:	
①	110 OD SOIL PIPE
②	110 OD WASTE PIPE
③	COLD WATER SUPPLY DN TAKE
③a	COLD WATER SUPPLY DN TAKE BY HYDRO-PNEUMATIC SYSTEM
④	25Ø WATER SUPPLY RISER PIPE
R1	75 OD RWP FOR (BALCONY)
R	110 OD RWP FOR (TERRACE)
COP	CLEAN OUT PLUG



PROJECT:
PROPOSED BUILDING PLAN ON PLOT NO - E-1.5.9.13 FOR RESIDENTIAL PLOTTED COLONY UNDER DEEN DAYAL JAN AWAS YOJNA) OVER AN AREA MEASURING 57.40ACRES (LICENSE NO. 32 OF 2021, DATED 03.07.2021 FOR AN AREA MEASURING 52.275 ACRES & LICENSE NO. 102 OF 2022 DATED 27.02.2022 FOR AN AREA MEASURING 5.125 ACRES) IN THE REVENUE ESTATE OF VILLAGE HAYATPUR, SECTOR-89, GURUGRAM BEING DEVELOPED BY AAWAM RESIDENCY PRIVATE LIMITED & OTHERS IN COLLABORATION WITH ADHIKAANSH PRIVATE LIMITED.

DRAWING TITLE:
FLOOR PLANS WITH AREA CALCULATION, ELEVATIONS AND SECTIONS
TYPE- E (Left Corner)

AUTHORIZED SIGN ARCHITECT'S SIGN
AC ADHIKAANSH PRIVATE LIMITED
GURUGRAM