Directorate of Town and Country Planning, Haryana,
Nagar Yojna Bhawan, Block-A, Plot No.-3, Sector-18A, Madhya Marg, Chandigarh.
Tele-Fax: 0172-2548475, Tel.: 0172-2549851, E-mail: tcpharyana7@gmail.com
Web Site: www.tcpharyana.gov.in

Memo No. ZP-1810/AD(GK)/2024/ 4566

Dated: 07-02-2029

To

Eldeco Green Park Infrastructure Ltd., 201-212, 2nd Floor, Splender Forum, Jasola District Centre, New Delhi-110025.

Subject: -

Approval of Standard Design of SCOs in Commercial Site over an area measuring 0.340 acre (1378.755 Sqm.) forming part of Affordable Residential Plotted Colony measuring 14.20625 acres (License No. 109 of 2023 dated 17.05.2023) falling in sector-33, Sonipat.

Reference: -

Please refer to subject cited matter.

Please find enclosed a set of the approved Standard Design of SCOs of aforesaid Commercial site forming part of Affordable Residential Plotted Colony (DDJAY Policy-2016) as per following details:-

Description		Are	a	Drawing No.		Dated
Commercial Site	0.340 Sqm.)	acre	(1378.755	DTCP-10006(i) 10006 (viii)	to	07.02.2024

The standard designs are approved with the following conditions:-

- i. The connecting corridors/passage provided at ground floor shall be used for movement/circulation of general public. The Owner of the SCOs shall not obstruct this corridor/ passage in any manner what so ever. You shall not sell the corridor/passage in any manner whatsoever.
- The developer/individual allottees shall get detailed building plans of SCOs/Booths etc. approved from DTP office.
- iii. The developer/individual allottees shall obtain necessary approval of fire scheme/design and Fire NOC as per Haryana Fire Services Act, from competent Authority.
- iv. The parking/open area shall not be sold in any manner whatsoever.

DA/As above

(Sunena)
District Town Planner (HQ),
For Director, Town and Country Planning,
Haryana, Chandigarh.

End	st. No. ZP-1810/AD(GK)/2024/	Dated	
	A copy along with a set of a	approved Standard Designs is forwarded	to the
followir	ng for information and further necessa	sary action as per office order dated 31.0	1 7072
pertain	ing to Standard-Operating-Procedure	(SOP) to be followed for approval of Sta	ndard
Design/	Building Plan/OC in Commercial Plotts	ted Site:-	muaru
4	C		

Senior Town Planner, Rohtak.

2. District Town Planner, Jhajjar.

DA/As above

(Sunena)
District Town Planner (HQ),
For Director, Town and Country Planning,
Haryana, Chandigarh.

Directorate of Town and Country Planning, Haryana, Nagar Yojna Bhawan, Block-A, Plot No.-3, Sector-18A, Madhya Marg, Chandigarh. Tele-Fax: 0172-2548475, Tel.: 0172-2549851, E-mail: tcpharyana7@gmail.com Web Site: www.tcpharyana.gov.in

Memo No. ZP-1810/AD(GK)/2024/ 4566

Dated: 07-92-2024

To

Eldeco Green Park Infrastructure Ltd., 201-212, 2nd Floor, Splender Forum, Jasola District Centre, New Delhi-110025.

Subject: -

Approval of Standard Design of SCOs in Site over an area measuring 0.340 acre (1378.755 Sqm.) forming part of Affordable Residential Plotted Colony measuring 14.20625 acres (License No. 109 of 2023 dated 17.05.2023) falling in sector-33, Sonipat.

Reference: - Please refer to subject cited matter.

Please find enclosed a set of the approved Standard Design of SCOs of aforesaid Commercial site forming part of Affordable Residential Plotted Colony (DDJAY Policy-2016) as per following details:-

Description		Are	a	Drawing No.		Dated
Commercial Site	0.340 Sqm.)	acre	(1378.755	DTCP-10006(I) 10006 (viii)	to	07.02.2024

The standard designs are approved with the following conditions:-

- i. The connecting corridors/passage provided at ground floor shall be used for movement/circulation of general public. The Owner of the SCOs shall not obstruct this corridor/ passage in any manner what so ever. You shall not sell the corridor/passage in any manner whatsoever.
- ii. The developer/individual allottees shall get detailed building plans of SCOs/Booths etc. approved from DTP office.
- iii. The developer/individual allottees shall obtain necessary approval of fire scheme/design and Fire NOC as per Haryana Fire Services Act, from competent Authority.
- iv. The parking/open area shall not be sold in any manner whatsoever.

DA/As above

District Town Planner (HQ), For Director, Town and Country Planning, Haryana, Chandigarh.

EHOSE MO.	MAE.	-1010	MADIO	NJ/ 20.	64			nated		
	A	сору	along	with	a	set of	approved	Standard	Designs	is i
CONTRACTOR OF THE PERSON OF TH	300	THE REAL PROPERTY.	FEET 3117	4.14			2000		DEC / Text /	27


forwarded to the following for information and further necessary action as per office order dated 31.01,2022 pertaining to Standard-Operating-Procedure (SOP) to be followed for approval of Standard Design/Building Plan/OC in Commercial Plotted Site:-


1. Senior Town Planner, Rohtak.


2. District Town Planner, Jhajjar.


DA/As above

(Sunena) District Town Planner (HQ), For Director, Town and Country Planning, Haryana, Chandigarh.

















(BR-III)

(See Code 4.2(4) of Haryana Building Code 2017)

From

Senior Town Planner, Rohtak Circle Rohtak (Chairman, Building Plan Approval Committee Under Punjab Scheduled Roads and Controlled

Areas Restriction of Unregulated Development Act, 1963)

To

Eldeco Green Park Infrastructure Limited, 201-212, 2nd Floor, Splendor Forum, Jasola,

New Delhi

Memo No. STP(R)/ 3219

Dated: 20-09-24

Subject:

Approval of building plan in respect of Commercial-2 measuring 0.211 acre (856.264 sqm) forming part of affordable residential plotted colony (under DDJAY-2016) over an area measuring 14.20625 acres (License no. 109 of 2023) in the revenue estate of village Rathdhana, Sector 33, Sonipat.

Reference:- Your application received in this office for approval of building plan for Commercial-2 measuring 0.211 acre (856.264 sqm) forming part of affordable residential plotted colony (under DDJAY-2016) over an area measuring 14.20625 acres (License no. 109 of 2023) in the revenue estate of village Rathdhana, Sector 33, Sonipat in accordance with the plans submitted with it.

The Building Plan Approval Committee in its meeting held on 05.09.2024 has decided to accord the approval of building plan of aforesaid site over an area measuring 0.211 acre (856.264 sqm) subject to the provisions of respective Rules and as per Haryana Building Code, 2017 and the conditions laid down in the agreement and license granted by Director, Town & Country Planning, Haryana, Chandigarh alongwith special reference to the following conditions:-

- That you shall deposit balance labour cess amount Rs. 1,86,881/- in favour of Secretary, Haryana Building & Other Construction Workers Welfare Board and Rs. 1,888/- in favour of Director, Town & Country Planning, Haryana, Chandigarh at the time of grant of occupation certificate.
- The plans are valid for a period of 2 years for the building less than 15 mtr in height and 5 years for the multistoried buildings (15 mtr or above in height) from the date of sanction, subject to the validity of CLU/license/extension permission whichever is applicable.

- 3. That you shall ensure that parking of vehicle is done within the area earmarked for parking in the approved building plan. Parking of any vehicle outside the premises / site will amount to violation of order of Hon'ble High Court passed in CWP No. 17296 of 2011 titled as Krishan Lal Gera Vs. State of Haryana and others.
- The structural responsibility of the construction shall be entirely of the owner and Supervising Architect/ Engineer of the project.
- All material to be used for erection of building shall conform to ISI and NBC standards.
- The owner and the Supervising Architect / Engineer of the project shall be
 entirely responsible for making provisions of fire safety and fire fighting
 measures and shall abide by all fire safety bye laws/regulations.
 - a. Further, the owner shall also prepare and submit the plans in triplicate to Fire Officer, Sonipat, clearly marked and indicating the complete fire protection arrangements and means of escape/access for the proposed building with suitable legend and standard signs.
 - b. On receipt of the above request, the Fire Officer, Sonipat after satisfying himself that the entire fire protection measures proposed for the above buildings are as per NBC and other Fire Safety Bye Laws, would issue a NOC from fire safety and means of escape/ access point of view. The clearance from the fire safety shall be submitted in this office along with a set of plans duly signed by the Fire Officer, Sonipat within a period of 90 days from the date of issuance sanction of building plans.
- No walls/ ceiling shall be constructed of easily inflammable material and staircases shall be built of the fire resisting material as per standard specification.
- 8. No addition and alteration in the building plans/layout plan shall be made without the prior approval of Competent Authority. Further only figured dimensions shall be followed and in case of any variation in the plans, prior approval of Competent Authority shall be pre-requisite.
- 9. If any infringement of bye-laws remains unnoticed, the department reserves the right to amend the plan as and when any such infringement comes to its notice after giving an opportunity of being heard and the department shall stand indemnified against any claim on this account.

- 10. No person shall occupy or allow any other person to occupy any new building or part of the same for any purpose what so ever until such building or part thereof has been certified by the Director or any person authorized by him in this behalf as having been completed in accordance with the permission granted and an occupation certificate in prescribed from has been duly issued in your favour.
- 11. That the Department shall stand indemnified against any claim which are not approved by the Department but made by the developer / colonizer to allottee by way of brochure, advertisement and agreement for the scheme approved by the Department.
- 12. Before grant of occupation certificate, you shall have to submit a notice of a completion of the building in form BR-IV(A) regarding completion of works described in the plans and it shall be accompanied by:
 - a) DPC Certificate will be issued by D.T.P Sonipat.
 - Structural stability certificate duly signed by the recognized structural Engineer/Architect
 - A clearance from Fire Safety point of view from Director General, Fire Service, Haryana, Panchkula.
 - d) That you shall submit environmental clearance for the project and certificate of lift inspector regarding functionablity of the lifts.

13. Public Health Services:-

- a. The firm/owner will deposit all external and internal development charges as and when demanded by the competent authority.
- b. That the owner shall not discharge effluent in plane/open ground and all restriction/rules of water pollution control board will be applicable.
- That the work of Public Health Services be got executed as per standard design and PWD, P.H. specifications.
- d. The gradient in drainage pipes shall be given at site as per P.H. norms/approved building plan.
- e. The top levels of inspection chambers and galli traps, septic tank etc. shall be kept higher that the highest flood level of the area.
- f. The whole water supply, sewerage and drainage installation installed by the owner will be got inspected by this office from time to time.
- g. Before issuing the Occupation Certificate, the public health service complete as per proposal at site by the owner will be got checked from

the o/o SE, HSVP, Rohtak, as per Gazette Notification dated 31.10.2001.

- h. Solar water heaters are to be provided.
- i. C.F.L energy saving efficient lighting to be provided.
- 14. In compliance of order dated 10.04.2015 of Hon'ble National Green Tribunal in OA No. 21 of 2014 - Vardhman Kaushik V/s UOI the applicant shall comply with the following conditions:
 - a. The owner of site would strictly comply with the directions contained in this order as well as the MOEF Guidelines, 2010 while raising construction.
 - b. That while raising construction builder or owner of site should strictly adhere to and comply with the directions contained in this order of Tribunal as well as MOEF guidelines, 2010 in relation to precautions required to be taken while carrying on construction.
 - c. The builder or owner shall put tarpaulin on scaffolding around the area of construction and the building. No person including building, owner can be permitted to store any construction material particularly sand on any part of the street, roads in any colony.
 - d. The construction material of any kind that is stored in the site will be fully covered in all respects so that it does not disperse in their air in any form.
 - e. All the construction material and debris shall be carried in the trucks or other vehicles which are fully covered and protected so as to ensure that the construction debris or the construction material does not get dispersed into the air or atmosphere, in any form whatsoever.
 - f. The dust emission from the construction site shall be completely controlled and all precautions taken in that behalf.
 - g. The vehicles carrying construction material and construction debris of any kind shall be cleaned before it is permitted to ply on the road after unloading of such material.
 - h. Every worker working on the construction site and involved in loading, unloading and carriage of construction material and construction debris shall be provided with mask to prevent inhalation of dust particles.
 - Every owner and or builder shall be under obligation to provide all medical help, investigation and treatment to the workers involved in

- the construction of building and carry of construction material and debris relatable to dust emission.
- j. It shall be the responsibility of every building to transport construction material and debris waste to construction site, dumping site or any other place in accordance with rules and in terms of this order.
- k. Take appropriate measures and to ensure that the terms and conditions of the earlier order and these order shall strictly comply with by fixing sprinklers, creations of green air barriers.
- Compulsory use of wet jet in grinding and stone cutting.
- m. Wind breaking walls around construction site.
- n. All the builders who are building commercial, residential complexes which are covered under EIA Notification of 2006 shall provide green belt around the building that they construct. The authorities shall ensure that such green belt in existence prior to issuance of occupancy certificate.

15. General:-

- a. Alternative source of electricity shall be provided by you for functioning of water supply, sewerage and storm water drainage scheme by providing Gen. Set of required capacity.
- All pipes, fixtures, fitting pumps, Gen. Set and filtration plant etc. shall be conforming to relevant specification and ISI marked.
- c. The rain harvesting system shall be provided as per central Ground Water Authority norms/ Haryana, Govt. Notification.
- d. At present the area of your project does not falls within the vicinity of HUDA therefore, you should make your own arrangement for services like water supply, sewerage and storm water etc.
- e. That the outer façade of the buildings shall not be used for the purposes of advertisement and placement of hoardings.
- f. That you shall neither erect nor allow the erection of any Communication and Transmission Tower on top of the building blocks.
- g. That you shall use Light Emitting Diode Lamps (LED) in the building as well as street lighting.
- h. That you shall have to implement measures to reduce dust as per the Rule notified by the Union Environment Ministry under the Environment (Protection) Act, 1986 on dust mitigation measures for handing both onsite and offsite management of construction and demolition wastes.

 The owner shall ensure the installation of solar photovoltaic power plant as per the provisions of order no. 22/52/2005-5 Power dated 21.03.2016 issued by Haryana Govt., Renewable Energy Department.

That sanction will be void-abnitio, if any of the conditions mentioned above are not complied with.

DA/As above

Senior Town Planner, Rohtak Circle, Rohtak

(Chairman, Building Plan Approval Committee Under Punjab Scheduled Roads and Controlled Areas Restriction of Unregulated Development Act, 1963)

Endst. No. STP(R)/

Dated:


A copy is forwarded to the following for information and further necessary action, please: -


 Director, Town and Country Planning, Haryana, Chandigarh with the intimation that the applicant has deposited labour cess amount of Rs. 1,94,117.22/- in favour of Secretary, Haryana Building & Other Construction Workers Welfare Board and Rs. 1,960.78/- in favour of Director Town & Country Planning, Haryana, Chandigarh vide E-payment transaction No. TOWNPLAN3000095387 dated 27.05.2024.

The applicant shall deposit balance labour cess amount Rs. 1,86,881/- in favour of Secretary, Haryana Building & Other Construction Workers Welfare Board and Rs. 1,888/- in favour of Director, Town & Country Planning, Haryana, Chandigarh at the time of grant of occupation certificate.

- 2. Director General, Fire Service, Haryana, Panchkula.
- The Secretary, Haryana Building and Other Construction Workers' Welfare Board, Bays No. 29-30 (Pocket II), Sector 4, Panchkula.
- Superintending Engineer, HSVP, Rohtak w.r.t their office memo No. 240468 dated 05.09.2024.
- District Town Planner, Sonipat w.r.t. their office memo No. ST/DTP-P/2024/11278 dated 08.07.2024.
- Regional Officer, Haryana State Pollution Control Board, Sonipat with request to monitor and ensure strict compliance of the order dated 10.04.2015 of Hon'ble National Green Tribunal being the statutory authority in this regard.


Senior Town Planner, Rohtak Circle, Rohtak (Chairman, Building Plan Approval Committee Under Punjab Scheduled Roads and Controlled Areas Restriction of Unregulated Development Act, 1963)






TOTAL F	AR AREA =	XX	179.31	SQ.MT.		
TYPE	QUANTITY	SHAPE	FORMULA	LENGTH (MT.)	BREADTH*	TOTAT AREA
AREA OF	XX :-			(11.17)	, , , , , , , , , , , , , , , , , , ,	(o-amin)
R1	1	RECTANGLE	LxB	6.565	1.66	10.9
R2	1 1	RECTANGLE		3.785	2.98	11.2
R3	1	RECTANGLE	LxB	2.665	5.93	15.8
R4	1	RECTANGLE		9.23	4.685	43.2
R5	1	RECTANGLE	1000	1.965	4.455	8.7
R6	1	RECTANGLE	Committee of the Commit	8.46	10.56	89.3
TOTAL	1					179.3
N. I. S.	AR AREA (YY) -				179.3
GROUND	FLOOR CO	OMMERCIAL A	AREA CALO	CULATION	:-	
	AR AREA =			SQ.MT.		
				LENGTH	DDEADTH	TOTAT AREA
TYPE	QUANTITY	SHAPE	FORMULA	(MT.)	(MT.)	(SQ.MT.)
VASWEE	Despiration and	SHAPE	FORMULA	Marie St. Washington	E. C.	The second secon
VASWEE	Despiration and	SHAPE		Marie St. Washington	E. C.	(SQ.MT.)
AREA OF	XX :-	38 200 H 3122	LxB	(MT.)	(MT.)	(SQ.MT.)
AREA OF	XX :-	RECTANGLE	LxB LxB	(MT.) 5.685	(MT.) 2.98	(SQ.MT.) 16.9 10.0
C1 C2	XX :-	RECTANGLE RECTANGLE	LxB LxB LxB	(MT.) 5.685 6.805	(MT.) 2.98 1.475	(SQ.MT.) 16.9 10.0 53.5
C1 C2 C3	XX :-	RECTANGLE RECTANGLE RECTANGLE	LxB LxB LxB	5.685 6.805 8.77	2.98 1.475 6.105	(SQ.MT.) 16.9 10.0 53.5 7.3
C1 C2 C3 C4	XX:- 1 1 1 1 1	RECTANGLE RECTANGLE RECTANGLE RECTANGLE	LxB LxB LxB	5.685 6.805 8.77 2.665	2.98 1.475 6.105 2.75	(SQ.MT.) 16.9 10.0 53.5 7.3 25.2
C1 C2 C3 C4 C5	XX:- 1 1 1 1	RECTANGLE RECTANGLE RECTANGLE RECTANGLE RECTANGLE	LxB LxB LxB	5.685 6.805 8.77 2.665	2.98 1.475 6.105 2.75	(SQ.MT.) 16.9 10.0 53.5 7.3 25.2 113.1
C1 C2 C3 C4 C5 TOTAL	XX :- 1 1 1 1 1 1 1 AR AREA(X	RECTANGLE RECTANGLE RECTANGLE RECTANGLE RECTANGLE	LxB LxB LxB	5.685 6.805 8.77 2.665	2.98 1.475 6.105 2.75	(SQ.MT.) 16.9 10.0 53.5 7.3 25.2 113.1
C1 C2 C3 C4 C5 TOTAL TOTAL F	XX:- 1 1 1 1	RECTANGLE RECTANGLE RECTANGLE RECTANGLE RECTANGLE (X) =	LxB LxB LxB LxB	5.685 6.805 8.77 2.665	2.98 1.475 6.105 2.75	(SQ.MT.) 16.9 10.0 53.5 7.3 25.2 113.1
C1 C2 C3 C4 C5 TOTAL TOTAL F	XX:- 1 1 1 1 1 AR AREA(X	RECTANGLE RECTANGLE RECTANGLE RECTANGLE RECTANGLE (X) =	LxB LxB LxB LxB	5.685 6.805 8.77 2.665 9	2.98 1.475 6.105 2.75 2.805	(SQ.MT.) 16.9 10.0 53.5 7.3 25.2 113.1 113.10
C1 C2 C3 C4 C5 TOTAL TOTAL F	XX:- 1 1 1 1 1 1 AR AREA(X REA CALCU AR AREA =	RECTANGLE RECTANGLE RECTANGLE RECTANGLE RECTANGLE (X) =	LxB LxB LxB LxB	5.685 6.805 8.77 2.665 9	(MT.) 2.98 1.475 6.105 2.75 2.805	The second secon
C1 C2 C3 C4 C5 TOTAL TOTAL F	XX:- 1 1 1 1 1 1 AR AREA(X REA CALCU AR AREA =	RECTANGLE RECTANGLE RECTANGLE RECTANGLE RECTANGLE (X) =	L x B L x B L x B L x B	5.685 6.805 8.77 2.665 9	2.98 1.475 6.105 2.75 2.805	(SQ.MT.) 16.9 10.0 53.5 7.3 25.2 113.1 113.10

SECOND FLOO	R COMMERCI	IAL AREA CAL	CULATION	b-		
TOTAL FAR AF	REA = XX-YY		9.52	SQ.MT.		
TYPE	QUANTITY	SHAPE	FORMULA	LENGTH (MT.)	BREADTH (MT.)	TOTAT AREA
AREA OF XX :-						
R1	1	RECTANGLE	LxB	4.73	3.285	15.5
R2	1	RECTANGLE	L x B	9	10.08	90.7
R3	1	RECTANGLE	LxB	9.23	2,98	27.5
TOTAL						133.7
SUBTRACTIO	ON(YY)			-		
A	1	RECTANGLE	LxB	4.5	3 055	13.7
В	1	RECTANGLE		8.77	12.6	110.5
TOTAL FAR AR	F4 - /VV 100	HIME SECONDO	LAD	211	4555	9.5
SECOND FLOO	R COMMERCI	AL AREA CAI	CULATION	4:-		
SECOND FLOO TOTAL FAR AF		IAL AREA CAI	The second second second	SQ.MT.		
			The second second second	SQ.MT.	BREADTH (MT.)	TOTAT AREA
TOTAL FAR AF	QUANTITY		204.50 FORMULA	SQ.MT.	(MT.)	(SQ MT.)
TYPE AREA OF XX :- C1	QUANTITY	SHAPE	204.50 FORMULA L x B	SQ.MT. LENGTH (MT.) 4.27	Harris Control of the	(SQ MT.)
TYPE AREA OF XX :- C1 C2	QUANTITY	SHAPE RECTANGLE RECTANGLE	FORMULA L×B L×B	SQ.MT. LENGTH (MT.) 4.27 9.23	(MT.) 3.285 13.365	(SQ MT) 14.0 123.3
TYPE AREA OF XX :- C1 C2 C3	QUANTITY	SHAPE	FORMULA L×B L×B	SQ.MT. LENGTH (MT.) 4.27	(MT.) 3.285	(SQ MT.) 14.0 123.3 88.9
TYPE AREA OF XX :- C1 C2	QUANTITY	SHAPE RECTANGLE RECTANGLE	FORMULA L×B L×B	SQ.MT. LENGTH (MT.) 4.27 9.23	(MT.) 3.285 13.365	TOTAT AREA (SQ.MT.) 14.0 123.3 88.9 224.3
TYPE AREA OF XX :- C1 C2 C3	QUANTITY	SHAPE RECTANGLE RECTANGLE	FORMULA L×B L×B	SQ.MT. LENGTH (MT.) 4.27 9.23	(MT.) 3.285 13.365	(SQ MT.) 14.0 123.3 88.9
TYPE AREA OF XX :- C1 C2 C3 TOTAL	QUANTITY	SHAPE RECTANGLE RECTANGLE	FORMULA L×B L×B L×B	SQ.MT. LENGTH (MT.) 4.27 9.23	(MT.) 3.285 13.365	(SQ.MT.) 14.0 123.3 86.9 224.3
TYPE AREA OF XX :- C1 C2 C3 TOTAL SUBTRACTION	QUANTITY 1 1 1 1 ON	SHAPE RECTANGLE RECTANGLE	FORMULA Lx B Lx B Lx B	SQ.MT. LENGTH (MT.) 4.27 9.23 8.23	(MT.) 3.285 13.365 10.56	(SQ.MT.) 14.0 123.3 88.9 224.3
TYPE AREA OF XX :- C1 C2 C3 TOTAL SUBTRACTIO	QUANTITY 1 1 1 1 ON 1	RECTANGLE RECTANGLE RECTANGLE RECTANGLE	FORMULA L×B L×B L×B	SQ.MT. LENGTH (MT.) 4.27 9.23 8.23	(MT.) 3.285 13.365 10.56	(SQ.MT.) 14.0 123.3 88.9 224.3 5.5
TYPE AREA OF XX :- C1 C2 C3 TOTAL SUBTRACTIO 1 2	QUANTITY 1 1 1 1 1 N N REA = (XX-YY)	SHAPE RECTANGLE RECTANGLE RECTANGLE RECTANGLE	FORMULA L×B L×B L×B L×B L×B	SQ.MT. LENGTH (MT.) 4.27 9.23 8.23 2 3.385	(MT.) 3.285 13.365 10.56 2.75 4.225	(SQ MT.) 14.0 123.3 88.9





FIRST FLOO	R AREA DI	ETAIL			1	1
FIRST FLOOR F	RETAIL/SHOP	AREA CALCI	JLATION:-			
TOTAL FAR AR	EA = XX-YY		245.63	SQ.MT.		
TYPE	QUANTITY	SHAPE	FORMULA	LENGTH (MT.)	BREADTH (MT.)	TOTAT AREA
AREA OF XX :-						
R1	1	RECTANGLE	LxB	10.35	6.835	70.74
R2	1	RECTANGLE	LxB	9.23	9.51	87.78
R3	- 4	RECTANGLE	LxB	10.425	4.455	46.44
R4	The state of	RECTANGLE	LxB	10.125	2.38	24.10
R5	1	RECTANGLE	LxB	8.46	3.725	31.51
TOTAL						260.5
SUBTRACTIO	N(YY)					
A	1	RECTANGLE	L×B	4.54	3.055	13.8
В	1	RECTANGLE		0.98	0.6	0.59
C	4	RECTANGLE	W 71.16	0.795	0.6	0.44
TOTAL FAR AR		Wisself Williams	L A D	0.750	0.0	245.63
TOTAL FAR AR	In Contraction Contract	AREA CALC		SQ.MT.		
TYPE	QUANTITY	SHAPE	FORMULA	LENGTH (MT.)	BREADTH (MT.)	TOTAT AREA (SQ.MT.)
AREA OF XX :-						
C1	. 1	RECTANGLE	100000000000000000000000000000000000000	5.685	4.455	25.30
C2	1	RECTANGLE		5,985	2.38	14.24
C3	1	RECTANGLE	The second secon	8.77	3.725	32.6
C4	1	RECTANGLE	LxB	9	2.805	25.25
TOTAL			-	-		97.49
SUBTRACTIO	N					
1	1 1	RECTANGLE	LxB	2	2.75	5.50
2	1	RECTANGLE	LxB	3,385	4.225	14.30
TOTAL FAR AR	EA = (XX-YY	=				77.69
TOTAL FAR AT	FIDET FLOO	D IDETAU IOU	OD + COM	MEDCIAL)		222.22
TOTAL FAR AT					Ministrative Co.	323.32
TOTAL BUILT UP	AREA FIRST FL	(FAR RETAIL!	SHOP + FAR	COMMERCIA	L+STAIR)	351.49

MUM	TY AREA	DETAIL				
MUMTY	AREA CAL	CULATION:-				
TOTAL	AREA = Y	Y	37.028	SQ.MT.		
	CUANTITY	SHAPE	FORMULA	LENGTH (MT.)	BREADTH*	TOTAT AREA (SQ.MT.)
AREA (OF YY :-	OF OTA NOVE	10	5.045	0.00	27.02
	1	RECTANGLE	LxB	5.915	6.26	37,03
TOTAL						37.03
TOTAL	MUMTY AF	REA				37.03
	3719192011.0.320	REA LET AREA	DETAIL			37.03
TERR	ACE TO		DETAIL			37.03
TERR	ACE TO	LET AREA	DETAIL 19.334	SQ.MT.		37.03
TERR TOILE TOTAL	ACE TO	LET AREA .culation:-		SQ.MT.	BREADTH (MT.)	
TERR TOILET TOTAL	ACE TOI AREA CAL AREA = Y	LET AREA .culation:-	19.334	LENGTH		TOTAT AREA
TERR TOILET TOTAL	AREA CAL	LET AREA .culation:-	19.334 FORMULA	LENGTH		TOTAT AREA

TOTALTOILET AREA

19.33

SUBMISSION DRAWING

NOTES

1. BUILDING HAS AUTOMATIC SPRINKLER SYSTEM WHEREVER REQD.

- 2. BUILDING WILL BE DESINGED (STRUCTURES) AS PER RELEVENT IS CODES FOR EARTH QUAKE RESISTANCE.
- 3. ALL TOILETS ARE MECHANICALLY VENTILATED WITH POWER BACKUP
- FRONT BOUNDARY WALL WILL NOT BE CONSTRUCTUED AT SITE AND AND OTHER SIDE ONLY TOEWALL WILL BE CONSTRUCTED.



AR. MAYUR VERMA CA/2015/71072

PROJECT:

PROPOSED COMMERCIAL -2 MEASURING 0.211 ACRE(856.264 SO MIL FORMING PART OF AFFORDABLE RESIDENTIAL PLOTTED COLON VINDER DOJAY - 2016OVER AN AREA MEASTRING 14.20065 ACRE (LICENSE NO. 109 OF 2025), FALLING IN THE SOMEPAT BEING DEVELOPED BY "ELDEGO GREEN PARK

TITLE: AREA DETAIL

SCALE:1=100 DATE:

