



REFUGE AREA CALCULATIONS- TOWER A	
Covered area of 6 th floor	689.70
Total Area	689.70
Occupant load	69.000
Refuge area @ 0.3 m ² per Person	20.700
One wheelchair space of an area of 0.9 m ² for Every 200 occupants	1.80
Total area required for Refuge area for two floors	45.000
Area provided for Refuge area	44.600

REFUGE AREA CALCULATIONS- B	
Covered area of 6 th floor	570.82
Total Area	570.82
Occupant load	57.000
Refuge area @ 0.3 m ² per Person	17.100
One wheelchair space of an area of 0.9 m ² for Every 200 occupants	1.80
Total area required for Refuge area for two floors	37.800
Area provided for Refuge area	41.160

SCHEDULE OF OPENING					
OPENING	WIDTH	CLEAR HT.	CILL LVL	LINTEL LVL	
FIRE GLASS DOOR	FGL	1500	2400	-	2400
FIRE DOOR	FD1	1500	2400	-	2400
FIRE DOOR	FD2	1200	2400	-	2400
FIRE DOOR	FD3	2100	2400	-	2400
DOOR	D1	1000	2100	-	2100
DOOR	D2	1200	2100	-	2100
GLASS DOOR	GD	1500	2400	-	2400

- NOTE:
1. BUILDING IS FULLY SPRINKLERED & BASEMENT IS MECHANICALLY VENTILATED AS PER NBC NORMS.
 2. ALL DIMENSIONS AND LEVELS MARKED IN PLANS ARE IN MM.

Architect: *[Signature]*
 Member Secretary BPC
 Member BPC
 C.T.P. Chairman BPC
 A.D.F.C. (HQ) DFS PHL
 Member B.P.C.
 (RAM AVTAR BASSI) A.D.

Signatures:

Architect: *[Signature]*
 Owner: *[Signature]*
 Client: M/S OCIMUM ESTATES PRIVATE LIMITED
 Project Name: PROP. BLDG PLAN for COMMERCIAL COLONY MEASURING 2.38125 ACRES (LICENCE NO. 144 OF 2014 DATED 01.09.2014) IN SECTOR-103, GURUGRAM MANESAR URBAN COMPLEX BEING DEVELOPED BY M/S OCIMUM ESTATES PRIVATE LIMITED.
 Drg. title: SIXTH FLOOR PLAN
 North: *[North Arrow]*
 Revision Number: Code:
 Issued For: SANCTION Scale: 1:250
 Drawing Number: Date:
 AR - 13