

DIRECTORATE OF TOWN & COUNTRY PLANNING, HARYANA
SECTOR-18, CHANDIGARH.

Tele-Fax: 0172-2548475; Tel.: 0172-2549851, E-mail: tcphry@gmail.com
Website www.tcpharyana.gov.in

Memo No. ZP-516/JD (DK)/2013/ 29090 Dated 21/11/13

To

Aakarshak Realtors Pvt.Ltd,
410, D Mall, Netaji Subhash Place,
Pitampura, New Delhi-110034.

Subject: - Approval of building plans of Nursery School measuring 0.20 acre and building plans of group housing colony measuring 9.262 acres (Licence No. 182 of 2007 dated 14.5.2007) in Sector-8, Sonapat.

Reference your application dated 28.08.2012 and subsequent letter dated 27.11.2012 for permission to re-erect the buildings in group housing colony measuring 9.262 acres in Sector-8, Sonapat in accordance with the plans submitted with it.

Permission is hereby granted for the aforesaid construction subject to the provisions of the Punjab Scheduled Roads & Controlled Areas Restriction of Unregulated Development Act, 1963, its rules and the zoning plan framed there under along with special reference to following conditions:-

1. The plans are valid for a period of 2 years of the buildings less than 15.00 meters in height and 5 years for the multistoried buildings from the date of issuance of sanction, subject to validity of license granted for this scheme.
2. The structural responsibility of the construction shall be entirely of the owner/supervising architect/ Engineer of the scheme.

Further that: -

- a) The building shall be constructed as per the structure design submitted by you and as certified by your Structure Engineer that the same has been designed as per the provision of NBC and relevant I.S. Code for all seismic load, all dead and live loads, wind pressure and structural safety from earth quake of the intensity expected under Zone-IV.
 - b) All material to be used for erection of building shall conform to I.S.I. and N.B.C. standards.
 - c) No walls/ceiling shall be constructed of easily inflammable material and staircases shall be built of the fire resisting material as per standard specification.
 - d) The roof slab of the basement external to the buildings if any shall be designed/ constructed to take the load of fire tender up to 45 tones.
3. FIRE SAFETY/FIRE FIGHTING:-

It is clear that the appropriate provision for Fire Fighting arrangement as required in National Building Code/ISI should be provided by you and Fire Fighting Safety Certificate

shall be obtained before undertaking any construction, you shall be sole responsible for Fire Fighting arrangement.

Further, you shall also prepare and submit the plans in triplicate to Executive Officer, Municipal Committee, Sonapat clearly marked and indicating the complete fire protection arrangements and means of escape/ access for the proposed building with suitable legends and standard signs.

On receipt of the above request the Executive Officer, Municipal Committee, Sonapat after satisfying himself that the entire fire protection measures proposed for the above buildings are as per NBC and other Fire Safety Bye Laws, forward the same to the Director, Urban Local Bodies Department, Haryana who would issue a NOC from Fire Safety and means of escape/access point of view. This clearance/NOC from Fire Authority shall be submitted in this office along with a set of plans duly signed by the Executive Officer, Municipal Committee, Sonapat within a period of 90 days from the date of issuance of sanction of building plans. Further, it is also made clear that no permission for occupancy of the building shall be issued by the Director unless he is satisfied that adequate fire fighting measures have been installed by you and suitable external fire fighting infrastructure has been created at Sonapat. A clearance to this effect shall be obtained from the Executive Officer, Municipal Committee, Sonapat before grant of occupation certificate by the Director General.

4. The provision of letter boxes for each dwelling unit shall be made at the ground floor of each building.
5. No addition and alteration in the building plans/ layout plan shall be made without the prior approval of DG, TCP. Further, only figured dimensions shall be followed. In case of any variation in the plans, prior approval of DG, TCP shall be pre-requisite.
6. That you shall furnish the service plan/ estimate of this scheme in accordance with approved building plans within 60 days from the date of issue of this letter.
7. Based on the actual estimated cost of internal development of the group housing colony you shall furnish additional bank guarantee if required within 60 days of approval of the service plans.
8. The revenue Rasta if any passing through the site shall be kept unobstructed.
9. If any infringement of byelaws remains unnoticed, the department reserves the right to amend the plan as and when any such infringement comes to its notice after giving an opportunity of being heard and the department shall stand indemnified against any claim on this account.
10. The layout showing the electric installation shall have to be got approved from Chief Electrical Inspector, Haryana before execution of work at site.
11. No person shall occupy or allow any other person to occupy any new building or part of the same for any purpose whatsoever until such building or part thereof has been certified by the Director General or any person authorized by him in this behalf.

as having been completed in accordance with the permission granted and an occupation certificate in prescribed form has been duly issued in your favour.

12. Before grant of occupation certificate, you shall have to submit a notice of a completion of the building in form BR-IV along with BR-V regarding completion of works described in the plans and it shall be accompanied by:-

- (i) DPC Certificate issued by DTP, Sonapat.
- (ii) Structural stability certificate duly signed by the recognized Structural Engineer.
- (iii) A clearance from Fire Safety point of view from the Executive Officer, Municipal Committee, Sonapat.

13. The basements shall be used for parking and services as prescribed in the approved zoning plan and building plans. The parking lots proposed in the scheme shall be exclusively for the use of flat owners/residents of the group housing scheme. The parking lot shall not be leased out /transferred to any person who is not a flat owners /residents of the group housing complex. The parking lots shall form part of common areas along with other common uses, in the declaration to be filed under Apartment Ownership Act, 1983.

14. WATER SUPPLY:-

- (i) The down take system shall be provided by you by providing clear water storage tank of not less than half day storage of water for domestic usage on top of the building block. The capacity of the tank as shown on the plan and down take system thereof is as under:-

Sr. No	Name of Building Block	Capacity of tank for Domestic uses (In Liters.)	Up pipe (In MM)	Down pipe (In MM)
1.	Block-A & D (Dom)	2 x 16000	50 mm	65/50/40/32/25/20 mm
	Flushing	2 x 8000	40 mm	50/40/32/25/20 mm
2.	Block-B, C, F & K (Dom)	4 x 14000	50 mm	65/50/40/32/25/20 mm
	Flushing	4 x 7000	40 mm	50/40/32/25/20 mm
3.	Block -E & J (Dom)	2 x 13000	50 mm	65/50/40/32/25/20 mm
	Flushing	2 x 7000	40 mm	50/40/32/25/20 mm
4.	Block-G (Dom)	1 x 12000	50 mm	65/50/40/32/25/20 mm
	Flushing	1 x 6000	40 mm	50/40/32/25/20 mm
5.	Block-L & H (Dom)	2 x 14000	50 mm	65/50/40/32/25/20 mm
	Flushing	2 x 7000	40 mm	50/40/32/25/20 mm
6.	EWS (Dom)	1 x 11000	40 mm	50/40/32/25/20 mm
	Flushing	1 x 6000	32 mm	40/32/25/20 mm

7.	Community Building (Dom)	1 x 3000	20 mm	25/20 mm
	Flushing	1 x 2000	20 mm	25/20 mm
8.	Shops (Dom)	1 x 1000	20 mm	25/20 mm
	Flushing	1 x 500	20 mm	25/20 mm
9.	Nursery School (Dom)	1 x 5000	20 mm	32/25/20 mm
	UGT (Dom)	25G KL		

- (ii) Inlet pipes from down take to toilet shall be 25/20/15 mm dia as shown on the plans and connection to each individual fixture shall be 15 mm dia.
- (iii) The adequate booster pumps to boost the water in the water tanks with 100% standby arrangement shall be provided by you. It is made clear that you shall be sole responsible for boosting arrangement all the time.
- (iv) The alternative arrangement of power supply, such as Gen. Set etc. of suitable capacity shall also be provided by you during failure of electricity.

15. SEWERAGE:-

- (i) All external sewerage lines should not be less than 200 mm. dia Pipes.
- (ii) All soil pipe connection W.C. to soil stack / manhole shall be 100 mm dia as shown on the plans.
- (iii) Waste water stack shall be 100/75 mm dia as shown on the plans and soil stack shall be 100 mm dia.
- (iv) All F.T. shall be 75 mm dia.
- (v) All W.C. shall be provided with high / low level flushing cistern. The capacity of flushing cistern shall be of 8 Ltrs.
- (vi) All pipes from waste water stack to I.C. and I.C. to manhole shall be 100 mm dia as shown on the plans.
- (vii) Suitable approach/ ventilation arrangement shall be provided by you by providing inspection window/ duct etc. for repairing of piping system.
- (viii) No tap or outlet of any kind will be provided from the flushing line/plumbing line for recycled water except for connection to the cistern of flushing tanks.

16. STORM WATER DRAINAGE:-

- (i) You have provided single level basement except below Block J, K, L, H, EWS Nursery School for parking/services only. For draining out of the wash water/rain water accumulated in the basement shall be collected through covered channel 300 mm wide to the sumps at different places and from where the pumping has been proposed by you by providing pumps of 350 LPM capacity at 7 Mtrs head. Thus, it is made clear that you will be sole responsible for pumping out of rain water/wash water etc. all the time and 100% standby pumps alternate power

supply arrangement shall also be provided in case of failure of electricity and breakdown

- (ii) All external storm water drainage shall be provided suitably so as to disposal of rainwater in to the existing system of the colony.
- (iii) All rainwater stack pipe shall be 100/150 mm dia pipes as shown on the plans.
- (iv) It is made clear that roof top rain harvesting system shall be provided as per Central Ground Water Authority norms/ Haryana Govt. Notification as applicable and shall be kept operational all the time.

17. GENERAL: -

- (i) Recycled water is proposed to be utilized for flushing purposes. The firm has made provision of separate flushing line, storage tank, metering system, pumping system and plumbing. It may be clarified to developer that no tap or outlet of any kind will be provided from the flushing lines/plumbing lines for recycled water except for connection to the cistern of flushing tanks and any scouring arrangement. Even ablution taps should be avoided.
- (ii) No cross connection between recycled water system and potable water system shall be made.
- (iii) All plumbing pipes fittings, valves of flushing system pipe will be of red color or painted red. In case of embedded pipes. Marker taps of Red Color at suitable intervals shall be fixed. The underground and over head tanks should have, Recycle water not fit for drinking and other warning signs embossed/marked on them.
- (iv) Recycled water pipes and potable water pipes will be fixed in separate chases and a minimum horizontal distance of 6" (150 mm) will be mentioned between them. In case of cross suitably colored/taped sleeve shall be used.
- (v) You shall provide alternative source of electricity for functioning of water supply, sewerage and storm water drainage scheme by providing Gen. set of required capacity.
- (vi) All pipes, fixtures, fitting, pumps, Gen. set and filtration plan etc. shall be conforming to relevant IS specification and ISI marked.
- (vii) Proper filtration plant shall be provided by you for filtration and recycling of the water of the swimming pool only small quantity of water shall be used for replacement of water in the swimming pool.
- (viii) The replacement water shall be disposed off by you by using the same for watering of landscaped area in your colony or the same is disposed off into the rain water harvesting system.
- (ix) That you shall provide the minimum open able aperture of 1/8th of the floor area of the habitable room and in case of kitchen the area of opening shall be increased by 25%.
- (x) That the colonizer shall obtain the Clearance/NOC as per the provisions of the Notification No. S.O. 1533 (E) Dated 14.09.2006 issued by Ministry of Environment

and Forest, Government of India before starting the construction/execution of development works at site.

- (xi) That the provision of solar water heating system shall be as per norms specified by HAREDA and shall be made operational in the each building block before applying for an occupation certificate.
- (xii) That the colonizer/owner shall use only Compact Fluorescent Lamps fitting for internal lighting as well as Campus lighting.
- (xiii) That if any, site for Electric Sub Station is required same will be provided by you in the group housing colony.
- (xiv) That you shall deposit the balance amount of Labour Cess in future, time to time as per progress in construction at site.
- (xv) That you shall follow provisions of Section 46 of 'The Persons With Disabilities (Equal Opportunities, Protection of Rights and Full Participation) Act, 1995' which includes construction of ramps in public buildings, adaption of toilets for wheel chair user, Braille symbols and auditory signals in elevators or lifts and other relevant measures for Hospitals, Primary Health Centres and other medical care and rehabilitation units.
- (xvi) That provision of parking shall be made within the area earmarked/designated for parking in the colony and no vehicle shall be allowed to park outside the premises.
- (xvii) That no separate zoning plan is approved for community site/sites earmarked within group housing scheme. The community building/buildings shall be constructed by the colonizer/owner as per provisions of The Haryana Development and Regulation of Urban Areas (Amendment and Validation) Act No. 4 of 2012, failing which, the said site shall vest with the Government.
- (xviii) That you shall construct the EWS flats within 2 years and give the advertisement in the newspaper for inviting the application for EWS flats in your Group Housing Colony within 12 months from the issuance of sanction letter of this building plan.
- (xix) That you shall submit the soft copy of the approved building plans of this scheme within one week to this office from the issuance of this letter.

This sanction will be void abinitio, if any of the conditions mentioned above are not complied with.

DA/One set of Building Plans

(Sanjay Kumar)
District Town Planner (HQ),
Member Secretary,

For: Chief Town Planner, Haryana-cum- Chairman,
Building Plan Approval Committee

Endst. No: - ZP-516/JD (DK)/2013/_____ Dated _____

A copy is forwarded to the following for information: -

1. Director, Urban Local Bodies, Haryana, Chandigarh.
2. The Director, Renewable Energy Department, Haryana & HAREDA, SCO-48, Sector-26, Chandigarh.
3. Joint Director Environment Haryana-cum Secretary, SEAC, SCO No. 1-3, Sector-17-F.