

DOOR & WINDOW SCHEDULE

S.NO.	TYPE	SIZE	SILL LEVEL	LINTEL LEVEL
1.	D	1200 X 2100	00	2100
2.	D1	1000 X 2100	00	2100
3.	D2	750 X 1800	00	--
4.	D3	1500 X 2100	00	2100
5.	D4	1200 X 2100	00	2100
5.	FD1	1200 X 2100	00	2100 FIRE DOOR
7.	FD2	2000 X 2100	00	2100 FIRE DOOR
8.	DW	1500 X 2400	00	2400
9.	DW1	2000 X 2400	00	2400

STP
 Member
 B.P.C.
 STP (C)
 Member
 B.P.C.
 C.T.A.M.
 Chairman
 B.P.C.
 J.D.
 P.A.
 A.T.P.
 A.P.O. (H.O.)
 District
 Member B.P.C.
 (RAM AVTAR BASSI)
 A.D.

PROJECT
 REVISED BUILDING PLAN OF
 COMMERCIAL COLONY MEASURING
 4.2 ACRES (LICENCE NO. 110 OF 2012
 DATED 26-10-2012) IN SECTOR- 83,
 GURGAON MANESAR URBAN
 COMPLEX BEING DEVELOPED BY:
 M/s S.V. HOUSING PVT. LTD.


NOTES
 BASEMENT CAR PARKING
 MECHANICAL VENTILATION
 - MECHANICAL VENTILATION SYSTEM
 CAR PARKING IN BASEMENTS SHALL BE
 DESIGNED TO PERMIT 12 ACPH FOR
 NORMAL VENTILATION AND 30 ACPH
 IN CASE OF FIRE, AS DEFINED IN
 NATIONAL BUILDING CODE.
 FIRE SUPPRESSION WORK
 - THE ENTIRE BUILDING SHALL BE
 PROVIDED WITH A CENTRALIZED FIRE
 SUPPRESSION SYSTEM COMPRISING OF
 ONE UNDER GROUND AND OVER HEAD
 WATER STORAGE TANKS, DEDICATED
 FIRE PUMPS, HOSE REELS, WET RISER,
 YARD HYDRANTS AND FULLY SPRINKLER
 SYSTEM AS PER NATIONAL BUILDING
 CODE
 - GATE & BOUNDARY WALL AS PER
 GOVT. STD. DESIGN
 - THIS BUILDING IS MECHANICALLY
 VENTILATED & FULL AIR CONDITIONED

This is a * PROVISIONAL APPROVED BUILDING PLAN
 only for purpose of filing
 objection from the general public
 Director of Town and Country Planning
 Haryana, Chandigarh

ACPL
 ACPL Design | 11
 ARCHITECTURE
 PLANNING
 CONSULTANTS
 GROUND FLOOR
 PLAN
 SCALE: 1:200
 DATE: 02/25
 USING PRIVATE LIMITED
 HAZI SIMLARI
 AUTHORIZED SIGNATORY
 KULMEET SHANGARI
 ARCHITECT
 CA/97/2/1741
 OWNER'S SIGNATURE
 ARCHITECT'S SIGNATURE

GROUND FLOOR PLAN

ALL CORRECTION
 DONE BY R.A.



DOOR & WINDOW SCHEDULE

S.NO.	TYPE	SIZE	SILL LEVEL	LINTEL LEVEL
1.	D	1200 X 2100	00	2100
2.	D1	1000 X 2100	00	2100
3.	D2	750 X 1800	00	---
4.	D3	1500 X 2100	00	2100
5.	D4	1200 X 2100	00	2100
5.	FD1	1200 X 2100	00	2100 FIRE DOOR
7.	FD2	2000 X 2100	00	2100 FIRE DOOR
8.	DW	1500 X 2400	00	2400
9.	DW1	2000 X 2400	00	2400

FIRST FLOOR PLAN

ALL CORRECTION
DONE BY *PA*

A.D.F.O. (HQ)
 D.F.S. PKL
 Member B.P.C.

(RAM AVTAR BASSI)
 A.D.

PROJECT
**REVISED BUILDING PLAN OF
 COMMERCIAL COLONY MEASURING
 4.2 ACRES (LICENCE NO. 110 OF 2012
 DATED 26-10-2012) IN SECTOR- 83,
 GURGAON MANESAR URBAN
 COMPLEX DEVELOPED BY:
 M/s S.V. HOUSING PVT. LTD.**

NOTES

**BASEMENT CAR PARKING
 MECHANICAL VENTILATION**
 - MECHANICAL VENTILATION SYSTEM
 CAR PARKING IN BASEMENTS SHALL BE
 DESIGNED TO PERMIT 12 ACPH FOR
 NORMAL VENTILATION AND 30 ACPH
 IN CASE OF FIRE, AS DEFINED IN
 NATIONAL BUILDING CODE.

FIRE SUPPRESSION WORK
 - THE ENTIRE BUILDING SHALL BE
 PROVIDED WITH A CENTRALIZED FIRE
 SUPPRESSION SYSTEM COMPRISING OF
 ONE UNDER GROUND AND OVER HEAD
 WATER STORAGE TANKS, DEDICATED
 FIRE PUMPS, HOSE REELS, WET RISER,
 YARD HYDRANTS AND FULLY SPRINKLER
 SYSTEM AS PER NATIONAL BUILDING
 CODE

-GATE & BOUNDARY WALL AS PER
 GOVT. STD. DESIGN
 -THIS BUILDING IS MECHANICALLY
 VENTILATED & FULL AIR CONDITIONED

This is a "PROVISIONAL APPROVAL" BUILDING PLAN
 only for purpose of inviting
 objection from the general public

Architect (HQ)
 Directorate of Town and Country Planning
 Haryana, Chandigarh


ACPL
 ACPL Design Ltd
 Architectural
 Engineering
 Planning

DATE: 03/25
 SCALE: 1:200
 NORTH:

OWNER'S SIGNATURE: *Hanshali*
 Authorised Signatory

ARCHITECT'S SIGNATURE: *Kulmeet Shargari*
KULMEET SHARGARI
 ARCHITECT
 CA/87/2/1741

For S.V. Housing Private Limited



DOOR & WINDOW SCHEDULE

S.NO	TYPE	SIZE	SILL LEVEL	LINTEL LEVEL
1.	D	1200 X 2100	00	2100
2.	D1	1000 X 2100	00	2100
3.	D2	750 X 1800	00	---
4.	D3	1500 X 2100	00	2100
5.	D4	1200 X 2100	00	2100
6.	FD1	1200 X 2100	00	2100
7.	FD2	2000 X 2100	00	2100
8.	DW	1500 X 2400	00	2400
9.	DW1	2000 X 2400	00	2400

SECOND FLOOR PLAN

ALL CORRECTION DONE BY [Signature]

Member Secretary EPC
 S.P. (A) Member B.P.C.
 C. (A) (H) Chairman B.P.C.
 J.D. P.A. A.T.P.
 A. (H) (H) DFS (H) Member B.P.C.
 (RAM AVTAR BASSI) A.D.
 This is a "PROVISIONAL APPROVED BUILDING PLAN" only for purpose of inviting objection from the general public.
 Architect (P) Director of Town and Country Planning, Haryana, Chandigarh

PROJECT
REVISED BUILDING PLAN OF COMMERCIAL COLONY MEASURING 4.2 ACRES (LICENCE NO. 110 OF 2012) IN SECTOR- 83, GURGAON MANESAR URBAN COMPLEX BEING DEVELOPED BY: M/s S.V. HOUSING PVT. LTD.

- BASEMENT CAR PARKING MECHANICAL VENTILATION**
- MECHANICAL VENTILATION SYSTEM CAR PARKING IN BASEMENTS SHALL BE DESIGNED TO PERMIT 12 ACPH FOR NORMAL VENTILATION AND 30 ACPH IN CASE OF FIRE, AS DEFINED IN NATIONAL BUILDING CODE.
- FIRE SUPPRESSION WORK**
- THE ENTIRE BUILDING SHALL BE PROVIDED WITH A CENTRALIZED FIRE SUPPRESSION SYSTEM COMPRISING OF ONE UNDER GROUND AND OVER HEAD WATER STORAGE TANKS, DEDICATED FIRE PUMPS, HOSE REELS, WET RISER, YARD HYDRANTS AND FULLY SPRINKLER SYSTEM AS PER NATIONAL BUILDING CODE
 - GATE & BOUNDARY WALL AS PER GOVT. STD. DESIGN
 - THIS BUILDING IS MECHANICALLY VENTILATED & FULL AIR CONDITIONED

ACPL Architectural Management Planning

ACPL Design Ltd.

SECOND FLOOR PLAN
 SCALE: 1:200
 DATE: 04/25

For S.V. Housing Private Limited


[Signature]
 Authorised Signatory

[Signature]
 ARCHITECT
 GAB721741

OWNER'S SIGNATURE ARCHITECT'S SIGNATURE

DOOR & WINDOW SCHEDULE

S.NO	TYPE	SIZE	SILL LEVEL	LINTEL LEVEL
1.	D	1200 X 2100	00	2100
2.	D1	1000 X 2100	00	2100
3.	D2	750 X 1800	00	--
4.	D3	1500 X 2100	00	2100
5.	D4	1200 X 2100	00	2100
5.	FD1	1200 X 2100	00	2100 FIRE DOOR
7.	FD2	2000 X 2100	00	2100 FIRE DOOR
8.	DW	1500 X 2400	00	2400
9.	DW1	2000 X 2400	00	2400



THIRD FLOOR PLAN

ALL CORRECTION
DONE BY RA.

S.P. Member Survey E.P.C.

 S.P. (H) Member B.P.C.

 C.P. Chairman B.P.C.

 A.L. DFS Member B.P.C.

 (RAMAVTAR BASSI) A.D.

PROJECT
**REVISED BUILDING PLAN OF
 COMMERCIAL COLONY MEASURING
 4.2 ACRES (LICENCE NO. 110 OF 2012
 DATED 26-10-2012) IN SECTOR- 83,
 GURGAON MANESAR URBAN
 COMPLEX BEING DEVELOPED
 BY: M/s S.V. HOUSING PVT. LTD.**

- BASEMENT CAR PARKING
MECHANICAL VENTILATION**
- MECHANICAL VENTILATION SYSTEM CAR PARKING IN BASEMENTS SHALL BE DESIGNED TO PERMIT 12 ACPH FOR NORMAL VENTILATION AND 30 ACPH IN CASE OF FIRE, AS DEFINED IN NATIONAL BUILDING CODE.
- FIRE SUPPRESSION WORK**
- THE ENTIRE BUILDING SHALL BE PROVIDED WITH A CENTRALIZED FIRE SUPPRESSION SYSTEM COMPRISING OF ONE UNDER GROUND AND OVER HEAD WATER STORAGE TANKS, DEDICATED FIRE PUMPS, HOSE REELS, WET RISER, YARD HYDRANTS AND FULLY SPRINKLER SYSTEM AS PER NATIONAL BUILDING CODE
- GATE & BOUNDARY WALL AS PER COVT. STD. DESIGN
 - THIS BUILDING IS MECHANICALLY VENTILATED & FULL AIR CONDITIONED

This is a "PROVISIONAL APPROVED BUILDING PLAN" only for purpose of inviting objection from the general public.

 Atcharya (H.O.)
 Directorate of Town and Country Planning
 Haryana, Chandigarh.

ACPL

 ACPL Design Ltd.

DWG NO: **THIRD FLOOR PLAN**

 SCALE: **1:200**


 DATE: **05/25**

 For S.V. Housing Private Limited

 Authorised Signatory:

 ARCHITECT'S SIGNATURE:

 ARCHITECT'S SIGNATURE:





 Member Secretary B.P.C.
 Member B.P.C.
 Chairman B.P.C.

A.D.F.O. (HQ)
 DFS PKL
 Member B.P.C.

(RAM AVTAR BASSI)
 A.D.

This is a PROVISIONAL APPROVED BUILDING PLAN
 only for purpose of inviting
 objection from the general public
 Architect (HQ)
 Directorate of Town and Country Planning
 Haryana, Chandigarh

DOOR & WINDOW SCHEDULE				
S.NO.	TYPE	SIZE	SILL LEVEL	LINTEL LEVEL
1.	D	1200 X 2100	00	2100
2.	D1	1000 X 2100	00	2100
3.	D2	750 X 1800	00	---
4.	D3	1500 X 2100	00	2100
5.	D4	1200 X 2100	00	2100
5.	FD1	1200 X 2100	00	2100 FIRE DOOR
7.	FD2	2000 X 2100	00	2100 FIRE DOOR
8.	DW	1500 X 2400	00	2400
9.	DW1	2000 X 2400	00	2400




PROJECT
**REVISED BUILDING PLAN OF
 COMMERCIAL COLONY MEASURING
 4.2 ACRES (LICENCE NO. 110 OF 2012
 DATED 26-10-2012) IN SECTOR- 83,
 GURGAON MANESAR URBAN
 COMPLEX BEING DEVELOPED
 BY: M/s S.V. HOUSING PVT. LTD.**


NOTES
 BASEMENT CAR PARKING
 MECHANICAL VENTILATION
 - MECHANICAL VENTILATION SYSTEM
 CAR PARKING IN BASEMENTS SHALL BE
 DESIGNED TO PERMIT 12 ACPH FOR
 NORMAL VENTILATION AND 30 ACPH
 IN CASE OF FIRE, AS DEFINED IN
 NATIONAL BUILDING CODE.
 FIRE SUPPRESSION WORK
 - THE ENTIRE BUILDING SHALL BE
 PROVIDED WITH A CENTRALIZED FIRE
 SUPPRESSION SYSTEM COMPRISING OF
 ONE UNDER GROUND AND OVER HEAD
 WATER STORAGE TANKS, DEDICATED
 FIRE PUMPS, HOSE REELS, WFT RISER,
 YARD HYDRANTS AND FULLY SPRINKLER
 SYSTEM AS PER NATIONAL BUILDING
 CODE
 -GATE & BOUNDARY WALL AS PER
 GOVT. STD. DESIGN
 -THIS BUILDING IS MECHANICALLY
 VENTILATED & FULL AIR CONDITIONED

ACPL
 ACPL Design Ltd
 Architect
 06/25
 For S V Housing Private Limited
 Authorised Signatory
 KULMEET SHANGARI
 ARCHITECT
 CAJ9721741
 OWNER'S SIGNATURE
 ARCHITECT'S SIGNATURE

ALL CORRECTION
 DONE BY R.F.




TYP. 5th,7th,9th,11th,13th,15th,17th &19th FLOOR PLAN




REFUGEE AREA CALCULATION
 FAY AREA OF 6TH & 7TH FLOORS
 = 892.681 + 892.651 = 1785.362 SQ.M.
 NO. OF OCCUPANTS ON 6TH & 7TH FLOORS
 = 1785.362/10 = 178.5362 = 178 PERSONS
 REFUGEE AREA REQUIRED = 178 X 0.3 = 53.4 + 0.9 = 54.30 SQ.MT
 REFUGEE AREA PROVIDED = 54.50 X 1.80
 = 98.10 SQ.MT.

6th, 10th, 14th & 18th FLOOR PLAN



8th, 12th, 16th & 20th FLOOR PLAN



TERRACE PLAN

DOOR & WINDOW SCHEDULE				
S.NO.	TYPE	SIZE	SILL LEVEL	LINTEL LEVEL
1.	D	1200 X 2100	00	2100
2.	D1	1000 X 2100	00	2100
3.	D2	750 X 1800	00	--
4.	D3	1500 X 2100	00	2100
5.	D4	1200 X 2100	00	2100
6.	FD1	1200 X 2100	00	2100 FIRE DOOR
7.	FD2	2000 X 2100	00	2100 FIRE DOOR
8.	DW	1500 X 2400	00	2400
9.	DW1	2000 X 2400	00	2400

A. (HQ)
 DFs & K
 Member B.P.C.
 (RAM AVATAR BASSI)
 A.D.

PROJECT
**REVISED BUILDING PLAN OF
 COMMERCIAL COLONY MEASURING
 4.2 ACRES (LICENCE NO. 110 OF 2012
 DATED 26-10-2012) IN SECTOR- 83,
 GURGAON MANESAR URBAN
 COMPLEX BEING DEVELOPED
 BY: M/s S.V. HOUSING PVT. LTD.**

BASEMENT CAR PARKING
 MECHANICAL VENTILATION
 MECHANICAL VENTILATION SYSTEM
 CAR PARKING IN BASEMENTS SHALL BE
 DESIGNED TO PERMIT 12 ACPH FOR
 NORMAL VENTILATION AND 30 ACPH
 IN CASE OF FIRE, AS DEFINED IN
 NATIONAL BUILDING CODE.

FIRE SUPPRESSION WORK
 - THE ENTIRE BUILDING SHALL BE
 PROVIDED WITH A CENTRALIZED FIRE
 SUPPRESSION SYSTEM COMPRISING OF
 ONE UNDER GROUND AND OVER HEAD
 WATER STORAGE TANKS, DEDICATED
 FIRE PUMPS, HOSE REELS, WET RISER,
 YARD HYDRANTS AND FULLY SPRINKLER
 SYSTEM AS PER NATIONAL BUILDING
 CODE

-GATE & BOUNDARY WALL AS PER
 GOVT. STD. DESIGN
 -THIS BUILDING IS MECHANICALLY
 VENTILATED & FULL AIR CONDITIONED

This is a * PROVISIONAL APPROVED BUILDING PLAN
 only for purpose of * * * * *
 objection from the general public
 Director of Town and Country Planning,
 Haryana, Chandigarh

ACPL
 ACPL Design Ltd
 1100200001
 1100200001
 1100200001

5th TO 20th, TERRACE
 FLOOR PLAN
 SCALE
 1:200
 DATE
 07/25

For S V Housing Private Limited
 Authorised Signatory
 KULMEET SHANGARI
 ARCHITECT
 CA/57/21741

ALL CORRECTION
 DONE BY R.F.

OWNER'S SIGNATURE
 ARCHITECT'S SIGNATURE