


**Note :-**  
 1. BUILDING HAS AUTOMATIC SPRINKLER SYSTEM WHEREVER REQUIRED BY NBC  
 2. BUILDING WILL BE DESIGNED (STRUCTURES) AS PER RELEVANT IS CODES FOR EARTHQUAKE RESISTANCE  
 3. WC SHALL BE MECHANICALLY LIGHT & VENTILATED WHEREVER REQUIRED  
 4. COMMUNITY HAS BEEN MECHANICAL VENTILATION & UPS/GENERATOR BACKUP

**Note :-**  
 We hereby, under take to pay EESDC for 3KV FID @ Rs. 31/Lakh per MVA as per notification dated 27th Sep 2023 regulation no. HEC/34/796/2nd Amendment/2023

*(Signatures)*  
 Mr. A. D. ...  
 Mr. B. ...  
 Mr. C. ...  
 Mr. D. ...  
 Mr. E. ...  
 Mr. F. ...  
 Mr. G. ...  
 Mr. H. ...  
 Mr. I. ...  
 Mr. J. ...  
 Mr. K. ...  
 Mr. L. ...  
 Mr. M. ...  
 Mr. N. ...  
 Mr. O. ...  
 Mr. P. ...  
 Mr. Q. ...  
 Mr. R. ...  
 Mr. S. ...  
 Mr. T. ...  
 Mr. U. ...  
 Mr. V. ...  
 Mr. W. ...  
 Mr. X. ...  
 Mr. Y. ...  
 Mr. Z. ...

**REMARKS**  
 TO BE READ WITH THIS OFFICE DATED 11/11/2024

*(Signature)*  
 Rajesh Dutt  
 SCD(HQ)



**REQUIRED STAIRCASE WIDTH LEVEL-2 (6TH FLOOR) CALCULATION:-**

(FORMS) E. HALL - 571.53M (Person / A) = 372 persons  
 (CIRCULAR) SPACES (LIFT) = 778.53M (Person / D) = 78 persons  
 TOTAL = 450 persons

Required staircase width @ 10mm/person for 450 persons = 4500mm i.e. MINIMUM 4500 MM  
**PROVIDED STAIRCASE WIDTH = 2250\*2250=4500MM**

**FAR AREA CALCULATION OF COMMUNITY LEVEL 2 (6TH FLOOR)**


GROUP	NO.	DESCRIPTION	AREA (SQM)	TOTAL AREA
GROSS - 1	1	1	20.250	1324.848
	2	2	20.250	
	3	3	20.250	
	4	4	20.250	
GROSS - 2	A	1	3.480	16.960
	B	1	3.480	
	C	1	3.480	
	D	1	3.480	
	E	1	3.480	
	F	1	3.480	
	G	1	3.480	
	H	1	3.480	
	I	1	3.480	
	J	1	3.480	
GROSS - 3	ST1	1	5.400	14.840
	ST2	1	5.400	
	ST3	1	5.400	
TOTAL FAR AREA OF COMMUNITY LEVEL 2 (6TH FLOOR)			1324.848	1324.848
TOTAL FAR AREA OF COMMUNITY LEVEL 2 (6TH FLOOR)			1324.848	1324.848

**DOOR WINDOW SCHEDULE**

NO.	WIDTH	HEIGHT	SILL	DESCRIPTION
D1	1200	2400		
D2	900	2100		
D3	750	2100		
D4	750	2400		
D5	1000	2400		
GD1	1500	2400		
GD2	1200	2400		
GD3	900	2130		
GD4	1800	2400		
DW1	1800	2400		
RS1	2000	2400		
RS2	3000	2400		
FD1	1200	2400		FIRE DOOR (2 HR)
FD2	1500	2100	300	FIRE DOOR (2 HR)
FD3	1200	1800	300	FIRE DOOR (2 HR)
FD1	1200	2100		FIRE DOOR (2 HR)
W1	1500	900	1200	
W2	1800	1800	600	
V1	750	900	1200	
V2	800	2100	300	
V3	800	1200	1200	

**FINISHING LEGEND**

1	FINISHING FLOOR
2	FINISHING WALL
3	FINISHING CEILING
4	FINISHING DOOR
5	FINISHING WINDOW
6	FINISHING STAIR
7	FINISHING BALCONY
8	FINISHING TERRACE
9	FINISHING ROOF
10	FINISHING GROUND



FAR AREA CALCULATION OF COMMUNITY LEVEL 2 (6th FLOOR)