



1ST FLOOR PLAN
NO. OF UNITS-04
NO. OF SERVICE PERSONNEL UNIT-04
LVL+5400
(TOWER-9)

AREA OF SERVICE PERSONNEL (UNIT-01)									
GROSS - 01									
1a	=	1	X	1.550	X	1.800	=	2.790	SQM
1b	=	1	X	3.640	X	4.510	=	16.416	SQM
						TOTAL	=	19.206	SQM

AREA OF SERVICE PERSONNEL (UNIT-02)									
GROSS - 01									
2a	=	1	X	1.840	X	1.550	=	2.852	SQM
2b	=	1	X	4.625	X	3.500	=	16.188	SQM
						TOTAL	=	19.040	SQM




1ST TO 17TH & 19TH TO 23RD FLOOR
AREA CALCULATION
TOWER - 9

DOOR WINDOW SCHEDULE							
ITEM NO.	TAG	DETAILS	SIZE WIDTH	HEIGHT	SILL	LINTEL	FIRE RATING
1	D	MAIN DOOR	1000	2500		2500	1 HR
2	D1	DOOR	900	2100		2100	
3	D1A	DOOR	1000	2450		2100	
4	D1B	DOOR	900	2100		2100	
5	D2	TOILET DOOR	750	2100		2100	1 HR
6	D3	DOOR	900	2100		2100	
7	D4	FHC DOOR	600	2100	100	2100	
8	D5	DOOR -- PLUMBING SHAFT	600	2100	100	2100	
9	D6	DOOR METER ROOM	1000	2450	100	2400	
10	D7	DOOR	2400	2450		2400	
11	D8	DOOR	2000	2450		2400	
12	FD1	FIRE DOOR	1200	2100		2100	2 HR
13	FD2	FIRE DOOR -- ELEC SHAFT	1000	2100	100	2100	2 HR
14	FD3	FIRE DOOR -- ELV SHAFT	750	2100	100	2100	2 HR
15	FD4	FIRE DOOR -- GARBAGE CHUTE	750	2100	100	2100	2 HR
16	FD5	FIRE DOOR -- METER BOARD R.	1000	2450	100	2400	2 HR
17	SD1	SLIDING DOOR	2100	2450		2400	
18	SD2	SLIDING DOOR	1560	2450		2400	
19	W1	GLAZED LOUVERS	1250	2450	1200	2400	
20	W2	GLAZED LOUVERS	1950	2450	1200	2400	
21	SW1	DOOR WINDOW	1550	2450		2400	
22	SW1	SLIDING WINDOW	2100	2450		2400	
23	SW2	SLIDING WINDOW	1760	2450		2400	
24	SW3	SLIDING WINDOW	1120	2450		2400	
25	V1	VENTILATOR	600	1250	1200	2430	
26	V2	VENTILATOR	600	1250	1200	2430	
27	GL1	GLAZING	7630	3350		3300	
28	GL2	GLAZING	3850	3350		3300	
29	GL3	GLAZING	8720	3350		3300	
30	GL4	GLAZING	2150	3350		3300	
31	GL5	GLAZING	960	3350		3300	
32	GL6	GLAZING	850	3350		3300	
33	GL7	GLAZING	1580	3350		3300	
34	GL8	GLAZING	3090	3350		3300	

Linetype	PLUMBING LEGEND:-
	① 100# SOIL & VENT PIPE
	①a 150# SOIL & VENT PIPE
	② 100# WASTE & VENT PIPE
	③ 100# PANTRY/KITCHEN WASTE & VENT PIPE
	③a 100#/110# WASHING MACHINE WASTE WATER PIPE
	④ 75#ANTI-SYPHONAGE PIPE
	⑤ DOMESTIC WATER SUPPLY PIPE DN.TANK
	⑥ DOMESTIC WATER SUPPLY PIPE (HPW)
	⑦ FLUSHING WATER SUPPLY PIPE DN.TANK
	⑧ DOMESTIC WATER SUPPLY RISER FOR O.H. TANK
	⑨ FLUSHING WATER SUPPLY RISER FOR O.H. TANK
	⑩ SOLAR HOT WATER SUPPLY LINE
	⑪ 100# RAIN WATER PIPE FOR BALCONY
	⑫ 100# RAIN WATER PIPE
	⑬ 150# RAIN WATER PIPE

FIRE FIGHTING PIPE LEGEND:-	
A	150# FIRE HYDRANT PIPE FOR UP TO 45M.
A1	150# FIRE HYDRANT PIPE FOR ABOVE 45M
B	150# SPRINKLER PIPE FOR UP TO 45M.
B1	150# SPRINKLER PIPE ABOVE 45M
C	80# DRAIN PIPE
FHC	FIRE HOSE CABINET



TYPICAL FLOOR PLAN
2ND TO 17TH,19TH TO 23rd FLOOR PLAN
(TOWER-9)

1ST TO 17TH , 19TH TO 23RD FLOOR AREA (TOWER-9)									
GROSS - A									
1	=	2	X	10.285	X	1.810	=	38.289	SQM
2	=	2	X	9.485	X	2.070	=	39.266	SQM
3	=	2	X	0.800	X	2.030	=	3.248	SQM
4	=	2	X	1.790	X	3.080	=	11.028	SQM
5	=	2	X	10.485	X	12.205	=	255.939	SQM
6	=	2	X	0.400	X	0.500	=	0.400	SQM
7	=	1	X	0.940	X	0.840	=	0.790	SQM
8	=	1	X	1.800	X	2.035	=	3.654	SQM
9	=	1	X	0.470	X	1.180	=	0.555	SQM
10	=	1	X	8.765	X	2.580	=	22.614	SQM
11	=	1	X	1.595	X	1.060	=	1.691	SQM
12	=	1	X	3.240	X	5.870	=	19.371	SQM
13	=	2	X	3.220	X	1.790	=	11.528	SQM
14	=	2	X	4.260	X	0.965	=	8.222	SQM
15	=	2	X	1.475	X	2.030	=	5.989	SQM
16	=	2	X	4.485	X	10.440	=	93.135	SQM
17	=	1	X	1.040	X	5.695	=	5.923	SQM
18	=	1	X	1.220	X	3.335	=	4.069	SQM
19	=	2	X	0.230	X	1.800	=	0.828	SQM
20	=	1	X	2.870	X	0.940	=	2.698	SQM
21	=	1	X	2.030	X	0.900	=	1.827	SQM
22	=	1	X	9.410	X	4.745	=	44.650	SQM
23	=	1	X	9.435	X	5.735	=	54.110	SQM
24	=	1	X	3.240	X	5.870	=	19.371	SQM
25	=	1	X	1.885	X	2.490	=	4.694	SQM
26	=	1	X	8.645	X	8.770	=	75.817	SQM
27	=	1	X	2.390	X	5.870	=	16.658	SQM
28	=	1	X	8.645	X	1.250	=	10.806	SQM
29	=	1	X	1.040	X	1.215	=	1.264	SQM
30	=	1	X	1.220	X	3.675	=	4.534	SQM
31	=	1	X	9.325	X	9.225	=	86.023	SQM
32	=	1	X	1.345	X	2.025	=	2.791	SQM
33	=	1	X	2.795	X	0.940	=	2.628	SQM
34	=	1	X	0.940	X	0.840	=	0.790	SQM
35	=	1	X	1.800	X	2.430	=	4.374	SQM
36	=	1	X	9.235	X	3.980	=	36.755	SQM
37	=	1	X	1.800	X	0.120	=	0.216	SQM
a1	=	0.5	X	(0.305+0.250)	X	0.240	=	0.067	SQM
a2	=	0.5	X	(0.590+0.539)	X	0.240	=	0.135	SQM
						TOTAL	=	885.969	SQM
GROSS - B									
a	=	2	X	0.700	X	1.670	=	2.186	SQM
b	=	2	X	0.700	X	1.830	=	2.562	SQM
c	=	2	X	0.300	X	0.300	=	0.180	SQM
d	=	2	X	0.565	X	1.240	=	1.401	SQM
e	=	1	X	0.740	X	0.740	=	0.543	SQM
f	=	1	X	0.480	X	0.740	=	0.355	SQM
g	=	1	X	0.200	X	0.600	=	0.156	SQM
h	=	2	X	0.800	X	1.830	=	2.318	SQM
i	=	2	X	0.340	X	0.120	=	0.082	SQM
k	=	2	X	0.830	X	1.810	=	3.171	SQM
m	=	2	X	0.600	X	0.140	=	0.168	SQM
n	=	2	X	0.700	X	1.690	=	2.366	SQM
o	=	1	X	1.260	X	0.580	=	0.725	SQM
q	=	1	X	1.000	X	4.550	=	4.550	SQM
r	=	1	X	4.040	X	1.000	=	4.040	SQM
s	=	1	X	2.800	X	4.250	=	11.900	SQM
t	=	1	X	3.000	X	2.200	=	6.883	SQM
u	=	1	X	5.500	X	2.800	=	15.400	SQM
v	=	1	X	0.845	X	0.200	=	0.225	SQM
w	=	1	X	0.985	X	1.020	=	1.005	SQM
x	=	1	X	0.985	X	1.560	=	1.537	SQM
x1	=	1	X	0.865	X	0.870	=	0.580	SQM
x2	=	1	X	0.120	X	0.410	=	0.049	SQM
x3	=	1	X	1.300	X	1.000	=	1.300	SQM
x4	=	1	X	0.855	X	1.550	=	0.525	SQM
x5	=	1	X	1.300	X	1.680	=	2.184	SQM
x6	=	1	X	1.100	X	0.280	=	0.302	SQM
x7	=	2	X	2.600	X	2.250	=	11.700	SQM
y	=	1	X	1.260	X	1.010	=	1.293	SQM
y1	=	1	X	1.280	X	1.280	=	1.613	SQM
z	=	1	X	1.090	X	0.870	=	0.972	SQM
z1	=	1	X	0.600	X	0.300	=	0.180	SQM
						TOTAL	=	83.438	SQM
TOTAL FAR AREA OF 1ST TO 17TH , 19TH, TO 23RD FLOOR (TOWER-9)						GROSS - A	-	GROSS - B	
							=	885.969	- 83.438
							=	802.531	SQM
BUILTUP AREA OF 1ST TO 17TH , 19TH, TO 23RD FLOOR (TOWER-9)									
GROSS - C									
s	=	1	X	2.800	X	4.250	=	11.900	SQM
u	=	1	X	5.500	X	2.800	=	15.400	SQM
						TOTAL	=	27.300	SQM
TOTAL BUILTUP AREA OF 1ST TO 17TH , 19TH TO 23RD FLOOR (TOWER-9)						FAR AREA	-	GROSS - C	
							=	802.531	- 27.300
							=	629.831	SQM
TOTAL NON FAR AREA OF 1ST TO 17TH , 19TH TO 23RD FLOOR (TOWER-9)						BUILTUP AREA	-	FAR AREA	
							=	629.831	- 802.531
							=	27.300	SQM

Note :-

1. BUILDING HAS AUTOMATIC SPRINKLER SYSTEM WHEREVER REQUIRED BY NBC.
2. BUILDING WILL BE DESIGNED (STRUCTURES) AS PER RELEVENT IS CODES FOR EARTH QUAKE RESISTANCE.
3. ALL TOILET & KITCHEN HAVE PERMANENT VENTILATION /EXHAUST
4. ALL BUILDINGS ARE NATURALLY VENTILATED AND WHERE EVER REQUIRED MECHANICAL VENTILATION IS PROPOSED WITH 100% POWER BACKUP.

PROJECT

PROPOSED GROUP HOUSING COLONY (MIX LAND USE) UNDER TOD ZONE (90% GH COMPONENT & 10% COMMERCIAL COMPONENT) ON THE AREA 14.53125 ACRE (0.95625+13.575) LICENCE NO. 100 OF 08/05/2023, DATED 08/05/2023, SECTOR -90, GURUGRAM, BEING DEVELOPED BY PARDOS CRAFT HOMES PVT. LTD.

CLIENT

PARDOS CRAFT HOMES PVT LTD.
10, Vishnu Digamber Marg, Rouse Avenue, Mata Sundari Railway Colony, Mandi House, New Delhi, Delhi, 110002

DESIGN ARCHITECT

RSP
RSP Design consultants (India) Pvt. Ltd.
103, First Floor, Bestech Business Tower, Sector: 48, Sohna Road Gurgaon, 122018, India TEL: 4706868 FAX: 4706818
HEAD OFFICE:NO.30, MUSEUM ROAD, BANGALORE-560 001
TEL: 25596868 FAX:25596818
EMAIL: rsp@rspindia.net ; www.rspindia.net

ASSOCIATE ARCHITECT

RSMS ARCHITECTS
RSMS ARCHITECTS PVT. LTD.
69,Nora Niwas Bhawani Kunj
(Behind D2), Vasant Kunj,
New Delhi-110070.
Tel.: 011-26898616,26898617
www.rsms-arch.com

S.T.P.(HQ) Member Secretary B.P.A.C. | S.T.P.(G) Member B.P.A.C. | C.T.P. (HQ) Chairman B.P.A.C.

DTP(HQ) | ATP(HQ) | AD | PA | ATP

Checked and found ok for Public Health (Internal) Service only subject to comments in in forwarding letter No. 1679 dt. 31/5/24

Ram Avtar Bassi JD(HQ)

Superintending Engineer for Chief Engineer(HQ) HSVP, Panchkula

ARCHITECT'S SEAL & SIGNATURE

OWNER'S SEAL & SIGNATURE

For Pardos Craft Homes Pvt. Ltd.
Director / Authorised Signatory


JUNE.-2024 | Scale : 1:100

Drawing Title:-
TYPICAL(1st TO 17th & 19th to 23rd)FLOOR PLAN & TYPICAL(1st TO 17th & 19th to 23rd) AREA CALCULATION (TOWER-9)

Drawing No:- T9-02

1-17072024

C1-18



SCHEDULE OF DOOR & WINDOWS						
SCHEDULE OF OPENINGS - COMMERCIAL						
	TAG/TYPE	SIZE	Location	Description	SILL	UNTO
	FD1	1050 X 2150	FIRE TOWER	FIRE DOOR	-	2150
	FD	1050 X 2150	FIRE TOWER	FIRE DOOR	-	2150
	D4	900 X 2150	FMC DOOR	-	-	2100
	FD2	10500 2450	LIFT LOBBY DOOR	FIRE DOOR	-	2450
	FD3	10500 2150	ELV SHAFT	FIRE DOOR	-	2150
	FD4	10500 2150	ELEC. ROOM	FIRE DOOR	-	2150
	D1	1050 X 2150	SERVICE ROOM	-	-	2100
	D2	1200 X 2150	NORMAL DOOR	-	-	2100
	D3	1000 X 2150	NORMAL DOOR	-	-	2100
	D4	2000 X 2150	NORMAL DOOR	-	-	2100
	D5	2400 X 2150	NORMAL DOOR	-	-	2100
	D6	800 X 2150	WC DOOR	-	-	2100
	WF	1200 X 1500	VENTILATOR	-	1200	2100
	Wa	750 X 1500	VENTILATOR	-	1200	2100
	G1	9700 X 4050		GLAZING	-	4000
	G2	8460 X 4050		GLAZING	-	4000
	G3	8827 X 4050		GLAZING	-	4000
	G4	4970 X 4050		GLAZING	-	4000
	G5	4825 X 4050		GLAZING	-	4000
	G6	13877 X 4050		GLAZING	-	4000
	G7	8325 X 4050		GLAZING	-	4000
	G8	23610 X 4050		GLAZING	-	4000
	G7	2527 X 4050		GLAZING	-	4000
	G8	4722 X 4050		GLAZING	-	4000
	G9	4135 X 4050		GLAZING	-	4000
	G10	1323 X 4050		GLAZING	-	4000
	G11	4827 X 4050		GLAZING	-	4000
	G12	3622 X 4050		GLAZING	-	4000
	G13	825 X 4050		GLAZING	-	4000
	G14	3850 X 4050		GLAZING	-	4000
	G15	6870 X 4050		GLAZING	-	4050
	G16	5200 X 4050		GLAZING	-	4050
	G17	14080 X 4050		GLAZING	-	4050
	G18	2960 X 4050		GLAZING	-	4050
	G19	4950 X 4050		GLAZING	-	4050
	G20	4800 X 4050		GLAZING	-	4050
	G21	4000 X 4050		GLAZING	-	4050
	G22	7200 X 4050		GLAZING	-	4050
	G23	5200 X 4050		GLAZING	-	4050
	G24	4823 X 4050		GLAZING	-	4050
	G25	2565 X 3250		GLAZING	-	3300
	G26	8525 X 3250		GLAZING	-	3300
	G27	4500 X 3250		GLAZING	-	3300
	G28	10700 X 3250		GLAZING	-	3300
	G29	10500 X 3250		GLAZING	-	3300
	G30	10470 X 3250		GLAZING	-	3300
	G31	8525 X 3250		GLAZING	-	3300
	G32	7650 X 3250		GLAZING	-	3300
	G33	9325 X 3250		GLAZING	-	3300
	G34	10825 X 3250		GLAZING	-	3300
	G35	10325 X 3250		GLAZING	-	3300
	G36	4625 X 3250		GLAZING	-	3300
	G37	2575 X 3250		GLAZING	-	3300
	G38	3250 X 3250		GLAZING	-	3300
	G39	1800 X 3250		GLAZING	-	3300
	G40	2250 X 3250		GLAZING	-	3300
	G41	940 X 3250		GLAZING	-	3300
	G42	3600 X 3250		GLAZING	-	3300
	G43	1190 X 3250		GLAZING	-	3300
	G44	1270 X 3250		GLAZING	-	3300
	G45	1524 X 3250		GLAZING	-	3300
	G46	533 X 3250		GLAZING	-	3300
	G47	1400 X 3250		GLAZING	-	3300
	G48	2440 X 3250		GLAZING	-	3300
	G49	1865 X 3250		GLAZING	-	3300
	G50	2710 X 3250		GLAZING	-	3300
	G51	3250 X 3250		GLAZING	-	3300
	G52	3000 X 3250		GLAZING	-	3300
	G53	2875 X 3250		GLAZING	-	3300
	G54	1966 X 3250		GLAZING	-	3300
	G55	2560 X 3250		GLAZING	-	3300
	G56	2875 X 3250		GLAZING	-	3300
	G57	1845 X 3250		GLAZING	-	3300
	G58	2300 X 3250		GLAZING	-	3300
	G59	2530 X 3250		GLAZING	-	3300
	G60	1270 X 3250		GLAZING	-	3300
	G61	1450 X 3250		GLAZING	-	3300
	G62	4245 X 3250		GLAZING	-	3300
	G63	2170 X 3250		GLAZING	-	3300
	G64	2895 X 3250		GLAZING	-	3300
	G65	2330 X 3250		GLAZING	-	3300
	G66	2770 X 3250		GLAZING	-	3300
	G67	2260 X 3250		GLAZING	-	3300
	G68	2500 X 3250		GLAZING	-	3300
	G69	1360 X 3250		GLAZING	-	3300
	G70	3875 X 3250		GLAZING	-	3300
	G71	2800 X 3250		GLAZING	-	3300
	G72	1200 X 3250		GLAZING	-	3300
	G73	1850 X 3250		GLAZING	-	3300
	G74	1500 X 3250		GLAZING	-	3300
	G75	2050 X 3250		GLAZING	-	3300
	G76	9475 X 3250		GLAZING	-	3300
	G77	7025 X 3250		GLAZING	-	3300
	G78	7570 X 3250		GLAZING	-	3300
	G79	10975 X 3250		GLAZING	-	3300
	G80	1650 X 3250		GLAZING	-	3300
	G81	2483 X 3250		GLAZING	-	3300
	G82	2300 X 3250		GLAZING	-	3300
	G83	1750 X 3250		GLAZING	-	3300
	G84	10540 X 3250		GLAZING	-	3300
	G85	2855 X 3250		GLAZING	-	3300
	G86	3130 X 3250		GLAZING	-	3300
	G87	3250 X 3250		GLAZING	-	3300
	G88	1570 X 3250		GLAZING	-	3300
	G89	3340 X 3250		GLAZING	-	3300
	G90	3880 X 3250		GLAZING	-	3300
	G91	2600 X 3250		GLAZING	-	3300
	G92	1825 X 3250		GLAZING	-	3300
	G93	2520 X 3250		GLAZING	-	3300
	G94	3875 X 3250		GLAZING	-	3300
	G95	3864 X 3250		GLAZING	-	3300
	G96	1740 X 3250		GLAZING	-	3300
	G97	4335 X 3250		GLAZING	-	3300
	G98	5344 X 3250		GLAZING	-	3300
	G99	1370 X 3250		GLAZING	-	3300
	G100	3280 X 3250		GLAZING	-	3300
	G101	4320 X 3250		GLAZING	-	3300
	G102	2250 X 3250		GLAZING	-	3300
	G103	2160 X 3250		GLAZING	-	3300
	G104	7810 X 3250		GLAZING	-	3300
	G105	3864 X 3250		GLAZING	-	3300

PLUMBING LEGENDS:-	
1	100Ø SOIL & VENT PIPE
2	100Ø WASTE & VENT PIPE
3	75ØANTI-SYPHONAGE PIPE
4	DOMESTIC WATER SUPPLY PIPE OVHEAD
5	FLUSHING WATER SUPPLY PIPE OVHEAD
6	DOMESTIC WATER SUPPLY RISER FOR O/H. TANK
7	FLUSHING WATER SUPPLY RISER FOR O/H. TANK
8	100Ø RAIN WATER PIPE
10	150Ø RAIN WATER PIPE

Note :-

1. BUILDING HAS AUTOMATIC SPRINKLER SYSTEM WHEREVER REQUIRED BY NBC.
2. BUILDING WILL BE DESIGNED (STRUCTURES) AS PER RELEVENT IS CODES FOR EARTH QUAKE RESISTANCE.
3. ALL TOILET & KITCHEN HAVE PERMANENT VENTILATION /EXHAUST
4. ALL BUILDINGS ARE NATURALLY VENTILATED AND WHERE EVER REQUIRED MECHANICAL VENTILATION IS PROPOSED WITH 100% POWER BACKUP.

PROJECT

PROPOSED GROUP HOUSING COLONY (MIX LAND USE) UNDER TOD ZONE (90% GH COMPONENT & 10% COMMERCIAL COMPONENT) ON THE AREA 14.53125 ACRE (0.95625*13.575) LICENCE NO. 100 OF 08/05/2023, DATED 08/05/2023, SECTOR -90, GURUGRAM, BEING DEVELOPED BY PARDOS CRAFT HOMES PVT. LTD.

CLIENT

PARDOS CRAFT HOMES PVT LTD.
10, Vishnu Digamber Marg, Rouse Avenue, Mata Sundari Railway Colony, Mandi House, New Delhi, Delhi, 110002

DESIGN ARCHITECT

RSP
RSP Design consultants (India) Pvt. Ltd.
103, First Floor, Bestech Business Tower, Sector: 48, Sohna Road Gurgaon, 122018, India TEL: 4706868 FAX: 4706818
HEAD OFFICE:NO.30, MUSEUM ROAD, BANGALORE-560 001
TEL: 25596868 FAX:25596818
EMAIL: rsp@rspindia.net ; www.rspindia.net

ASSOCIATE ARCHITECT

RSMS ARCHITECTS PVT. LTD.
69,Nora Niwas Bhawani Kunj
(Behind D2), Vasant Kunj,
New Delhi-110070.
Tel.: 011-26898616,26898617
www.rsms-arch.com

S.T.P.(HQ) Member Secretary B.P.A.C. | S.T.P.(G) Member B.P.A.C. | C.T.P.(HP) Chairman B.P.A.C.

DTP(HQ) | ATP(HQ) | Member B.P.A.C.

AD | PPL | ATP | Ram Avtar Bassi JD(HQ)

SANCTIONED
TO BE READ WITH THIS OFFICE MEMO NO.:
DATED :


Checked and found ok for Public Health (Internal) Service only subject to comments in forwarding letter No. 1674 dtd 21/06/2024


Superintending Engineer (HQ) for Chief Engineer HSVP, Panchkula

ARCHITECT'S SEAL & SIGNATURE	OWNER'S SEAL & SIGNATURE
	For Pardos Craft Homes Pvt. Ltd. Director / Authorised Signatory

JUNE.-2024	Scale : 1:100	
Drawing Title:- GROUND FLOOR PLAN COMMERCIAL BLOCK		Drawing No:- CO-01
N		3-17122024

E1-5





SCHEDULE OF DOOR & WINDOW

SCHEDULE OF OPENINGS – COMMERCIAL

TAG/TYPE	SIZE	Location	Description	SILL	LINTEL
FD1	1200 X 2100	FIRE TOWER	FIRE DOOR	–	2100
FD	1200 X 2100	FIRE TOWER	FIRE DOOR	–	2100
D4	900 X 2100	FHC DOOR		–	2100
FD2	1800X 2450	LIFT LOBBY DOOR	FIRE DOOR	–	2450
FD3	1500X 2100	ELV SHAFT	FIRE DOOR	–	2100
FD4	1200X 2100	ELEC. ROOM	FIRE DOOR	–	2100
D1	1200 X 2100	SERVICE ROOM	–	–	2100
D2	1200 X 2100	NORMAL DOOR	–	–	2100
D3	1000 X 2100	NORMAL DOOR	–	–	2100
D4	2000 X 2100	NORMAL DOOR	–	–	2100
D5	2400 X 2100	NORMAL DOOR	–	–	2100
D6	600 X 2100	WC DOOR	–	–	2100
W	1200 X 1500	VENTILATOR	–	1200	2700
Wa	750 X 1500	VENTILATOR	–	1200	2700
GL1	9700 X 4050		GLAZING	–	4000
GL2	8400 X 4050		GLAZING	–	4000
GL3	8627 X 4050		GLAZING	–	4000
GL4	4970 X 4050		GLAZING	–	4000
GL5	4825 X 4050		GLAZING	–	4000
GL6	15877 X 4050		GLAZING	–	4000
GL7	9325 X 4050		GLAZING	–	4000
GL8	23600 X 4050		GLAZING	–	4000
GL9	2527 X 4050		GLAZING	–	4000
GL10	4725 X 4050		GLAZING	–	4000
GL11	4126 X 4050		GLAZING	–	4000
GL12	1223 X 4050		GLAZING	–	4000
GL13	4827 X 4050		GLAZING	–	4000
GL14	2622 X 4050		GLAZING	–	4000
GL15	625 X 4050		GLAZING	–	4000
GL16	5950 X 4050		GLAZING	–	4050
GL17	8970 X 4050		GLAZING	–	4050
GL18	5200 X 4050		GLAZING	–	4050
GL19	14080 X 4050		GLAZING	–	4050
GL20	2900 X 4050		GLAZING	–	4050
GL21	4550 X 4050		GLAZING	–	4050
GL22	4000 X 4050		GLAZING	–	4050
GL23	7200 X 4050		GLAZING	–	4050
GL24	5200 X 4050		GLAZING	–	4050
GL25	4823 X 4050		GLAZING	–	4050
GL26	2565 X 3250		GLAZING	–	3200
GL27	8525 X 3250		GLAZING	–	3200
GL28	4500 X 3250		GLAZING	–	3200
GL29	10050 X 3250		GLAZING	–	3200
GL30	10600 X 3250		GLAZING	–	3200
GL31	10470 X 3250		GLAZING	–	3200
GL32	8525 X 3250		GLAZING	–	3200
GL33	7650 X 3250		GLAZING	–	3200
GL34	9325 X 3250		GLAZING	–	3200
GL35	10625 X 3250		GLAZING	–	3200
GL36	10325 X 3250		GLAZING	–	3200
GL37	4925 X 3250		GLAZING	–	3200
GL38	2575 X 3250		GLAZING	–	3200
GL39	3250 X 3250		GLAZING	–	3200
GL40	1800 X 3250		GLAZING	–	3200
GL41	2200 X 3250		GLAZING	–	3200
GL42	940 X 3250		GLAZING	–	3200
GL43	3600 X 3250		GLAZING	–	3200
GL44	1160 X 3250		GLAZING	–	3200
GL45	1270 X 3250		GLAZING	–	3200
GL46	1524 X 3250		GLAZING	–	3200
GL47	830 X 3250		GLAZING	–	3200
GL48	1400 X 3250		GLAZING	–	3200
GL49	2440 X 3250		GLAZING	–	3200
GL50	1965 X 3250		GLAZING	–	3200
GL51	2765 X 3250		GLAZING	–	3200
GL52	3750 X 3250		GLAZING	–	3200
GL53	3000 X 3250		GLAZING	–	3200
GL54	2875 X 3250		GLAZING	–	3200
GL55	1998 X 3250		GLAZING	–	3200
GL56	2590 X 3250		GLAZING	–	3200
GL57	2875 X 3250		GLAZING	–	3200
GL58	1845 X 3250		GLAZING	–	3200
GL59	3300 X 3250		GLAZING	–	3200
GL60	3530 X 3250		GLAZING	–	3200
GL61	1270 X 3250		GLAZING	–	3200
GL62	1450 X 3250		GLAZING	–	3200
GL63	4745 X 3250		GLAZING	–	3200
GL64	2170 X 3250		GLAZING	–	3200
GL65	2895 X 3250		GLAZING	–	3200
GL66	2330 X 3250		GLAZING	–	3200
GL67	2770 X 3250		GLAZING	–	3200
GL68	2010 X 3250		GLAZING	–	3200
GL69	2500 X 3250		GLAZING	–	3200
GL70	1390 X 3250		GLAZING	–	3200
GL71	3875 X 3250		GLAZING	–	3200
GL72	3800 X 3250		GLAZING	–	3200
GL73	1030 X 3250		GLAZING	–	3200
GL74	1950 X 3250		GLAZING	–	3200
GL75	1500 X 3250		GLAZING	–	3200
GL76	2950 X 3250		GLAZING	–	3200
GL77	9475 X 3250		GLAZING	–	3200
GL78	7025 X 3250		GLAZING	–	3200
GL79	1570 X 3250		GLAZING	–	3200
GL80	10975 X 3250		GLAZING	–	3200
GL81	1890 X 3250		GLAZING	–	3200
GL82	3460 X 3250		GLAZING	–	3200
GL83	2250 X 3250		GLAZING	–	3200
GL84	1750 X 3250		GLAZING	–	3200
GL85	10540 X 3250		GLAZING	–	3200
GL86	2815 X 3250		GLAZING	–	3200
GL87	2230 X 3250		GLAZING	–	3200
GL88	3310 X 3250		GLAZING	–	3200
GL89	1570 X 3250		GLAZING	–	3200
GL90	1040 X 3250		GLAZING	–	3200
GL91	3980 X 3250		GLAZING	–	3200
GL92	2890 X 3250		GLAZING	–	3200
GL93	1820 X 3250		GLAZING	–	3200
GL94	2535 X 3250		GLAZING	–	3200
GL95	3875 X 3250		GLAZING	–	3200
GL96	3984 X 3250		GLAZING	–	3200
GL97	3740 X 3250		GLAZING	–	3200
GL98	4325 X 3250		GLAZING	–	3200
GL99	1044 X 3250		GLAZING	–	3200
GL100	1370 X 3250		GLAZING	–	3200
GL101	2380 X 3250		GLAZING	–	3200
GL102	4500 X 3250		GLAZING	–	3200
GL103	2290 X 3250		GLAZING	–	3200
GL104	3160 X 3250		GLAZING	–	3200
GL105	1650 X 3250		GLAZING	–	3200
GL95	3884 X 3250		GLAZING	–	3200

PLUMBING LEGEND:–

1	100Ø SOIL & VENT PIPE
2	100Ø WASTE & VENT PIPE
3	75ØANTI-SYPHONAGE PIPE
4	DOMESTIC WATER SUPPLY PIPE DN 25Ø
5	FLUSHING WATER SUPPLY PIPE DN 15Ø
6	DOMESTIC WATER SUPPLY RISER FOR O/H TANK
7	FLUSHING WATER SUPPLY RISER FOR O/H TANK
8	100Ø RAIN WATER PIPE
10	150Ø RAIN WATER PIPE

Note :–

1. BUILDING HAS AUTOMATIC SPRINKLER SYSTEM WHEREVER REQUIRED BY NBC.
2. BUILDING WILL BE DESIGNED (STRUCTURES) AS PER RELEVENT IS CODES FOR EARTH QUAKE RESISTANCE.
3. ALL TOILET & KITCHEN HAVE PERMANENT VENTILATION /EXHAUST
4. ALL BUILDINGS ARE NATURALLY VENTILATED AND WHERE EVER REQUIRED MECHANICAL VENTILATION IS PROPOSED WITH 100% POWER BACKUP.

PROJECT

PROPOSED GROUP HOUSING COLONY (MIX LAND USE) UNDER TOD ZONE (90% GH COMPONENT & 10% COMMERCIAL COMPONENT) ON THE AREA 14.53125 ACRE (0.95625+13.575) LICENCE NO. 100 OF 08/05/2023, DATED 08/05/2023, SECTOR -90, GURUGRAM, BEING DEVELOPED BY PARDOS CRAFT HOMES PVT. LTD.

CLIENT

PARDOS CRAFT HOMES PVT LTD.

10, Vishnu Digamber Marg, Rouse Avenue, Mata Sundari Railway Colony, Mandi House, New Delhi, Delhi, 110002

DESIGN ARCHITECT

RSP

RSP Design consultants (India) Pvt. Ltd.

103, First Floor, Bestech Business Tower, Sector: 48, Sohna Road Gurgaon, 122018, India TEL: 4706868 FAX: 4706818
HEAD OFFICE:NO.30, MUSEUM ROAD, BANGALORE-560 001
TEL: 25596868 FAX:25596818
EMAIL: rsp@rspindia.net ; www.rspindia.net

ASSOCIATE ARCHITECT

RSMS ARCHITECTS

RSMS ARCHITECTS PVT. LTD.
69,Nora Niwas Bhawani Kunj
(Behind D2), Vasant Kunj,
New Delhi-110070.
Tel.: 011-26898616,26898617
www.rsms-arch.com

S.T.P.(HQ) Member Secretary B.P.A.C.
S.T.P.(G) C.T.A.(Retd) Member Chairman B.P.A.C.
DTP(HQ) ATP(HQ) Member B.P.A.C.
Ram Avtar Bassi JD(HQ)
AD PA ATP

SANCTIONED WITH THIS OFFICE
TO BE READ WITH MEMO NO.:
DATED :

Checked and found ok for Public Health (Internal) Service only subject to comments in in forwarding letter No. 167w-T dt 31/6/24

Executive Engineer (HQ) for Chief Engineer (HQ) HSVP, Panchkula

ARCHITECT'S SEAL & SIGNATURE	OWNER'S SEAL & SIGNATURE
	For Pardos Craft Homes Pvt. Ltd. Director/Authorised Signatory

JUNE,–2024	Scale : 1:100	
Drawing Title:– 7TH & 8TH FLOOR PLAN(COMMERCIAL)		Drawing No:– CO-05
N		3-17122024

E-9