

1 6.	The Ministry may revoke or suspend the clearance, if implementation of any of the above conditions is not satisfactory.
1 7.	The Ministry reserves the right to stipulate additional conditions if found necessary. The Company in a time bound manner shall implement these conditions.
1 8.	The Regional Office of this Ministry shall monitor compliance of the stipulated conditions. The project authorities should extend full cooperation to the officer (s) of the Regional Office by furnishing the requisite data/information/monitoring reports.
1 9.	The above conditions shall be enforced, inter-alia under the provisions of the Water (Prevention & Control of Pollution) Act, 1974, the Air (Prevention & Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986, Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 and the Public Liability Insurance Act, 1991 along with their amendments and Rules and any other orders passed by the Hon'ble Supreme Court of India / High Courts/NGT and any other Court of Law relating to the subject matter.
2 0.	Any appeal against this EC shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.
Specific Conditions	
1.	Oil catchers/oil traps shall be provided at all possible locations in rain/ storm water drainage system inside the factory premises.

3.2. Agenda Item No 2:

3.2.1. Details of the proposal

Proposed Group Housing Colony Under TOD Policy 2016 bearing Licence no. 72 of 2025 dated 21.05.2025 for an area Measuring 5.075 Acres in the Revenue Estate of Village Fazilpur, Jharsa & Begampur Khatola, Sector 71, Gurugram, Haryana by BIRLA ESTATES PRIVATE LIMITED located at GURUGRAM,HARYANA			
Proposal For		Fresh EC	
Proposal No	File No	Submission Date	Activity (Schedule Item)
IA/HR/INFRA2/540551/2025	21/113/2025-IA.III	06/06/2025	Building / Construction (8(a))

3.2.2. Project Salient Features

The proposal is for Environment Clearance for Proposed Group Housing Colony Under TOD Policy 2016 bearing Licence no. 72 of 2025 dated 21.05.2025 for an area Measuring 5.075 Acres in the Revenue Estate of Village Fazilpur, Jharsa & Begampur Khatola, Sector 71, Gurugram, Haryana by M/s Birla Estates Private Limited.

151.2.2 The project proponent (M/s Birla Estates Private Limited) and the accredited consultant (M/s Ind Tech House Consult) have submitted the following information regarding the project:

i. The Project is new.

ii. The proposed project is located at in the Revenue Estate of Village Fazilpur, Jharsa & Begampur Khatola, Sector 71, Gurugram, Haryana. The geo-coordinates of the site are 28°24'14.56" N (Latitude) and 77°1'9.76" E (Longitude).

iii. The total plot area is 20,537.7638 sq. m, FAR/FSI area is 71,882 sq. m and total built-up area of 1,44,204 sq. m. The project will comprise of 3B+Ground (Club)+38 floors. Maximum height of

the building is 133 m. The details of building are as follows:

PROJECT SUMMARY		
Sl. No.	Description	Total Quantity
GENERAL		
1.	Total Plot Area (sq. m)	20,537.7638
2.	Proposed Built Up Area (sq. m)	1,44,204
3.	Total no. Main DU's (No.)	512
4.	Total EWS DU's (No.)	90
5.	No of Building Blocks (5 Residential+1 EWS) (No.)	6
6.	Max Height - (Height of tallest block Upto Terrace) (M)	133
7.	Max No of Floors (Including Refuge Floors) (No.)	3B+Ground (Club)+38
8.	Expected Population (No.)	4,015
9.	Total Cost of Project (No.)	433
10.	Proj Activity : Group Housing (cr.)	
AREAS		
11.	Permissible Ground Coverage (40%) (sq. m)	8,215
12.	Proposed Ground Coverage (30%) (sq. m)	6,161
13.	Permissible FAR (3.5 + 12% IGBC Gold) (sq. m)	74,347
14.	Proposed area FAR (sq. m)	71,882
15.	Proposed Non FAR Areas including basement (sq. m)	72,322

16.	Proposed Total Built Up Area (sq. m)	1,44,204
WATER		
17.	Total Water Requirement (KLD)	339
18.	Fresh water requirement (KLD)	239
19.	Treated Water Requirement (KLD)	100
20.	Waste water Generation (KLD)	262
21.	Proposed Capacity of STP (KLD)	320
22.	Treated Water Available for Reuse(KLD)	236
23.	Surplus treated water to be discharged in Municipal Sewer with Prior permission (KLD)	136
	Rain Water Harvesting - Recharge Pits (no.)	5
25.	Required Parking (ECS)	630
26.	Total Proposed Parking (ECS)	1,044
27.	Surface Parking (ECS)	20
28.	Basement Parking (ECS)	1,024
29.	Required Green area (sq. m)	4,108
30.	Proposed Green Area (sq. m)	4,128
31.	Total Solid Waste Generation (TPD)	2.84
32.	Organic waste (TPD)	1.34

33.	Quantity of Sludge Generated from STP (kg/day)	19.28
34.	Plastic Waste (kg/day)	26.14
35.	Hazardous waste (kg/day)	1.10
36.	E waste (kg/day)	35.61
ENERGY		
37.	Total Power Requirement (KVA)	5,000
38.	DG set backup (KVA)	5,000
39.	No of DG Sets (No.)	(2x2000 kVA +1x1000 kV A)

- iv. During construction phase, total water requirement for labours is expected to be 20 KLD, which will be met by 12.75 KLD of fresh water and 7.25 KLD of treated water through tankers. During the construction phase, soak pits and septic tanks will be provided for disposal of waste water. Temporary sanitary toilets will be provided during peak labor force.
- v. During operational phase, Total water requirement of the project is expected to be 339 KLD and the same will be met by 239 KLD of fresh water from GMDA and 100 KLD treated water from in house STP. Total waste water generated from the project will be 262 KLD which will be treated in house STP of 320 KLD capacity. Treated water from STP will be 236 KLD which will be recycled and reused for flushing (79 KLD), landscape (21 KLD) and excess treated water (136 KLD) will be discharged in Municipal Sewer with Prior permission.
- vi. About 2.84 TPD solid wastes will be generated in the project. The biodegradable waste (1.34 TPD) will be processed in OWC, the non-biodegradable waste generated (1.5 TPD) will be handed over to authorized local vendor.
- vii. The total power requirement during construction phase is 250 KVA and will be met from Grid supply of Dakshin Haryana Bijli Vitaran Nigam Limited (DHBVNL) and total power requirement during operation phase is 5000 KVA and will be met from Grid supply of Dakshin Haryana Bijli Vitaran Nigam Limited (DHBVNL).
- viii. 5 Nos. of RWH pits of total capacity 275 KL are proposed for ground water recharge.
- ix. Parking facility for 1044 ECS is proposed to be provided against the requirement of 630 ECS (according to local norms).
- x. Proposed energy saving measures would save about 8.02 % of power.
- ix. The project is not located in Critically Polluted area.
- x. No NBWL Clearance is required for the project.
- xi. No Forest Clearance is required for the project.
- xii. No Court case pending against the project.
- xiii. The total Cost of the project is Rs. 433Cr.
- xiv. The project site is vacant land having no tree therefore no tree felling/transplantation is required. 4,128 sq.m. (20.09 % of plot area) area is earmarked for green belt development. Total no. of proposed trees is 260 nos. within project site

- xv. The expected timeline for completion of the project is approx. 05 years from the date of start of construction.
- xvi. The Total Outlay of the Environment Management Plan: (Capital Cost = Rs 159 Lakhs Lakh; Recurring Cost- Rs17.9 lakhs/ year = During construction phase and during operation phase Capital Cost = Rs 224.28 Lakhs; Recurring Cost = Rs 41.94 Lakhs /year).
- xvii. Employment potential – The project will lead to development of the area by providing employment of the local people during construction and operation phase..
- xviii. Benefits of the project – The project will lead to overall development of the area.

151.2.3 The EAC, during deliberations noted the following:

- i. The project / activity is covered under category 'B' of item 8(a) 'Building/Construction Projects' of the Schedule to the EIA Notification, 2006 as amended and requires appraisal at the State level. However, due to the temporary absence of SEIAA / SEAC in Haryana, the PP has directly applied to the Ministry at the central level. As per the provisions of the OM No. IA3-22/10/2022-IA.III [E 177258] dated 02.08.2023, the proposal has been appraised at the Central level by sectoral EAC.
- ii. The total plot area of the project is 20,537.7638 sq. m, total built-up area is 1,44,204sq. m. Maximum height of the building is 133 m. PP has proposed green belt development area is 4,128 sq. m and total 400 no. of trees are proposed to be within the project.
- iii. The PP has obtained the licence from the Town and Country Planning Department, Government of Haryana vide licence number 72 of 2025 dated 21.0.2025 for Group Housing Colony under the provisions of Haryana Development and Regulation of Urban Areas Act 1975 and the Rule 1976.
- iv. Further, the PP has obtained forest NoC from DFO vide letter Ref. No. VR4-43E-VW8V dated 21.02.2025, Aaravali Clearance vide letter Serial no. 70/M.B and 71/M.B dated 08.08.2025 and Airport NoC from AAI vide letter dated 07.07.2023.
- v. The PP had submitted a letter dated 11.07.2024 regarding the change of name of the Authorised Signatory. The Committee also noted the Environmental Management Cell structure along with the person appointed for Environmental Management.
- vi. Further, the PP presented a drone video of the proposed site and provided an explanation of the existing and nearby facilities in the area. The committee noted that the presence of land vegetation, existing developments, and other physical features within and around the proposed site. The committee also noted the surrounding land-use pattern, accessibility to infrastructure facilities, and the extent of environmental sensitivity of the area. Based on the presentation, the committee emphasized that these aspects will be critically examined while assessing the suitability of the proposed site for the project.

3.2.3. Deliberations by the committee in previous meetings

N/A

3.2.4. Deliberations by the EAC in current meetings

The EAC, after deliberation observed that the proposed project is a greenfield for a group housing colony under the Transit Oriented Development (TOD) Policy 2016, Haryana. Further, the proposed land comes under the master plan of the GURGAON - Manesar Urban Complex - 2031 AD. Based on the drone and .kml file, the committee observed that the proposed land is vacant land and covered with barricades. It was further observed that though the permissible ground coverage is 40%, PP has proposed 30% of ground coverage.

The committee has inquired about the organisational structure of the Environmental Management Cell, specifically the number of employees with an Environmental background at the project site. It was suggested that PP shall create a structure of the environmental management cell by including environmental engineers/ personnel within the next three months.

Further, it was observed that PP has proposed to develop a green area of 4,128 sq.m (20.09 % of total plot area i.e. 20,537.7638 sq. m) for green belt development. The total number of proposed trees is 260 within the project site. The committee has suggested that PP increase the number of trees from 260 to 400 at the proposed site and revise the EMP budget accordingly. In this regard, the PP has submitted the

undertaking and the revised Environmental Management Plan (EMP), wherein during the construction phase the total Capital Cost = Rs 159 Lakhs Lakh; Recurring Cost- Rs 17.9 lakhs/ year and during the operation phase Capital Cost = Rs 242.28 Lakhs; Recurring Cost = Rs 41.94 Lakhs /year).

Further, the PP has obtained a forest NoC from DFO vide letter dated 21.02.2025 and Aravali Clearance vide letter dated 08.08.2025 from the District Commissioner, in compliance with the Ministry's Notification dated 07.05.1992, issued for controlling and preventing further environmental damage in the Aravali Range. The PP has obtained a water assurance letter from GMDA vide dated 09.06.2025 for the new water connection.

The Committee deliberated about the Rainwater Harvesting (RWH) plan. In response, the PP informed that 5 RWH pits are proposed at the site. Further, the Committee observed that the PP has proposed installing solar PV 40 kWp capacity, which is 1% of the total load of the project. In view of the above, the committee has decided that PP shall install 200 kWp solar panels, which would contribute to 5% of the total power load.

The Committee observed that the proposed project site falls within Seismic Zone IV. However, the PP has prepared the building plan in accordance with the standards applicable to Seismic Zone V. The Committee observed that this provides an additional margin of structural safety and, therefore, agreed with the submission made by the PP.

The EAC based on the information submitted and clarifications provided by the Project Proponent and detailed discussion held on all the issues, **recommended** granting Environmental Clearance to Proposed Group Housing Colony Under TOD Policy 2016 bearing Licence no. 72 of 2025 dated 21.05.2025 for an area Measuring 5.075 Acres in the Revenue Estate of Village Fazilpur, Jharsa & Begampur Khatola, Sector 71, Gurugram, Haryana by M/s Birla Estates Private Limited under the provisions of EIA Notifications, 2006 as amended therein, subject to the following specific conditions and other Standard (General) EC Conditions as specified by the Ministry vide OM dated 04.01.2019:

3.2.5. Recommendation of EAC

Recommended

3.2.6. Details of Environment Conditions

3.2.6.1. Specific

Specific Conditions	
1.	As per Ministry's OM dated 14 th January, 2025, projects shall obtain the environmental safeguards required for the establishment of the Project/Activity, from the concerned SPCB/PCC within 30 days of this OM, after payment of requisite fees. The same shall be appended to the EC later and the project proponent shall file six monthly compliance for the safeguards, along with the EC conditions. SPCB shall follow the provisions of Ministry's OM dated 14 th January, 2025.
2.	PP shall comply the Environment Management Plan related to the project i.e total Capital Cost = Rs 159 Lakhs Lakh; Recurring Cost- Rs 17.9 lakhs/ year = During construction phase and during operation phase Capital Cost = Rs 242.28 Lakhs; Recurring Cost = Rs 41.94 Lakhs /year). Further, Rs. 100 Lakh additional budget to be allocated for EMP budget for nearby area/ outside the project boundary and in Aravali Safari Project and Green Wall Project
3.	No groundwater shall be extracted for the project, and PP shall only use surface water and pipeline network with State Government.
4.	Freshwater requirements shall not exceed 239 KLD during the operational phase. Further, prior Permission of the CGWA/SGWA shall be obtained before drawing ground water for the project

	activities. SPCB concerned shall not issue CTO till the PP obtains such permission.
5.	The plantation under Green Credit Program by the Project Proponent shall not be eligible for site specific plantation clearance forming part of Environment Clearance.
6.	As proposed, wastewater shall be treated onsite in an STP (Moving Bed Biofilm Reactor (MBBR) Technology with Tertiary Treatment) of 320 KLD capacity.
7.	Area for greenery shall be provided as per the details provided in the project document i.e., the area greenery is 10,054.972 sq. m (20.01% of the net plot area), out of which 6,167.41 sq. m (12.27% of the net plot area) will be developed as block green area. The PP should plant 400 native trees within the plot area.
8.	Project Proponent shall strive to enhance the Green Belt beyond 20.01% and 400 nos. of trees planted in this regard would be planted under the campaign "" and the details of the trees planted would be uploaded on the portal https://merilife.nic.in .
9.	PP shall recruit qualified Environmental Professionals/Environmental Engineers suitable for the roles defined in the proposed EMC structure within 3 months from the grant of Environmental Clearance.
10.	PP shall be responsible for establishment, operation and maintenance of all common facilities like STP, OWC, Green belt development, Solar, Rainwater Harvesting, and other such amenities provided within the project site for a period of 5 years after handed over to the bona fide Residential Welfare Association or any other such association and also for compliance of EC conditions during operation stage. Responsibility of comply EC conditions shall be with Project Proponent only till the EC is transferred to Residents Welfare Association/Society/Committee. Agreement between Project Proponent and bona fide Residents Welfare Association/Society/Committee during handover of assets/infrastructure shall clearly mentioned the responsibility of complying EC Condition.
11.	The project proponents would commission a third-party study from Environment Auditors/Premier Institutes on the implementation of all EC conditions in every 2 years. This study shall also include details related to quality and quantity of recycling and reuse of treated water, the efficiency of treatment systems, the quality of treated water being supplied for flushing (specially the bacterial counts), comparative bacteriological studies from toilet seats using recycled treated waters and fresh waters for flushing, and quality of water being supplied through spray faucets attached to toilet seats
12.	The PP shall store and utilize excess excavated ordinary earth to the maximum within the site for future landscaping, backfilling, internal road construction and the excess shall be disposed for National Highway (N.H.). State Highway, nearby PWD roads for widening works within 500 mts from the project site.
13.	PP shall comply with the sanction plans which is subject to strict compliance as contained in order dated 10.04.2015 passed by Hon'ble National Green Tribunal in OA No. 21 of 2014 Vardhman Kaushik Vs. UOIL and others as well as MOEF guidelines 2010.
14.	The local bye-law provisions on rainwater harvesting should be followed. If local bylaws provision is not available, adequate provision for storage and recharge should be followed as per the Ministry of Housing and Urban Affairs (erstwhile Ministry of Urban Development), Model Building Byelaws, 2016. As proposed, 5 RWH pits and 1 rain water collection tank shall be

	provided for harvesting after filtration. The same will be used for domestic purposes.
1 5.	As committed, biodegradable waste shall be utilized through the OWC to be installed within the site. Inert waste shall be disposed of as per norms at the authorized site.
1 6.	As committed Parking facility is 1044 ECS are to be provided along with 20% of EV charging points of the total parking area. The project proponent shall essentially comply with all parking norms and standards as applicable. The project proponent shall essentially comply with all parking norms and standards as applicable.
1 7.	PP shall installed solar power generation facility of 200 KW and thereby total energy saving measures from overall power consumption shall be 5%. Energy Audit by third party shall be conducted.
1 8.	PP shall protect the nearby habitant from dust generated during construction activity. Proper barricading of 10 mtrs height shall be done at the project area.
1 9.	No trees shall be cut without the permission of forest department prior to construction activity (as applicable).
2 0.	PP shall construct concrete road in the project area by leaving the footprint area of structures, prior to construction to avoid fugitive dust emission due to transportation.
2 1.	The Environmental Clearance to the project is primarily under provisions of EIA Notification, 2006. The Project Proponent is under obligation to obtain approvals / clearances under any other Acts / Regulations or Statutes as applicable to the project.
2 2.	Proponent shall ensure that requirements of accessibility particularly universal accessibility and more particularly pedestrian requirements are provided. Street and road sections should have a mandatory provision of cross-section elements and footpaths so as to minimize the shift from walk mode to vehicular mode to have the least impact on energy and the environment.
2 3.	The project proponent shall ensure that there is more than one entry / exit from different directions however, it should be checked that it does not create road safety hazards.
2 4.	PP shall complete the entire plantation as per the plan before the occupancy certificate is issued. The local authority should verify the Green Belt area before issuing the occupancy certificate and consent to operate (CTO).
2 5.	PP shall strictly follow the Graded Response Action Plan (GRAP) Guidelines for Delhi & NCR area.
2 6.	The project proponent shall obtain the Fire Safety certification from the Fire Department and also height clearance from the concern Authority of India and submit the same to the concerned Regional Office of the Ministry within six months of the issue of the EC letter.

3.2.6.2. Standard

8(a)	Building / Construction
Statutory compliance	

1.	The project proponent shall obtain all necessary clearance/ permission from all relevant agencies including town planning authority before commencement of work. All the construction shall be done in accordance with the local building byelaws.
2.	The approval of the Competent Authority shall be obtained for structural safety of buildings due to earthquakes, adequacy of firefighting equipment etc. as per National Building Code including protection measures from lightening etc.
3.	The project proponent shall obtain forest clearance under the provisions of Forest (Conservation) Act, 1980, in case of the diversion of forest land for non-forest purpose involved in the project.
4.	The project proponent shall obtain clearance from the National Board for Wildlife, if applicable.
5.	The project proponent shall obtain Consent to Establish / Operate under the provisions of Air (Prevention & Control of Pollution) Act, 1981 and the Water (Prevention & Control of Pollution) Act, 1974 from the concerned State Pollution Control Board/ Committee.
6.	The project proponent shall obtain the necessary permission for drawl of ground water / surface water required for the project from the competent authority.
7.	A certificate of adequacy of available power from the agency supplying power to the project along with the load allowed for the project should be obtained.
8.	All other statutory clearances such as the approvals for storage of diesel from Chief Controller of Explosives, Fire Department, Civil Aviation Department shall be obtained, as applicable, by project proponents from the respective competent authorities.
9.	The provisions of the Solid Waste Management Rules, 2016, e-Waste (Management) Rules, 2016, and the Plastics Waste Management Rules, 2016, shall be followed.
10.	The project proponent shall follow the ECBC/ECBC-R prescribed by Bureau of Energy Efficiency, Ministry of Power strictly.
Air quality monitoring and preservation	
1.	Notification GSR 94(E) dated 25.01.2018 of MoEF&CC regarding Mandatory Implementation of Dust Mitigation Measures for Construction and Demolition Activities for projects requiring Environmental Clearance shall be complied with.
2.	A management plan shall be drawn up and implemented to contain the current exceedance in ambient air quality at the site.
3.	The project proponent shall install system to carryout Ambient Air Quality monitoring for common/criterion parameters relevant to the main pollutants released (e.g. PM10 and PM2.5) covering upwind and downwind directions during the construction period.
4.	Diesel power generating sets proposed as source of backup power should be of enclosed type and conform to rules made under the Environment (Protection) Act, 1986. The height of stack of DG sets should be equal to the height needed for the combined capacity of all proposed DG sets. Use of low sulphur diesel. The location of the DG sets may be decided with in consultation with State Pollution Control Board.
5.	Construction site shall be adequately barricaded before the construction begins. Dust, smoke & other air pollution prevention measures shall be provided for the building as well as the site. These measures shall include screens for the building under construction, continuous dust/ wind breaking walls all around the site (at least 3-meter height). Plastic/tarpaulin sheet covers shall be provided for vehicles bringing in sand, cement, murram and other construction materials prone to causing dust pollution at the site as well as taking out debris from the site.

6.	Sand, murram, loose soil, cement, stored on site shall be covered adequately so as to prevent dust pollution.
7.	Wet jet shall be provided for grinding and stone cutting.
8.	Unpaved surfaces and loose soil shall be adequately sprinkled with water to suppress dust.
9.	All construction and demolition debris shall be stored at the site (and not dumped on the roads or open spaces outside) before they are properly disposed. All demolition and construction waste shall be managed as per the provisions of the Construction and Demolition Waste Management Rules 2016.
10.	The diesel generator sets to be used during construction phase shall be low sulphur diesel type and shall conform to Environmental (Protection) prescribed for air and noise emission standards.
11.	The gaseous emissions from DG set shall be dispersed through adequate stack height as per CPCB standards. Acoustic enclosure shall be provided to the DG sets to mitigate the noise pollution. Low sulphur diesel shall be used. The location of the DG set and exhaust pipe height shall be as per the provisions of the Central Pollution Control Board (CPCB) norms.
12.	For indoor air quality the ventilation provisions as per National Building Code of India.
Water quality monitoring and preservation	
1.	The natural drain system should be maintained for ensuring unrestricted flow of water. No construction shall be allowed to obstruct the natural drainage through the site, on wetland and water bodies. Check dams, bio-swales, landscape, and other sustainable urban drainage systems (SUDS) are allowed for maintaining the drainage pattern and to harvest rain water.
2.	Buildings shall be designed to follow the natural topography as much as possible. Minimum cutting and filling should be done.
3.	Total fresh water use shall not exceed the proposed requirement as provided in the project details.
4.	The quantity of fresh water usage, water recycling and rainwater harvesting shall be measured and recorded to monitor the water balance as projected by the project proponent. The record shall be submitted to the Regional Office, MoEF&CC along with six monthly Monitoring reports.
5.	A certificate shall be obtained from the local body supplying water, specifying the total annual water availability with the local authority, the quantity of water already committed, the quantity of water allotted to the project under consideration and the balance water available. This should be specified separately for ground water and surface water sources, ensuring that there is no impact on other users.
6.	At least 20% of the open spaces as required by the local building bye-laws shall be pervious. Use of Grass pavers, paver blocks with at least 50% opening, landscape etc. would be considered as pervious surface.
7.	Installation of dual pipe plumbing for supplying fresh water for drinking, cooking and bathing etc and other for supply of recycled water for flushing, landscape irrigation, car washing, thermal cooling, conditioning etc. shall be done.
8.	Use of water saving devices/fixtures (viz. low flow flushing systems; use of low flow faucets tap aerators etc) for water conservation shall be incorporated in the building plan.
9.	Separation of grey and black water should be done by the use of dual plumbing system. In case of single stack system separate recirculation lines for flushing by giving dual plumbing system be done.
10.	Water demand during construction should be reduced by use of pre-mixed concrete, curing agents and other best practices referred.

1 1.	The local bye-law provisions on rain water harvesting should be followed. If local bye-law provision is not available, adequate provision for storage and recharge should be followed as per the Ministry of Urban Development Model Building Byelaws, 2016. Rain water harvesting recharge pits/storage tanks shall be provided for ground water recharging as per the CGWB norms.
1 2.	A rain water harvesting plan needs to be designed where the recharge bores of minimum one recharge bore per 5,000 square meters of built up area and storage capacity of minimum one day of total fresh water requirement shall be provided. In areas where ground water recharge is not feasible, the rain water should be harvested and stored for reuse. The ground water shall not be withdrawn without approval from the Competent Authority.
1 3.	All recharge should be limited to shallow aquifer.
1 4.	No ground water shall be used during construction phase of the project.
1 5.	Any ground water dewatering should be properly managed and shall conform to the approvals and the guidelines of the CGWA in the matter. Formal approval shall be taken from the CGWA for any ground water abstraction or dewatering.
1 6.	The quantity of fresh water usage, water recycling and rainwater harvesting shall be measured and recorded to monitor the water balance as projected by the project proponent. The record shall be submitted to the Regional Office, MoEF&CC along with six monthly Monitoring reports.
1 7.	Sewage shall be treated in the STP with tertiary treatment. The treated effluent from STP shall be recycled/re-used for flushing, AC make up water and gardening. As proposed, no treated water shall be disposed in to municipal drain.
1 8.	No sewage or untreated effluent water would be discharged through storm water drains.
1 9.	Onsite sewage treatment of capacity of treating 100% waste water to be installed. The installation of the Sewage Treatment Plant (STP) shall be certified by an independent expert and a report in this regard shall be submitted to the Ministry before the project is commissioned for operation. Treated waste water shall be reused on site for landscape, flushing, cooling tower, and other end-uses. Excess treated water shall be discharged as per statutory norms notified by Ministry of Environment, Forest and Climate Change. Natural treatment systems shall be promoted.
2 0.	Periodical monitoring of water quality of treated sewage shall be conducted. Necessary measures should be made to mitigate the odour problem from STP.
2 1.	Sludge from the onsite sewage treatment, including septic tanks, shall be collected, conveyed and disposed as per the Ministry of Urban Development, Central Public Health and Environmental Engineering Organization (CPHEEO) Manual on Sewerage and Sewage Treatment Systems, 2013.
Noise monitoring and prevention	
1.	Ambient noise levels shall conform to residential area/commercial area/industrial area/silence zone both during day and night as per Noise Pollution (Control and Regulation) Rules, 2000. Incremental pollution loads on the ambient air and noise quality shall be closely monitored during construction phase. Adequate measures shall be made to reduce ambient air and noise level during construction phase, so as to conform to the stipulated standards by CPCB / SPCB.
2.	Noise level survey shall be carried as per the prescribed guidelines and report in this regard shall be submitted to Regional Officer of the Ministry as a part of six-monthly compliance report.
3.	Acoustic enclosures for DG sets, noise barriers for ground-run bays, ear plugs for operating personnel shall be implemented as mitigation measures for noise impact due to ground sources.

Energy Conservation measures	
1.	Compliance with the Energy Conservation Building Code (ECBC) of Bureau of Energy Efficiency shall be ensured. Buildings in the States which have notified their own ECBC, shall comply with the State ECBC.
2.	Outdoor and common area lighting shall be LED.
3.	Concept of passive solar design that minimize energy consumption in buildings by using design elements, such as building orientation, landscaping, efficient building envelope, appropriate fenestration, increased day lighting design and thermal mass etc. shall be incorporated in the building design. Wall, window, and roof u-values shall be as per ECBC specifications.
4.	Energy conservation measures like installation of CFLs/ LED for the lighting the area outside the building should be integral part of the project design and should be in place before project commissioning.
5.	Solar, wind or other Renewable Energy shall be installed to meet electricity generation equivalent to 1% of the demand load or as per the state level/ local building bye-laws requirement, whichever is higher.
6.	Solar power shall be used for lighting in the apartment to reduce the power load on grid. Separate electric meter shall be installed for solar power. Solar water heating shall be provided to meet 20% of the hot water demand of the commercial and institutional building or as per the requirement of the local building bye-laws, whichever is higher. Residential buildings are also recommended to meet its hot water demand from solar water heaters, as far as possible.
Waste Management	
1.	A certificate from the competent authority handling municipal solid wastes, indicating the existing civic capacities of handling and their adequacy to cater to the M.S.W. generated from project shall be obtained.
2.	Disposal of muck during construction phase shall not create any adverse effect on the neighbouring communities and be disposed taking the necessary precautions for general safety and health aspects of people, only in approved sites with the approval of competent authority.
3.	Separate wet and dry bins must be provided in each unit and at the ground level for facilitating segregation of waste. Solid waste shall be segregated into wet garbage and inert materials.
4.	Organic waste compost/Vermiculture pit/Organic Waste Converter within the premises with a minimum capacity of 0.3 kg /person/day must be installed.
5.	All non-biodegradable waste shall be handed over to authorized recyclers for which a written tie up must be done with the authorized recyclers.
6.	Any hazardous waste generated during construction phase, shall be disposed off as per applicable rules and norms with necessary approvals of the State Pollution Control Board.
7.	Use of environment friendly materials in bricks, blocks and other construction materials, shall be required for at least 20% of the construction material quantity. These include Fly Ash bricks, hollow bricks, AACs, Fly Ash Lime Gypsum blocks, Compressed earth blocks, and other environment friendly materials.
8.	Fly ash should be used as building material in the construction as per the provision of Fly Ash Notification of September, 1999 and amended as on 27th August, 2003 and 25th January, 2016. Ready mixed concrete must be used in building construction.
9.	Any wastes from construction and demolition activities related thereto shall be managed so as to strictly conform to the Construction and Demolition Waste Management Rules, 2016.
1	Used CFLs and TFLs should be properly collected and disposed off/sent for recycling as per the prevailing

0.	guidelines/ rules of the regulatory authority to avoid mercury contamination.
Green Cover	
1.	No tree can be felled/transplant unless exigencies demand. Where absolutely necessary, tree felling shall be with prior permission from the concerned regulatory authority. Old trees should be retained based on girth and age regulations as may be prescribed by the Forest Department. Plantations to be ensured species (cut) to species (planted).
2.	A minimum of 1 tree for every 80 sqm of land should be planted and maintained. The existing trees will be counted for this purpose. The landscape planning should include plantation of native species. The species with heavy foliage, broad leaves and wide canopy cover are desirable. Water intensive and/or invasive species should not be used for landscaping.
3.	Where the trees need to be cut with prior permission from the concerned local Authority, compensatory plantation in the ratio of 1:10 (i.e. planting of 10 trees for every 1 tree that is cut) shall be done and maintained. Plantations to be ensured species (cut) to species (planted). Area for green belt development shall be provided as per the details provided in the project document.
4.	Topsoil should be stripped to a depth of 20 cm from the areas proposed for buildings, roads, paved areas, and external services. It should be stockpiled appropriately in designated areas and reapplied during plantation of the proposed vegetation on site.
Transport	
1.	A comprehensive mobility plan, as per MoUD best practices guidelines (URDPFI), shall be prepared to include motorized, non-motorized, public, and private networks. Road should be designed with due consideration for environment, and safety of users. The road system can be designed with these basic criteria. a. Hierarchy of roads with proper segregation of vehicular and pedestrian traffic. b. Traffic calming measures. c. Proper design of entry and exit points. d. Parking norms as per local regulation.
2.	Vehicles hired for bringing construction material to the site should be in good condition and should have a pollution check certificate and should conform to applicable air and noise emission standards be operated only during non-peak hours.
null	
1.	A detailed traffic management and traffic decongestion plan shall be drawn up to ensure that the current level of service of the roads within a 05 kms radius of the project is maintained and improved upon after the implementation of the project. This plan should be based on cumulative impact of all development and increased habitation being carried out or proposed to be carried out by the project or other agencies in this 05 Kms radius of the site in different scenarios of space and time and the traffic management plan shall be duly validated and certified by the State Urban Development department and the P.W.D./ competent authority for road augmentation and shall also have their consent to the implementation of components of the plan which involve the participation of these departments.
Human health issues	
1.	All workers working at the construction site and involved in loading, unloading, carriage of construction material and construction debris or working in any area with dust pollution shall be provided with dust mask.
2.	For indoor air quality the ventilation provisions as per National Building Code of India.
3.	Emergency preparedness plan based on the Hazard identification and Risk Assessment (HIRA) and Disaster Management Plan shall be implemented.
4.	Provision shall be made for the housing of construction labour within the site with all necessary infrastructure and

	facilities such as fuel for cooking, mobile toilets, mobile STP, safe drinking water, medical health care, crèche etc. The housing may be in the form of temporary structures to be removed after the completion of the project.
5.	Occupational health surveillance of the workers shall be done on a regular basis.
6.	A First Aid Room shall be provided in the project both during construction and operations of the project.
Miscellaneous	
1.	The project proponent shall prominently advertise it at least in two local newspapers of the District or State, of which one shall be in the vernacular language within seven days indicating that the project has been accorded environment clearance and the details of MoEFCC/SEIAA website where it is displayed.
2.	ii. environmental clearance shall be submitted by the project proponents to the Heads of local bodies, Panchayats and Municipal Bodies in addition to the relevant offices of the Government who in turn has to display the same for 30 days from the date of receipt.
3.	The project proponent shall upload the status of compliance of the stipulated environment clearance conditions, including results of monitored data on their website and update the same on half-yearly basis.
4.	The project proponent shall submit six-monthly reports on the status of the compliance of the stipulated environmental conditions on the website of the ministry of Environment, Forest and Climate Change at environment clearance portal.
5.	The company shall have a well laid down environmental policy duly approved by the Board of Directors. The environmental policy should prescribe for standard operating procedures to have proper checks and balances and to bring into focus any infringements/deviation/violation of the environmental/forest/wildlife norms/conditions. The company shall have defined system of reporting infringements/deviation/violation of the environmental/forest/wildlife norms/conditions and/or shareholders/stake holders. The copy of the board resolution in this regard shall be submitted to the MoEF&CC as a part of six-monthly report.
6.	A separate Environmental Cell both at the project and company head quarter level, with qualified personnel shall be set up under the control of senior Executive, who will directly report to the head of the organization.
7.	Action plan for implementing EMP and environmental conditions along with responsibility matrix of the company shall be prepared and shall be duly approved by competent authority. The year wise funds earmarked for environmental protection measures shall be kept in separate account and not to be diverted for any other purpose. Year wise progress of implementation of action plan shall be reported to the Ministry/Regional Office along with the Six Monthly Compliance Report
8.	The project proponent shall submit the environmental statement for each financial year in Form-V to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently and put on the website of the company.
9.	The project proponent shall inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities, commencing the land development work and start of production operation by the project.
10.	The project authorities must strictly adhere to the stipulations made by the State Pollution Control Board and the State Government.
11.	The project proponent shall abide by all the commitments and recommendations made in the EIA/EMP report and also that during their presentation to the Expert Appraisal Committee.
12.	No further expansion or modifications in the plant shall be carried out without prior approval of the Ministry of Environment, Forest and Climate Change (MoEF&CC).

1 3.	Concealing factual data or submission of false/fabricated data may result in revocation of this environmental clearance and attract action under the provisions of Environment (Protection) Act, 1986.
1 4.	The Ministry may revoke or suspend the clearance, if implementation of any of the above conditions is not satisfactory.
1 5.	The Ministry reserves the right to stipulate additional conditions if found necessary. The Company in a time bound manner shall implement these conditions.
1 6.	The Regional Office of this Ministry shall monitor compliance of the stipulated conditions. The project authorities should extend full cooperation to the officer (s) of the Regional Office by furnishing the requisite data / information/monitoring reports.
1 7.	The above conditions shall be enforced, inter-alia under the provisions of the Water (Prevention & Control of Pollution) Act, 1974, the Air (Prevention & Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986, Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016, and the Public Liability Insurance Act, 1991 along with their amendments and Rules and any other orders passed by the Hon'ble Supreme Court of India / High Courts and any other Court of Law relating to the subject matter.
1 8.	Any appeal against this EC shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.
Specific Conditions	
1.	Recommendations of mitigation measures from possible accident shall be implemented based on Risk Assessment studies conducted for worst case scenarios using latest techniques.

3.3. Agenda Item No 3:

3.3.1. Details of the proposal

Residential Group Housing Colony, under License no. 61 of 2025 in the revenue estates of Village-Daultabad, Tehsil-Kadipur, Sector-103, District-Gurugram Manesar Urban Complex developed by Floraessence Projects Private Limited by FLORALESSENCE PROJECTS PRIVATE LIMITED located at GURUGRAM, HARYANA			
Proposal For		Fresh EC	
Proposal No	File No	Submission Date	Activity (Schedule Item)
IA/HR/INFRA2/540714/2025	21/115/2025-IA.III	09/06/2025	Building / Construction (8(a))

3.3.2. Project Salient Features

EAC during the deliberations, observed that an email dated 08.09.2025 was received to the Ministry from the project proponent wherein it has been mentioned that due to unavoidable circumstances, they are not able to attend the EAC meeting. Accordingly, the PP has sought deferment of the instant proposal for the next EAC meeting.

3.3.3. Deliberations by the committee in previous meetings

N/A