LEGEND :-

	(1)	160 OD uPVC SWR CLASS B SOIL / WASTE & VENT PIPE
	(2)	110 OD uPVC SWR CLASS B SOIL/VENT PIPE
	(3)	110 OD uPVC SWR CLASS B KITCHEN WASTE PIPE
	(5)	160 OD uPVC SWR CLASS A RAIN WATER DOWNCAST PIPE
	(1)	DOMESTIC WATER SUPPLY DOWNCAST PIPE (GI CLASS C)
	(7)	FLUSHING WATER SUPPLY DOWNCAST PIPE (GI CLASS C)
	(9)	110 OD uPVC SWR CLASS A BALCONY DRAIN PIPE
F.D.		FLOOR DRAIN
DWS		DOMESTIC WATER SUPPLY
FWS		FLUSHING WATER SUPPLY
PRV		PRESSURE REDUCING VALVE STATION
W.T.		WHERE TRAP 150mm WATER SEALED
W.M.T.		WET MASONRY TRAP 150mm WATER SEALED
	(2)	110 OD uPVC SWR CLASS B WASTE PIPE
	(3)	110 OD uPVC SWR CLASS B WASTE PIPE
	(4)	160 OD uPVC SWR CLASS B WASTE PIPE
	(6)	40 OD uPVC SWR CLASS B KITCHEN SINK & WASH BASIN OUTLET PIPE
	(8)	63 OD GI uPVC SWR CLASS B WASTE PIPE

PLUMBING LEGEND

(F)	150# C.I. PARKING DRAIN PIPE
(P)	150# C.I. PARKING DRAIN POINT
DC	DRAIN CHAMBER
(S)	200# uPVC SWR PIPE(300MM)
(P)	200# uPVC SWR PIPE PRESSER RATE 10kg/cm2

LIFT CAPACITY

SR. NO.	Shaft Size (mm)	Car Size (mm)	Capacity
1	2500x2450	2000x1000x2700	25PY 1360Kg
2	1900x3300	1100x2300x2700	16PY 1088Kg
3	2500x2450	1800x1900x2700	25PY 1360Kg

DIMENSION LEGEND:

INCL.	ARCHITECTURE DIM.
—sec—	AREA/ DIM.

DOOR AND WINDOW SCHEDULE (TOWER BASEMENT)

SR. NO.	NAME	ROUGH OPENING WIDTH	ROUGH OPENING HEIGHT	SILL LVL	LINTEL LVL	LOCATION	TYPE FIRE RATED
1	FD1	1200	2100	0	2100	STAIRCASE, SHAFT AT COMMON FIRE HOUSE	2 HRS
2	FD2	1500	2100	0	2100	ESKALATOR AND FRESH AIR FAN ROOM	2 HRS
3	FD3	1000	2050	150	2200	BATTERY AND UPS ROOM	2 HRS
4	FD4	900	2050	150	2200	SERVICE & LIFT SHAFT	2 HRS
5	FD5	1000	2050	150	2200	EXEC. SHAFT (COMB)	2 HRS
6	FD6	900	2050	150	2200	LIFT	2 HRS
7	FD7	1200	2050	150	2200	ELECTRICAL ROOM	2 HRS
8	FD8	1800	2050	150	2200	HT EXEC. SHAFT (TOWER-G)	2 HRS
9	FD9	1900	2100	0	2100	STORE ROOMS/SERVICES	2 HRS
10	FD10	1500	2100	0	2100	DG ROOM	2 HRS

Note :-

1. BUILDING WILL BE DESIGNED (STRUCTURES) AS PER RELEVANT IS CODES FOR EARTH QUAKE RESISTANCE.

PROJECT

REVISED(1ST REVISION) BUILDING PLANS OF PHASE-1(PRIVANA-SOUTH) FALLING UNDER RESIDENTIAL COLONY UNDER NEW INTEGRATED LICENSING POLICY(NILP) DATED 11.05.2022 ON LAND MEASURING 116.29625 ACRES (LICENCE NO. 219 OF 2023.DATED 25-10-23.) (AN AREA MEASURING 103.09625 ACRES MIGRATION FROM LICENCE NO. 27 OF 2012 DATED 02.04.2012 AND 13.24 ACRES AS FRESH AS FRESH APPLIED AREA) IN SECTOR -76 & 77, GURUGRAM MANESAR URBAN COMPLEX BEING DEVELOPED BY DLF LTD.IN COLLABORATION WITH LAND OWNERS AND IT`S ASSOCIATE COMPANIES

DESIGN ARCHITECTS

Arcop Associates Pvt. Ltd.,
Plot No.-36B,Institutional Area,
Sector-32,Gurgaon,
Haryana-122001.

SUBMISSION ARCHITECTS

RSMS ARCHITECTS

RSMS ARCHITECTS PVT. LTD.
69,Nora Niwas Bhawani Kunj
(Behind D2), Vasant Kunj,
New Delhi-110070.
Tel.:011-26898616,26898617
www.rsms-arch.com

This is a "PROVISIONAL BUILDING PLAN" approved only for the purpose of inviting Objectious from the general public

S.T.P.(HQ) Member Secretary B.P.A.C. — S.T.P.(G) Member B.P.A.C. — C.T.P.(HR.) Chairman B.P.A.C.

DTP(HQ) — ATP(HCI)

J.D. — P.A. — A.T.P.

Checked and found ok for Public Health (Internal) Service only subject to comments in its forwarding letter No. 3552/0 dt. 31/12/24

Executive Engineer (HQ) — DINESH KUMAR PA(HCI)

Superintending Engineer/ Chief Engineer/ HSVP, Panchkula

TO BE READ WITH THIS OFFICE MEMO NO. 4349-5 DATED 17/12/2025

ARCHITECT'S SEAL & SIGNATURE	OWNER'S SEAL & SIGNATURE
	DLF Limited Authorised Signatory

JAN.-2025 | Scale : 1:200 | NORTH

Drawing Title:-
BASEMENT-03(PART-02,03)
(UNDER TOWER - E & F)
(UNDER TOWER - G)

Drawing No:-
BS-03a

1-06052025

BASEMENT-3
PART-02
(UNDER TOWER-E & F)
LVL.-9650

BASEMENT-3
PART-03
(UNDER TOWER-G)
LVL.-9910

BASEMENT-3 (PART-03)

TYPES OF PARKING		COUNT	ECS
5000 / 2500	NORMAL PARKING	348	372
3300 / 5400	HADICAP PARKING	04	
	TOTAL PARKING	352	372
2500	BIKE PARKING	52	

HVAC LEGEND:
- ZONE LINE
- FRESH AIR SHAFTS
- EXHAUST AIR SHAFT

TYPICAL SUMP DETAIL
(FOR SEWERAGE SYSTEM)
SCALE=1:50