




**TOWER - A6, A7, A8 & A9
TERRACE FLOOR PLAN
LVL. TOS +129250**



**TOWER - A6, A7, A8 & A9
MACHINE ROOM LVL PLAN**



**TOWER - A6, A7, A8 & A9
TERRACE FLOOR PLAN
AREA DIAGRAM**



**TOWER - A6, A7, A8 & A9
MACHINE ROOM LVL PLAN
AREA DIAGRAM**

NON FAR AREA AT TERRACE LVL AND MACHINE ROOM & OHT LVL				
NON FAR AREA AT TERRACE LVL				
TAG	LENGTH (L) in Mts	WIDTH (W) in Mts	NO.5 (N)	AREA (L x W x N)
A1	1.835	2.395	1	4.39
A2	1.660	4.055	1	6.73
A3	7.860	1.085	1	8.53
A4	7.230	6.825	1	49.34
A5	3.920	4.055	1	15.90
A6	1.025	0.680	0	0.70
A7	4.870	4.135	1	20.14
A8	3.730	3.350	1	12.50
A9	3.850	2.850	1	10.97
A10	1.240	3.350	1	4.15
A11	2.860	3.450	1	9.87
A12	4.500	1.050	1	4.73
TOTAL (A)				147.99
NON FAR AREA AT MACHINE ROOM & OHT LVL				
TAG	LENGTH (L) in Mts	WIDTH (W) in Mts	NO.5 (N)	AREA (L x W x N)
A1	1.835	2.395	1	4.39
A2	1.660	4.055	1	6.73
A3	7.860	1.085	1	8.53
A4	7.230	6.825	1	49.34
A5	3.920	4.055	1	15.90
A6	1.025	0.680	0	0
A7	4.870	4.135	1	20.14
A8	3.730	3.350	1	12.50
A9	3.850	2.850	1	10.97
TOTAL (B)				128.50

LEGEND:-

SYL.	TITLE	W	H	SILL	NOTES
001	SLIDING DOOR	3550	2500	= 00	
002	SLIDING DOOR	3540	2500	= 00	
003	SLIDING DOOR	3440	2500	= 00	
004	SLIDING DOOR	3410	2500	= 00	
005	SLIDING DOOR	3338	2500	= 00	
006	SLIDING DOOR	2960	2500	= 00	
007	SLIDING DOOR	2850	2500	= 00	
008	SLIDING DOOR	2700	2500	= 00	
009	SLIDING DOOR	2620	2500	= 00	
010	SLIDING DOOR	2440	2500	= 00	
011	SLIDING DOOR	1825	2500	= 00	
012	SLIDING DOOR	1475	2500	= 00	
013	SLIDING DOOR	1450	2500	= 00	
014	FLUSH DOOR	1200	2500	= 00	1 HR FIRE RATED
015	FLUSH DOOR	1000	2250	= 00	
016	FLUSH DOOR	1200	2250	= 00	
017	FLUSH DOOR	800	2250	= 00	
018	FIRE DOOR	1800	2250	= 00	2 HR FIRE RATED
019	FIRE DOOR	1500	2250	= 00	2 HR FIRE RATED
020	FIRE DOOR	1500	2250	= 100	2 HR FIRE RATED
021	FIRE DOOR	1250	2250	= 00	2 HR FIRE RATED
022	FIRE DOOR	900	2150	= 100	2 HR FIRE RATED
023	FIRE DOOR	700	2150	= 100	2 HR FIRE RATED
024	FIRE DOOR	1000	2150	= 100	2 HR FIRE RATED
025	DOOR WINDOW	800	2250	= 00	
026	GLASS DOOR	2000	2500	= 00	
027	WINDOW	1500	1350	+ 900	
028	WINDOW	1075	1350	+ 900	
029	VENTILATOR	600	1200	+ 1050	

HORIZONTAL PIPE CONNECTIONS SHALL BE AS FOLLOWS.


FROM WASH BASIN TO FT	32Ø PIPE
FROM SINK TO FT	40Ø PIPE
FROM FD TO FT	50Ø PIPE
FROM FT TO VERTICAL STACK	100Ø PIPE
FROM WC TO VERTICAL STACK	100Ø PIPE

PLUMBING LEGEND

S.NO.	DESCRIPTION
1	100Ø SOIL & VENT PIPE
2	100Ø WASTE & VENT PIPE
3	100Ø ANTISYPHONAGE PIPE
4	110 OD RAIN WATER PIPE
5	160 OD RAIN WATER PIPE
6	DOMESTIC WATER SUPPLY DOWN TAKE FOR TOP FOUR FLOOR (35-32)
7	DOMESTIC WATER SUPPLY DOWN TAKE FOR (31-17) FLOOR
8	DOMESTIC WATER SUPPLY DOWN TAKE FOR (16-GRO.) FLOOR
9	FLUSHING WATER SUPPLY DOWN TAKE FOR (35-24) FLOOR
10	FLUSHING WATER SUPPLY DOWN TAKE FOR (23-12) FLOOR
11	FLUSHING WATER SUPPLY DOWN TAKE FOR (11-GROUND) FLOOR
12	DOMESTIC WATER RISER PIPE TO OHT
13	FLUSHING WATER RISER PIPE TO OHT

PLUMBING LEGEND

S.NO.	DESCRIPTION
A	150Ø FIRE PIPE LOWE ZONE BASEMENT TO 9th FLOOR
B	150Ø FIRE PIPE MIDDLE ZONE 10th TO 23rd FLOOR
C	150Ø FIRE PIPE HIGH ZONE 24th TO TERRACE LVL
D	150Ø SPRINKLER PIPE LOWE ZONE BASEMENT TO 9th FLOOR
E	150Ø SPRINKLER PIPE MIDDLE ZONE 10th TO 23rd FLOOR
F	150Ø SPRINKLER PIPE HIGH ZONE 24th TO TERRACE LVL
G	150Ø ALTERNATE SPRINKLER PIPE LOWE ZONE BASEMENT TO 9th FLOOR
H	150Ø ALTERNATE SPRINKLER PIPE MIDDLE ZONE 10th TO 23rd FLOOR
J	150Ø ALTERNATE SPRINKLER PIPE HIGH ZONE 24th TO TERRACE LVL
K	150Ø FIRE DOWN COMER PIPE
L	80Ø DRAIN PIPE



Sanctioned to be read with this office
MEMO NO. 46660
DATED: 9/12/2025


Ullams S.T.P. (HQ) Member Secretary B.P.A.C.
S.T.P. (G) Member B.P.A.C.
C.P. (HR) Chairman B.P.A.C.

DTP (HQ) ATP (HQ) DINESH KUMAR PA (HQ)

Checked and found ok for Public Health (Internal) Service only subject to comments in forwarding letter No. 3465.H...Dt.20/11/25

Superintending Engineer (HQ) for Chief Engineer-I HSPV, Panchkula

- NOTE:-**
- BUILDING HAS AUTOMATIC SPRINKLER SYSTEM WHEREVER REQUIRED BY N.C.
 - BUILDING WILL BE DESIGNED (STRUCTURES) AS PER RELEVANT IS CODES FOR EARTH QUAKE RESISTANCE.
 - 100% POWER BACKUP MECHANICAL VENTILATED SHAFTS.



PROJECT

PROPOSED BUILDING PLAN FOR AFFORDABLE GROUP HOUSING-1 (POCKET-A) OVER AN AREA MEASURING 16.4758 ACRES, PART OF INDUSTRIAL PLOTTED COLONY OVER AN AREA MEASURING 139.7835 ACRES LICENCE NO.168 OF 2025 DATED 08.08.2025 IN THE REVENUE EST (A) OF VILLAGE BAS HARA AND JILIND SARAI ABAD, IN SECTOR NO. W10 AND W11 GURUGRAM MANESAR URBAN COMPLEX.

OWNER

M3M INDIA INFRASTRUCTURES PVT. LTD.

ARCHITECTS

STUDIO SYMBIOSIS

INDIA | GERMANY | UK
INDIA
1301, TOWER-E, SKYMARK ONE
SECTOR 88, NOIDA, U.P. 201301, NOIDA
TEL: +91 9720 422839
E-MAIL: INFO@STUDIO-SYMBIOSIS.COM
WWW.STUDIO-SYMBIOSIS.COM

OWNER'S SEAL & SIGNATURE

For M3M India Infrastructures Pvt. Ltd.
(Authorized Signatory)

ARCHITECT'S SEAL & SIGNATURE

AMIT GUPTA
Architect
CA/2004 / 33147

DATE: SCALE: DWG NO. FP-A6-TE-01
1:100

DWG TITLE: TERRACE FLOOR PLAN & AREA DIAGRAM. (TOWER - A6, A7, A8 & A9)