

1. BUILDING HAS AUTOMATIC SPRINKLER SYSTEM WHEREVER REQUIRED BY NBC.
2. BUILDING WILL BE DESIGNED (STRUCTURES) AS PER RELEVANT IS CODES FOR EARTH QUAKE RESISTANCE.
3. ALL TOILET & KITCHEN HAVE PERMANENT VENTILATION /EXHAUST
4. ALL BUILDINGS ARE NATURALLY VENTILATED AND WHERE EVER REQUIRED MECHANICAL VENTILATION IS PROPOSED WITH 100% POWER BACKUP.

[Handwritten signatures and initials are present throughout the document.]

S.P.C. (HR)
Chairman
P.A.C.
B.P.A.C.

J.D.T.
MEMBER
BPAC

ATP

PA

HQ

AD

Rajesh Dutt
CD/HQ

B.P.A.C.

HQ

HQ

HQ

Client

Floralessence Projects Pvt. Ltd.
AIPL Business Club, 5th Floor, Sector 62,
Gurgaon 122 002, Haryana,
Phone: +91 92111 60000 Ext: 7794




SBA
Design N Code LLP
Architects • Codes • Interiors

Mob.: 9810791652, 9811077209

and found of for Public Health
(email) Service only subject to comments in
in forwarding letter No. 3912-10.DL.11/12/25

ARCHITECT'S SEAL
& SIGNATURE

	A 02-SEPT-25
---	-----------------



TOWER-2	FLOOR LEVEL	UNITS
1st FLOOR	LVL+6350	4
	TOTAL UNITS=	4

[illegible]

2ND FLOOR
LVL.+9650

3300

110V EXHAUST DUCT

TOILET BENO

SWIFT

2750

BEDROOM

BALCONY

110V EXHAUST

1ST FLOOR
LVL.+6350

TYPICAL TOILET VENT AIRFLOW DESIGN FOR TOILET						
S NO.	LOCATION	AREA Sq. ft.	HEIGHT (Ft)	VOLUME (Cu Ft)	DESIGN CFM	EXHAUST FAN SIZE (mm)
1	Bedroom Toilet	3.64	3.10	11.29	65.43	100.00
2	Utility Toilet	2.45	3.10	7.60	44.67	100.00
						150 mm
						110 (00)